

NOTICE 208 OF 2010**DEPARTMENT OF PUBLIC WORKS
AGRÉMENT SOUTH AFRICA**

(Approval of innovative construction products and systems)

Notice is hereby given that Agrément South Africa has, with effect from 21 October 2009, issued an Agrément certificate, details of which appear in the schedule hereto.

SCHEDULE

Agrément Certificate No 2009/366

Name of product: Spunsulation 3 Roofing Radiant Barrier

Certificate holder: Spunchem International (Pty) Ltd

Description: The top layer of Spunsulation 3 Roofing Radiant Barrier is manufactured from green pigmented ultraviolet light resistant and non-toxic flame retarded non-woven spunbond polypropylene. The layers are laminated by means of homogenous polyolefin based film web to the aluminium foil bottom layer. The membrane has a nominal mass of 140 g/m² with a thickness of between 0, 31 mm to 0, 35 mm. It is supplied in rolls 30 m long and 1, 5 m wide.

Spunsulation 3 Roofing Radiant Barrier is suitable for installation in all tiled-roof buildings with timber roof construction

The Agrément certificate contains detailed information on the product and can be accessed at <http://www.agrement.co.za>

Copies are obtainable from: The Manager
Agrément South Africa
P O Box 395
0001 PRETORIA