

No. 552

23 May 2008

AGRÉMENT SOUTH AFRICA
(Approval of innovative construction products and systems)

Notice is hereby given that Agrément South Africa has, with effect from 4 July 2007, issued an Agrément certificate, details of which appear in the schedule hereto.

SCHEDULE

Agrément Certificate No 2004/304 (Amended July 2007)

Name of product: Lafarge Roofing Undertile Membrane

Certificate holder: Lafarge Roofing (Pty) Ltd

Description: The Lafarge Roofing Undertile Membrane is manufactured from two layers of cross-woven, spunbonded virgin polypropylene coloured blue and charcoal. The two spunbond layers are heat-bonded together with a interlayer of polymer. The spunbond layers are UV-stabilised. The membrane has a weight of 100 g/m² and is supplied in rolls 30 m long and 1,5 m wide.

Lafarge Roofing Undertile Membrane is suitable for installation in all tiled-roof buildings with timber roof construction. It was not evaluated for metal roof construction and side-wall cladding. It can be used in all regions of South Africa when used in the conventional manner to:

- reduce air movement between tiles, since the membrane can contribute to maintaining a balanced air pressure on both sides of the roof tiles
- reduce ingress to the roof space of wind-driven rain and dust.

The Agrément certificate contains detailed information on the product and can be accessed at <http://www.agrement.co.za>

Copies are obtainable from: The Manager
Agrément South Africa
P O Box 395
0001 **PRETORIA**