

No. 151

26 February 2015

DEPARTMENT OF PUBLIC WORKS
AGRÉMENT SOUTH AFRICA
(Approval of innovative construction products and systems)

Notice is hereby given that Agrément South Africa has, with effect from 21 October 2014, issued an Agrément certificate, details of which appear in the schedule hereto.

SCHEDULE
Agrément Certificate 2014/469

Name of product: Gundle UT Woven 118 Roof Tile Underlay

Certificate holder: Novara Profile Extrusions (Pty) Ltd t/a Gundle API

Description: The Gundle UT Woven 118 Roof Tile Underlay is manufactured from a laminate of spunbonded material and virgin polyethylene. The spunbond layers are UV-stabilised. The membrane has a weight of 118 g/m² and the thickness varies between 0.40 mm to 0.50 mm. It is supplied in rolls of 30 m, 40 m long and 1.5 m wide.

Gundle UT Woven 118 Roof Tile Underlay is suitable for installation in all conventional tiled roof construction. It can be used in all regions of South Africa for all types of occupancy classification (**SANS 10400: Table 1 of regulation A 20 (1)**). When used as stated in the certificate it can:

- reduce air leakage
- reduce ingress to the roof space of wind-driven rain and dust.

The Agrément certificate contains detailed information on the product and can be accessed at <http://www.agrement.co.za>

Copies are obtainable from: Chief Executive Officer (CEO)
Agrément South Africa
P O Box 395
PRETORIA, 0001