

DEPARTMENT OF PUBLIC WORKS

NO. 1198

03 NOVEMBER 2017

AGRÉMENT SOUTH AFRICA
(Approval of innovative construction products and systems)

Notice is hereby given that Agrément South Africa has, with effect from 01 June 2016, issued an Agrément certificate, details of which appear in the schedule hereto.

SCHEDULE

Agrément Certificate 2015/505 (Amended June 2016)

Subject: 4-Everframe Wood Plastic Composite Door Frames**Certificate holder:** BM Trading Trust**Description:** The certificate covers the use of 4-Everframe Wood Plastic Composite Door Frames for internal and external use in new and existing walls in buildings for all types of occupancy classification (**SANS 10400**: Table 1 of Regulation A (20) (1)) in all regions of South Africa with exclusions that are listed below.**Usage exclusions:**

- H3 attached domestic residence:
 - Doors leading to a garage (different occupancy).
 - Front doors adjacent to an escape route requiring a protected opening.
 - Front doors of adjacent units closer than 1 m apart.
 - Doors leading to escape routes.
- H4, detached domestic residence:
 - Doors leading to a garage (different occupancy).
- H5 attached domestic residence:
 - Doors leading to a garage (different occupancy).
 - Doors adjacent to an escape route requiring a protected opening.
 - Doors leading to escape routes.

4-Everframe Wood Plastic Composite Door Frames are not suitable for use in any wall with a Fire Resistance requirement also requiring a protected opening. The following examples may be applicable for protected openings:

- Doors in division separating elements.
- Doors in occupancy separating elements
- Doors adjacent to escape routes.
- Doors leading to escape routes.
- Doors leading to emergency routes.
- Doors in fire division walls.

The Agrément certificate contains detailed information on the product and can be accessed at <http://www.agrement.co.za>

Copies are obtainable from: Chief Executive Officer (CEO)
Agrément South Africa, P O Box 395, **PRETORIA**, 0001