

| HOMOEOPATHIC | | | | | |
|--------------------------|---|--|---|--|-------------------------------|
| SCHEDULE 0 | | | | | |
| APPROVED NAME | Synonym/ Abbreviation Code/ Pin Yin Name for Plant | COMMON NAME | Lowest potency permitted for Anthroposophical and Homoeopathic substances | Upper potency - Label warning to appear between lowest potency and upper potency | Upper allowable Potency |
| Calotropis lactum | Calo-l. | Madur album Mudar Wara Yercum Calotropis latex Gutta-percha | 6x | | 30C |
| Calotropis procera | Calo-p. | | 0 | | 30C |
| Caltha palustris | Calth. | Cowslip Marsh marigold | 0 | 4X | 30C |
| Calycanthus floridus | | Carolina allspice Sweet bush | 0 | | 30C |
| Calycanthus occidentalis | Calyc-o. | | 6x | | 30C |
| Calyptidium umbellatum | Caly-p-u. | | 6x | | 30C |
| Calystegia sepium | Calys-s. | Convolvulus sepium | 0 | | 30C |
| Camellia japonica | Camel-j. | Common camellia | 0 | | 30C |
| Camellia sinensis | | Thea sinensis Baick tea Common tea Green tea | 0 | | 30C |
| Campanula patula | | | 0 | | 30C |
| Campanula rapunculus | Campan-ra. | | 0 | | 30C |
| Campanula rotundifolia | Campan-ro. | Harebell Scottish bluebell | 0 | | 30C |
| Campanula trachelium | Campan-t. | | 0 | | 30C |
| Camphora bromata | Camph-br. | | 2X | 2X | 30C |

| HOMOEOPATHIC | | | | | |
|-------------------------|--|--|--|---|--------------------------------|
| SCHEDULE 0 | | | | | |
| APPROVED NAME | Synonym/ Abbreviation Code/ Pin Y/in Name for Plant | COMMON NAME | Lowest potency permitted for Anthroposophical and Homoeopathic substances | Upper potency - Label warning to appear between lowest potency and upper potency | Upper allowable Potency |
| Camphora monobromata | Camph-mbr. | | 2X | 2X | 30C |
| Camphora officinalis | Camph. | Camphora Cinnamomum camphora Laurus camphora | 1X | 4X,EXT 1X | 30C |
| Camphorosma monspeliaca | Campho-m. | | 1X | | 30C |
| Campylobacter | | | 5X | | 30C |
| Campylobacter pylori | | | 5X | | 30C |
| Candida parapsilosis | | | 5X | 12X | 30C |
| Candidine | | | 8X | | 30C |
| Canna angustifolia | Canna | | 0 | | 30C |
| Cantharidinum | Canthin. | | 8X | 8X | 30C |
| Cantharis vesicatoria | Canth. | Meloe vesicatorius Lytta vesicatoria Spanish fly Blistering beetle Russian fly Cantharis | 4X | 4X,EXT 3X | 30C |
| Canyon dudleya | Cany-d. | Dedleya cymosa | 6x | | 30C |
| Capitis cutis | | Scalp, Zone pileuse cranienne | 3X | | 30C |
| Capparid coriacea | Capp. | | 6x | | 30C |
| Caprolactamum | | | 5X | | 30C |
| Capsella bursa-pastoris | | Bursa pastoris Shepherd's purse Thlaspi bursa pastoris | 0 | 1X | 30C |
| Capsicum annuum | Caps. | Pili-pili Pigment des Jardins | 0 | 3X | 30C |

| HOMOEOPATHIC | | | | | |
|------------------------------|---|--|---|--|-------------------------------|
| SCHEDULE 0 | | | | | |
| APPROVED NAME | Synonym/ Abbreviation Code/ Pin Yin Name for Plant | COMMON NAME | Lowest potency permitted for Anthroposophical and Homoeopathic substances | Upper potency - Label warning to appear between lowest potency and upper potency | Upper allowable Potency |
| Capsicum frutescens | Caps-f. | Cayenne pepper | 0 | | 30C |
| Capsule articulaire | | Joint capsules | 3X | | 30C |
| Carbo animalis | Carb-an. | Animal charcoal | 1X | | 30C |
| Carbo tiliae | | | 1X | | 30C |
| Carbo vegetabilis | Carb-v. | Vegetable charcoal | 3X | | 30C |
| | | Carbo ligni | | | |
| Carboneum | Carbn. | | 2X | 3X | 30C |
| Carboneum chloratum | Carbn-chl. | | 6X | 6X | 30C |
| Carboneum hydrogenisatum | Carbn-h. | | 3X | 6X | 30C |
| Carboneum oxygenisatum | Carbn-o. | | 4X | 8X | 30C |
| Carboneum sulphuratum | Carbn-s. | | 6X | 8X | 30C |
| Carboneum tetrachloratum | | Carbon tetrachloride | 6X | 8X | 30C |
| Carboneum tetramuriaticum | Carbn-tm. | Carboneum tetrachloridum | 6X | | 30C |
| Carborundum | | | 1X | | 30C |
| Carboxymethylcellulosum | Carbmc. | | 4X | | 30C |
| Carcinoma bronchium | | Bronchial carcinoma | 8X | | 30C |
| Carcinoma coli | | Intestinal carcinoma | 8X | | 30C |
| Carcinoma hepatis | | Liver carcinoma | 8X | | 30C |
| Carcinoma hepatis metastasis | | Liver carcinoma | 8X | | 30C |
| Carcinoma laryngis | | Larynx carcinoma | 8X | | 30C |
| Carcinoma mammae | | Breast carcinoma | 8X | | 30C |
| Carcinoma uteri | | Uterus carcinoma | 8X | | 30C |
| Carinosinum | Carc. | Cancerinum Carcinosinum Burnett Carcinosinum Foubister | 8X | | 30C |

| HOMOEOPATHIC | | | | | | |
|-------------------------------------|---|---|--|---|--|--|
| SCHEDULE 0 | | | | | | |
| APPROVED NAME | Synonym/ Abbreviation Code/ Pin Yin Name for Plant | COMMON NAME | Lowest potency permitted for Anthroposophical and Homoeopathic substances | Upper potency - Label warning to appear between lowest potency and upper potency | Upper allowable Potency | |
| Carcinosinum bladder adeno papillar | Carc-bl-adp. | | 8X | | 30C | |
| Carcinosinum colon adeno | Carc-col-ad. | | 8X | | 30C | |
| Carcinosinum colon adeno papillar | Carc-col-adp. | | 8X | | 30C | |
| Carcinosinum intestines co. | Carc-in. | | 8X | | 30C | |
| Carcinosinum lung adeno squamous | Carc-lu-ads. | | 8X | | 30C | |
| Carcinosinum rectum adeno | Carc-rec-ad. | | 8X | | 30C | |
| Carcinosinum stomach | Carc-st. | | 8X | | 30C | |
| Carcinosinum stomach adeno | Carc-st-ad. | | 8X | | 30C | |
| Carcinosinum stomach scirrhous | Carc-st-sc. | | 8X | | 30C | |
| Carcinosinum uterus adeno | Carc-ut-ad. | | 8X | | 30C | |
| Carcinosinum uterus papillar | Carc-ut-p. | | 8X | | 30C | |
| Cardamine amara | Cardam-a. | | 6x | | 30C | |
| Cardamine pratensis | Cardam. | Cuckoo flower Lady's smock Meadow cress | 0 | | 30C | |
| Cardia ventriculi | | Cardiac sphincter | 3X | | 30C | |
| Cardiolipine | | | 0 | | 30C | |
| Cardiospermum halicacabum | Cardios-h. | Ballon vine Marvel pea | 0 | | 30C | |
| Cardium edule | | | 0 | | 30C | |

| HOMOEOPATHIC | | | | | |
|---------------------------|---|--------------------------------------|---|--|-------------------------------|
| SCHEDULE 0 | | | | | |
| APPROVED NAME | Synonym/ Abbreviation Code/ Pin Yin Name for Plant | COMMON NAME | Lowest potency permitted for Anthroposophical and Homoeopathic substances | Upper potency - Label warning to appear between lowest potency and upper potency | Upper allowable Potency |
| Carex arenaria | Carex-a. | Sarsaparilla germanica Sand sedge | 0 | EXT 1X | 30C |
| Carex vulpina | | | 0 | | 30C |
| Carica papaya | | Papaya Pawpaw | 0 | | 30C |
| Carissa schimperi | Car. | Acokanthera schimperi | 6x | | 30C |
| Carlina acaulis | Carl-a. | Carlina thistle Silver thistle | 0 | | 30C |
| Carlina vulgaris | Carl-vg. | | 0 | | 30C |
| Carmimum | | Carmin de cochenille | 1X | | 30C |
| Carnitinum | Carnin. | Carnitine Vitamin BT | 6x | | 30C |
| Carnitinum muriaticum | Carnin-m. | | 1X | | 30C |
| Carotene | Caroten. | Pre-vitamin A | 1X | | 30C |
| Carpinus betulus | Carp-b. | Hornbeam European hornbeam | 0 | 2X | 30C |
| Carpinus vulgaris | | | 0 | | 30C |
| Cartilago | | Knee & hip cartilage Cartilage | 3X | 7X | 30C |
| Cartilago articularis | | Cartilago articularis | 3X | 7X | 30C |
| Cartilago costo-femoralis | | Articular cartilage | 3X | 7X | 30C |
| Cartilago coxo-femoralis | | Femoral articular cartilage | 3X | 7X | 30C |
| Carum carvi | Caru. | Caraway Alcaravea | 0 | EXT 0.4% | 30C |

| HOMOEOPATHIC | | | | | | |
|-------------------------|---|--|---|--|-------------------------------|--|
| SCHEDULE 0 | | | | | | |
| APPROVED NAME | Synonym/ Abbreviation Code/ Pin Yin Name for Plant | COMMON NAME | Lowest potency permitted for Anthroposophical and Homoeopathic substances | Upper potency - Label warning to appear between lowest potency and upper potency | Upper allowable Potency | |
| | | Bunium carvi | | | | |
| Carya alba | Cary. | American hickory | 2X | | 30C | |
| Caryophylli aetheroleum | | Oleum caryophylli | 3X | 6X | 30C | |
| Caseinum | Casein. | Casein | 1X | | 30C | |
| Cassia alata | Cassia-a. | Ringworm cassia Senna Craw-craw Senna alata | 1X | 2X | 30C | |
| Cassia fistula | Cassia-f. | Purging cassia Purging senna Senna fistula | 0 | | 30C | |
| Cassia italica | | Italian senna Spanish senna Dog senna | 6x | | 30C | |
| Cassia obovata | | Senna obovata | 0 | | 30C | |
| Cassia occidentalis | Cassia-o. | Coffee senna Senna occidentalis | 0 | | 30C | |
| Cassia senna | | Alexandrian senna Cassia acutifolia Senna Senna alexandrina Tinnevely senna Senna angustifolia Cassia angustifolia | 0 | 4X | 30C | |

| HOMOEOPATHIC | | | | | |
|----------------------------|---|--|--|---|--|
| SCHEDULE 0 | | | | | |
| APPROVED NAME | Synonym/ Abbreviation Code/ Pin Yin Name for Plant | COMMON NAME | Lowest potency permitted for Anthroposophical and Homoeopathic substances | Upper potency - Label warning to appear between lowest potency and upper potency | Upper allowable Potency |
| Castanea sativa | | Spanish chestnut Sweet chestnut Castanea vesca Castanea vulgaris | 0 | | 30C |
| Castella texana | Caste. | | 6x | | 30C |
| Castor equi | Castor-eq. | | 0 | 3X | 30C |
| Castoreum canadense | | Beaver gland Castoreum | 0 | | 30C |
| Castoreum sibiricum | Castm. | Castoreum muscovitum Castoreum sibiricum | 0 | 2X | 30C |
| Catalpa bignonioides | Catal. | Indian bean Bignonia catalana Catalpa Pei tapae Talpa europaeu | 0 | | 30C |
| Cataracta complicata | | | 5X | | 30C |
| Cataracta senilis | | | 5X | | 30C |
| Cataria nepta | Catar. | | 0 | | 30C |
| Catharanthus roseus | Vinc-r. | Madagascar periwinkle Vinca rosea | 0 | | 30C |
| Caucalis latifolia | Cauc-l. | | 6x | | 30C |
| Caulophyllum thalictroides | Caul. | Leontice thalictroides Blue cohosh Papoose root | 0 | 3X | 30C |

HOMOEOPATHIC**SCHEDULE 0**

| APPROVED NAME | Synonym/ Abbreviation Code/ Pin Yin Name for Plant | COMMON NAME | Lowest potency permitted for Anthroposophical and Homoeopathic substances | Upper potency - Label warning to appear between lowest potency and upper potency | Upper allowable Potency |
|------------------------|---|--|--|---|--|
| Causticum | Caust. | Tinctura acris sine kali Causticum Hahnemanni | 1X | 2X | 30C |
| Cayaponia tayuya | | | | | |
| Ceanothus americanus | Cean. | New jersey tea Red root | 2X 0 | | 30C 30C |
| Ceanothus thrysiflorus | Cean-tr. | | 6x | | 30C |
| Cecropia mexicana | Cecr. | | 6x | | 30C |
| Cecropia obtusa | Cecr-o. | | 6x | | 30C |
| Cecropia peltata | | Trumpet tree | 0 | | 30C |
| Cedarwood oil | | | 6X | | 30C |
| Cedrus deodara | Cedrus-d. | Himalaya cedar | 0 | | 30C |
| Cedrus libani | Cedrus-l. | Lebanon cedar | 0 | | 30C |
| Celestite | | Celestine | 0 | | 30C |
| Celtis australis | Celt. | Beaver wood | 0 | | 30C |
| Celtis occidentalis | | | 0 | | 30C |
| Cenchrus contortrix | Cench. | Ancistrodon contortrix Ancistrodon makeson Agkistrodon contortrix Agkistrodon Copperhead snake | 4X | 8X | 30C |
| Centaurea calcitrapa | Cent-ca. | Star thistle | 0 | | 30C |
| Centaurea cyanus | Cent-cy. | Cornflower | 0 | | 30C |
| Centaurea jacea | Cent-j. | | 0 | | 30C |
| Centaurea nigra | Cent-n. | Hard heads Knapweed | 0 | | 30C |

| HOMOEOPATHIC | | | | | |
|---------------------------|---|--|---|--|-------------------------------|
| SCHEDULE 0 | | | | | |
| APPROVED NAME | Synonym/ Abbreviation Code/ Pin Yin Name for Plant | COMMON NAME | Lowest potency permitted for Anthroposophical and Homoeopathic substances | Upper potency - Label warning to appear between lowest potency and upper potency | Upper allowable Potency |
| Centaurea tagana | Cent. | | 6x | 6X | 30C |
| Centaureum chilensis | | Canchalagua Brythraea centaury Erythraea chilensis | 0 | | 30C |
| Centaureum erythraea | | Erythraea centaureum Centaurium Small centaury Canchalagua Centarium umbellatum Centarium minus | 2X | | 30C |
| Centella asiatica | Hydr. | Indian pennywort Centella Gotu cola Hydrocotyle asiatica Pennywort | 0 | | 30C |
| Centiana cruciata | | Cross-leaved gentian Gentiana cruciata | 0 | | 30C |
| Centranthus ruber | Centr-r. | Red valerian | 0 | | 30C |
| Cepedon haemachatus | | Ipecacuanha | 8X | | 30C |
| Cephaelis acuminata | | Ipecac Psychotria ipecacuanha Uragoga ipecacuanha Cephaelis ipecacuanha | 3X | 4X | 30C |
| Cephalanthus occidentalis | Ceph. | Button bush | 0 | | 30C |
| Cephalo-rachion | | Spinal fluid | 0 | | 30C |

| HOMOEOPATHIC | | | | | | |
|----------------------------|---|--|--|---|--|--|
| SCHEDULE 0 | | | | | | |
| APPROVED NAME | Synonym/ Abbreviation Code/ Pin Yin Name for Plant | COMMON NAME | Lowest potency permitted for Anthroposophical and Homoeopathic substances | Upper potency - Label warning to appear between lowest potency and upper potency | Upper allowable Potency | |
| Cephalinum muriaticum | | | 6x | | 30C | |
| Ceratonia siliqua | | Carob Jacaranda caroba Jacaranda brazilensis Jacaranda procera Cordelistris syphilitica Bignonia caroba | 0 | | 30C | |
| Ceratostigma willmottianum | Cerato | Cerato Chinese plumbago | 2X | | 30C | |
| Cercis occidentalis | Cerc-o. | | 6x | | 30C | |
| Cercis siliquastrum | Cerc-s. | Judas tree | 0 | | 30C | |
| Cerebellum | | Cerebellum tissue | 3X | | 30C | |
| Cerebrinum | | | 3X | | 30C | |
| Cerebrum fontalis | | Frontal brain tissue | 8X | | 30C | |
| Cerebrum occipitalis | | Brain (posterior) | 8X | | 30C | |
| Cerebrum totalis | | Brain (whole) | 8X | | 30C | |
| Cereus bonplandii | Cere-b. | Cactus bonplandii Eriocereus bonplandii Night blooming cereus Harrisia | 0 | | 30C | |
| Cereus geometrizans | | Myrtillocactus Myrtillocactus geometrizans | 0 | | 30C | |
| Cereus serpentinus | Cere-s. | Cactus serpentes Nyctocereus serpentinus | 0 | | 30C | |
| Cerium metallicum | Cer-met. | Cerium | 1X | | 30C | |

| HOMOEOPATHIC | | | | | |
|--------------------------|---|--|---|--|-------------------------------|
| SCHEDULE 0 | | | | | |
| APPROVED NAME | Synonym/ Abbreviation Code/ Pin Yin Name for Plant | COMMON NAME | Lowest potency permitted for Anthroposophical and Homoeopathic substances | Upper potency - Label warning to appear between lowest potency and upper potency | Upper allowable Potency |
| Cerium muriaticum | Cer-m. | Cerium chloratum Cerium chloride | 1X | | 30C |
| Cerium oxalicum | Cer-ox. | Cerium oxalate | 1X | 6X | 30C |
| Cerium oxydatum | Cer-o. | | 1X | | 30C |
| Cerium sulphuricum | Cer-s. | | 1X | | 30C |
| Cerumen | | Ear wax | 10X | | 30C |
| Cervical epithelium | | | 5X | | 30C |
| Cervical polyp | | | 5X | | 30C |
| Cervical vertebrae | | Cervical vertebrae | 3X | | 30C |
| Cervus brasiliicus | Cerv. | Cervus brasiliicus campestris | 6x | | 30C |
| Cesium bromatum | Ces-br. | Coesium bromatum | 6x | | 30C |
| Cesium hydroxydum | Ces-hox. | Coesium hydroxydum | 6x | | 30C |
| Cesium muriaticum | Ces-m. | Coesium muriaticum | 6x | | 30C |
| Ceterach officinarum | Ceter-o. | | 0 | | 30C |
| Cetonia aurata | Ceto. | | 6x | | 30C |
| Cetraria islandica | Cetr. | Iceland moss Island moss Lichen islandicus | 0 | EXT 0 | 30C |
| Chaerophyllum temulum | Chaero-t. | | 0 | | 30C |
| Chalcomenite | | Chalcocite | 0 | | 30C |
| Chalcopyrite | | | 6X | | 30C |
| Chalopyrite | | | 8X | | 30C |
| Chamaecyparis lawsoniana | | Lawson's cypress Cupressus lawsonia | 2X | 3X | 30C |

| HOMOEOPATHIC | | | | | |
|----------------------------|---|--|--|---|--|
| SCHEDULE 0 | | | | | |
| APPROVED NAME | Synonym/ Abbreviation Code/ Pin Yin Name for Plant | COMMON NAME | Lowest potency permitted for Anthroposophical and Homoeopathic substances | Upper potency - Label warning to appear between lowest potency and upper potency | Upper allowable Potency |
| Chamaelirium luteum | Helon. | False unicorn root Helonias dioica Chamaelirium Chamaelirium carolinanum Abalon alborum Veratrum luteum Pillbearing spurge | 0 | | 30C |
| Chamaesyce hirta | | | 4X | | 30C |
| Chaparro amargoso | Chap. | | 6x | | 30C |
| Cheiranthus cheiri | Cheir. | Wall flower Bee flower Goldlack | 0 | | 30C |
| Chelidonium glaucum | Chel-g. | | 0 | | 30C |
| Chelidonium majus | Chel. | Greater celandine Celandine | 0 | EXT 0 | 30C |
| Chelidonium sulfuricum | | | 1X | | 30C |
| Chelone glabra | Chelo. | Balmory, Snakehead | 0 | | 30C |
| Chenopodium album | | Common pigweed White goosefoot | 0 | | 30C |
| Chenopodium ambrosiodes | | American wormseed Chenopodium ambrosiodes var ambrosioides | 0 | | 30C |
| Chenopodium anthelminticum | Chen-a. | Chenopodium ambrosiodes var anthelminticum | 0 | | 30C |
| Chenopodium bonus henricus | Chen-bh. | Bitum bonus henricus | 0 | | 30C |
| Chenopodium botrys | Chen-bt. | | 0 | | 30C |

| HOMOEOPATHIC | | | | | |
|------------------------|---|--|---|--|-------------------------------|
| SCHEDULE 0 | | | | | |
| APPROVED NAME | Synonym/ Abbreviation Code/ Pin Yin Name for Plant | COMMON NAME | Lowest potency permitted for Anthroposophical and Homoeopathic substances | Upper potency - Label warning to appear between lowest potency and upper potency | Upper allowable Potency |
| Chenopodium glaucum | Chen-g. | Oak-leaved goosefoot | 0 | 2X | 30C |
| Chenopodium vulvaria | Chen-v. | Fetid chenopodium Netchweed Chenopodium olidum Chenopodium vulvaris Chenopodium vulvaria Stinking motherwort Stinking arrach | 0 | | 30C |
| Chillea filipendulina | | Achillea filipendulina | 0 | | 30C |
| Chimaphila maculata | Chim-m. | | 0 | | 30C |
| Chimaphila umbellata | Chim. | Pyrola umbellata Ground ivy Pipsissewa Wintergreen | 0 | | 30C |
| China boliviana | Chin-b. | | 6x | | 30C |
| Chinhydrinum | | Chinhydrin | 8X | | 30C |
| Chinidinum | | | 4X | | 30C |
| Chinidinum sulfuricum | | | 4X | | 30C |
| Chininum arsenicicum | | Quinine arsenate | 4X | 7X | 30C |
| Chininum arsenicosum | Chinin-ar. | Quinine arsenite | 4X | 7X | 30C |
| Chininum benzoicum | | | 8X | 7X | 30C |
| Chininum bromaticum | Chinin-br. | | 6x | 7X | 30C |
| Chininum ferricitricum | Chinin-foit. | Quinine iron citrate | 4X | 7X | 30C |

| HOMOEOPATHIC | | | | | | |
|---------------------------|---|---|--|---|--|--|
| SCHEDULE 0 | | | | | | |
| APPROVED NAME | Synonym/ Abbreviation Code/ Pin Yin Name for Plant | COMMON NAME | Lowest potency permitted for Anthroposophical and Homoeopathic substances | Upper potency - Label warning to appear between lowest potency and upper potency | Upper allowable Potency | |
| Chininum hydrobromicum | Chinin-brh. | Chininum bromhydricum Quinine hydrobromide Basic quinine hydrobromide Chinini monohydrobromide | 8X | 7X | 30C | |
| Chininum hydrochloricum | Chinid. | Quinine hydrochloride Basic quinine hydrochloride Chinini hydrochloridum Chinini chloridum Quinini hydrochloridum Quininium chloride | 2X | 7X | 30C | |
| Chininum hypophosphorosum | | | 8X | 7X | 30C | |
| Chininum muriaticum | Chinin-m. | Chininum chloratum Quinine chloride Quinine monohydrochloride | 8X | 7X | 30C | |
| Chininum phosphoricum | Chinin-p. | Quinine phosphate | 8X | 7X | 30C | |
| Chininum picricum | | | 8X | 7X | 30C | |
| Chininum purum | | Chininum Quinine Quinina | 3X | 7X | 30C | |
| Chininum salicylicum | Chinin-sal. | Quinine salicylate | 3X | 7X | 30C | |
| Chininum sulphuricum | Chinin-s. | Quinine sulphate Chininum monosulphate Basic quinine sulphate Chinini sulfas Quinini sulfas Quininium sulphate | 3X | 7X | 30C | |

| HOMOEOPATHIC | | | | | |
|------------------------|---|--|---|--|-------------------------------|
| SCHEDULE 0 | | | | | |
| APPROVED NAME | Synonym/ Abbreviation Code/ Pin Yin Name for Plant | COMMON NAME | Lowest potency permitted for Anthroposophical and Homoeopathic substances | Upper potency - Label warning to appear between lowest potency and upper potency | Upper allowable Potency |
| Chininum valerianicum | Chinin-val. | Quinine valerianate | 6X | 7X | 30C |
| Chiococca alba | Cain. | Cainca Canica Chiococca densifolia Chiococca racemosa Chiococca anguifuga | 0 | | 30C |
| Chionanthus virginicus | Chion. | Fringe tree Old mans beard Chionanthus-americanana Chionanthus latifolia Chionanthus virginiana | 0 | | 30C |
| Chloralosum | Chlorals | Glucochloralose | 8X | | 30C |
| Chlorambucilum | Chloramb. | Chlorambucil Chloraminophene Chlorbutinum | 8X | | 30C |
| Chloraminum | Chlorami. | Chloramine Chloramidum Chloramine T Chloramina Mianin Natrium sulfaminochloratum Tosylchloramide sodium Tosylchloramidum natricum | 8X | | 30C |

| HOMOEOPATHIC | | | | | |
|----------------------------------|---|---|--|---|--|
| SCHEDULE 0 | | | | | |
| APPROVED NAME | Synonym/ Abbreviation Code/ Pin Yin Name for Plant | COMMON NAME | Lowest potency permitted for Anthroposophical and Homoeopathic substances | Upper potency - Label warning to appear between lowest potency and upper potency | Upper allowable Potency |
| Chlorbutanolum | | Chlorbutanol Chlorbutol Acetone-chloroforme Alcohol trichlorisobutylicus Chlorbutanolum hydratum Chloretone Trichlorbutanolum | 3X | | 30C |
| Chlorcamphermentholum | | Chlorcamphermenthol | 3X | | 30C |
| Chloroformium | Chif. | Chloroformum Chloroform Trichlormethane Chloroformium anestheticum | 4X | 4X | 30C |
| Chlorogalum pomeridianum | Chlg-p. | | 6x | | 30C |
| Chlorophyllinum | | Chlorophylli | 1X | EXT 1X | 30C |
| Chloroquinum | | Chloroquine | 1X | | 30C |
| Chloroquinum dihydrophosphoricum | | | 10X | | 30C |
| Chloroxylenum | Chlorox. | Chloroxylenol Parachlorometaxylenol PCMX | 6x | | 30C |
| Chlorum | Chlor. | Chlorinum Chlorine | 2X | 6X | 30C |
| Chocolate | Choc. | | MT | | 30C |
| Cholas terrapina | Cho. | | 6x | | 30C |
| Cholecalciferolum | Cholcale. | Vitamin D3 Cholecalciferol | 4X | | 30C |

| HOMOEOPATHIC | | | | | |
|-----------------------------|---|---|---|--|-------------------------------|
| SCHEDULE 0 | | | | | |
| APPROVED NAME | Synonym/ Abbreviation Code/ Pin Yin Name for Plant | COMMON NAME | Lowest potency permitted for Anthroposophical and Homoeopathic substances | Upper potency - Label warning to appear between lowest potency and upper potency | Upper allowable Potency |
| Cholecystitis | | | 8X | | 30C |
| Cholera | | | 12X | | 30C |
| Cholesteatom | | | 8X | | 30C |
| Cholesterinum | Chol. | Cholesterol Cholesterolum | 3X | 3X | 30C |
| Cholinum | Cholin. | Vitamin J | 1X | 2X | 30C |
| Cholinum hyposulfurosum | | | 1X | | 30C |
| Cholinum muriaticum | | Cholini chloridum Choline chlorhydrate | 1X | | 30C |
| Cholium | | Sels biliaires | 2X | | 30C |
| Chondrodendron tormentosum | Paireir. | Virgin vine Paireira brava Cocculus platyphylla | 0 | | 30C |
| Chondrosarkominum | | | 8X | | 30C |
| Chondrus crispus | Chondr-c. | Carrageen Chondrus Irish moss Fucus crispus Lichen irlandicus | 0 | | 30C |
| Choroide | | Choroid | 3X | | 30C |
| Chromicum aceticum | Chr-act. | Chrome aetate | 1X | | 30C |
| Chromicum chloratum | | | 4X | | 30C |
| Chromicum cobalt molybdenum | | Stainless steel alloy | 12X | | 30C |
| Chromicum gluconicum | Chr-gl. | | 6x | | 30C |
| Chromicum metallicum | Chr-met. | Chromium | 1X | | 30C |

| HOMOEOPATHIC | | | | | |
|------------------------------|---|--|--|---|--------------------------------|
| SCHEDULE 0 | | | | | |
| APPROVED NAME | Synonym/ Abbreviation Code/ Pin Yin Name for Plant | COMMON NAME | Lowest potency permitted for Anthroposophical and Homoeopathic substances | Upper potency - Label warning to appear between lowest potency and upper potency | Upper allowable Potency |
| Chromium oxydatum | Chr-o. | | 8X | 7X | 30C |
| Chromium sulphuricum | Chr-s. | | 2X | 3X | 30C |
| Chrysanthellum americanum | Chrystl. | | 0 | | 30C |
| Chrysanthemum balsamita | Chrysan-b. | Costmary Tanacetum balsamita | 0 | | 30C |
| Chrysanthemum coronarium | Chrysan-co. | | 0 | | 30C |
| Chrysanthemum leucanthemum | Chrysan. | Leucanthemum vulgare Ox eye daisy Chrysanthemum parthenium | 0 | | 30C |
| Chrysanthemum morifolium | Chrysan-m. | Chrysanthemum | 6x | | 30C |
| Chrysarobinum | Chrysar. | Araroba depurata Andira araroba Chrysarobin | 2X | 3X | 30C |
| Chrysolite | | White asbestos | 1X | | 30C |
| Chrysoplenium oppositifolium | | Golden saxifrage | 0 | | 30C |
| Cibotium balantium | Cibot-b. | Penghawar djambi | 6x | | 30C |
| Cicer arietinum | Cice. | Chick pea Garbanzo bean | 0 | | 30C |
| Cichorium endiva | | Endive Endivia sativa | 0 | | 30C |
| Cichorium intybus | Cich. | Chicory Succory Witloof | 0 | 1X | 30C |
| Cicuta maculata | Cic-m. | Beaver poison | 3X | | 30C |

| HOMOEOPATHIC | | | | | |
|-------------------------|---|---|--|---|--|
| SCHEDULE 0 | | | | | |
| APPROVED NAME | Synonym/ Abbreviation Code/ Pin Yin Name for Plant | COMMON NAME | Lowest potency permitted for Anthroposophical and Homoeopathic substances | Upper potency - Label warning to appear between lowest potency and upper potency | Upper allowable Potency |
| Cicuta virosa | Cic. | Water hemlock Cowbane | 3X | | 30C |
| Cicutinum | | Conium Conium | 4X | | 30C |
| Cimex lectularius | Cimx. | Bed bug Acanthia lectularia | 2X | 2X | 30C |
| Cimicifuga racemosa | Cimic. | Actaea racemosa Black cohosh Black snake root Mactrotys racemosa | 0 | 1X | 200C |
| Cinchona calisaya | Chin. | Yellow bark Peruvian bark Cortex peruviana China regia China Calisaya Cinchona ledgeriana | 0 | 4X | 30C |
| Cinchona officinalis | | China loxa China officinalis Crown bark | 1X | 4X | 30C |
| Cinchona succirubra | | China rubra Quinquina rouge Peruvian bark | 0 | 4X | 30C |
| Cinchonidinum | | | 0 | | 30C |
| Cinchoninum | | | 2X | | 30C |
| Cinchoninum sulphuricum | Cinch. | Cinchonine sulphate | 1X | | 30C |

| HOMOEOPATHIC | | | | | |
|---------------------------|---|---|--|---|--|
| SCHEDULE 0 | | | | | |
| APPROVED NAME | Synonym/ Abbreviation Code/ Pin Yin Name for Plant | COMMON NAME | Lowest potency permitted for Anthroposophical and Homoeopathic substances | Upper potency - Label warning to appear between lowest potency and upper potency | Upper allowable Potency |
| Cinchophenum | Cinchop. | Cinchopen Phenylcinchoninic acid Acifenokinolin 2-Phenylquinoline-4-carboxylic acid Acidum phenylcinchoninicum | 8X | | 30C |
| Cinis osseus | | | 0 | | 30C |
| Cinis vincetoxici | | | 30X | | 30C |
| Cinnabar | Cinnb. | Cinabre | 4X | 1X | 30C |
| Cinnamodendron corticosum | Cinnmd-c. | | 0 | | 30C |
| Cinnamomum aromaticum | | Chinese cinnamon | 6x | | 30C |
| Cinnamomum verum | Cinnm. | Ceylon cinnamon Laurus cinnamomum Cinnamomum zeylanicum | 0 | | 30C |
| Circaea lutetiana | Circ-l. | Enchanter's nightshade | 6x | | 30C |
| Cirrhosis hepatis | | Liver cirrhosis | 8X | | 30C |
| Cirsium acaule | Cirs-ac. | | 0 | | 30C |
| Cirsium arvense | Cirs-ar. | Creeping thistle Canada thistle | 0 | | 30C |
| Cirsium lanceolatum | Cirs-l. | | 6x | | 30C |
| Citrullinum | | L-Citrulline | 6x | | 30C |
| Citrullus colocynthis | | Bitter apple Bitter cucumber Colocynthis | 3X | 3X | 30C |
| Citrullus vulgaris | Citr-vg. | Greater watermelon | 0 | | 30C |

| HOMOEOPATHIC | | | | | | |
|-------------------------|---|---|--|---|--|--|
| SCHEDULE 0 | | | | | | |
| APPROVED NAME | Synonym/ Abbreviation Code/ Pin Yin Name for Plant | COMMON NAME | Lowest potency permitted for Anthroposophical and Homoeopathic substances | Upper potency - Label warning to appear between lowest potency and upper potency | Upper allowable Potency | |
| Citrus aurantifolia | | Lime Citrus acida | 0 | | 30C | |
| Citrus aurantium | | Bitter orange Citrus bergamia Aurantium Seville orange Sour orange Citrus vulgaris | 0 | 2X | 30C | |
| Citrus limon | Cit-l. | Lemon Citrus limonum | 0 | | 30C | |
| Citrus maxima | Cit-d. | Pomelo Shaddock Citrus grandis Citrus decumana | 0 | | 30C | |
| Citrus medica | | Citron | 0 | EXT 0 | 30C | |
| Citrus paradisi | | Grapefruit | 0 | | 30C | |
| Citrus reticulata | Cit-p. | Citrus tangerine Citrus nobilis Mandarins | 0 | | 30C | |
| Citrus sinensis | Cit-s. | Sweet orange | 0 | | 30C | |
| Cladophora rupestris | Cladop. | | 0 | | 30C | |
| Cladosporium metanigrum | Clados-m. | Aureobasidium pullulans | 3X | | 30C | |
| Clematis erecta | Clem. | Upright virgin's beard Old man's beard Clematis recta | 0 | 3X | 30C | |
| Clematis virginiana | Clem-vir. | | 0 | | 30C | |

| HOMOEOPATHIC | | | | | |
|----------------------------|---|--|--|---|--------------------------------|
| SCHEDULE 0 | | | | | |
| APPROVED NAME | Synonym/ Abbreviation Code/ Pin Yin Name for Plant | COMMON NAME | Lowest potency permitted for Anthroposophical and Homoeopathic substances | Upper potency - Label warning to appear between lowest potency and upper potency | Upper allowable Potency |
| Clematis vitalba | Clem-vit. | Traveller' Joy | 0 | 2X | 30C |
| Clerodendron infortunatum | Clerod-i. | | 6x | | 30C |
| Clomipramine | Clomip. | | 6x | | 30C |
| Clostridium cadaveris | | | 8X | | 30C |
| Clostridium difficile | | | 8X | | 30C |
| Clostridium innocuum | | | 8X | | 30C |
| Clostridium paraputrificum | | | 8X | | 30C |
| Clostridium tertium | | | 8X | | 30C |
| Clotho arictans | Cloth. | | 6x | | 30C |
| Clubenzorex hydrochloride | | Clubenozores Dinintel | 8X | | 30C |
| Clusia rosea | | | 0 | | 30C |
| Cnicus benedictus | | St. Benedict's thistle Blessed thistle Holy thistle Carduus benedictus | 0 | | 30C |
| Coaltarum | | Coal tar Pix carbon Pix carbonis Pix lithanthracis Pix mineralis Pyroleum lithanthracis | 1X | | 30C |
| Cobaltum aceticum | | Cobalt acetate | 4X | | 30C |
| Cobaltum benzoicum | | | 4X | | 30C |
| Cobaltum colloidal | Cob-col. | Colloidal cobalt | 4X | | 30C |

| HOMOEOPATHIC | | | | | |
|---------------------------|--|---|---|--|-------------------------------|
| SCHEDULE 0 | | | | | |
| APPROVED NAME | Synonym/ Abbreviation Code/ P/in Yin Name for Plant | COMMON NAME | Lowest potency permitted for Anthroposophical and Homoeopathic substances | Upper potency - Label warning to appear between lowest potency and upper potency | Upper allowable Potency |
| Cobaltum gluconicum | | | 4X | | 30C |
| Cobaltum metallicum | | Cobalt | 4X | 6X | 30C |
| Cobaltum muriaticum | | Cobaltum chloratum Cobalt chloride | 4X | 4X | 30C |
| Cobaltum nitricum | | Cobalt nitrate | 4X | 6X | 30C |
| Cobaltum oxydatum | | | 4X | | 30C |
| Cobaltum phosphoricum | | | 4X | | 30C |
| Cobaltum sulphuricum | | | 4X | | 30C |
| Coccarboxylase | | | 1X | | 30C |
| Coccinella septempunctata | Cocc-s. | Lady bug | 2X | 2X | 30C |
| Coccinia indica | Ceph-d-i. | Cephalandra indica | 0 | | 30C |
| Coccoloba uvifera | | Seaside grape | 0 | | 30C |
| Coccus cacti | Coc-c. | Lady bug Dactylopius coccus Cochineal | 0 | | 30C |
| Coccyx | | | 3X | | 30C |
| Cochlea | | Inner ear | 3X | | 30C |
| Cochlearia officinalis | | Scurvy grass Cochlearia pyrenaica | 0 | EXT 0 | 30C |
| Cocos nucifera | Coprah | Coprah Albumen of coconut Copra | 0 | | 30C |
| Codethylinum | | Codethylini hydrochloridum Dioninum | 3X | | 30C |
| Coenzynum A | | Coenzyme A | 6X | | 30C |

| HOMOEOPATHIC | | | | | | |
|------------------------|---|--|---|---|--|--|
| SCHEDULE 0 | | | | | | |
| APPROVED NAME | Synonym/ Abbreviation Code/ Pin Yin Name for Plant | COMMON NAME | Lowest potency permitted for Anthroposophical and Homeopathic substances | Upper potency - Label warning to appear between lowest potency and upper potency | Upper allowable Potency | |
| Coffea cruda | | Coffea arabica | 0 | | 30C | |
| Coffea tosta | | Coffea arabica tosta | 0 | | 30C | |
| Coffeinum | | Caffeinu Guaraninum Trimethylxanthin Methyltheophylline Anhydrous caffeine | 2X | 2X | 30C | |
| Coffeinum citricum | | Caffeine citrate | 1X | | 30C | |
| Coffeinum monohydricum | | Caffeine hydrate Caffeine monohydrate | 2X | | 30C | |
| Cola acuminata | Kola | Kola Cola acuminata Cola nitida Nux colae Cola vera Sterculia acuminata | 0 | 4X | 30C | |
| Colchicinum | | Colchicine | 6X | 8X | 30C | |
| Colchicum autumnale | | Meadow saffron Autumn crocus | 3X | 6X | 30C | |
| Coleus aromaticus | Coleus-a. | Solenostemon | 6x | | 30C | |
| Collagene | | | 1X | | 30C | |
| Collinsonia canadensis | | Stone root Collinsonia | 0 | | 30C | |
| Collodion | Collod. | | 6x | | 30C | |
| Colocynthinum | | | 3X | | 30C | |

| HOMOEOPATHIC | | | | | |
|----------------------|---|--|--|---|--|
| SCHEDULE 0 | | | | | |
| APPROVED NAME | Synonym/ Abbreviation Code/ Pin Yin Name for Plant | COMMON NAME | Lowest potency permitted for Anthroposophical and Homoeopathic substances | Upper potency - Label warning to appear between lowest potency and upper potency | Upper allowable Potency |
| Colon ascendant | | Ascending colon Colon droit Colon ascendant | 3X | | 30C |
| Colon descendant | | Colon gauche Descending colon | 3X | | 30C |
| Colon totalis | | Large intestine Intestinus maximus Intestin gros | 3X | | 30C |
| Colon transcendant | | Colon moyen | 3X | | 30C |
| Colong sigmoide | | Pelvic meso colon | 3X | | 30C |
| Colostrum | Colos | | 0 | 3X | 30C |
| Columbium metallicum | | Niobium metallicum | 1X | | 30C |
| Colutea arborescens | | Bladder senna | 0 | | 30C |
| Comarum palustre | | Potentilla palustris | 0 | | 30C |
| Combretum micranthum | | Combretum raimbaultii Kinkeliba | 0 | | 30C |
| Comedones | | Black heads | 10X | | 30C |
| Commiphora molmol | | Myrrh | 0 | 6X | 30C |
| Commiphora myrrha | | Harbol myrrh Balsamodendron myrrha Commiphora divers Myrrha | 0 | 6X | 30C |
| Comocladia dentata | | Guao | 0 | | 30C |
| Conchae vera | | | 3X | | 30C |