

---

## GENERAL NOTICE ALGEMENE KENNISGEWING

---

### NOTICE 6 OF 2003

1 January 2003

### COMPENSATION FOR OCCUPATIONAL INJURIES AND DISEASES ACT, 1993 (ACT NO. 130 OF 1993)

1. I, Rams Ramashia, Director-General of the Department Labour, hereby give notice that, after consultation with the Medical Aid and acting under the powers vested in me by section 76 of the Compensation for Occupational Injuries and Diseases Act, 1993 (Act No. 130 of 1993), I prescribe the "Scale of Fees for Medical Aid" inclusive of the General Rules applicable thereto, appearing in the Schedule to this notice, with effect from **1 January 2003**.
2. The fees appearing in the Schedule are applicable in respect of services rendered on or after **1 January 2003** and **exclude VAT**.

  
RAMS RAMASHIA  
Director-General: Labour

**KENNISGEWING 6 VAN 2003****1 Januarie 2003****WET OP VERGOEDING VIR BEROEPSBESERINGS EN –SIEKTES, 1993  
(WET No. 130 van 1993)**

1. Ek, Rams Ramashia, Direkteur-Generaal van die Departement van Arbeid, maak hierby bekend dat ek, na beraadslaging met die Suid-Afrikaanse Mediese Vereniging en handelende kragtens die bevoegdheid my verleen by artikel 76 van die Wet op Vergoeding vir Beroepsbeserings en –siektes, 1993 (Wet No. 130 van 1993), die “Tarief vir Mediese behandeling” met inbegrip van die Algemene Reëls en Algemene Wysigers wat daarop van toepassing is, en wat in die Bylae van hierdie kennisgewing verskyn, met ingang van **1 Januarie 2003** voorskryf.
2. Die tarief wat die Bylae voorkom, is van toepassing op dienste wat op of na **1 Januarie 2003** gelewer word en **sluit BTW uit**.



**RAMS RAMASHIA**  
Direkteur-Generaal: Arbeid

**SCHEDULE • BYLAE****INDEX • INHOUDSOPGAWE**

|  |           |
|--|-----------|
| <b>GENERAL INFORMATION • ALGEMENE INLIGTING .....</b>  | <b>11</b> |
| <b>CLAIMS WITH THE COMPENSATION FUND • EISE TEEN DIE VERGOEDINGSFORNDS .....</b>                                     | <b>12</b> |
| <b>COIDA BILLING PROCEDURE • COIDA EIS PROSEDURE .....</b>   | <b>12</b> |
| <b>GENERAL RULES GOVERNING THE TARIFF • ALGEMENE REËLS VAN TOEPASSING OP DIE TARIEF .....</b>                        | <b>14</b> |
| <b>GENERAL MODIFIERS GOVERNING THE TARIFF • ALGEMENE WYSIGERS VAN TOEPASSING OP TARIEF .....</b>                     | <b>18</b> |
| <b>(I.) CONSULTATIONS • KONSULTASIES .....</b>   | <b>29</b> |
| <b>(II.) COST OF MATERIAL • KOSTE VAN MATERIAAL .....</b>  | <b>32</b> |
| <b>INJECTIONS, INFUSIONS AND INHALATION SEDATION .....</b>   | <b>33</b> |
| <b>INSPUITINGS, INFUSIES EN INHALASIE SEDASIE .....</b>  | <b>33</b> |
| <b>1.1 Intravenous Treatment • Binnearse-behandeling .....</b>   | <b>33</b> |
| <b>2. INTEGUMENTARY SYSTEM • HUIDSTELSEL .....</b>   | <b>33</b> |
| <b>2.1 Allergy • Allergie .....</b>  | <b>33</b> |
| <b>2.2 Skin (general) • Vel (algemeen) .....</b>   | <b>33</b> |
| <b>2.3 Major plastic repair • Groot plastiese herstel .....</b>  | <b>34</b> |
| <b>2.4 Lacerations, scars, cysts and other skin lesions • Laserasies, littekens, siste en ander velletsels .....</b> | <b>34</b> |
| <b>2.6 Burns • Brandwonde .....</b>  | <b>35</b> |
| <b>2.7 Hands (skin) • Hande (vel) .....</b>  | <b>35</b> |
| <b>3. MUSCULO-SKELETAL SYSTEM • SPIER-SKELETSTELSEL .....</b>  | <b>35</b> |
| <b>3.1 Bones • Bene .....</b>  | <b>35</b> |
| <b>3.1.1 Fractures • Frakture .....</b>  | <b>35</b> |
| <b>3.1.1.1 Operations for fractures • Operasies vir frakture .....</b>   | <b>36</b> |
| <b>3.1.2 Bony operations • Benige operasies .....</b>  | <b>36</b> |
| <b>3.1.2.1 Bone grafting • Beenoorplanting .....</b>   | <b>36</b> |
| <b>3.1.2.2 Acute or chronic osteomyelitis • Akute of kroniese osteomiëlitis .....</b>                                | <b>37</b> |
| <b>3.1.2.3 Osteotomy • Osteotomie .....</b>  | <b>37</b> |
| <b>3.1.2.4 Exostosis • Eksostose .....</b>   | <b>37</b> |
| <b>3.1.2.5 Biopsy • Biopsie .....</b>  | <b>37</b> |

|  |   |           |
|--|---|-----------|
| <b>3.2</b>   | <b>Joints • Gewrigte</b> .....  | <b>37</b> |
| 3.2.1  | Dislocations • Ontwrigtings .....   | 37        |
| 3.2.2  | Operations for dislocations • Operasies vir ontwrigtings .....  | 38        |
| 3.2.3  | Capsular operations • Kapsulêre operasies .....   | 38        |
| 3.2.4  | Synovectomy • Sinovektomie .....  | 38        |
| 3.2.5  | Arthrodesis • Artrodese .....   | 38        |
| 3.2.6  | Arthroplasty • Artroplastie .....   | 38        |
| 3.2.7  | Miscellaneous (Joints) • Diverse (gewrigte) .....   | 39        |
| 3.2.8  | Joint ligament reconstruction or suture • Rekonstruksie of hegting van ligamente .....                  | 39        |
| <b>3.3</b>   | <b>Amputations • Amputasies</b> .....   | <b>39</b> |
| 3.3.1  | Specific amputations • Spesifieke amputasies .....  | 39        |
| 3.3.2  | Post-amputation reconstruction • Rekonstruksie na amputasie .....                                       | 39        |
| <b>3.4</b>   | <b>Muscles, tendons and fasciae • Spiere, pees en fasciae</b> .....                                     | <b>39</b> |
| 3.4.1  | Investigations • Ondersoeke .....   | 40        |
| 3.4.2  | Decompression Operations • Dekompresie Operasies .....  | 40        |
| 3.4.3  | Muscle and tendon repair • Spier en pees herstel .....  | 40        |
| 3.4.4  | Tendon graft • Pees oorplanting .....   | 41        |
| 3.4.5  | Tenolysis • Tenolise .....  | 41        |
| 3.4.6  | Tenodesis • Tenodese .....  | 41        |
| 3.4.7  | Muscle, tendon and fasciae transfer • Spier-, pees- en fasciaeverplanting .....                         | 41        |
| 3.4.8  | Muscle slide operations and tendon lengthening • Spierstropingsoperasies en peesverlenging .....        | 41        |
| <b>3.5</b>   | <b>Bursae and ganglia • Bursas en ganglions</b> .....   | <b>42</b> |
| <b>3.6</b>   | <b>Miscellaneous • Diverse</b> .....  | <b>42</b> |
| 3.6.2  | Removal of internal fixatives or prosthesis • Verwydering van prostese of inwendige<br>hegmiddels ..... | 42        |
| <b>3.7</b>   | <b>Plasters (not subject to rule G) • Gips (nie onderhewig aan reël G)</b> .....                        | <b>42</b> |
| <b>3.8</b>   | <b>Specific areas • Spesifieke areas</b> .....  | <b>43</b> |
| 3.8.1  | Foot and Ankle • Voet en enkel .....  | 43        |
| 3.8.2  | Big toe • Groottoon .....   | 43        |
| 3.8.3  | Reimplantations • Herinplantings .....  | 43        |
| 3.8.4  | Hands: (Note—Skin: See Integumentary system) • Hande: (Let wel: Vel—Kyk Huidstelsel) .....              | 43        |
| 3.8.5  | Spine • Werwelkolom .....   | 44        |
| <b>3.9</b>   | <b>Facial bone procedures • Gesigsbeenprosedures</b> .....  | <b>45</b> |
| <b>4. RESPIRATORY SYSTEM • ASEMHALINGSTELSEL</b> ..... |   | <b>46</b> |
| <b>4.1</b>   | <b>Nose and sinuses • Neus en sinusse</b> .....   | <b>46</b> |
| <b>4.3</b>   | <b>Larynx • Larinks</b> .....   | <b>47</b> |
| <b>4.4</b>   | <b>Bronchial procedures • Bronchiale prosedures</b> .....   | <b>47</b> |
| <b>4.5</b>   | <b>Pleura • Pleura</b> .....  | <b>47</b> |
| <b>4.6</b>   | <b>Pulmonary procedures • Longprosedures</b> .....  | <b>48</b> |
| 4.6.1  | Surgical • Chirurgies .....   | 48        |
| 4.6.2  | Pulmonary function tests • Longfunksietoetse .....  | 48        |
| 4.7  | Tariff items for intensive care: Respiratory, cardiac, general • Tarief items vir intensiewe sorg ..... | 49        |
| 4.8  | Hyperbaric Oxygen Therapy • Hiperbariesesuurstofterapie .....   | 50        |

|  |           |
|--|-----------|
| <b>5. MEDIASTINAL PROCEDURES • MEDIASTINALE PROSEDURES</b> .....                 | <b>51</b> |
| <b>6. CARDIOVASCULAR SYSTEM • KARDIO-VASKULÊRE SISTEEM</b> .....                 | <b>51</b> |
| 6.1 General • Algemeen .....   | 52        |
| 6.3 Cardiac surgery • Hartchirurgie .....  | 52        |
| 6.3.1 Open heart surgery • Opehart-chirurgie .....                               | 52        |
| 6.4 Peripheral vascular system • Perifere vaskulêre sisteem.....                 | 52        |
| 6.4.2 Arterio-venous-abnormalities • Arterio-veneuse-afwykings .....             | 52        |
| 6.4.3 Arteries • Arteries.....   | 52        |
| 6.4.3.1 Aorta-iliac and major branches • Aorta-iliaca en groot takke .....       | 52        |
| 6.4.3.2 Iliac artery • Arteria iliaca .....                                      | 52        |
| 6.4.3.3 Peripheral • Perifeer .....  | 52        |
| 6.4.4 Veins • Venas .....  | 53        |
| <b>7. LYMPHO RETICULAR SYSTEM • LIMFO RETIKULÊRE STELSEL</b> .....               | <b>53</b> |
| 7.1 Spleen • Milt .....  | 53        |
| <b>8. DIGESTIVE SYSTEM • SPYSVERTERINGSTELSEL</b> .....                          | <b>53</b> |
| 8.1 Oral cavity • Mondholte .....  | 53        |
| 8.2 Lips • Lippe .....   | 53        |
| 8.3 Tongue • Tong .....  | 54        |
| 8.4 Palate, uvula and salivary glands • Verhemelte, uvula en speekselkliere..... | 54        |
| 8.5 Oesophagus • Esofagus.....   | 54        |
| 8.6 Stomach • Maag .....   | 54        |
| 8.7 Duodenum • Duodenum .....  | 54        |
| 8.8 Intestines • Darmkanaal.....   | 54        |
| 8.10 Rectum and anus • Rektum en anus.....                                       | 55        |
| 8.11 Liver • Lewer .....   | 55        |
| 8.12 Biliary tract • Galweë .....  | 55        |
| 8.13 Pancreas • Pankreas.....  | 55        |
| 8.14 Peritoneal cavity • Peritoneale holte .....                                 | 56        |
| <b>9. HERNIAE • BREUKE</b> .....   | <b>56</b> |
| <b>10. URINARY SYSTEM • URIENSTELSEL</b> .....                                   | <b>56</b> |
| 10.1 Kidney • Nier .....   | 56        |
| 10.2 Urether • Ureter .....  | 57        |
| 10.3 Bladder • Blaas .....   | 57        |
| 10.4 Urethra • Uretra .....  | 58        |

|  |           |
|--|-----------|
| <b>11. MALE GENITAL SYSTEM • MANLIKE GESLAGSTELSEL</b> .....   | <b>58</b> |
| 11.1 Penis • Penis.....  | 58        |
| 11.2 Testis en epididimus • Testis en epididimus.....  | 58        |
| 11.3 Prostate • Prostaat.....  | 59        |
| <b>14. NERVOUS SYSTEM • SENUWEESTELSEL</b> .....   | <b>59</b> |
| 14.1 Diagnostic procedures • Diagnostiese prosedures.....  | 59        |
| 14.2 Introduction of burr holes for • Aanbring van boorgate vir.....   | 59        |
| 14.3 Nerve procedures • Senuwee prosedures.....  | 59        |
| 14.3.1 Nerve repair or suture • Senuweeherstel of hegting.....   | 59        |
| 14.3.2 Neurectomy • Neurektomie.....   | 60        |
| 14.3.3 Other nerve procedures • Ander senuweeprosedures.....   | 60        |
| 14.4 Skull procedures • Skedelprosedures.....  | 60        |
| 14.6 Aneurysm repair • Aneurismeherstel.....   | 60        |
| 14.7 Posterior fossa surgery • Chirurgie van posterior fossa.....  | 61        |
| 14.7.1 Supratentorial procedures • Superatentoriale-prosedures.....  | 61        |
| 14.8 Craniotomy for • Kraniotomie vir.....   | 61        |
| 14.8.1 Stereo-tactic cerebral and spinal cord procedures • Sterio-taktiese serebrale en rugmurg<br>prosedures..... | 61        |
| 14.9 Spinal operations • Spinale operasies.....  | 61        |
| 14.10 Arterial ligations • Arteriele afbindings.....   | 61        |
| 14.11 Medical Psychotherapy • Mediese Psigoterapie.....  | 61        |
| 14.12 Physical treatment methods • Fisiese behandelingsmetodes.....  | 61        |
| 14.13 Psychiatric examination methods • Psigiatriese ondersoekmetodes.....   | 62        |
| <b>15. GENERAL • ALGEMEEN</b> .....  | <b>62</b> |
| <b>16. EYE • OOG</b> .....   | <b>62</b> |
| 16.1 Procedures performed in rooms • Spreekkamerprosedures.....  | 62        |
| 16.2 Retina • Retina.....  | 63        |
| 16.3 Cataract (lens) • Katarak (lens).....   | 63        |
| 16.4 Glaucoma • Gloukoom.....  | 63        |
| 16.5 Intraocular foreign body • Vreemde voorwerp in oog.....   | 63        |
| 16.6 Strabismus • Strabismus.....  | 64        |
| 16.7 Globe • Oogbol.....   | 64        |
| 16.8 Orbit • Oogkas.....   | 64        |
| 16.9 Cornea • Kornea.....  | 64        |
| 16.10 Ducts • Buise.....   | 65        |
| 16.11 Iris • Iris.....   | 65        |
| 16.12 Lids • Ooglede.....  | 65        |
| 16.12.1 Entropion or ectropion by • Entropion of ektropion d.m.v.....  | 65        |
| 16.12.2 Reconstruction of eyelid • Rekonstruksie van ooglid.....   | 66        |
| 16.12.3 Ptosis • Ptose.....  | 66        |

|        |   |     |
|--------|---|-----|
| 16.13  | Conjunctiva • Konjunktiva.....  | 66  |
| 16.14  | General • Algemeen .....  | 66  |
| <br>   |   |     |
| 17.    | EAR • OOR.....  | 66  |
| 17.2   | External ear canal • Uitwendige gehoorgang .....  | 66  |
| 17.3   | Middle ear • Middelloor.....  | 67  |
| 17.4   | Facial nerve • Fasiaalissenuwee .....   | 67  |
| 17.4.1 | Facial nerve tests • Fasiaalissenuweetoetse.....  | 67  |
| 17.4.2 | Facial nerve surgery • Fasiaalissenuweechirurgie .....  | 67  |
| 17.5   | Inner ear • Binne-oor .....   | 67  |
| 17.5.1 | Audiometry • Oudiometrie.....   | 67  |
| 17.5.2 | Balance tests • Balanstoetse.....   | 67  |
| 17.6   | Microsurgery of the skull base • Mikrochirurgie van die skedelbasis.....  | 67  |
| 17.6.1 | Middle fossa approach • Middelfossatoegang .....  | 67  |
| 17.6.2 | Translabyrinthine approach • Translabirintêre toegang.....  | 68  |
| 17.6.7 | Subtotal petrosectomy • Subtotale petrosektomie.....  | 68  |
| <br>   |   |     |
| 18.    | PHYSICAL TREATMENT • FISIESE BEHANDELING.....   | 68  |
| <br>   |   |     |
| 19.    | RADIOLOGY • RADIOLOGIE .....  | 70  |
| 19.1   | Skeleton • Skelet.....  | 70  |
| 19.1.1 | Limbs • Ledemate .....  | 70  |
| 19.1.2 | Spinal column • Werwelkolom.....  | 70  |
| 19.1.3 | Skull • Skedel .....  | 71  |
| 19.2   | Alimentary tract • Spysverteringskanaal .....   | 71  |
| 19.3   | Biliary tract • Galweë .....  | 72  |
| 19.4   | Chest • Borskas .....   | 72  |
| 19.5   | Abdomen • Buik.....   | 72  |
| 19.6   | Urinary tract • Urineweë .....  | 73  |
| 19.8   | Vascular studies • Vaskulêre studies .....  | 73  |
| 19.8.1 | Film Series • Filmreeks .....   | 73  |
| 19.8.2 | Introduction of contrast medium • Inplasing van kontrasmedium.....  | 73  |
| 19.9   | Tomography And Cinematography • Tomografie en Kinematografie .....  | 70  |
| 19.9.1 | Computed Tomography • Rekenaartomografie.....   | 74  |
| 19.10  | Miscellaneous • Diverse .....   | 76  |
| 19.11  | Ultrasonic investigations • Ultrasoniese ondersoeke .....   | 77  |
| 19.12  | Portable unit examinations • Ondersoeke met mobiele eenheid.....  | 78  |
| 19.13  | Diagnostic procedures requiring the use of radio-isotopes • Diagnostiese prosedures<br>wat die gebruik<br>van radio-isotope vereis..... | n/a |
| 19.14  | Interventional radiological procedures • Intervensionele radiologiese prosedures.....   | 78  |
| 19.15  | Magnetic Resonance Imaging • Magnetiese Resonansie Beelding: .....  | 79  |

|   |           |
|---|-----------|
| <b>20. RADIOTHERAPY · RADIOTERAPIE.....</b>   | <b>80</b> |
| 20.1 Kilovolt therapy ◊ Kilovolt terapie .....  | 80        |
| 21.1 Haematology ◊ Hematologie.....   | 81        |
| 21.2 Microscopic examinations ◊ Mikroskopiese ondersoeke .....  | 83        |
| 21.3 Bacteriology (culture and biological examination) · Bakteriologie (kweking en biologiese<br>ondersoek) .....   | 83        |
| 21.4 Serology · Serologie.....  | 84        |
| 21.5 Skin tests ◊ Huidtoetse: .....   | 86        |
| 21.6 Biochemical tests: Blood · Biochemiese toetse: Bloed.....  | 86        |
| 21.7 Biochemical tests: Urine ◊ Biochemiese toets: urine.....   | 88        |
| 21.8 Biochemical tests: Faeces ◊ Biochemiese toetse: Fekalieë.....  | 90        |
| 21.9 Biochemical tests: Miscellaneous · Biochemiese toetse: Diverse .....   | 90        |
| 21.10 Cerebro-spinal fluid · Serebrospinale vog .....   | 90        |
| 21.12 Isotopes · Isotope .....  | 91        |
| 21.13 After hour service and travelling fees (applicable to pathologists only) ◊ Buite normale<br>werksure en<br>reisgelde (slegs van toepassing op patoloë) + Miscellaneous · Diverse .....                            | 91        |
| <b>22. ANATOMICAL PATHOLOGY ◊ ANATOMIESE PATOLOGIE .....</b>  | <b>91</b> |
| <b>IV. TRAVELLING EXPENSES ◊ REISKOSTE .....</b>  | <b>92</b> |
| <b>23. UNIT VALUES ◊ EENHEIDSWAARDES .....</b>  | <b>93</b> |
| <b>25. PRESCRIBED FORMS: FIRST MEDICAL REPORT AND PROGRESS/FINAL MEDICAL<br/>REPORT (W.CL 4 / 5 / 5F) ◊ VOORGESKREWE VORMS: EERSTE MEDIËSE VERSLAG EN<br/>VORDERINGS/FINALE MEDIËSE VERSLAG (W.CL 4 / 5 / 5F) .....</b> | <b>94</b> |

**GENERAL INFORMATION / ALGEMENE INLIGTING.****(i) THE EMPLOYEE AND THE DOCTOR**

The employee is permitted to choose freely his own doctor, and no interference with this privilege is permitted as long as it is exercised reasonably and without prejudice to the employee himself or the Compensation Fund. The only exceptions to this rule are those cases where employers, with the Compensation Commissioner's approval, provide their own medical aid facilities in toto, i.e. including hospital, nursing and other services—section 78 of the Act.

In terms of section 42 either the Compensation Commissioner or an employer may send the injured employee to another doctor chosen by him (Compensation Commissioner or employer) for a special examination and report. Special fees are payable for this service.

In the event of a change of doctors attending a case, the first doctor in attendance will, except where the case is handed over to a specialist, be regarded as the principal, and payment will normally be made to him. **To avoid disputes, doctors should refrain from treating a case already under treatment without first discussing it with the first doctor.** As a general rule, changes of doctor are not favoured, unless there are sufficient reasons therefore.

If an injured employee is in need of emergency treatment, the doctor should act in the same manner as he would to any patient who needs his urgent help. He should not, however, ask the Compensation Commissioner to authorise such treatment before the claim has been admitted as falling within the scope of the Act. It should be remembered that an employee seeks medical advice at his own risk. If, therefore, an employee represents to his doctor that he is a Compensation for Occupational Injuries and Diseases Act case and yet fails to claim the benefits of the Act, leaving the Compensation Commissioner, or his employer, in ignorance of any possible grounds for a claim, the insurance fund concerned cannot accept any responsibility for any medical expenses incurred. In such circumstances the employee would be in the same position as any other member of the public as regards payment of his medical expenses.

**(i) DIE WERKNEMER EN DIE GENEESHEER**

Die werknemer het 'n vrye keuse van geneesheer en geen inmenging met hierdie voorreg word toegelaat solank dit redelik en sonder nadeel vir die werknemer self of die Vergoedingsfonds uitgeoefen word nie. Die enigste uitsonderings op hierdie reël is in daardie gevalle waar die werkgewers met die goedkeuring van die Vergoedingskommissaris hul eie geneeskundige dienste in die geheel voorsien, d.i. insluitende hospitaal- verplegings- en ander dienste—artikel 78 van die Wet.

Kragtens die bepalings van artikel 42 mag die Vergoedingskommissaris of die werkgewer na gelang van die geval, 'n beseerde werknemer na 'n ander geneesheer deur hom (Vergoedingskommissaris of werkgewer) aangewys, stuur vir 'n spesiale ondersoek en verslag. Spesiale gelde is betaalbaar vir hierdie dienste. Hierdie ondersoek word uit die aard van die saak feitlik uitsluitlik deur spesialiste gedoen.

In die geval van verandering van geneesheer wat 'n geval behandel, sal die eerste geneesheer wat behandeling toegedien het, behalwe waar die geval aan 'n spesialis oorhandig is, as die lasgewer beskou word en betaling sal normaalweg aan hom gemaak word. **Ten einde geskille te voorkom, moet geneesheer hul daarvan weerhou om 'n geval wat reeds onder behandeling is te behandel sonder om dit eers met die eerste geneesheer te bespreek.** Oor die algemeen word veranderings van geneesheer, tensy voldoende redes daarvoor bestaan, nie aangemoedig nie.

In gevalle waar 'n beseerde werknemer noodbehandeling benodig, moet die geneesheer op dieselfde wyse as teenoor enige pasient wat sy hulp dringend nodig het optree. Hy moet egter nie die Vergoedingskommissaris vra om sulke behandeling goed te keur alvorens aanspreeklikheid vir die eis kragtens die Wet aanvaar is nie. Dit moet in gedagte gehou word dat 'n werknemer geneeskundige behandeling op sy eie risiko soek. As 'n werknemer dus aan 'n geneesheer voorgee dat hy 'n geval is onder die Wet op Vergoeding vir Beroepsbeserings en Siektes en tog versuim om die voordele van die Wet te eis deur die Vergoedingskommissaris of sy werkgewer in die duister te laat van enige moontlike gronde vir 'n eis, kan die betrokke versekeringsfonds geen aanspreeklikheid aanvaar vir geneeskundige onkoste wat aangegaan is nie. Onder sulke omstandighede sou die werknemer in dieselfde posisie verkeer as enige lid van die publiek wat betaling van sy geneeskundige onkoste betref.

- (ii) Except where otherwise stated the fees charged for services of a general practitioner shall be 80% of the fees of the specialist for the same service ● Behalwe waar anders bepaal, is die gelde gehef vir die dienste van 'n algemene praktisyn 80% van die gelde van 'n spesialis vir dieselfde diens.
- (iii) Monetary values have been rounded off to the nearest 10 cents on the basis that monetary values ending with a 1 to 4 cents value must be rounded off to the lower zero, and that 5 to 9 cents must be rounded off to the upper zero ● Geldwaardes is afgerond tot die naaste 10 sent op die basis dat geldwaardes wat eindig met 'n 1 tot 4 sent waarde afgerond word tot die laer zero, en dat 5 tot 9 sent afgerond moet word tot die hoër zero.
- (iv) The amounts published are calculated without VAT. The account for services rendered will be assessed and calculated without VAT. If VAT is applicable and a VAT registration number was indicated, it will be calculated and added to the payment without being rounded off. ● Die bedrae gepubliseer is BTW uitgesluit. Die rekening vir dienste gelewer word aangeslaan en bereken sonder BTW. Indien BTW van toepassing is en 'n BTW registrasie nommer aangedui is, word dit bereken en by die betalingsbedrag gevoeg sonder om afgerond te word.

**CLAIMS WITH THE COMPENSATION FUND ARE PROCESSED AS FOLLOWS •  
EISE TEEN DIE VERGOEDINGSFONDS WORD HANTEER SOOS VOLG:**

1. If the claim is **accepted** as a COIDA claim, reasonable medical expenses will be paid by the Compensation Commissioner • *As die eis teen die Fonds aanvaar word, word redelike mediese koste betaal deur die Vergoedings Kommissaris.*
2. If the claim is **rejected (repudiated)**, services will not be paid by the Compensation Commissioner. All parties are informed of this decision, including the service providers. The injured employee will be liable for payment. Please take note that most medical schemes will accept the date of notification of non-acceptance as the service date and entertain such a claim • *As die eis teen die Fonds afgekeur word (gerepudieer), word dienste nie deur die Vergoedings Kommissaris betaal nie. Die betrokke partye word in kennis gestel van die besluit, ingesluit die diensverskaffers. Die beseerde werknemer is dan aanspreeklik vir die rekening. Neem asseblief kennis dat die meerderheid van mediese fondse die datum waarop die Kommissaris die eis van die hand wys aanvaar as die dienslewingsdatum en sal die rekening oorweeg vir vereffening.*
3. If **no decision** can be made due to a lack of information, the outstanding information is requested and upon receipt, the claim will again be adjudicated. Depending on the outcome, the accounts from the service provider, will be handled as set out in 1 and 2. Unfortunately, there are claims for which a decision might never be made due to a lack of forthcoming information • *Indien geen besluit geneem kan word nie, weens 'n gebrek aan inligting, word die uitstaande inligting aangevra. Met ontvangs word die eis heroorweeg. Afhangende van die uitslag, word die rekening hanteer soos uiteengesit in nommer 1 en 2. Ongelukkig is daar eise waar 'n besluit nooit geneem kan word nie aangesien die uitstaande inligting nie verskaf word nie.*

**BILLING PROCEDURE • EIS PROSEDURE:**

1. The **first account** for services rendered to the injured employee (INCLUDING the First medical report) must be submitted to the employer who will collate all the documents (from other service providers etc.) and submit them to the Compensation Commissioner • *Die eerste rekening (INSLUITEND die Eerste mediese verslag) vir diens gelewer aan die beseerde werknemer, moet aan die werkgewer gestuur word, wat die eise (van ander diensverskaffers ens.) bymekaar sal sit en dit aanstuur na die Vergoedingskommissaris.*
2. New claims are registered by the Commissioner and the employer is notified of the claim number allocated to the claim. Enquiries for claim numbers should be directed to the employer and not to the Commissioner. The employer will be able to give you the claim number for the patient as well as indicate whether the Compensation Commissioner accepted the claim as a COIDA case • *Nuwe eise word geopen deur die Kommissaris en die werkgewer word in kennis gestel van die eisnommer. Navrae vir eisnommers moet aan die werkgewer gerig word en nie aan die Kommissaris nie. Die werkgewer kan die eisnommer verskaf en ook aandui of die Kommissaris die eis teen die Fonds aanvaar het of nie.*
3. All new accounts are captured on the Commissioners database and a summarized notice is posted weekly to the service provider. This is only an **acknowledgement of receipt** and not a payment or a guarantee thereof • *Alle nuwe rekeninge word vasgelê op die Kommissaris se databasis en 'n opsomming van rekeninge ontvang word weekliks aan die diensverskaffer gestuur. Dit is slegs 'n erkenning van ontvangs en nie 'n betaling of waarborg daarvan nie.*
4. If accounts are still outstanding after 60 days following submission and acknowledgement by the Commissioner Service providers should complete an enquiry form, W.CL 20, and submit it ONCE to the Commissioner. **DO NOT SUBMIT DUPLICATE ACCOUNTS WHEN AN ACKNOWLEDGEMENT WAS RECEIVED FOR THE PARTICULAR ACCOUNT** • *Indien die rekening nog uitstaande is na 60 dae na indiening en ontvangserkenning deur die Vergoedingskommissaris, moet die diensverskaffer 'n navraag vorm, W.CL 20 voltooi en EENMALIG indien na die Kommissaris. MOENIE 'N DUPLIKAAT REKENING INDIEN AS ONTVANGS ERKEN IS VIR DIE BETROKKE REKENING NIE.*
5. If **no acknowledgement** was received and the account is unpaid **60 days after** it was submitted to the employer, a **duplicate account** must be submitted to the Commissioner directly. The account must be accompanied by any supporting documents e.g. PART B of the Employers Report of an Accident (W.CL 2), First (W.CL 4), and Progress/Final (W.CL 5/5F) medical reports • *Indien ontvangs nie erken is 60 dae na versending aan die werkgewer, moet 'n duplikaatrekening ingedien word by die Vergoedingskommissaris. Die rekening moet vergesel word van ander dokumentasie bv. DEEL B van die Werkgewer se Verslag oor 'n Ongeval (W.CL 2), Eerste (W.CL 4) en Vordering/Finale (W.CL 5/5F) mediese verslae.*

6. **Information NOT to be reflected** on the account: Details of the employee's medical aid and the BHF practice number of the referring practitioner • *Inligting wat NIE aangedui moet word op die rekening nie: Besonderhede van die werknemer se mediese fonds en die verwysende geneesheer se BHF praktyknommer.*
7. **Service provider should not generate** • *Diensverskaffer moenie die volgende genereer.*
- Multiple accounts** for services rendered on the **same date** i.e. one account for medication and a second account for other services • *Meer as een rekening vir dienste gelewer op dieselfde datum, bv. Medikasie op een rekening en ander dienste op 'n tweede rekening.*
  - Accumulative accounts** but rather submit a separate account for every month • *Aansenlopende rekeninge: aparte rekeninge per maand word verkies.*
  - Accounts on the old documents** (W.CL 4/5/5F) A \*New First Medical Report (W.CL 4) and Progress/Final Report (W.CL 5/5F) forms are available. The old forms combined with the account (W.CL11), were replaced. **Accounts on the old medical reports will not be entertained** • *Rekeninge op die ou voorgeskrywe dokumente van die Vergoedingskommissaris se. 'n \*Nuwe Eerste mediese verslag (W.CL4) en Vordering/Finale verslag (W.CL5) is beskikbaar. Die vorige vorms gekombineer met die rekening (W.CL11) is vervang. Rekeninge op die ou vorms is nie aanvaarbaar nie.*
8. **Minimum information** to be indicated on the account submitted to the Commissioner • *Minimum besonderhede wat aangedui moet word op 'n rekening vir die Vergoedingskommissaris:*
- Name of employee and ID number • *Naam van werknemer en ID nommer.*
  - Name of employer and registration number if available. • *Naam van werkgewer en registrasie nommer indien beskikbaar.*
  - CC claim number/ alternatively employer's registration number • *CC eisnommer/alternatiewelik die werkgewer se registrasie nommer.*
  - DATE OF **ACCIDENT** (not only the service date) • *DATUM VAN BESERING (nie slegs die diensdatum nie)*
  - Service provider's reference number • *Diensverskaffer se rekening nommer*
  - The BHF practice number (In case of address change, BHF must be notified) • *Die BHF praktyknommer (in geval van adresverandering moet dit by BHF verander word)*
  - VAT registration number (The Compensation Commissioner will not pay VAT if a VAT registration number is not indicated on the account) • *BTW registrasie nommer (die Kommissaris sal nie BTW betaal as die BTW registrasie nommer nie aangedui word nie)*
  - Date of service (Actual service date must be indicated. Invoice date is not acceptable) • *Diensdatum (die werklike diensdatum moet aangedui word. Rekening datum is nie aanvaarbaar)*
  - Items according to the official published tariffs • *Items soos aangedui in die amptelik gepubliseerde tariewe.*
  - Amount claimed per item and total for account • *Bedrag ge-eis vir item en totaal van rekening.*

\*Examples of the new forms (W.CL 4/5/5F) is included at the back of this publication •  
 \*Voorbeeld van die nuwe vorms (W.CL 4/5/5F) is ingesluit agterin hierdie publikasie.

**RULES GOVERNING THE TARIFF/REÛLS VAN TOEPASSING OP DIE TARIEF****A. Consultations: Definitions/Konsultasies: Definisies**

- (a) **New and established patients:** A consultation/visit refers to a clinical situation where a medical practitioner personally elicits a patient's medical history, performs an appropriate clinical examination and, if indicated, administers treatment, prescribes or assists with advice. These services must be face-to-face with the patient and excludes the time spent doing special investigations which receive additional remuneration/*Nuwe en bestaende pasiënte: 'n Konsultasie/besoek verwys na 'n kliniese situasie waar 'n mediese praktisyn persoonlik 'n pasiënt se siektegeskiedenis afneem, 'n toepaslike kliniese ondersoek uitvoer en indien aangedui 'n behandeling toedien of voorskryf, of die pasiënt van raad bedien. Hierdie dienste moet met die pasiënt persoonlik wees en sluit die tyd gebruik om spesiale ondersoeke uit te voer, waarvoor bykomende vergoeding geëis kan word, uit.*
- (b) **Subsequent visits:** Refers to a voluntarily scheduled visit performed within four (4) months after the first visit. It may imply taking down a medical history and/or a clinical examination and/or prescribing or administering of treatment and/or counselling/*Opvolgbesoeke: Verwys na 'n willekeurig geskeduleerde besoek wat binne vier (4) maande na 'n eerste konsultasie uitgevoer word. Dit kan die afneem van 'n siektegeskiedenis en/of kliniese ondersoek en/of die voorskryf of toedien van 'n behandeling en/of raadgeving behels.*
- (c) **Hospital visits:** Where a procedure or operation was done, hospital visits are regarded as part of the normal after-care and no fees may be levied (unless otherwise indicated). Where no procedure or operation was carried out, fees may be charged for hospital visits according to the appropriate hospital or inpatient follow-up visit code/*Hospitaalbesoeke: In gevalle waar 'n prosedure of operasie deur 'n geneesheer uitgevoer is, word hospitaalbesoeke beskou as deel van die normale nasorg en mag geen gelde gehef word nie (behalwe waar anders aangedui). In gevalle waar daar nie 'n prosedure of operasie uitgevoer is nie, mag gelde volgens die toepaslike hospitaalopvolgbesoek item gehef word.*

- B. Normal hours and after hours:** Normal working hours comprise the periods 08:00 to 17:00 on Mondays to Fridays, 08:00 to 13:00 on Saturdays, and all other periods voluntarily scheduled (even when for the convenience of the patient) by a medical practitioner for the rendering of services. All other periods are regarded as after hours. Public holidays are not regarded as normal working days and work performed on these days is regarded as after-hours work. Services are scheduled involuntarily for a specific time, if for medical reasons the doctor should not render the service at a earlier or later opportunity. Please note: Items 0146 and 0147 (emergency consultations) as well as modifier 0011 (emergency theatre procedures) are only applicable in the after hours period/*Normale ure en na-ure: Normale werksure verwys na die tydperk 08:00 tot 17:00 op Maandae tot Vrydae, 08:00 tot 13:00 op Saterdag, en alle ander tye wat die geneesheer willekeurig skeduleer (al is dit vir die pasiënt se gerief) vir die lewering van dienste. Alle ander tye geld as na-ure. Openbare vakansiedae geld nie as normale werksdae nie en werk wat op hierdie dae verrig word, geld as na-urse werk. Dienste word onwillekeurig geskeduleer vir 'n spesifieke tyd indien die geneesheer om mediese redes nie die diens by 'n vroeëre of latere geleentheid behoort te lewer nie. Let wel: Items 0146 en 0147 (noodkonsultasies) sowel as wysiger 0011 (nood teaterprosedures) is slegs van toepassing gedurende die na-ure periode.*

- C. Comparable services:** The fee that may be charged in respect of the rendering of a service not listed in this tariff of fees shall be based on the fee in respect of a comparable service/*Vergelykbare dienste: Die bedrag wat gehef kan word ten opsigte van die lewering van 'n diens wat nie in hierdie gelde tarief ingesluit is nie, moet gebaseer wees op die bedrag vir 'n vergelykbare diens.*

- D. Cancellation of appointments:** Unless timely steps are taken to cancel an appointment for a consultation the relevant consultation fee may be charged. (For COVID patients: in the case of injured workmen, the relevant consultation fee is payable by the employee.) In the case of a general practitioner "timely" shall mean two hours and in the case of a specialist 24 hours prior to the appointment. Each case shall, however, be considered on merit and, if circumstances warrant, no fee shall be charged. If a patient has not turned up for a procedure, each member of the surgical team is entitled to charge for a visit at or away from doctor's rooms as the case may be/*Kansellering van afspraak: Tensy anders vermeld, sluit die gelde ten opsigte van 'n operasie of prosedure normale nasorg in oor 'n tydperk wat nie vier maande oorskry nie (nasorg is uitgesluit van suiwer diagnostiese prosedures waartydens geen terapeutiese prosedures uitgevoer is nie).*
- (Vir BAD pasiënte: Ingeval van beseerde werknemer, is die werknemer aanspreeklik vir die konsultasiegelde.) In die geval van 'n algemene praktisyn beteken "vroegtydig" twee ure en in die geval van 'n spesialis 24 ure voor die afspraak. Elke geval word egter op meriete beskou en, indien omstandighede dit regverdig, word geen gelde gehef nie. Indien 'n pasiënt nie opgedaag het vir 'n prosedure nie, is elke lid van die chirurgiese span geregtig om gelde te hef vir 'n besoek by of weg van die dokter se spreekkamers na gelang van die geval.

- E. Pre-operative visits:** The appropriate fee may be charged for all pre-operative visits with the exception of a routine pre-operative visit at the hospital/*Pre-operatiewe besoeke: Die toepaslike gelde mag gehef word vir alle pre-operatiewe besoeke met die uitsondering van 'n roetine pre-operatiewe besoek by die hospitaal.*

- F. Administering of injections and/or infusions:** Where applicable, fees for administering injections and/or infusions may only be charged when done by the practitioner himself/*Toediening van inspuitings en/of infusies: Waar toepaslik, mag gelde vir die toediening van inspuitings en/of infusies alleenlik gehef word indien deur die praktisyn self toegedien.*

**G. Post-operative care/Post-operatiewe sorg:**

- (a) Unless otherwise stated, the fee in respect of an operation or procedure shall include normal after-care for a period not exceeding **FOUR months** (after-care is excluded from pure diagnostic procedures during which no therapeutic procedures were performed)/*Tensy anders vermeld, sluit die gelde ten opsigte van 'n operasie of prosedure normale nasorg in oor 'n tydperk wat nie vier maande oorskry nie (nasorg is uitgesluit van suiwer diagnostiese prosedures waartydens geen terapeutiese prosedures uitgevoer is nie).*
- (b) If the normal after-care is delegated to any other registered health professional and not completed by the surgeon it shall be his/her own responsibility to arrange for this to be done without extra charge/*Indien die normale nasorg aan 'n ander geregistreerde gesondheidswerker gedelegeer word en nie deur die chirurg voltooi word nie, sal dit sy/haar verantwoordelikheid wees om te reël dat dit gedoen word sonder enige bykomende vordering.*

- (c) When the care of post-operative treatment of a prolonged or specialised nature is required, such fee as may be agreed upon between the surgeon and the scheme or the patient (in case of a private account) may be charged/*Wanneer na-operatiewe behandeling van 'n langdurige of gespesialiseerde aard nodig word, mag gelde waaroor die chirurg en die skema of die pasiënt (in geval van 'n privaatrekening) ooreengekom het, gehef word.*
- (d) Normal after-care refers to an uncomplicated post-operative period not requiring any further incisions/*Normale nasorg verwys na 'n ongekompliseerde na-operatiewe verloop wat nie verdere ingrepe verg nie.*
- H. Removal of lesions:** Items involving removal of lesions include follow-up treatment for four months/*Verwydering van letsels: Waar 'n letsel verwyder word, sluit die vergoeding ook vier maande opvolging in.*
- I. Pathology investigations performed by clinicians:** Fees for all pathology investigations performed by members of other disciplines (where permissible) refer to modifier 0097: Items that fall under Clinical and Anatomical Pathology: See section for Pathology/*Patologieondersoeke uitgevoer deur klinici: Gelde vir alle patologie ondersoeke wat uitgevoer word deur lede van ander dissiplines (waar toelaatbaar) verwys na wysiger 0097: Items wat onder Kliniese en Anatomiese Patologie ressorteer: Reaopleeg afdeling Patologie.*
- J. Disproportionately low fees:** In exceptional cases where the fee is disproportionately low in relation to the actual services rendered by a medical practitioner, a higher fee may be negotiated. Conversely, if the fee is disproportionately high in relation to the actual services rendered, a lower fee than that in the tariff should be charged/*Buite verhouding lae gelde: In buitengewone gevalle waar die gelde buite verhouding laag is in vergelyking met die werklike dienste deur 'n geneesheer gelewer, is hoër gelde onderhandelbaar. Aan die anderkant, as die gelde buite verhouding hoog is met betrekking tot die werklike dienste gelewer, moet 'n laer bedrag as dié wat in die geldetarief aangegee word, gevra word).*
- K. Services of a Specialist, upon referral:** Save in exceptional cases the services of a specialist shall be available only on the recommendation of the attending general practitioner. Medical practitioners referring cases to other medical practitioners shall, if known to them, indicate in the reference that the patient was injured in an "accident" and this shall also apply in respect of specimens sent to pathologists/*Dienste van Spesialis, na verwysing: Behalwe in buitengewone gevalle is die dienste van 'n spesialis beskikbaar slegs op aanbeveling van die huisarts wat oor die geval gaan. Geneesheer wat pasiënte na ander geneesheer verwys, moet, indien hulle daarvan bewus is dat die pasiënt in 'n "ongeval" beseer is, dit in die verwysing meld en dieselfde geld ten opsigte van monsters wat na patoloog gestuur word.*
- L. Procedures performed at time of visits:** If a procedure is performed at the time of a consultation/visit, the fee for the visit PLUS the fee for the procedure is charged/*Prosedures uitgevoer tydens besoeke: Indien 'n prosedure uitgevoer word tydens 'n konsultasie/besoek, word die bedrag vir die besoek SOWEL AS die bedrag vir die prosedure gehef.*
- M. Procedure planned to be performed later:** In cases where, during a consultation/visit, a procedure is planned to be performed at a later occasion, a visit may not be charged for again, at such a later occasion/*Prosedure beplan om later uit te voer: In gevalle waar 'n prosedure tydens 'n konsultasie/besoek beplan word om by 'n latere geleentheid uitgevoer te word, mag by sodanige latere uitvoering van die prosedure nie weer gelde gehef word vir 'n besoek nie.*
- N. Rendering of accounts for occupational Injuries and diseases/Lewering van rekeninge vir beroepsbeserings en -siektes**
- (a) "Per consultation": No additional fee may be charged for a service for which the fee is indicated as "per consultation". Such services are regarded as part of the consultation/visit performed at the time the condition is brought to the doctor's attention/"Per konsultasie": Geen bykomende gelde kan vir dienste waarvoor die gelde aangegee word as "per konsultasie", gehef word nie. Sulke dienste word gereken as deel van die konsultasie/besoek waartydens die toestand onder die geneesheer se aandag gebring word
- (b) Where a fee for any service, is prescribed herein, the medical practitioner shall not be entitled to payment calculated on a basis of visits or examinations made where such calculation would result in the prescribed fee being exceeded/*Waar gelde ten opsigte van enige diens wat hierin voorgeskryf word, is die geneesheer nie op betaling, bereken op die getal besoeke afgelei of die getal ondersoeke gedoen, geregtig as so 'n berekening 'n hoër bedrag as die voorgeskrewe gelde beteken nie.*
- (c) The number of consultations/visits must be in direct relation to the seriousness of the injury and should more than 20 visits be necessary, the Commissioner must be furnished with a detailed motivation/*Die aantal konsultasies/besoeke moet in direkte verhouding staan tot die erns van die besering en indien meer as 20 besoeke nodig is, moet volledige motiverings aan die Kommissaris verskaf word.*
- (d) A single fee for a consultation/visit shall be paid to a medical practitioner who gives a single treatment to an injured employee who thereafter passes to the permanent care of another medical practitioner, not being a partner or assistant of the first. The responsibility for furnishing the first medical report in such a case ordinarily rests with the second practitioner/*n Bedrag ten opsigte van een konsultasie/besoek word aan 'n geneesheer betaal vir 'n enkele behandeling van 'n beseerde werknemer wat daarna onder die permanente sorg kom van 'n ander geneesheer wat nie 'n vennoot of assistent van eersgenoemde geneesheer is nie. In so 'n geval berus die verantwoordelikheid om die eerste mediese verslag te verstrek gewoonlik by die tweede praktisyn.*
- O. Costly or prolonged medical services or procedures:**
- (a) A employee should be hospitalised only if and for such a period his condition justifies full-time "medical aid"/*Hospitalisasie van 'n werknemer moet slegs geskied indien en vir solank as wat sy toestand voltydse "geneeskundige behandeling" vereis.*
- (b) Occupational therapy/Physiotherapy: The same principals set out in modifier 0077: Two areas treated simultaneously for totally different conditions, will apply when a employee is referred to a therapist/*Arbeidsterapie/Fisioterapie: Indien 'n werknemer verwys word na 'n terapeut sal dieselfde beginsels geld soos by wysiger 0077: Twee afsonderlike areas tegelykertyd behandel vir heeltemal verskillende toestande.*

- (c) In the case of costly or prolonged medical services or procedures the medical practitioner shall first ascertain in writing from the Commissioner for what amount the Commissioner will accept responsibility in respect of such treatment/*In geval van duur of langdurige mediese dienste of prosedures, moet die geneesheer skriftelik vooraf by die Kommissaris, vasstel watter geldelike verantwoordelike die Kommissaris sal aanvaar ten opsigte van die behandeling van daardie spesifieke pasiënt.*

**P. Travelling fees/Reisgelde:**

- (a) Where, in cases of emergency, a practitioner was called out from his residence or rooms to a patient's home or the hospital, travelling fees can be charged according to section on travelling expenses (section IV) if he had to travel more than 16 kilometres in total/*Waar 'n praktisyn in noodgevalle vanaf sy huis of kamers na 'n pasiënt se woning of 'n hospitaal uitgeroep word, kan reisgelde gehef word volgens die afdeling aangaande reiskoste (afdeling IV) indien hy meer as 16 kilometers in totaal moet reis.*
- (b) If more than one patient would be attended to during the course of a trip, the full travelling expenses must be divided between the relevant patients/*Indien meer as een pasiënt tydens 'n reis aandag geniet, moet die volle reisgeld pro rata tussen die pasiënte verdeel word.*
- (c) A practitioner is not entitled to charge for any travelling expenses or travelling time to his rooms/*'n Praktisyn is nie geregtig om gelde te hef vir enige reiskoste of reistyd na sy kamers nie.*
- (d) Where a practitioner's residence would be more than 8 kilometres away from a hospital, no travelling fees may be charged for services rendered at such hospitals, except in cases of emergency (services not voluntarily scheduled)/*Waar 'n praktisyn se woning meer as 8 kilometers vanaf 'n hospitaal geleë is, mag geen reisgelde gehef word vir dienste gelewer in sodanige hospitale nie, behalwe in noodgevalle (onwillekeurig geskeduleerde dienste).*
- (e) Where a practitioner conducts an itinerant practice, he is not entitled to charge fees for travelling expenses except in cases of emergency (services not voluntarily scheduled)/*Waar 'n praktisyn 'n rondreispraktyk bedryf, is hy nie geregtig om reisgelde te hef nie, behalwe in noodgevalle (onwillekeurig geskeduleerde dienste).*

**INTENSIVE CARE/INTENSIEWE SORG**

**RULES GOVERNING THIS SPECIFIC SECTION OF THE TARIFF/RÛLS VAN TOEPASSING OP HIERDIE BESONDERE AFDELING VAN DIE TARIEF**

- Q. Intensive care:** Units in respect of item 1204 to 1210 (Categories 1 to 3)/*Intensiewe sorg: Eenhede vir items 1204 tot 1210 (Kategorieë 1 tot 3) EXCLUDE the following /SLUIT die volgende UIT:*

- (a) Anaesthetic and/or surgical fees for any condition or procedure, as well as a first consultation/visit, which is regarded as the assessment of the patient, while the daily intensive fee covers the daily care in the intensive care unit/*Narkose en/of chirurgiese gelde vir enige toestand of prosedure, sowel as 'n eerste konsultasie/besoek wat die evaluering van die pasiënt behels terwyl die intensiewe sorg item die daaglikse sorg in die intensiewe sorgeenheid dek.*
- (b) Cost of any drugs and/or materials/*Koste van medisyne en/of materiaal.*
- (c) Any other cost which may be incurred before, during or after the consultation/visit and/or the therapy/*Enige ander koste wat ontstaan voor, tydens of na die konsultasie/besoek en/of terapie.*
- (d) Blood gases and chemistry tests, including the arterial puncture to obtain the specimen/*Bloedgasondersoeke of chemiese bloedoetse, arteriële punksie om bloedmonster te verkry, ingeslote.*
- (e) Procedural items 1202 and 1212 to 1221/*Prosedure items 1202 en 1212 tot 1221.*

but INCLUDE the following/*maar SLUIT die volgende IN:*

- (f) Performing and interpretation of a resting ECG/*Uitvoering en vertolking van 'n rustende EKG.*
- (g) Interpretation of chemistry tests and x-rays/*Vertolking van biochemie toetse en x-strale.*
- (h) Intravenous treatment (items 0206 and 0207) /*Intraveneuse behandeling (items 0206 en 0207)*

- R. Multiple organ failure:** Units for items 1208, 1209 and 1210 (Category 3: Cases with multiple organ failure) include resuscitation (i.e. item 1211: Cardio-respiratory resuscitation)/*Veelvuldige orgaan ineenstorting: Eenhede vir items 1208, 1209 en 1210 (Kategorie 3: Gevalle met veelvuldige orgaan ineenstorting) sluit resussitasie in (i.e. item 1211: Kardio-respiratoriese resussitasie).*

- S. Ventilation:** Units for items 1212, 1213 and 1214 (ventilation) include the following/*Ventilasie: Eenhede vir items 1212, 1213 en 1214 (ventilasie) sluit die volgende in:*

- (a) Measurement of minute volume, vital capacity, time- and vital capacity studies/*Bepaling van minuutvolume, vitale kapasiteit, tyd- en vitale kapasiteitsondersoeke.*
- (b) Testing and connecting the machine/*Toets en verbinding van masjien.*
- (c) Putting patient on machine: setting machine, synchronising patient with machine/*Pasiënt met die masjien verbind: stel van masjien en synchronisering van pasiënt met masjien.*
- (d) Instruction to nursing staff/*Opdragte aan verplegingspersoneel.*

(e) All subsequent visits for 24 hours/*Alle daaropvolgende besoeke gedurende die eerste 24 uur.*

T. Ventilation (items 1212 to 1214) does not form a part of normal post-operative care, but may not be added to item 1204: Category 1: Cases requiring intensive monitoring/*Ventilasie (items 1212 tot 1214) maak nie deel uit van normale na-operatiewe sorg nie, maar mag nie by item 1204: Kategorie 1: Gevalle wat intensiewe monitoring vereis gevoeg word nie.*

**RULES GOVERNING THE SECTION RADIOLOGY : MAGNETIC RESONANCE IMAGING/REËLS VAN TOEPASSING OP DIE AFDELING RADIOLOGIE : MAGNETIESE RESONANSIE BEELDING**

**W. Magnetic Resonance Imaging • Magnetiese Resonansie Beelding**

- a. In cases where a second Magnetic Resonance Imaging of the spine (items 6210, 6211, 6212 and 6213 refers) is deemed necessary, or a Magnetic Resonance Imaging of another anatomical region is requested, proper motivation must be submitted upon which the Commissioner will consider approval./ *Indien 'n tweede Magnetiese Resonansie Beelding van die rug (items 6210, 6211, 6212 en 6213 verwys) benodig word of 'n eerste Magnetiese Resonansie Beelding van 'n ander liggaamsdeel aangevra word, moet motivering voorgelê word, waarna goedkeuring deur die Kommissaris oorweeg word.*
- b. Item 6270 - Proper motivation must be submitted upon which the Commissioner will consider approval./ *Item 6270 - Mediese motivering moet voorgelê word waarna goedkeuring deur die Kommissaris oorweeg sal word.*

**RULES GOVERNING THE SECTION MEDICAL PSYCHOTHERAPY/REËLS VAN TOEPASSING OP DIE AFDELING MEDISE PSIGOTERAPIE**

**Note • Opmerking :**

- (a) Prior approval must be obtained from the Commissioner before any treatment under this section is carried out./ *Enige behandeling ingevolge hierdie afdeling moet vooraf goedkeuring van die Kommissaris verkry word*
  - (b) Where approval has been obtained, treatments must be limited to 12 sessions only, after which the patient must be referred back to the referring doctor for an evaluation and report to the Commissioner./ *Waar goedkeuring verleen word moet die sessies beperk word tot 12 sessies waarna die pasiënt na die verwysende geneesheer terugverwys moet word vir evaluering en verslag aan die Kommissaris.*
- Va. **Electro-convulsive treatment:** Visits at hospital or nursing home during a course of electro-convulsive treatment are justified and may be charged for in addition to the fees for the procedure./ **Elektro-konvulsiewe behandeling:** *Besoeke by 'n hospitaal of verpleeginrigting tydens 'n kursus van elektro-konvulsiewe behandeling is geregtig en gelde kan daarvoor gehef word, bo en behalwe die gelde vir die prosedure.*
- Vb. Except where otherwise indicated, the duration of a medical psychotherapeutic session is set at 20 minutes or part thereof provided that such a part comprises 50% or more of the time of a session. This set duration is also applicable for psychiatric examination methods./ *Behalwe waar anders aangedui, is die duur van 'n mediese psigoterapeutiese sessie 20 minute of gedeelte daarvan op voorwaarde dat sodanige gedeelte 50% of meer van die tyd van 'n sessie uitmaak. Hierdie aftakening geld ook vir psigiatrisse ondersoekmetodes.*

**RULES GOVERNING THE SECTION RADIOLOGY/REËLS VAN TOEPASSING OP DIE AFDELING RADIOLOGIE**

- Y. Except where otherwise indicated, radiologists are entitled to charge for contrast material used./ *Behalwe waar anders aangedui, mag radioloë eis vir die koste van kontras materiaal wat gebruik is.*
- Z. No fee to is subject to more than one reduction./ *Geen gelde is onderworpe aan meer as een vermindering nie.*

**RULE GOVERNING THE SUBSECTION ON DIAGNOSTIC PROCEDURES REQUIRING THE USE OF RADIO-ISOTOPES/REËL VAN TOEPASSING OP DIAGNOSTIESE PROSEDURES WAT DIE GEBRUIK VAN RADIO-ISOTOPE VEREIS**

AA. Procedures to exclude cost of isotopes./ *Prosedures sluit nie die koste van die isotoop in nie.*

**RULE GOVERNING THE SECTION RADIATION ONCOLOGY/REËL VAN TOEPASSING OP DIE AFDELING STRALINGS ONKOLOGIE**

BB. The fees in this section (radiation oncology) do NOT include the cost of radium or isotopes./ *Die gelde in hierdie afdeling (stralings onkologie) sluit NIE die koste van radium of isotope in NIE.*

**RULE GOVERNING ULTRASONIC EXAMINATIONS/REËL VAN TOEPASSING OP ULTRASONIESE ONDERSOEKE**

- EE. (a) In case of a referral, the referring doctor must submit a letter of motivation to the radiologist or other practitioner doing the scan. A copy of the letter of motivation must be attached to the first account rendered to the patient (by the radiologist or the other practitioner doing the scan) and must be attached to the first account submitted to the medical scheme by the patient or the doctor, as the case may be./ *In geval van 'n verwysing, moet die verwysende geneesheer 'n skriftelike motivering verskaf aan die radioloog of ander geneesheer wat die ondersoek doen. 'n Kopie van die motivering moet aangeheg word aan die eerste rekening wat aan die pasiënt gelewer word (deur die radioloog of ander geneesheer wat die ondersoek doen) en moet aangeheg word aan die eerste rekening wat aan die mediese skema voorgelê word deur die pasiënt of die geneesheer, na gelang van die geval.*
- (b) In case of a referral to a radiologist, no motivation should be required from the radiologist./ *In geval van 'n verwysing na 'n radioloog, moet geen motivering van die radioloog vereis word nie.*

**RULES GOVERNING THE SECTION URINARY SYSTEM/REËLS VAN TOEPASSING OP DIE AFDELING URIENSTELSEL**

- FF. (a) When a **cystoscopy precedes a related operation**, modifier 0013: Endoscopic examination done at an operation, applies, e.g. cystoscopy followed by transurethral (T U R) prostatectomy/Wanneer 'n sistoskopiese ondersoek uitgevoer word deur transurethrale prostatektomie.
- (b) When a **cystoscopy precedes an unrelated operation**, modifier 0005: Multiple procedures/operations under the same anaesthetic, applies, e.g. cystoscopy for urinary tract infection followed by inguinal hernia repair/Wanneer 'n sistoskopiese ondersoek uitgevoer word deur transurethrale prostatektomie, word 'n onverwante operasie uitgevoer onder dieselfde narkose, byvoorbeeld sistoskopiese ondersoek vir urinêre infeksie gevolg deur liesbreuk herstel.
- (c) No modifier applies to item 1949: Cystoscopy, when performed together with any of items 1951 to 1973/Geen wysiger is van toepassing op item 1949: Sistoskopiese ondersoek, wanneer saam met enige van items 1951 tot 1973 uitgevoer word.

**RULE GOVERNING THE SECTION RADIOLOGY/REËL VAN TOEPASSING OP DIE AFDELING RADIOLOGIE**

- GG. **Capturing and recording of examinations:** Images from all radiological, ultrasound and magnetic resonance imaging procedures must be captured during every examination and a permanent record generated by means of film, paper, or magnetic media. A report of the examination, including the findings and diagnostic comment, must be written and stored for five years/Vaslegging en opname van ondersoekte: Beelde van alle radiologiese, ultraklank-, en magnetiese resonansiebeeldingprosedures moet tydens elke ondersoek vasgelê word en 'n permanente rekord moet deur middel van film, papier, of magnetiese media voortgebring word. 'n Verslag van die ondersoek, insluitende die bevindings en diagnostiese kommentaar, moet opgestel en vir vyf jaar gestoor word.

**MODIFIERS GOVERNING THE TARIFF/WYSIGERS VAN TOEPASSING OP DIE TARIEF****MODIFIER GOVERNING THE RADIOLOGY AND RADIATION ONCOLOGY SECTIONS OF THE TARIFF/WYSIGER VAN TOEPASSING OP DIE RADIOLOGIE- EN STRALINGSONKOLOGIE-AFDELINGS VAN DIE TARIEF**

- 0001 **After-hours emergency radiological services:** For involuntarily scheduled after-hours emergency radiological services (see general rule B: Normal hours and after hours), the additional premium shall be 50% of the fee for the particular services (section 19.12: Portable unit examinations, excluded). For after-hours MR scans, a maximum levy of 100,00 Radiological units (R 1001.00) is applicable/Na-ure radiologiese nooddienste: Vir onwillekeurig geskeduleerde na-ure radiologiese nooddienste (raadpleeg algemene reël B: Normale ure en na-ure), is die addisionele premie 50% van die gelde vir die spesifieke diens (afdeling 19.12: Ondersoekte met mobiele eenhede, uitgesluit). Vir na-ure MR-skanderings is 'n maksimum heffing van 100,00 Radiologiese-eenhede (R 1001.00) van toepassing.

**MODIFIER GOVERNING A RADIOLOGIST REQUESTED TO GIVE A REPORT ON X-RAYS/WYSIGER VAN TOEPASSING OP 'N RADIOLOOG WAT VERSOEK IS OM 'N VERSLAG OOR X-STRALE TE VERSKAF**

- 0002 **Written report on X-rays:** The lowest level code for a new patient office (consulting rooms) visit, is applicable only where a radiologist is requested to give a written report on X-rays taken elsewhere and submitted to him. The above mentioned item and the lowest level initial hospital visit code, as appropriate are not to be used for routine reporting of X-rays taken elsewhere/Geskrewe verslag oor X-strale: Die laagste vlak kode vir 'n nuwe pasiënt spreekkamer besoek, is van toepassing slegs wanneer 'n radioloog gevra word om 'n skriftelike verslag te gee oor X-strale wat elders geneem is en aan hom voorgelê word. Die bogenoemde item en die laagste vlak aanvenklike hospitaal besoek kode, moet nie gebruik word vir roetine verslaggewing van X-strale wat elders geneem is nie.

**0005 Multiple therapeutic procedures/operations under the same anaesthetic/Meer as een terapeutiese prosedure/operasie onder dieselfde narkose:**

- (a) Unless otherwise identified in the tariff when multiple procedures/operations add significant time and/or complexity, and when each procedure/operation is clearly identified and defined, the following values shall prevail: 100% (full value) for the first or major procedure/operation, plus 50% (half of) the tariff fee in respect of each additional operation or procedure with a maximum of four additional operations or procedures/Wanneer meer as een prosedure/operasie heelwat addisionele tyd en/of ingewikkeldheid meebring, en elke prosedure/operasie duidelik geïdentifiseerbaar en gedefinieer is, sal die volgende waardes daaraan toegeken word, behalwe waar anders gespesifiseer is in die tarief: 100% (volle tarief) vir die eerste of groter prosedure/operasie plus 50% (helfte van) tariefgelde ten opsigte van elke bykomende operasie of prosedure tot 'n maksimum van vier bykomende operasies of prosedures.
- (b) In the case of multiple fractures and/or dislocations the above values shall prevail/In die geval van meer as een fraktuur en/of ontwrigting sal bostaande waardes van toepassing wees.
- (c) When purely diagnostic endoscopic procedures or diagnostic endoscopic procedures unrelated to any therapeutic procedures performed, are performed under the same general anaesthetic, modifier 0005 is not applicable to the fees for such diagnostic endoscopic procedures as the fees for endoscopic procedures do not provide for after-care. Specify unrelated endoscopic procedure and provide diagnosis to indicate diagnostic endoscopic procedure(s) unrelated to other (therapeutic) procedures performed under the same anaesthetic/Wanneer suiwer diagnostiese endoskopiese prosedures of diagnostiese endoskopiese prosedures onverwant tot enige terapeutiese prosedure onder dieselfde narkose uitgevoer word, is wysiger 0005 nie van toepassing op die gelde van sodanige diagnostiese endoskopiese prosedures nie aangesien die gelde vir endoskopiese prosedures nie nasorg insluit nie. Spesifiseer onverwante endoskopiese prosedure en voorsien diagnose om die diagnostiese endoskopiese prosedure(s) wat onverwant tot ander (terapeutiese) prosedures wat onder dieselfde narkose uitgevoer is, aan te dui.

- (d) Please note: When more than one small procedure is performed and the tariff makes provision for items for "subsequent" or "maximum for multiple additional procedures" (see Section 2. Integumentary System) modifier 0005 is not applicable as the fee is already a reduced fee/Neem asseblief kennis: Wanneer meer as een klein prosedure uitgevoer word en die tarief voorsiening maak vir items vir "daaropvolgende" of "maksimum vir veelvuldige bykomende prosedures" (raadpleeg Afdeling 2. Huidstelsel) is wysiger 0005 nie van toepassing nie, aangesien die tarief reeds verminder is.
- (e) "+" Means that this item is used in addition to another definitive procedure and is therefore not subject to reduction according to modifier 0005 (see also modifier 0082)/"+" Beteken dat hierdie item bykomend tot 'n ander bepalende prosedure item gebruik word en daarom nie aan vermindering onderworpe is volgens wysiger 0005 nie (raadpleeg ook wysiger 0082).

**APPLICATION OF MODIFIER 0005 IN CASES WHERE BONE GRAFT PROCEDURES AND INSTRUMENTATION ARE PERFORMED IN COMBINATION WITH ARTHRODESIS (FUSION) / TOEPASSING VAN WYSIGER 0005 IN GEVALLE WAAR BEENOORPLANTINGS PROSEDURES EN INSTRUMENTASIE IN KOMBINASIE MET ARTHRODESE (FUSIE) UITGEVOER WORD :**

- (f) Modifier 0005 (multiple procedures/operations under the same anaesthetic) is not applicable if the following procedures are performed together / Wysiger 0005 (veelvuldige prosedures/operasies onder dieselfde narkose), is nie van toepassing wanneer die volgende prosedures saam uitgevoer word nie:
1. Bone graft procedures and instrumentation are to be charged in addition to arthrodesis / Beenoorplantingsprosedures en instrumentasie word bykomend tot artrose gehel.
  2. When vertebral procedures are performed by arthrodesis, bone grafts and instrumentation may be charged for in addition / Indien vertebrale prosedures uitgevoer word deur artrose, mag beenoorplantings en instrumentasie addisioneel voor gehel word.
- (g) Modifier 0005 (Multiple procedures/operations under the same anaesthetic) would be applicable when arthrodesis is performed in addition to another procedure, e.g. osteotomy, laminectomy / Wysiger 0005 (veelvuldige prosedures onder dieselfde narkose), sal van toepassing wees waar artrose saam met 'n ander prosedure bv. osteotomie, laminektomie, uitgevoer word.
- 0006** A 25% reduction in the fee for a subsequent operation for the same condition within one month shall be applicable if the operations are performed by the same surgeon (an operation subsequent to a diagnostic procedure is excluded). After a period of one month the full fee is applicable/n 25% vermindering in die gelde van 'n daaropvolgende operasie, binne een maand, vir dieselfde siektetoestand, is van toepassing indien die operasies deur dieselfde chirurg uitgevoer word ('n operasie wat volg op 'n diagnostiese prosedure is uitgesluit). Indien 'n daaropvolgende operasie na meer as een maand uitgevoer word, is die volle gelde betaalbaar.
- 0007** (a) **Use of own monitoring equipment in the rooms:** Remuneration for the use of any type of own monitoring equipment in the rooms for procedures performed under intravenous sedation - 15,00 clinical procedure units (R 143.60) irrespective of the number of items of equipment provided/**Gebruik van eie monitering toerusting in die kamers:** Vergoeding vir die gebruik van enige tipe eie monitering toerusting in kamers vir prosedures wat onder intraveneuse sedasie uitgevoer word - 15,00 kliniese prosedure eenhede (R 143.60), ongeag die aantal items toerusting wat voorsien word.
- (b) **Use of own equipment in hospital or unattached theatre unit:** Remuneration for the use of any type of own equipment for procedures performed in a hospital theatre or unattached theatre unit when appropriate equipment is not provided by the hospital - 15,00 clinical procedure units (R 143.60) irrespective of the number of items of equipment provided/**Gebruik van eie toerusting in hospitaalteater of losstaande teater eenheid:** Vergoeding vir die gebruik van enige tipe eie toerusting vir prosedures wat in 'n hospitaalteater of losstaande teater eenheid uitgevoer word, indien sodanige toerusting nie deur die hospitaal verskaf word nie - 15,00 kliniese prosedure eenhede (R 143.60) , ongeag die aantal items toerusting wat voorsien word.
- 0008** **Specialist surgeon assistant:** Where a procedure requires a registered specialist surgeon assistant, the fee is 33,33% (1/3) of the fee for the specialist surgeon/**Spesialis-chirurg assistent:** Waar 'n prosedure 'n geregistreerde spesialis-chirurg assistent vereis, is die gelde 33,33% (1/3) van die spesialis-chirurg se gelde.
- 0009** **Assistant:** The fee for an assistant is 20% of the fee for the specialist surgeon, with a minimum of 36,00 clinical procedure units (R344.50) /**Assistent:** Die gelde vir 'n assistent is 20% van die spesialis-chirurg se gelde met 'n minimum van 36,00 kliniese prosedure eenhede (R344.50)
- 0010** **Local anaesthetic/Lokale verdoving:**
- (a) A fee for a local anaesthetic administered by the operator may only be charged for (1) an operation or a procedure having a value greater than 30,00 clinical procedure units (i.e. 31,00 or more clinical procedure units (R 287.10) allocated to a single item) or (2) where more than one operation or procedure is done at the same time with a value greater than 50 clinical units (R478.50)/**Gelde mag gehel word vir plaaslike verdoving toegedien deur die persoon wat die operasie uitvoer, maar slegs vir 'n operasie of prosedure met 'n waarde van meer as 30,00 kliniese prosedure eenhede (d.i. 31,00 of meer kliniese prosedure eenhede (R 287.10) toegeken aan 'n enkele item of (2) waar meer as een operasie of prosedure op dieselfde tyd uitgevoer, 'n waarde van meer as 50,00 kliniese prosedure eenhede (R478.50) het).**
- (b) The fee shall be calculated according to the basic anaesthetic units for the specific operation. Anaesthetic time may not be charged for, but the minimum fee as per modifier 0036: Anaesthetic administered by a general practitioner, shall be applicable in such a case/Die gelde word bereken volgens die basiese narkose-eenhede van die spesifieke operasie, met weglating van die narkose tydsfaktor, maar die minimum tarief soos per wysiger 0036: Narkose deur 'n algemene praktisyn toegedien, sal van toepassing wees in sodanige geval.
- (c) Not applicable to radiological procedures (such as angiography and myelography)/Nie van toepassing op radiologiese prosedures (soos angiografie en mielografie) nie.

- (d) No fee may be levied for topical application of local anaesthetic/*Geen gelde mag gehef word vir die topiese aanwending van lokale verdoving nie.*
- (e) Please note: modifier 0010: Local anaesthetic administered by the operator, may not be added on the surgeon's account for procedures that were performed under general anaesthetic/*Let wel: wysiger 0010: Plaaslike verdoving toegedien deur die persoon wat die operasie uitvoer, mag nie op die chirurg se rekening gehef word vir prosedures wat onder algemene narkose uitgevoer is nie.*

**0011 Emergency surgery for theatre procedures:** Any bona fide, justifiable emergency procedure : only applicable during after-hour periods – see general rule B, undertaken in an operating theatre, will attract an additional 12,00 clinical procedure units (R 114.80) per half-hour or part thereof of the operating time for all members of the surgical team. Modifier 0011 does not apply in respect of patients on scheduled lists/*Noodchirurgie vir teaterprosedures: Vir enige bona fide, regverdigbare noodprosedure- slegs van toepassing gedurende na-ure periodes – vergelyk algemene reël B) wat in 'n operasieteater uitgevoer word, kan 'n bykomende 12,00 kliniese prosedure-eenhede (R 114.80) per halfuur of gedeelte daarvan, van die operasietyd gehef word deur alle lede van die chirurgiese span. Wysiger 0011 is nie van toepassing op van pasiënte op geskeduleerde lyste nie.*

**0013 Endoscopic examinations done at operations:** Where a related endoscopic examination is done at an operation by the operating surgeon or the attending anaesthesiologist, only 50% of the fee for the endoscopic examination may be charged/*Endoskopiese ondersoekte tydens prosedures: Waar 'n verwante endoskopiese ondersoek uitgevoer word by 'n operasie deur die chirurg wat die operasie uitvoer of die anestesiooloog, mag slegs 50% van die gelde vir die endoskopiese ondersoek gehef word.*

**0014 Operations previously performed by other surgeons:** Where an operation is performed which has been previously performed by another surgeon, e.g. a revision or repeat operation, the fee shall be calculated according to the tariff for the full operation plus an additional fee to be negotiated under general rule J: in exceptional cases where the fee is disproportionately low in relation to actual service rendered, except where already specified in the tariff/*Operasies voorheen uitgevoer deur ander chirurges: Wanneer 'n operasie uitgevoer word wat vantevore deur 'n ander chirurg uitgevoer is, byvoorbeeld 'n hersteloperasie of herhaling van 'n operasie, word die gelde bereken volgens die volle operasietarief plus addisionele gelde bepaal volgens onderhandeling ingevolge algemene reël J: In buitengewone gevalle waar die gelde buite verhouding laag is in vergelyking met die werklike dienste gelewer, behalwe in gevalle waar dit alreeds gespesifiseer is in die tarief.*

#### INJECTIONS, INFUSIONS AND INHALATION SEDATION/INSPUITINGS, INFUSIES EN INHALASIE SEDASIE

#### MODIFIERS GOVERNING THIS SPECIFIC SECTION OF THE TARIFF/WYSIGERS VAN TOEPASSING OP HIERDIE BESONDERE AFDELING VAN DIE TARIEF

**0015 Intravenous infusions:** Where intravenous infusions (including blood and blood cellular products) are administered as part of the after-treatment after the operation or confinement, no extra fees shall be charged as this is included in the global operative or maternity fees. Should the practitioner doing the operation or attending to the maternity case prefer to ask another practitioner to perform post-operative or post-confinement intravenous infusions, then the practitioner himself (and not the patient) shall be responsible for remunerating such practitioner for the infusions/*Binne-aarse infusies: Waar binne-aarse infusie (bloed en bloedseelprodukte ingeslote) as deel van die nabehandeling van die operasie of bevalling toegedien word, word geen ekstra gelde daarvoor gehef nie, omdat dit by die globale operasie- of bevallingsgelde ingesluit is. Indien die geneesheer wat die operasie of bevalling hanteer, verkies om 'n ander geneesheer te vra om binne-aarse infusie na die operasie of bevalling toe te dien, is hyself (en nie die pasiënt nie) teenoor sodanige geneesheer vir sy vergoeding vir die infusies verantwoordelik.*

**0017 Injections administered by practitioners:** When desensitization, intravenous, intramuscular or subcutaneous injections are administered by the practitioner himself to patients who attend the consulting rooms, a first injection forms a part of the consultation/visit and all subsequent injections for the same condition should be charged at 50% of the appropriate visit fee for a general practitioner/*Inspuitings deur praktisyne toegedien: Wanneer desensitiserings-, binne-aarse, binnespiers- of onderhuidse inspuitings deur die praktisyne self aan pasiënte toegedien word wat die spreekkamers besoek, vorm toediening van 'n eerste inspuiting deel van die konsultasie/ besoek en vir alle daaropvolgende inspuitings vir dieselfde toestand word 50% van die toepaslike besoekgelde vir 'n algemene praktisyne, gehef.*

#### MODIFIER GOVERNING SURGERY ON PERSONS WITH A BODY MASS INDEX (BMI) OF MORE THAN 35/WYSIGER VAN TOEPASSING OP CHIRURGIE OP PERSONE MET 'N LIGGAAMSMASSAINDEX (LMI) VAN MEER AS 35

**0018 Surgical modifier for persons with a BMI of 35+ (calculated according to  $\text{kg/m}^2$  weight in kilograms divided by height in metres squared):** Fee for procedure +50% for surgeons and a 50% increase in anaesthetic time units for anaesthesiologists/*Chirurgiese wysiger vir persone met 'n LMI van 35+ (bereken volgens  $\text{kg/m}^2$ ): Gelde vir prosedure +50% vir chirurges en 'n verhoging van 50% in narkosetydseenhede vir anesthesioloë.*

#### MODIFIERS GOVERNING THE ADMINISTRATION OF ANAESTHETIC FOR ALL THE PROCEDURES AND OPERATIONS INCLUDED IN THIS TARIFF/WYSIGERS WAT BETREKKING HET OP DIE TOEDIENING VAN NARKOSE VIR ALLE PROSEDURES EN OPERASIES WAT IN HIERDIE TARIEF OPGENEEM IS

**0021 Determination of anaesthetic fees:** Anaesthetic fees are determined by obtaining the sum of the basic anaesthetic units (allocated to each procedure that might be performed under anaesthetic indicated in the anaesthetic column) plus the time units (calculated according to the formula in modifier 0023) and the appropriate modifiers (see modifiers 0037-0044). In cases of operative procedures on the musculo-skeletal system, open fractures and open reduction of fractures or dislocations add units as laid down by modifiers 5441 to 5448/*Bepaling van narkosegelde: Narkosegelde word bereken deur die som te verkry van die basiese narkose-eenhede (toegeken aan elke prosedure wat onder narkose uitgevoer kan word en aangedui in die narkosekolom) plus tydseenhede (bereken volgens die formule in wysiger 0023) en die toepaslike wysigers (verwys na wysigers 0037-0044). In gevalle van operatiewe prosedures op die spier-skeletstelsel, oop frakture en oop reduksie van frakture en ontwrigtings, tel ook eenhede by soos neergelê deur wysigers 5441 tot 5448.*

- 0023** The basic anaesthetic units are laid down in the tariff and are reflected in the anaesthetic column. These basic anaesthetic units reflect the additional anaesthetic risk, the technical skill required of the anaesthesiologist and the scope of the surgical procedure, but exclude the value of the actual time spent administering the anaesthetic. The time units (indicated by "T") will be added to the listed basic anaesthetic units in all cases on the following basis/*Die basiese narkose-eenhede word in die tarief voorgeskryf en word in die narkose kolom aangedui. Hierdie basiese narkose-eenhede is 'n weergawe van die addisionele narkoserisiko, die tegniese vaardigheid van die anesthesioloog en die omvang van die chirurgiese prosedure, maar nie van die waarde van die werklike tyd wat deur die toediening van narkose in beslag geneem word nie. Tydeenhede (aangedui deur "T") sal in alle gevalle by voorgeskrewe basiese narkose-eenhede gevoeg word, en wel op die volgende wyse:*
- Anaesthetic time:** The remuneration for anaesthetic time shall be per 15 minute period or part thereof, calculated from the commencement of the anaesthetic, i.e. 2,00 anaesthetic units (R 89.40) per 15 minute period or part thereof, provided that should the duration of the anaesthetic be longer than one (1) hour the number of units shall, after one (1) hour, be 3,00 anaesthetic units (R134.10) per 15 minute period or part thereof/*Narkosetyd: Vergoeding vir narkosetyd geskied per 15-minuutperiode of deel daarvan, bereken vanaf die aanvang van die narkose, dit is 2,00 narkose-eenhede (R 89.40) per 15-minuutperiode of deel daarvan, met dien verstande dat indien die narkose langer as een (1) uur duur, die aantal eenhede, na een (1) uur 3,00 narkose-eenhede (R134.10) per 15 minute of deel daarvan is.*
- 0024** **Pre-operative assessments not followed by procedures:** If a pre-operative assessment of a patient by the anaesthesiologist is not followed by an operation it will be regarded as a visit at hospital or nursing home and the appropriate hospital visit item should be charged/*Voor-narkose evaluering wat nie deur operasies gevolg word nie. Indien 'n voor-narkose evaluering van 'n pasiënt deur die anesthesioloog nie gevolg word deur 'n operasie nie, word dit as 'n besoek by die hospitaal of verpleeginrigting beskou en die toepaslike hospitaal besoek item behoort gehê te word.*
- 0025** **Calculation of anaesthetic time:** Anaesthetic time is calculated from the time the anaesthesiologist begins to prepare the patient for the induction of anaesthesia in the operating theatre or in a similar equivalent area and ends when the anaesthesiologist is no longer required to give his/her personal professional attention to the patient, i.e. when the patient may, with reasonable safety, be placed under the customary post-operative supervision. Where prolonged personal professional attention is necessary for the well-being and safety of such patient, the necessary time will be valued on the same basis as indicated above for the anaesthetic time. The anaesthesiologist must show on his/her account the exact anaesthetic time, including the supervision time spent with the patient/*Berekening van narkosetyd: Narkosetyd word bereken vanaf die tyd waarop die anesthesioloog die pasiënt begin voorberei vir die induksie van narkose in die operasietheater of in 'n soortgelyke area en eindig wanneer die persoonlike en professionele aandag van die anesthesioloog aan die pasiënt nie meer nodig is nie, dit is wanneer die pasiënt binne redelike parke van veiligheid aan gewone na-operatiewe sorg toevertrou kan word. Waar persoonlike, professionele aandag vir die beswil en veiligheid van die pasiënt vir 'n langer tydperk nodig is, sal die waarde daarvan bereken word soos hierbo uiteengesit ten opsigte van narkosetyd. Die anesthesioloog moet op sy/haar rekening die presiese narkosetyd, insluitende die versorgingstyd met die pasiënt aandui.*
- 0027** **More than one procedure under the same anaesthetic:** Where more than one operation is performed under the same anaesthetic, the basic anaesthetic units will be that of the major operation with the highest number of units/*Meer as een operasie onder dieselfde narkose: Wanneer meer as een operasie onder dieselfde narkose uitgevoer word, sal die basiese narkose-eenhede gelykstaan met dié van die groter operasie wat die hoogste aantal eenhede dra.*
- 0029** **Assistant anaesthesiologists:** When rendered necessary by the scope of the anaesthetic, an assistant anaesthesiologist may be employed. The remuneration of the assistant anaesthesiologist shall be calculated on the same basis as in the case where a general practitioner administers the anaesthetic/*Assistent-anesthesioloog: Wanneer die omvang van 'n narkose dit vereis, kan gebruik gemaak word van die dienste van 'n assistent-anesthesioloog. Die assistent-anesthesioloog se vergoeding sal op dieselfde basis bereken word as in die geval van 'n algemene praktisyn wat narkose toedien.*
- 0031** **Intravenous drips and transfusions:** Treatment with intravenous drips and transfusions is considered part of the normal treatment in administering an anaesthetic. No additional fees may be charged for such services when rendered either prior to, or during actual theatre or operating time/*Intraveneuse infusies en transfusies: Behandeling met intraveneuse infusies en transfusies word as deel van die normale behandeling geag by die toediening van 'n narkose. Geen bykomende gelde mag vir sodanige dienste gehê word wanneer dit voor, of gedurende werklike teater- of operasietyd gelewer is nie.*
- 0032** **Patients in prone position:** Anaesthesia administered to patients in the prone position shall have a minimum of 4,00 basic anaesthetic units. When the basic anaesthetic units for the procedure is 3,00, one extra anaesthetic unit (R44.70) should be added. If the basic anaesthetic units for the procedure is 4,00 or more (R 178.80), no extra units should be added/*Pasiënte in buikliggende posisie: Narkose toegedien aan pasiënte in die buikliggende posisie sal 'n minimum van 4,00 basiese narkose-eenhede dra. Wanneer die basiese narkose-eenhede vir die prosedure 3,00 is, word een addisionele narkose-eenheid (R 44.70) bygevoeg. Indien die basiese narkose-eenhede wat toegeken is aan die prosedure 4,00 of meer is (R 178.80), word geen bykomende eenhede bygevoeg nie.*
- 0033** **Participating in general care of patients:** When an anaesthesiologist is required to participate in the general care of a patient during a surgical procedure, but does not administer the anaesthetic, such services may be remunerated at full anaesthetic rate, subject to the provisos of modifier 0035: Anaesthetic administered by a specialist anaesthesiologist/*Deelname aan algemene sorg van pasiënte: Wanneer dit van 'n anesthesioloog verlang word om deel te hê aan die algemene sorg van 'n pasiënt gedurende 'n chirurgiese prosedure, maar hy nie narkose toedien nie, mag sodanige dienste vergoed word teen die volle narkose tarief, onderworpe aan die bepalings van wysiger 0035: Narkose toegedien deur 'n spesialis-anesthesioloog.*
- 0034** **Head and neck procedures:** All anaesthetics administered for diagnostic, surgical or X-ray procedures on the head and neck shall have a minimum of 4,00 basic anaesthetic units. When the basic anaesthetic units for the procedure is 3,00, one extra anaesthetic unit (R 44.70) should be added. If the basic anaesthetic units for the procedure is 4,00 or more (R 178.80), no extra units should be added/*Kop- en nekprosedures: Alle narkoses wat toegedien word vir diagnostiese, chirurgiese of X-straal prosedures aan die kop en nek, sal 'n minimum van 4,00 basiese narkose-eenhede hê. Wanneer die basiese narkose-eenhede vir die prosedure 3,00 is, word een addisionele narkose-eenheid (R44.70) bygevoeg. Indien die basiese narkose-eenhede wat toegeken is aan die prosedure 4,00 of meer is (R 178.80), word geen bykomende eenhede bygevoeg nie.*

- 0035 Anaesthetic administered by specialist anaesthesiologists:** No anaesthetic administered by a specialist anaesthesiologist shall have a total value of less than 7,00 anaesthetic units (R 313.00) (basic units, time units plus appropriate modifiers)/*Narkose toegedien deur spesialis-anesesioloë: Geen narkose deur 'n spesialis-anesesioloog toegedien, sal 'n totale waarde laer as 7,00 narkose-eenhede hê nie* (R 313.00) (basiese eenhede, tydseenhede plus toepaslike wysigers).
- 0036 Anaesthetic administered by general practitioners:** The units (basic units plus time plus the appropriate modifiers) used to calculate the fee for an anaesthetic administered by a general practitioner lasting one hour or less shall be the same as that for a specialist anaesthesiologist. For anaesthetic lasting more than one hour, the units used to calculate the fee for an anaesthetic administered by a general practitioner will be 4/5 (80%) of the total number of units (basic units plus time plus the appropriate modifiers) applicable to the specialist anaesthesiologist provided that no anaesthetic shall have a total value of less than 7,00 anaesthetic units (R 313.00). The monetary value of the unit is the same for both a specialist anaesthesiologist and a general practitioner anaesthetist/*Narkose toegedien deur algemene praktisyne: Gelde vir narkose deur 'n algemene praktisyne wat een uur of korter duur sal bereken word volgens dieselfde hoeveelheid eenhede (basiese eenhede plus tyd plus die toepaslike wysigers) van toepassing op die spesialis-anesesioloog. Vir narkose wat langer as een uur duur sal die gelde van die algemene praktisyne bereken word teen 4/5 (80%) van die totale aantal eenhede (basiese eenhede plus tyd plus die toepaslike wysigers) van toepassing op die spesialis-anesesioloog met die voorbehoud dat geen narkose 'n totale waarde laers as 7,00 narkose-eenhede (R 313.00) sal hê nie. Die geldwaarde van 'n eenheid is dieselfde vir beide die spesialis-anesesioloog en die algemene praktisyne narkotiseuseur.*
- Note:** Modifying units may be added to the basic anaesthetic unit value according to the following modifiers (0037-0044, 5441-5448)/  
**Opmerking:** *Wysigingseenhede mag tot die basiese narkose-eenhede bygevoeg word volgens die volgende wysigers (0037-0044, 5441-5448):*
- 0037 Body hypothermia:** Utilisation of total body hypothermia: Add 3,00 anaesthetic units (R 134.10) /*Liggaamshipotermie: Aanwending van totale liggaams-hipotermie: Voeg 3,00 narkose-eenhede by* (R 134.10) .
- 0038 Peri-operative blood salvage:** Add 4,00 anaesthetic units (R 178.80) for intraoperative blood salvage and 4,00 anaesthetic units for post-operative blood salvage/*Peri-operatiewe bloed herwinning: Voeg 4,00 narkose-eenhede (R 178.80) by vir intra-operatiewe bloed herwinning en 4,00 narkose-eenhede vir post-operatiewe bloed herwinning.*
- 0039 Control of blood pressure:** Deliberate control of the blood pressure: All cases up to one hour: Add 3,00 anaesthetic units (R 134.10), thereafter add 1,00 (one) additional anaesthetic unit (R 44.70) per quarter hour or part thereof/*Bloeddrukbeheer: Doelbewuste beheer van bloeddruk: Alle gevalle tot en met een uur: Voeg 3,00 narkose-eenhede by (R 134.10), daarna word 1,00 (een) bykomende narkose-eenheid (R 44.70) bygevoeg per kwartier of gedeelte daarvan.*
- 0041 Hyperbaric pressurisation:** Utilisation of hyperbaric pressurisation: Add 3,00 anaesthetic units (R 134.10) /*Hiperbariese drukreëls: Aanwending van hiperbariese drukreëls: Voeg 3,00 narkose-eenhede by* (R 134.10) .
- 0042 Extracorporeal circulation:** Utilisation of extracorporeal circulation: Add 3,00 anaesthetic units (R 134.10) /*Buiteliggamlike sirkulasie: Aanwending van buiteliggamlike sirkulasie: Voeg 3,00 narkose-eenhede by* (R 134.10) .

**MUSCULO-SKELETAL SYSTEM/SPIER-SKELET STELSEL****MODIFIERS GOVERNING ANAESTHETIC FEES FOR ORTHOPAEDIC OPERATIONS/WYSIGERS VAN TOEPASSING OP NARCOSEGEELDE VIR ORTOPEDIËSE OPERASIES****Modifiers 5441 to 5448/Wysigers 5441 tot 5448**

Modification of the anaesthetic fee in cases of operative procedures on the musculo-skeletal system, open fractures and open reduction of fractures and dislocations is governed by adding units indicated by modifiers 5441 to 5448. (The letter "M" is annotated next to the number of units of the appropriate items, for facilitating identification of the relevant items)/*Wysiging van die narkosetarief in gevalle van operatiewe prosedures op die spier-skeletstelsel, oop frakture en oop reduksie van frakture en ontvrigtings word gereël deur byvoeging van eenhede soos deur wysigers 5441 tot 5448 aangegee. (Die letter "M" is aangeteken by die eenhede van die toepaslike items, ten einde identifikasie van die betrokke items te vergemaklik.)*

- 5441** Add one (1,00) anaesthetic unit (R 44.70) , except where the procedure refers to the bones named in modifiers 5442 to 5448/*Voeg een (1,00) narkose-eenheid (R 44.70) by, behalwe waar die prosedure betrekking het op die bene wat genoem word in wysigers 5442 tot 5448.*
- 5442** Shoulder, scapula, clavicle, humerus, elbow joint, upper 1/3 tibia, knee joint, patella, mandible and temporo-mandibular joint: Add two (2,00) anaesthetic units (R 89.40) /*Skouer, skapula, klavikula, humerus, elmbooggewrig, boonste 1/3 van tibia, kniegewrig, patella, mandibula en temporo=mandibulêre gewrig: Voeg twee (2,00) narkose-eenhede (R 89.40) by.*
- 5443** Maxillary and orbital bones: Add three (3,00) anaesthetic units (R 134.10) /*Maksillêre en orbitale bene: Voeg drie (3,00) narkose-eenhede by.* (R 134.10)
- 5444** Shaft of femur: Add four (4,00) anaesthetic units (R 178.80) /*Skag van femur: Voeg vier (4,00) narkose-eenhede by* (R 178.80) .
- 5445** Spine (except coccyx), pelvis, hip, neck of femur: Add five (5,00) anaesthetic units (R 223.60) /*Werwelkolom (behalwe koksiks), pelvis, heup, nek van femur: Voeg vyf (5,00) narkose-eenhede (R 223.60) by.*
- 5448** Sternum and/or ribs and musculo-skeletal procedures which involve an intra-thoracic approach: Add eight (8,00) anaesthetic units (R 357.70) /*Sternum en/of ribbe en spier-skeletprosedures wat 'n intra-torakale toegang behels: Voeg agt (8,00) narkose-eenhede (R 357.70) by.*

**0045 Post-operative alleviation of pain/Na-operatiewe pynverligting**

- (a) When a **regional or nerve block procedure** is performed, the appropriate hospital follow-up visit to patient in ward or nursing facility, can be charged, provided that it is not the primary anaesthetic technique/Wanneer 'n **streeksblok of senuweeblok** uitgevoer word, kan die toepaslike opvolgbesoek aan pasiënt by hospitaal of verpleeginrigting gehef word, solank genoemde blok nie die primêre narkosategniek is nie.
- (b) When a **second medical practitioner** has administered the regional or nerve block for post-operative alleviation of pain it shall be charged according to the particular procedure for instituting therapy. Revisits shall be charged according to the appropriate hospital follow-up visit to patient in ward or nursing facility/Wanneer 'n **tweede mediese praktisyn** die streeksblok of senuweeblok vir na-operatiewe pynverligting toedien, sal gelde gehef word volgens die betrokke prosedure vir die toedien van die terapie. Herbesoeke word volgens die toepaslike opvolgbesoek aan pasiënt by hospitaal of verpleeginrigting gehef.
- (c) None of the above is applicable for **routine post-operative pain management** i.e. intramuscular, intravenous or subcutaneous administration of opiates or NSAID (nonsteroidal anti-inflammatory drug)/Geeneen van die bogemelde is van toepassing op **roetine na-operatiewe behandeling vir pyn** nie, bv. binnespierse, binnearse of subkutane toediening van opiate, of NSAIDS (non-steroïde anti-inflammatoriese middel)

**MODIFIER GOVERNING FEES FOR AN ANAESTHESIOLOGIST OPERATING INTRA-AORTIC BALLOON PUMP (CARDIOVASCULAR SYSTEM/WYSIGER VAN TOEPASSING OP GELDE VIR 'N ANESTESIOLOOG VIR BEHEER VAN INTRA-AORTIESE BALLONPOMP (KARDIO-VASKUL&RESTELSEL**

**0100 Intra-aortic balloon pump:** Where an anaesthesiologist would be responsible for operating an intra-aortic balloon pump, a fee of 75,00 clinical procedure units (R 717.80) is applicable/**Intra-aortiese ballonpomp:** Waar 'n anesthesioloog verantwoordelik is vir beheer van 'n intra-aortiese ballonpomp is 'n tarief van 75,00 kliniese prosedure eenhede (R 717.80) van toepassing.

**MUSCULO-SKELETAL SYSTEM/SPIER-SKELETSTELSEL****MODIFIERS GOVERNING THIS SPECIFIC SECTION OF THE TARIFF/WYSIGERS VAN TOEPASSING OP HIERDIE BEPAALDE AFDELING VAN DIE TARIEF**

- 0046** Where in the treatment of a specific fracture or dislocation (compound or closed) an initial procedure is followed within one month by an open reduction, internal fixation, external skeletal fixation or bone grafting on the same bone, the fee for the initial treatment of that fracture or dislocation shall be reduced by 50%. Please note: This reduction does not include the assistant's fee or after-hours levy where applicable. After one month, a full fee as for the initial treatment, is applicable/Waar in die behandeling van 'n spesifieke fraktuur of ontwrigting (oop of geslote) 'n aanvanklike prosedure binne een maand gevolg word deur 'n oop reduksie of interne fiksasie, buite-skeletfiksasie of beënoorplanting aan dieselfde been, word die gelde vir die aanvanklike behandeling van die spesifieke fraktuur of ontwrigting met 50% verminder. Let wel: Hierdie vermindering sluit nie die assistentsgelde of die na-ure heffing in waar van toepassing nie. Na verloop van 'n maand is die volle gelde, soos vir die aanvanklike behandeling betaalbaar.
- 0047** A fracture NOT requiring reduction shall be charged on a fee per service basis (<sup>a</sup>PROVIDED that the cumulative amount does NOT exceed the charges for a reduction)/Vir 'n fraktuur wat NIE reduksie vereis nie word 'n bedrag bereken volgens die gelde per diens gelewer (<sup>a</sup>MITS die kumulatiewe bedrag NIE die gelde vir 'n reduksie oorskry nie).
- 0048** Where in the treatment of a fracture or dislocation an initial closed reduction is followed within one month by further closed reductions under general anaesthesia, the fee for such subsequent reductions will be 27,00 clinical procedure units (R 258.40) (not including after-care)/Indien die aanvanklike geslote behandeling van 'n fraktuur of ontwrigting binne een maand opgevolg word deur verdere geslote reduksies onder algemene narkose, sal die gelde vir sodanige reduksies 27,00 kliniese prosedure eenhede (R 258.40) wees (narsorg nie ingesluit nie).
- 0049** Except where otherwise specified, in cases of compound fractures, 77,00 clinical procedure units (R 736.90) (specialists) and 61.6 (R589.50) clinical procedure units (general practitioners) are to be added to the units for the fractures including debridement/in gevalle van oop frakture word 77,00 kliniese prosedure eenhede (R 736.90) (spesialiste) en 61.6 kliniese prosedure eenhede (algemene praktisyns) (R589.50) bygetel by die eenhede vir die fraktuur, behalwe waar elders anders gespesifiseer, debridement ingesluit.
- 0050** In cases of a compound fracture where a debridement is followed by internal fixation (excluding fixation with Kirschner wires, as well as fractures of hands and feet), the full amount according to either modifier 0049: Cases of compound fractures, or modifier 0051: Fractures requiring open reduction, internal fixation, external skeletal fixation and/or bone grafting, may be added to the fee for the procedure involved, plus half of the amount according to the second modifier (either modifier 0049: Cases of compound fractures or modifier 0051: Fractures requiring open reduction, internal fixation, external skeletal fixation and/or bone grafting, as applicable)/In gevalle van 'n oop fraktuur waar 'n debridement gevolg word deur interne fiksasie (uitgesluit fiksasie met Kirschner drade, sowel as frakture van hande en voete), mag die volle bedrag volgens wysiger 0049: Gevalle van oop frakture, of wysiger 0051: Frakture wat oop reduksie, interne fiksasie, buite-skeletfiksasie en/of beënoorplanting vereis, by die gelde vir die betrokke prosedure gevoeg word, plus die helfte van die bedrag volgens die tweede wysiger (of wysiger 0049: Gevalle van oop frakture, of wysiger 0051: Frakture wat oop reduksie, interne fiksasie, buite-skeletfiksasie en/of beënoorplanting vereis, soos toepaslik).
- 0051** Fractures requiring open reduction, internal fixation, external skeletal fixation and/or bone grafting: Specialists add 77.00 clinical procedure units (R736.90) general practitioners add 61.60 clinical procedure units (R 589.50) (Frakture wat oop reduksie, interne fiksasie, buite-skeletfiksasie en/of beënoorplanting vereis: Spesialiste voeg 77.00 kliniese prosedure eenhede by. Algemene praktisyns voeg 61.60 kliniese prosedure (R 589.10) eenhede by.
- 0053** Fracture requiring percutaneous internal fixation [insertion and removal of fixatives (wires) in respect of fingers and toes included]: Specialists and general practitioners add 32,00 clinical procedure units (R 306.20) (Fraktuur wat perkutane interne fiksasie vereis

[Inplasing en verwydering van fikseermiddels (drade) ten opsigte van vingers en tone ingesluit]: Spesialiste en algemene praktisyns voeg by 32,00 kliniese prosedure eenhede (R 306.20).

- 0055** Dislocation requiring open reduction: Units for the specific joint plus 77,00 clinical procedure units (R736.90) for specialists and add 61.60 clinical procedure units for general practitioners (R 589.50)/*Ontwrigting wat oop reduksie vereis: Eenhede vir die spesifieke gewrig plus 77,00 kliniese prosedure eenhede (R 736.90) vir spesialiste. Algemene praktisyns voeg 61.60 kliniese prosedure (R 589.50) eenhede by.*
- 0057** Multiple procedures on feet: In multiple procedures on feet, fees for the first foot are calculated according to modifier 0005: Multiple procedures/operations under the same anaesthetic. Calculate fees for the second foot in the same way, reduce the total to 50% and add to the total for the first foot/*Veelvuldige prosedures op voete: Met veelvuldige prosedures op voete word die gelde vir die eerste voet volgens wysiger 0005: Meer as een prosedure/operasie onder dieselfde narkose uitgewerk. Gelde vir die tweede voet word op dieselfde manier uitgewerk, die tweede totaal word na 50% verminder en by die totaal vir die eerste voet getel.*
- 0058** Revision operation for total joint replacement and immediate resubstitution (infected or non-infected): per fee for total joint replacement + 100%/*Hersieningsoperasie vir totale gewrigsvervanging en onmiddellike herinplasing (met of sonder infeksie): gelde soos vir totale gewrigsvervanging +100%.*

#### MODIFIER GOVERNING COMBINED PROCEDURES ON THE SPINE/WYSIGER VAN TOEPASSING OP GEKOMBINEERDE PROSEDURES OP DIE WERWELKOLOM

- 0061** Combined procedures on the spine: In cases of combined procedures on the spine, both the orthopaedic surgeon and the neurosurgeon are entitled to the full fee for the relevant part of the operation performed/*Gekombineerde prosedures op die werwelkolom: In gevalle van gekombineerde prosedures op die werwelkolom, is beide die ortopediese chirurg en die neurochirurg geregtig op die volle gelde vir die deel van die operasie deur elkeen verrig.*

#### MODIFIERS GOVERNING THE SUBSECTION REPLANTATION OPERATION/WYSIGERS VAN TOEPASSING OP DIE ONDERAFDELING REPLANTASIE-OPERASIE

- 0063** Where two specialists work together on a replantation procedure, each shall be entitled to two-thirds of the fee for the procedure/*As twee spesialiste saam aan 'n replantasieprosedure werk, is elkeen geregtig op twee derdes van die gelde vir die prosedure.*
- 0064** Where the replantation is unsuccessful (or toe to thumb transfer), no further surgical fee is payable for amputation of the non-viable parts/*Indien 'n replantasieoperasie onsuksesvol (Of toon na duim verplanting) is, word geen verdere chirurgiese gelde betaal vir amputasie van die nie-lewensvatbare dele nie.*

#### MODIFIER GOVERNING THE SECTION LARYNX/WYSIGER VAN TOEPASSING OP DIE AFDELING LARINKS

- 0067** Microsurgery of the larynx: To the fee of the operation performed add 25%. (For other operations requiring the use of an operation microscope, the fee shall include the use of the microscope, except where otherwise specified elsewhere in the Tariff/*Mikrochirurgie aan die larinks: Die bedrag soos vir die operasie gedoen plus 25%. (Die gelde vir ander operasies waarby 'n operasie-mikroskoop gebruik moet word, moet die gebruik van 'n operasie-mikroskoop insluit, behalwe waar elders anders in die Tarief gespesifiseer is).*

#### MODIFIERS GOVERNING NASAL SURGERY/WYSIGERS VAN TOEPASSING OP CHIRURGIE VAN DIE NEUS

- 0069** When endoscopic instruments are used during intranasal surgery: Add 10% of the fee of the procedure performed. Only applicable to items 1025, 1027, 1030, 1033, 1035, 1036, 1039, 1047, 1054 and 1083/*Wanneer endoskopiese instrumente tydens intranasale chirurgie gebruik word: Voeg 10% van die gelde vir die prosedure wat uitgevoer is by. Slegs van toepassing op items 1025, 1027, 1030, 1033, 1035, 1036 1039, 1047, 1054 en 1083.*

#### MODIFIER GOVERNING OPEN PROCEDURE(S) WHEN PERFORMED THROUGH THORASCOPE/WYSIGER VAN TOEPASSING OP OOP PROSEDURE(S) WANNEER TORAKOSKOPIES UITGEVOER WORD

- 0070** Add 45,00 clinical procedure units (R 430.70) to procedure(s) performed through a thoracoscope/*Voeg 45,00 kliniese prosedure-eenhede (R 430.70) by oop prosedure(s) wat torakoskopies uitgevoer word.*

#### MODIFIER GOVERNING GASTROENTEROLOGY PROCEDURES/WYSIGER VAN TOEPASSING OP GASTROENTEROLOGIESE PROSEDURES

- 0074** A reduction of 33,33% (1/3) of the fee will apply to all fibre optic procedures performed by means of hospital equipment/*Vermindering van 33,33% (1/3) van die gelde sal van toepassing wees op alle veseloopiese prosedures wat by wyse van hospitaaltoerusting uitgevoer word.*

#### MODIFIER GOVERNING FEES FOR FIBRE OPTIC PROCEDURES/WYSIGER VAN TOEPASSING OP GELDE VIR VESELOPTIESE PROSEDURES

- 0075** The fee plus 21,00 clinical procedure units (R 201.00) will apply where fibre optic procedures are performed in rooms with own equipment. Please note: Modifier 0075 is not applicable to any of the items for diagnostic procedures in the otorhinolaryngology sections of the tariff/*Die gelde plus 21,00 kliniese prosedure eenhede (R 201.00) sal van toepassing wees waar veseloopiese prosedures in spreekkamers met eie apparaat uitgevoer word. Let wel: Wysiger 0075 is nie van toepassing op enige items vir diagnostiese prosedures in die otorinolaryngologie-afdelings van die tarief.*

**MODIFIER GOVERNING THE SECTION ON PHYSICAL TREATMENT/WYSIGER VAN TOEPASSING OP DIE AFDELING FISIESE BEHANDELING**

- 0077 (a) When two separate areas are treated simultaneously for totally different conditions, such treatment shall be regarded as two treatments for which separate fees may be charged (Only applicable if services are provided by a specialist in physical medicine)/ *Wanneer twee afsonderlike areas tegelykertyd vir heeltemal verskillende toestande behandel word, word sodanige behandeling beskou as twee behandelings waarvoor afsonderlike gelde gehef kan word (Slegs van toepassing indien dienste deur 'n spesialis in fisiese geneeskunde gelewer word).*
- (b) The number of treatments to a patient for which the Commissioner shall accept responsibility is limited to 20. If further treatments are necessary payment therefor must be arranged with the Commissioner/Die aantal behandelings vir 'n pasiënt waarvoor die Kommissaris aanspreeklikheid sal aanvaar, word tot 20 beperk. Indien verdere behandeling benodig is, moet vir betaling daarvan met die Kommissaris onderhandel word.

**Note:** Payment for physiotherapy administered by a non-specialist medical practitioner who is already in charge of the general treatment of the employee concerned or by any partner, assistant or employee of such practitioner or any other practitioner or radiologist shall be made only with the express approval of the Commissioner. Application for approval to be made in advance if possible.

**Opmerking:** Betaling vir fisioterapie wat toegedien word deur 'n geneesheer wat nie 'n spesialis is nie en wat reeds vir die algemene behandeling van die betrokke werknemer verantwoordelik is, of wat toegedien word deur 'n vennoot, assistent of werknemer van so 'n geneesheer of enige ander algemene praktisyn of radioloog, geskied slegs met 'n uitdruklike goedkeuring van die Kommissaris. Indien moontlik, moet daar vooraf aansoek om goedkeuring gedoen word.

**MODIFIER GOVERNING THE SECTION MEDICAL PSYCHOTHERAPY/WYSIGER VAN TOEPASSING OP DIE AFDELING MEDIESE PSIGOTERAPIE**

- 0079 When a first consultation/visit proceeds into, or is immediately followed by a medical psychotherapeutic procedure, fees for the procedure are calculated according to the appropriate individual psychotherapy code (Items 2957, 2974 or 2975): Individual psychotherapy (specify type) /Indien 'n eerste konsultasie/visit onmiddellik gevolg word deur, of oorgaan in 'n mediese psigoterapeutiese prosedure, sal die gelde vir die prosedure bereken word volgens die toepaslike individuele psigoterapie kode (Items 2957, 2974 of 2975).

**MODIFIERS GOVERNING THE SECTION DIAGNOSTIC RADIOLOGY/WYSIGERS VAN TOEPASSING OP DIE AFDELING DIAGNOSTIESE RADIOLOGIE**

- 0001 **After-hours emergency radiological services:** For involuntarily scheduled after-hours emergency radiological services (see general rule B: Normal hours and after hours), the additional premium shall be 50% of the fee for the particular services (section 19.12: Portable unit examinations, excluded). For after-hours MR scans (items 6200 to 6255), a maximum levy of 100,00 radiological units (R 1001.00) is applicable/**Na-ure radiologiese nooddienste:** Vir onwillekeurig geskeduleerde na-ure radiologiese nooddienste (raadpleeg algemene reël B: Normale ure en na-ure), is die addisionele premie 50% van die gelde vir die spesifieke diens (afdeling 19.12: Ondersoeke met mobiele eenhede, uitgesluit). Vir na-ure MR-skanderings (items 6200 tot 6255) is 'n maksimum heffing van 100,00 radiologiese-eenhede (R 1001.00) van toepassing.
- 0002 **Written report on X-rays:** The lowest level code for a new patient office (consulting rooms) visit, is applicable only where a radiologist is requested to give a written report on X-rays taken elsewhere and submitted to him. The above mentioned item and the lowest level initial hospital visit code, as appropriate are not to be used for routine reporting of X-rays taken elsewhere/**Geskrewe verslag oor X-strale:** Die laagste vlak kode vir 'n nuwe pasiënt spreekkamer besoek, is van toepassing slegs wanneer 'n radioloog gevra word om 'n skriftelike verslag te gee oor X-strale wat elders geneem is en aan hom voorgelê word. Die bogemelde item en die laagste vlak aanvanklike hospitaal besoek kode, moet nie gebruik word vir roetine verslaggewing van X-strale wat elders geneem is nie.
- 0080 **Multiple examinations:** Full Fee/**Veelvuldige ondersoeke:** Volle tarief.
- 0081 **Repeat examinations:** No reduction/**Her-ondersoeke:** Geen vermindering.
- 0082 "+" Means that this item is complementary to a preceding item and is therefore not subject to reduction/"+" *Betekent dat hierdie item saam met 'n vorige item val en daarom nie aan vermindering onderworpe is nie.*
- 0083 A reduction of 33,33% (1/3) in the fee will apply to **radiological examinations** as indicated in section 19: Radiology where hospital equipment is used/n *Vermindering van 33,33% (1/3) van die gelde sal van toepassing wees op radiologiese ondersoeke, soos aangedui in afdeling 19: Radiologie, wat met hospitaaltoerusting uitgevoer word.*

**Note in respect of fees payable when X-rays are taken by general practitioners:**

**Opmerking met betrekking tot betaling van gelde waar X-stale deur huisartse geneem word:**

(If the services of a radiologist are normally available, it is expected that they should be utilised. Should circumstances be unfavourable for obtaining such services at the time of the first consultation, the general practitioner may take the initial X-ray himself provided he submits a certificate to the effect that it was in the best interest of the employee for him to have taken the plates. Subsequent X-ray plates of the same injury, however, must be taken by a radiologist who has to submit the relevant reports in the normal manner). / *(As die dienste van 'n radioloog normaalweg beskikbaar is word verwag dat daarvan gebruik gemaak word. As omstandighede ten tyde van die eerste konsultasie ongunstig is om sodanige dienste te bekom, kan die huisarts self die eerste X-stale neem mits hy 'n sertifikaat indien te dien effekte dat dit in die beste belang van die werknemer was dat die plate deur hom geneem is. Daaropvolgende plate van dieselfde besering moet egter deur 'n radioloog geneem word wat die toepaslike verslag op die gebruikelike wyse moet indien).*

1. When a general practitioner takes X-ray plates with his own equipment, if the services of a specialist radiologist are not available, he may claim at the prescribed fee / *Indien 'n huisarts X-strale met sy eie apparaat neem waar die dienste van 'n spesialis radioloog onverkrygbaar is, mag hy die voorgeskrewe tarief vir die neem van die plate eis.*
2. (i) If a general practitioner orders an X-ray examination at a provincial hospital where the service of a specialist radiologist are available, it is expected that the radiologist shall read the photos for which he may claim at one third of the prescribed fee • *Indien 'n huisarts 'n X-straalonderscek by 'n provinsiale hospitaal aanvra waar die dienste van 'n spesialis radioloog beskikbaar is word verwag dat die radioloog die plate sal lees waarvoor hy teen een derde van die voorgeskrewe tarief mag eis.*  
 (ii) If the radiographer of the hospital is not available and the general practitioner has to take the X-ray plates himself, he may claim at 50% of the prescribed fee for that service in that case, however, he should get confirmation of his X-ray findings in a report from the radiologist as soon as possible. The radiologist may then claim at one third of the prescribed fee for such service • *As die hospitaal se radiografiste nie beskikbaar is nie en die huisarts moet self die plate neem, kan hy teen 50% van die voorgeskrewe tarief vir daardie diens eis. In so 'n geval egter moet die radioloog so gou doenlik die huisarts se X-straalbevinding in 'n aparte verslag bevestig waarvoor die radioloog dan teen een derde van die voorgeskrewe tarief mag eis.*
3. If a general practitioner orders an X-ray examination at a provincial hospital where there are no specialist radiological services available, he will not be paid for reading the plates as such a service is considered as an integral part of routine diagnosis, but if he is requested by the Commissioner to submit a written report on the case, he may claim at two thirds of the prescribed fee in respect thereof • *Indien die huisarts 'n X-straalonderscek by 'n provinsiale hospitaal aanvra waar daar geen dienste deur 'n spesialis radioloog gelewer word nie sal hy nie vir die lees van die plate vergoed word nie aangesien dit as 'n integrale deel van die ondersoek beskou word, maar indien hy deur die Kommissaris versoek word om 'n skriftelike verslag oor die geval in te dien, kan hy twee derdes van die voorgeskrewe tarief daarvoor eis.*
4. If a general practitioner has to take and read X-ray plates at a provincial hospital where the services of a radiographer and a specialist radiologist are not available he/she may claim 50% of the prescribed fee for such service • *Indien 'n huisarts self plate moet neem en lees by 'n provinsiale hospitaal waar die dienste van 'n radiografis en 'n spesialis radioloog nie beskikbaar is nie kan hy/sy teen 50% van die voorgeskrewe tarief vir daardie diens eis.*

**0084 Film costs:** In the case of radiological items where films are used practitioners should adjust the fee upwards or downwards in accordance with changes in the price of films in comparison with November 1979; the calculation must be done on the basis that film costs comprise 10% of the monetary value of the unit (This information is obtainable from the Radiological Society of SA) / *Filmkoste: In die geval van radiologiese items waar van films gebruik gemaak word moet praktisyne die gelde opwaarts of afwaarts regstel in ooreenstemming met veranderinge in die prys van films in vergelyking met November 1979: die berekening moet gedoen word op die basis dat 10% van die geldwaarde van die eenheide uit filmkoste bestaan (Hierdie inligting is verkrygbaar van die Radiologiese Vereniging van SA).*

**0085 Left side :** add to items 6500-6519, as appropriate, when the left side is examined. Absence of modifier indicates right side is examined • *Linkerkant : voeg by items 6500-6519, soos toepaslik, wanneer die linkerkant ondersoek is. Afwesigheid van die wysiger dui aan dat die regterkant ondersoek is*

#### MODIFIER GOVERNING VASCULAR STUDIES/WYSIGER VAN TOEPASSING OP VASKULÊRE STUDIES

**0086 Vascular groups:** "Film series" and "Introduction of Contrast Media" are complementary and together constitute a single examination: neither fee is therefore subject to increase in terms of modifier 0080: Multiple examinations / *Vaskulêre groepe: "Filmreeks" en "Inplaaes van Kontras= mediums" vul mekaar aan en vorm saam 'n enkele ondersoek: die gelde betaalbaar vir hierdie items is gevolglik nie onderworpe aan verhoging ooreenkomstig die bepalings van wysiger 0080: Veelvuldige ondersoeke, nie.*

**PLEASE NOTE:** Modifier 0083 is not applicable to Section 19.8 of the tariff

**LET WEL :** *Wysiger 0083 is nie van toepassing op Afdeling 19.8 van die tarief nie.*

#### Rules applicable to vaskular studies • *Reëls van toepassing op vaskulêre studies*

- (a) The machine fee (items 3536 to 3550) includes the cost of the following / *Die gelde vir toerusting gebruik (items 3536 tot 3550) sluit die koste van die volgende in:*

All runs (runs may not be billed for separately) / *Alle lopies (daar mag nie afsonderlik vir lopies gelde gehêf word nie)*

All film costs (modifier 0084 is not applicable) / *Alle filmkoste (wysiger 0084 is nie van toepassing nie).*

All fluoroscopies (item 3601 does not apply) / *Alle fluoroskopieë (item 3601 is nie van toepassing nie).*

All minor consumables (defined as any item other than catheters, guidewires, introducer sets, specialised catheters, balloon catheters, stents, embolic agents, drugs and contrast media) / *Alle mindere wegdoenbare materiale (gedefinieer as enige item anders as kateters, gidsdraad, inplasingstoestelle, gespesialiseerde kateters, ballon kateters, stente, emboliese middels, verdowingsmiddels en kontrasmedia).*

- (b) The machine fee (items 3536 to 3550) may only be billed for as a once off fee per case per day by the owner of the equipment and is only applicable to radiology practices / Die toerustingstarief (item 3536 tot 3550) mag slegs eenkeer per geval per dag deur die eienaar van die apparaat gehef word en is slegs van toepassing vir radiologiese praktyke.
- (c) If a procedure is performed by a non-radiologist together with a radiologist as a team, in a facility owned by the radiologist, each member of the team will fee at their respective full rates as per modifiers and the applicable codes / Indien 'n prosedure deur 'n nie-radioloog en 'n radioloog as 'n span uitgevoer is in 'n fasiliteit wat deur die radioloog besit word, sal elke lid van die span sy respektiewe volle gelde hef volgens wysigers en die toepaslike kodes.
- (d) If a procedure is performed by a non-radiologist and a radiologist as a team, in a facility not owned by the radiologist, modifier 6301 and modifier 6302 applies / Indien 'n prosedure uitgevoer word deur 'n nie-radioloog en 'n radioloog as 'n span in 'n fasiliteit wat nie deur die radioloog besit word nie, is wysiger 6301 en wysiger 6302 van toepassing.

#### MODIFIERS GOVERNING VASCULAR STUDIES AND INTERVENTIONAL RADIOLOGY PROCEDURES/WYSIGERS VAN TOEPASSING OP VASKULÊRE STUDIES EN INTERVENSIONELE RADIOLOGIE PROSEDURES

- 6300** If a procedure lasts less than 30 minutes only 50% of the machine fees for items 3536-3550 will be allowed (specify time of procedure on account)/Indien 'n prosedure minder as 30 minute duur word slegs 50% van die toerusting gelde vir items 3536-3550 toegelaat (spesifiseer duur van prosedure op rekening).
- 6301** If a procedure is performed by a radiologist in a facility not owned by himself, the fee will be reduced by 40% (i.e. 60% of the fee will be charged)/Indien 'n prosedure uitgevoer word deur 'n radioloog in 'n fasiliteit wat nie deur hom/haar besit word nie, word gelde met 40% verminder (d.w.s. 60% van die gelde word gehef).
- 6302** When the procedure is performed by a non-radiologist, the fee will be reduced by 40% (i.e. 60% of the fee will be charged)/Wanneer 'n prosedure deur 'n nie-radioloog uitgevoer word, word die gelde met 40% verminder (d.w.s. 60% van die gelde word gehef).
- 6303** When a procedure is performed entirely by a non-radiologist in a facility owned by a radiologist, the radiologist owning the facility may charge 55% of the procedure units used. Modifier 6302 applies to the non radiologist performing the procedure/Wanneer 'n prosedure in sy geheel deur 'n nie-radioloog uitgevoer word in 'n fasiliteit wat deur 'n radioloog besit word, hef die radioloog wat die fasiliteit besit 55% van die prosedure eenhede wat gebruik word. Wysiger 6302 is van toepassing op die nie-radioloog wat die prosedure uitvoer.
- 6305** When multiple catheterisation procedures are used (items 3557, 3559, 3560, 3562) and an angiogram investigation is performed at each level, the unit value of each such multiple procedure will be reduced by 20,00 radiological units for each procedure after the initial catheterisation. The first catheterisation is charged at 100% of the unit value/Wanneer veelvuldige kateterisasie items gebruik word (items 3557, 3559, 3560, 3562) en 'n angiogramondersoek op elke vlak gedoen word, word die aantal eenhede van elke sodanige prosedure met 20,00 radiologiese eenhede verminder na die aanvanklike kateterisasie. Die volle gelde (100%) word vir die eerste kateterisasie gehef.

#### MODIFIERS GOVERNING ULTRASONIC INVESTIGATIONS/WYSIGERS VAN TOEPASSING OP DIE AFDELING ULTRASONIESE ONDERSOEKE

- 0160** Aspiration of biopsy procedure performed under direct ultrasonic control by an ultrasonic aspiration biopsy transducer (Static Realtime): Fee for part examined plus 30% of the units/Aspirasie van biopsie prosedure uitgevoer onder direkte ultrasoniese kontrole d.m.v. 'n ultrasoniese aspirasie biopsie klankkop (Statiese Reëletyd): Gelde vir die deel wat ondersoek word plus 30% van die eenhede.
- 0165** Use of contrast during ultrasound study: add 6.00 ultrasound units (R 56.70) /Gebruik van kontras gedurende ultraklank studie: voeg 6,00 ultraklankeenhede (R 56.70) by.

#### MODIFIER GOVERNING INTERVENTIONAL RADIOLOGICAL PROCEDURES/WYSIGER VAN TOEPASSING OP INTERVENSIONELE RADIOLOGIESE PROSEDURES

- 0090** Radiologist's fee for participation in a team: 30,00 radiology units (R 300.30) per ½ hour or part thereof for all interventional radiological procedures, excluding any pre- or post-operative angiography, catheterisation, CT-scanning, ultrasound-scanning or x-ray procedures. (Only to be charged if radiologist is hands-on, and not for interpretation of images only)/Radioloog se gelde vir deelname in 'n span: 30,00 radiologiese eenhede (R 300.30) per ½ uur of gedeelte daarvan vir alle intervensionele radiologiese prosedures. Voor- of na-operatiewe angiografie, kateterisasie, rekenaartomografie, ultraklank- of x-straalondersoek is uitgesluit. (Mag slegs gehef word indien die radioloog "hands-on" deelneem, en kan nie gehef word vir die vertolking van beelde alleen nie.)

#### MODIFIERS GOVERNING MAGNETIC RESONANCE IMAGING/WYSIGERS VAN TOEPASSING OP MAGNETIESE RESONANSIE BEELDING

- 6100** In order to charge the full fee (600,00 magnetic resonance units (R 6006.00) for an examination of a specific single anatomical region, it should be performed with the applicable radio frequency coil including T1 and T2 weighted images on at least two planes/Om die volle gelde (600,00 magnetiese resonansie-eenhede (R 6006.00) vir 'n ondersoek van 'n bepaalde enkele anatomiese liggaamsdeel te hef, moet dit uitgevoer word met die toepaslike radio frekwensielus wat T1 en T2 oñnames insluit en op ten minste twee vlakke.
- 6101** Where a limited series of a specific anatomical region is performed (except bone tumour), e.g a T2 weighted image of a bone for an occult stress fracture, not more than two-thirds (2/3) of the fee may be charged. Also applicable to all radiotherapy planning studies, per region/Waar 'n beperkte reeks van 'n spesifieke anatomiese liggaamsdeel uitgevoer word (been tumor uitgesluit) bv. vir 'n okkulte stres fraktuur, mag nie meer as twee-derdes (2/3) van die gelde gehef word nie. Ook van toepassing op alle radioterapie beplanningstudies, per streek.
- 6102** All post-contrast studies (except bone tumour) including perfusion studies to be charges at 50% of the fee/Alle na-kontras studies (behalwe been tumor) perfusiestudies ingesluit moet teen 50% van die gelde gehef word.

**Note:** In cases where a second Magnetic Resonance Imaging of the spine (items 6210, 6211, 6212 and 6213 refers) is deemed necessary, or a Magnetic Resonance Imaging of another anatomical region is requested, proper motivation must be submitted upon which the Commissioner will consider approval. *Opmerking: Indien 'n tweede Magnetiese Resonansie Beelding van die rug (items 6210, 6211, 6212 en 6213 verwys) benodig word of 'n eerste Magnetiese Resonansie Beelding van 'n ander liggaamsdeel aangevra word, moet motivering voorgelê word, waarna goedkeuring deur die Kommissaris oorweeg word.*

**MODIFIERS GOVERNING THE SECTION RADIATION ONCOLOGY/WYSIGERS VAN TOEPASSING OP DIE AFDELING STRALINGS-ONKOLOGIE**

**0001 After-hours emergency radiological services:** For involuntarily scheduled after-hours emergency radiological services (see general rule B: Normal hours and after hours), the additional premium shall be 50% of the fee for the particular services (section 19.12: Portable unit examinations, excluded/*Na-ure radiologiese nooddienste: Vir onwillekeurig geskeduleerde na-ure radiologiese nooddienste (raadpleeg algemene reël B: Normale ure en na-ure), is die addisionele premie 50% van die gelde vir die spesifieke diens (afdeling 19.12: Ondersoeke met mobiele eenhede, uitgesluit).*

**0093** The fees for radiation oncology shall apply only where a specialist in radiation oncology uses his own apparatus/*Die gelde vir stralingsonkologie geld net waar die spesialis in stralingsonkologie sy eie apparaat gebruik.*

**MODIFIERS GOVERNING THE SECTION PATHOLOGY/WYSIGERS VAN TOEPASSING OP DIE AFDELING PATOLOGIE**

**0087 Pathology tests performed by non-pathologists:** Where items under Clinical Pathology (section 21) and Anatomical Pathology (section 22) fall within the province of other specialists or general practitioners, the fee is to be charged at two-thirds of the pathologists fee/*Patologietoetse uitgevoer deur nie-patoloë: Wanneer items wat onder Kliniese Patologie (afdeling 21) en Anatomiese Patologie (afdeling 22) ressorteer, ook deur ander spesialiste of algemene praktisyns gedoen word, moet die rekening teen twee derdes van die patoloog se tarief gehel word.*

**0099 Stat basis tests:** For tests performed on a stat basis, an additional premium of 50% of the fee for the particular pathology service shall apply, with the following provisos/*Statbasistoetse: Vir toetse uitgevoer op 'n stat basis, sal 'n bykomende premie van 50% van die gelde vir die betrokke patologie diens van toepassing wees, met die volgende voorwaardes:*

- o Stat test requesting may only be done by the referring practitioner and not by the pathologist/*Versoeke vir toetse op 'n stat basis mag slegs deur die verwysende praktisyn gerig word en nie deur die patoloog nie.*
- o Specimens must be collected on a stat basis where applicable/*Monsters moet, waar van toepassing, op 'n stat basis bekom word.*
- o Test must be performed on a stat basis/*Toetse moet op 'n stat basis uitgevoer word.*
- o Documentation (or a copy thereof) relating to the request of the referring practitioner must be retained/*Dokumentasie (of 'n kopie daarvan) met betrekking tot die versoek van die verwysende praktisyn, moet bewaar word.*
- o This modifier will only apply during normal working hours and will never be used in combination with item 4547: After-hours service/*Hierdie wysiger sal slegs van toepassing wees gedurende normale werkure en sal nooit saam met item 4547: Diens buite normale werkure, gebruik word nie.*

**Notes:** For fees for Histology and Cytology refer to items 4561 to 4593 under section 22: Anatomical Pathology / *Opmerkings: Vir Histologie- en Sitologie-tariewe verwys na items 4561 tot 4593 onder Afdeling 22: Anatomiese Patologie.*

|   | Specialist<br>Spesialis  |      | General<br>practitioner<br>Huisarts |       | Anaesthetic<br>Narkose |   |             |
|---|--|------|-------------------------------------|-------|------------------------|---|-------------|
|   | U/E  | R    | U/E                                 | R     | U/E                    | R | T/M         |
| <b>1. INTRAVENOUS TREATMENT / BINNEAARSE-BEHANDELING</b>  |  |      |                                     |       |                        |   |             |
| 0206  | Intravenous infusions (push-in) Insertion of cannula—chargeable once per 24 hours<br>● Intraveneuse infuus (instoot) Inplaaas van kannule—gelde hefbaar vir een uitvoering per 24 uur  | 6    | 57.40                               | 6     | 57.40                  |   |             |
| 0207  | Intravenous infusions (cutdown) Cutdown and insertion of cannula—chargeable once per 24 hours ● Insnyn en inplaaas van kannule—gelde hefbaar vir een uitvoering per 24 uur   | 8    | 76.60                               | 8     | 76.60                  |   |             |
| <b>VENESECTION ● VENESEKSIE</b>   |  |      |                                     |       |                        |   |             |
| 0208  | Therapeutic venesection (Not to be used when blood is drawn for the purpose of laboratory investigations) ● Terapeutiese veneseksie (Kan nie gebruik word wanneer bloed getrek word met die oog op laboratorium ondersoek nie)   | 6    | 57.40                               | 6     | 57.40                  |   |             |
| <p><i>Note: How to charge for intravenous infusions:</i><br/>Practitioners are entitled to charge according to the appropriate item whenever they personally insert the cannula (but may only charge for this service once every 24 hours) For managing the infusion as such e.g. checking it when visiting the patient or prescribing the substance, no fee may be charged since this service is regarded as part of the services the doctor renders during consultation</p> <p><i>Opmerking: Hoe om gelde te hef vir intraveneuse infusies:</i><br/>Praktisyns is geregtig om gelde volgens die toepaslike item te hef elke keer wanneer hulle persoonlik die kannule inplaaas (maar mag nie meer dikwels as een maal per 24 uur vir hierdie diens hef nie. Geen gelde mag gehef word vir slegs die instandhouding van die infuus nie, byvoorbeeld kontroliering van die vloei of voorskryf van die inhoud, aangesien dit gereken word as deel van die dienste wat tydens konsultasies gelewer word</p> |  |      |                                     |       |                        |   |             |
| 0210  | Collection of blood specimen(s) for pathology examination, per venesection ● Verkryging van bloed monster(s) vir patologie-ondersoek, per veneseksie   | 3.25 | 31.10                               | 3.25  | 31.10                  |   |             |
| <b>2. INTEGUMENTARY SYSTEM ● HUIDSTELSEL</b>  |  |      |                                     |       |                        |   |             |
| <b>2.1 Allergy ● Allergie</b>   |  |      |                                     |       |                        |   |             |
| <i>Patch Tests ● Plaktoets:</i>   |  |      |                                     |       |                        |   |             |
| 0217  | First patch ● Eerste plaktoets   | 4    | 38.30                               | 4     | 38.30                  |   |             |
| 0219  | Each additional patch ● Elke bykomende toets   | 2    | 19.10                               | 2     | 19.10                  |   |             |
| <i>Skin Prick Tests ● Velpriktoets:</i>   |  |      |                                     |       |                        |   |             |
| 0218  | Skin-prick testing: Insect venom, latex and drugs ● Velpriktoelaag: Insekgif, latex en geneesmiddels   | 2.8  | 26.80                               | 2.8   | 26.80                  |   |             |
| 0220  | Immediate hypersensitivity testing (Type I reaction): per antigen: Inhalant and food allergens ● Onmiddellike hipersensiwiteitstoetsing (Tipe 1 reaksie): per antigeen, insaemling en voedsel allergene.   | 1.9  | 18.20                               | 1.9   | 18.20                  |   |             |
| 0221  | Delayed hypersensitivity testing (Type IV reaction): per antigen ● Vertraagde hipersensiwiteitstoetsing (Tipe IV reaksie): per antigeen  | 2.8  | 26.80                               | 2.8   | 26.80                  |   |             |
| <b>2.2 Skin (general) ● Vel (algemeen)</b>  |  |      |                                     |       |                        |   |             |
| 0255  | Drainage of subcutaneous abscess, onychia, paronychia, pulp space or avulsion of nail ● Dreinerig van onderhuidse abses, onikie, paronikie of avulsie van nael   | 20   | 191.40                              | 20    | 191.40                 | 3 | 134.10 +T+M |
| 0257  | Drainage of major hand or foot infection; drainage of major abscess with necrosis of tissue, involving deep fascia or requiring debridement; complete excision of pilonidal cyst or sinus ● Dreinerig van groot hand- of voetinfeksies; dreinerig van groot abses met nekrose van weefsel, wat diep fascia betrek of wat debridement benodig; algehele uitsnyding van pilonidale sist of sinus | 87   | 832.60                              | 69.60 | 666.10                 | 3 | 134.10 +T   |
| 0259  | Removal of foreign body superficial to deep fascia (except hands). ● Verwydering van vreemde voorwerp oppervlakkig tot diep-fascia (buiten hande)  | 20   | 191.40                              | 20    | 191.40                 | 3 | 134.10 +T   |
| 0261  | Removal of foreign body deep to deep fascia (except hands). ● Verwydering van vreemde voorwerp diep-tot-diep-fascia (buiten hande)   | 31   | 296.70                              | 31    | 296.70                 | 3 | 134.10 +T   |

\*Per service (specify) / Per diens (spesifiseer)

|  | Specialist<br>Spesialis   |      | General<br>practitioner<br>Huisarts |        | Anaesthetic<br>Narkose |   |           |
|--|---|------|-------------------------------------|--------|------------------------|---|-----------|
|  | U/E   | R    | U/E                                 | R      | U/E                    | R | T/M       |
| (Note: See item 0922 and 0923 for removal of foreign bodies in hands • Let wel: Sien item 0922 en 0923 vir ver-wydering van vreemde liggaampies uit hand)  |   |      |                                     |        |                        |   |           |
| <b>2.3 Major plastic repair • Groot plastiese herstel</b>  |   |      |                                     |        |                        |   |           |
| Note: The tariff does not cover elective or cosmetic operations, since these procedures may not have the effect of reducing the percentage of permanent disablement as laid down in the Second Schedule to the Act. It is incumbent upon the treating doctor to obtain the prior consent of the Commissioner before embarking upon such treatment • Opmerking: Hierdie tarieflys voorsien nie vir elektiewe of kosmetiese operasies nie aangesien sodanige prosedures nie altyd 'n vermindering in die graad van blywende arbeidsongeskiktheid, soos in die Tweede Bylae tot die Wet beoog, tot gevolg mag hê nie. Die geneesheer is verplig om vooraf die Kommissaris se goedkeuring te verkry, alvorens met sulke behandeling begin word |   |      |                                     |        |                        |   |           |
| 0289   | Large skin graft, composite skin graft, large full thickness free skin graft • Groot veltransplantaat, saamgestelde vel-transplantaat, groot volle dikte vry-veltransplantaat   | 234  | 2,239.40                            | 187.2  | 1,791.50               | 4 | 178.80 +T |
| 0290   | Reconstructive procedures (including all stages) and skin graft by myocutaneous or fasciocutaneous flap • Rekonstruktiewe prosedures (alle stadiums ingesluit) en veloorplanting met behulp van miokutane- of fassiokutane flap   | 410  | 3,923.70                            | 328    | 3,139.00               | 4 | 178.80 +T |
| 0291   | Reconstructive procedures (including all stages) grafting by microvascular reanastomosis • Rekonstruktiewe prosedures (insluitende alle stadiums) weefseloordraging met behulp van mikrovaskulêre heraanstomoses                  | 800  | 7,656.00                            | 640    | 6,124.80               | 4 | 178.80 +T |
| 0292   | Distant flaps: First stage • Velflappe uit afgeleë posisie: Eerste stadium  | 206  | 1,971.40                            | 164.8  | 1,577.10               | 4 | 178.80 +T |
| 0293   | Contour grafts (excluding cost of material) • Kontoertransplantasie (uitgesonderd koste van materiaal)  | 206  | 1,971.40                            | 164.8  | 1,577.10               | 4 | 178.80 +T |
| 0294   | Vascularised bone graft with or without soft tissue with one or more sets microvascular anastomoses • Gevaskulariseerde beenoordrag met of sonder sagteweefsel met een of meer stelle mikro-vaskulêre anastomoses                 | 1200 | 11,484.00                           | 960    | 9,187.20               | 6 | 268.30 +T |
| 0295   | Local skin flaps (large, complicated) • Plaaslike velflappe (groot, gekompliseerd)  | 206  | 1,971.40                            | 164.8  | 1,577.10               | 4 | 178.80 +T |
| 0296   | Other procedures of major technical nature • Ander groot tegniese prosedures  | 206  | 1,971.40                            | 164.8  | 1,577.10               | 4 | 178.80 +T |
| 0297   | Subsequent major procedures for repair of same lesion (M0006 not applicable) • Daaropvolgende groot prosedures vir herstel van dieselfde letsels (W 0006 nie van toepassing nie)  | 104  | 995.30                              | 83.20  | 796.20                 | 4 | 178.80 +T |
| <b>2.4 Lacerations, scars, cysts and other skin lesions/Stitching of soft tissue injuries • Laserasies, littekens, siste en ander velletsels/Hegting van sagteweefsel beserings</b>  |   |      |                                     |        |                        |   |           |
| <b>Stitching of soft tissue injuries / Hegting van sagteweefsel beserings</b>  |   |      |                                     |        |                        |   |           |
| 0300   | Stitching of wound (with or without local anaesthesia): Including normal after-care • Hegting van wond (met of sonder lokale verdoving): Normale nasorg ingesluit   | 14   | 134.00                              | 14     | 134.00                 | 3 | 134.10 +T |
| 0301   | Additional wounds stitched at same session (each) • Bykomende wonde geheg tydens dieselfde geleentheid (elk).   | 7    | 67.00                               | 7      | 67.00                  | 3 | 134.10 +T |
| 0302   | Deep laceration involving limited muscle damage • Diep laserasie met beperkte spierskade.   | 64   | 612.50                              | 60     | 574.20                 | 3 | 134.10 +T |
| 0303   | Deep laceration involving extensive muscle damage • Diep laserasie met uitgebreide spierskade.  | 128  | 1,225.00                            | 102.40 | 980.00                 | 4 | 178.80 +T |
| <b>NOTE: Length of procedure of theatre time must be reflected on the account</b>  |   |      |                                     |        |                        |   |           |
| <b>OPMERKING: Duur van prosedure of teater tyd moet op die rekening aangedui word.</b>   |   |      |                                     |        |                        |   |           |
| 0304   | Major debridement of wound, sloughectomy or secondary suture • Uitgebreide debridement van wond, nekrotektomie of sekondêre hegting   | 50   | 478.50                              | 50     | 478.50                 | 3 | 134.10 +T |
| 0305   | Needle biopsy—soft tissue • Naaldbiopsie—sagte weefsel  | 25   | 239.30                              | 25     | 239.30                 | 3 | 134.10 +T |
| 0307   | Excision and repair by direct suture; excision nail fold or other minor procedures of similar magnitude • Uitsnyding en herstel deur middel van direkte hegting; eksisie naelvou of ander kleiner prosedures van dieselfde omvang | 27   | 258.40                              | 27     | 258.40                 | 3 | 134.10 +T |
| 0308   | Each additional small procedure done at the same time • Elke bykomende klein prosedure wat gelyktydig gedoen word   | 14   | 134.00                              | 14     | 134.00                 | 3 | 134.10 +T |
| 0310   | Radical excision of nailbed • Radikale verwydering van naelbed  | 38   | 363.70                              | 38     | 363.70                 | 3 | 134.10 +T |

\*Per service (specify) / Per diens (spesifiseer)

|  | Specialist<br>Spesialis |          | General<br>practitioner<br>Huisarts |          | Anaesthetic<br>Narkose |        |      |
|--|-------------------------|----------|-------------------------------------|----------|------------------------|--------|------|
|  | U/E                     | R        | U/E                                 | R        | U/E                    | R      | T/M  |
| 0314 Requiring repair by large skin graft or large local flap or other procedures of similar magnitude • Waar herstel deur middel van groot veltransplantaat of groot plaaslike velflap benodig word, of ander prosedures van soortgelyke omvang   | 104                     | 995.30   | 104                                 | 995.30   | 4                      | 178.80 | +T   |
| 0315 Requiring repair by small skin graft or small local flap or other procedures of similar magnitude • Waar herstel deur middel van klein veltransplantaat of klein plaaslike velflap benodig word, of ander prosedures van soortgelyke omvang   | 55                      | 626.40   | 55                                  | 526.40   | 3                      | 134.10 | +T   |
| <b>2.6 Burns • Brandwonde</b>  |                         |          |                                     |          |                        |        |      |
| 0345 Minor burns • Klein brandwonde  |                         |          |                                     |          |                        |        |      |
| 0347 Moderate burns • Matige brandwonde  |                         |          |                                     |          |                        |        |      |
| 0351 Major burns: Resuscitation (including supervision and intravenous therapy — first 48 hours) • Ernstige brandwonde: Resussitasie (met inbegrip van toesig en binne-aarse terapie — eerste 48 uur)  | 276                     | 2,641.30 | 220.8                               | 2,113.10 | 5                      | 223.60 | +T   |
| 0353 Tangential excision and grafting: Small • Tangensiale eksisie en oorplanting: Klein   | 100                     | 957.00   | 80.00                               | 765.60   | 5                      | 223.60 | +T   |
| 0354 Tangential excision and grafting: Large • Tangensiale eksisie en oorplanting: Groot   | 200                     | 1,914.00 | 160                                 | 1,531.20 | 5                      | 223.60 | +T   |
| <b>2.7 Hands (skin) • Hande (vel)</b>  |                         |          |                                     |          |                        |        |      |
| 0355 Skin flap in acute hand injuries where a flap is taken from a site remote from the injured finger or in cases of advancement flap e.g. Cutler • Velflap in akute handbeserings waar die flap geneem word van 'n liggaamsdeel verwyderd van die beseerde vinger of in gevalle van verplasingvelflap bv. Cutler | 147.40                  | 1,410.60 | 117.92                              | 1,128.50 | 4                      | 178.80 | +T   |
| 0357 Small skin graft in acute hand injury • Klein veloorplanting by akute handbesering  | 45                      | 430.70   | 45                                  | 430.70   | 3                      | 134.10 | +T   |
| 0359 Release of extensive skin contracture and/or excision of scar tissue with major skin graft resurfacing • Losmaak van groot velkontraktuur en/of uitsnyding van littekenweësel met bedekking deur veloorplanting   | 192                     | 1,837.40 | 153.6                               | 1,470.00 | 3                      | 134.10 | +T   |
| 0361 Z-plasty • Z-plastiek   | 220.1                   | 2,106.40 | 176.08                              | 1,685.10 | 3                      | 134.10 | +T   |
| 0363 Local flap and skin graft • Lokale flap en veloorplanting   | 150                     | 1,435.50 | 120                                 | 1,148.40 | 3                      | 134.10 | +T   |
| 0365 Cross finger flap (all stages) • Kruisvingerflap (alle stadia)  | 192                     | 1,837.40 | 153.6                               | 1,470.00 | 3                      | 134.10 | +T   |
| 0367 Palmarflap (all stages) • Palmareflap (alle stadia)   | 192                     | 1,837.40 | 153.6                               | 1,470.00 | 3                      | 134.10 | +T   |
| 0369 Distant flap: First stage • Afgeleë flap: Eerste stadium  | 158                     | 1,512.10 | 126.4                               | 1,209.60 | 3                      | 134.10 | +T   |
| 0371 Distant flap: Subsequent stage (not subject to General Modifier 0006) • Afgeleë flap: Opvolgende stadia (nie onderhewig aan Algemene Wysiger 0006 nie)  | 77                      | 736.90   | 61.60                               | 589.50   | 3                      | 134.10 | +T   |
| 0373 Transfer neurovascular island flap • Verplasing van neuro-vaskulêre eilandflap  | 192                     | 1,837.40 | 153.6                               | 1,470.00 | 3                      | 134.10 | +T   |
| 0374 Syndactyly: Separation of, including skin graft for one web • Sindaktilie: Losmaak van, insluitende veltransplantasie vir een web<br><i>Dupuytren's contracture • Dupuytren se kontraktuur</i>  | 242.4                   | 2,319.80 | 193.92                              | 1,855.80 | 3                      | 134.10 | +T   |
| 0375 Fasciotomy • Fassiotomie  | 51                      | 488.10   | 51                                  | 488.10   | 3                      | 134.10 | +T   |
| 0376 Fasciectomy • Fassiektomie  | 218                     | 2,086.30 | 174.4                               | 1,669.00 | 3                      | 134.10 | +T   |
| <b>3. MUSCULO-SKELETAL SYSTEM / SPIER-SKELETSTELSEL</b>  |                         |          |                                     |          |                        |        |      |
| <b>3.1 BONES • BENE</b>  |                         |          |                                     |          |                        |        |      |
| <b>3.1.1 Fractures • Frakture</b>  |                         |          |                                     |          |                        |        |      |
| 0383 Scapula • Skapula   |                         | *        |                                     | *        | 3                      | 134.10 | +T   |
| 0387 Clavicle • Klavikel   | 77                      | 736.90   | 61.60                               | 589.50   | 3                      | 134.10 | +T+M |
| 0388 Percutaneous pinning supracondylar fracture elbow - stand alone procedure • Perkutane fiksering van suprakondulêre fraktuur - elmboog - alleenstaande prosedure   | 175.70                  | 1,681.40 | 140.56                              | 1,345.20 | 3                      | 134.10 | +T+M |
| 0389 Humerus • Humerus   | 77                      | 736.90   | 61.6                                | 589.50   | 3                      | 134.10 | +T+M |
| 0391 Radius and/or Ulna • Radius en/of Ulna  | 77                      | 736.90   | 61.6                                | 589.50   | 3                      | 134.10 | +T+M |
| 0392 Open reduction of both radius and ulna (Modifier 0051 not applicable) • Oop reduksie beide radius en ulna (Wysiger 0051 nie van toepassing nie)   | 210                     | 2,009.70 | 168                                 | 1,607.80 | 3                      | 134.10 | +T+M |
| 0402 Carpal bone • Karpale been  | 64                      | 612.50   | 60                                  | 574.20   | 3                      | 134.10 | +T+M |
| 0403 Bennett's fracture-dislocation • Bennett se fraktuur-ontwrigting  | 51                      | 488.10   | 51                                  | 488.10   | 3                      | 134.10 | +T+M |
| 0405 Metacarpal Simple • Metakarpaal Eenvoudig<br><i>Finger phalanx • Vinger falanks</i><br><i>Distal • Distaal</i>  | 40                      | 382.80   | 40                                  | 382.80   | 3                      | 134.10 | +T+M |
| 0409 Simple • Eenvoudig  |                         | *        |                                     | *        | 3                      | 134.10 | +T   |
| 0411 Compound • Oop  | 52                      | 497.60   | 52                                  | 497.60   | 3                      | 134.10 | +T+M |

\*Per service (specify) / Per diens (spesifiseer)

|  | Specialist<br>Spesials |          | General<br>practitioner<br>Huisarts |          | Anaesthetic<br>Narkose |        |      |
|--|------------------------|----------|-------------------------------------|----------|------------------------|--------|------|
|  | U/E                    | R        | U/E                                 | R        | U/E                    | R      | T/M  |
| <i>Proximal or middle • Proksimaal of middel</i>   |                        |          |                                     |          |                        |        |      |
| 0413 Simple • Eenvoudig  | 48                     | 459.40   | 48                                  | 459.40   | 3                      | 134.10 | +T   |
| 0415 Compound • Oop  | 102                    | 976.10   | 81.60                               | 780.90   | 3                      | 134.10 | +T+M |
| <i>Pelvis • Pelvis</i>   |                        |          |                                     |          |                        |        |      |
| 0417 Closed • Geslote  |                        | *        |                                     | *        | 3                      | 134.10 | +T   |
| 0419 Operative reduction and fixation • Operatiewe reduksie en fiksasie  | 320                    | 3,062.40 | 256                                 | 2,449.90 | 3                      | 134.10 | +T+M |
| 0421 Femur: Neck or Shaft • Femur: Nek of Skag   | 192                    | 1,837.40 | 153.6                               | 1,470.00 | 3                      | 134.10 | +T+M |
| 0426 Patella • Patella   | 51                     | 488.10   | 51                                  | 488.10   | 3                      | 134.10 | +T+M |
| 0429 Tibia with or without Fibula • Tibia met of sonder Fibula   | 128                    | 1,225.00 | 102.4                               | 980.00   | 3                      | 134.10 | +T+M |
| 0433 Fibula shaft • Fibulaskag   |                        | *        |                                     | *        | 3                      | 134.10 | +T   |
| 0435 Malleolus of ankle • Malleolus van enkelgewrig  | 58                     | 555.10   | 58                                  | 555.10   | 3                      | 134.10 | +T+M |
| 0437 Fracture-dislocation of ankle • Fraktuurontwrigting van enkelgewrig   | 128                    | 1,225.00 | 102.4                               | 980.00   | 3                      | 134.10 | +T+M |
| 0438 Open reduction Talus fracture (Modifier 0051 not applicable) • Oop reduksie Talus fraktuur (Wysiger 0051 nie van toepassing nie)  | 198.7                  | 1,901.60 | 158.98                              | 1,521.20 | 3                      | 134.10 | +T+M |
| 0440 Open reduction Calcaneus fracture (Modifier 0051 not applicable) • Oop reduksie Kalkaneus fraktuur (Wysiger 0051 nie van toepassing nie)  | 403.50                 | 3,861.50 | 322.80                              | 3,089.20 | 3                      | 134.10 | +T+M |
| 0441 Metatarsal • Metatarsaal  | 41.8                   | 400.00   | 41.8                                | 400.00   | 3                      | 134.10 | +T+M |
| <i>Toe phalanx • Toonfalanks</i>   |                        |          |                                     |          |                        |        |      |
| 0443 Distal: Simple • Distaal: Eenvoudig   |                        | *        |                                     | *        | 3                      | 134.10 | +T   |
| 0445 Compound • Oop  | 32                     | 306.20   | 32                                  | 306.20   | 3                      | 134.10 | +T+M |
| <i>Other • Ander</i>   |                        |          |                                     |          |                        |        |      |
| 0447 Simple • Eenvoudig  | 26                     | 248.80   | 26                                  | 248.80   | 3                      | 134.10 | +T   |
| 0449 Compound • Oop  | 52                     | 497.60   | 52                                  | 497.60   | 3                      | 134.10 | +T+M |
| <i>Sternum and (or) Ribs • Sternum en (of) Ribbe</i>   |                        |          |                                     |          |                        |        |      |
| 0451 Closed • Geslote  |                        | *        |                                     | *        | 3                      | 134.10 | +T   |
| 0452 Open reduction and fixation of multiple fractured ribs for flail chest • Oop reduksie en fiksasie van veevuldige ribfrakture vir vleel borskas  | 230                    | 2,201.10 | 184                                 | 1,760.90 | 3                      | 134.10 | +T+M |
| <i>Spine • Werwelkolom</i>   |                        |          |                                     |          |                        |        |      |
| <i>With or without paralysis • Met of sonder verlamming</i>  |                        |          |                                     |          |                        |        |      |
| 0455 Cervical • Nek  |                        | *        |                                     | *        | 3                      | 134.10 | +T+M |
| 0456 Rest • Res  |                        | *        |                                     | *        | 3                      | 134.10 | +T+M |
| 0459 Open reduction and internal fixation for fracture and/or dislocation of spine • Oop reduksie en interne fiksasie vir fraktuur en/of dislokasie van werwelkom  | 320                    | 3,062.40 | 256                                 | 2,449.90 | 3                      | 134.10 | +T+M |
| <i>Compression fracture • Kompressiefraktuur</i>   |                        |          |                                     |          |                        |        |      |
| 0461 Cervical • Nek  |                        | *        |                                     | *        | 3                      | 134.10 | +T+M |
| 0462 Rest • Res  |                        | *        |                                     | *        | 3                      | 134.10 | +T+M |
| <i>Spinous/ transverse processes • Spineuse of transverse prosesse</i>   |                        |          |                                     |          |                        |        |      |
| 0463 Cervical • Nek  |                        | *        |                                     | *        | 3                      | 134.10 | +T+M |
| 0464 Rest • Res  |                        | *        |                                     | *        | 3                      | 134.10 | +T+M |
| <b>3.1.1.1 Operations for fractures • Operasies vir frakture</b>   |                        |          |                                     |          |                        |        |      |
| 0465 Fractures involving large joints • Frakture wat groot gewrigte aantast  | 288                    | 2,756.20 | 230.4                               | 2,204.90 | 3                      | 134.10 | +T+M |
| 0473 Percutaneous insertion plus subsequent removal of Kirschner wires or Steinmann pin (Not subject to rule G) (M0005 not applicable) • Perkutane inplasing en daaropvolgende verwydering van Kirschner draad of Steinmann penne (Nie onderhewig aan reël G nie) (W0005 nie van toepassing) | 43                     | 411.50   | 43                                  | 411.50   | 3                      | 134.10 | +T+M |
| <i>Bonegrafting or internal fixation for mal- or non-union • Beenoorplanting of interne fiksasie vir wan- of nie-hegting</i>   |                        |          |                                     |          |                        |        |      |
| 0475 Femur, Tibia, Humerus, Radius and Ulna • Femur, Tibia, Humerus, Radius en Ulna  | 282                    | 2,698.70 | 225.6                               | 2,159.00 | 3                      | 134.10 | +T+M |
| 0479 Other bones (not applicable on fingers and toes) • Ander bene (nie van toepassing op vingers en tone nie)   | 154                    | 1,473.80 | 123.2                               | 1,179.00 | 3                      | 134.10 | +T+M |
| <b>3.1.2 Bony operations • Benige operasies</b>  |                        |          |                                     |          |                        |        |      |
| <b>3.1.2.1 Bone grafting • Beenoorplanting</b>   |                        |          |                                     |          |                        |        |      |
| 0497 Resection of bone with or without grafting • Reseksie van been met of sonder oorplanting  | 282                    | 2,698.70 | 225.6                               | 2,159.00 | 3                      | 134.10 | +T+M |
| 0498 Resection of bone or tumour (malignant) with or without grafting (does not include digits) • Reseksie van been of tumor met of sonder beenoorplanting (maligne) - vingers uitgesluit  | 340                    | 3,253.80 | 272                                 | 2,603.00 | 4                      | 178.80 | +T+M |
| 0499 Large bones • Groot bene  | 192                    | 1,837.40 | 153.6                               | 1,470.00 | 3                      | 134.10 | +T+M |
| 0501 Small bones • Klein beentjies   | 128                    | 1,225.00 | 102.4                               | 980.00   | 3                      | 134.10 | +T+M |

\*Per service (specify) / Per diens (spesifiseer)

|  | Specialist<br>Spesialis |          | General<br>practitioner<br>Huisarts |          | Anaesthetic<br>Narkose |        |                                |
|--|-------------------------|----------|-------------------------------------|----------|------------------------|--------|--------------------------------|
|  | U/E                     | R        | U/E                                 | R        | U/E                    | R      | T/M                            |
| 0503 Cartilage graft • Kraakbeenoorplanting  | 206                     | 1,971.40 | 164.8                               | 1,577.10 | 3                      | 134.10 | +T+M                           |
| 0505 Inter-metacarpal bone graft • Inter-metakarpace beenoor-planting  | 147                     | 1,406.80 | 117.6                               | 1,125.40 | 3                      | 134.10 | +T+M                           |
| 0507 Removal of autogenous bone for grafting (not subject to modifier 0005) •<br>Verwydering van outogene been vir oorplanting (nie-onderhewig aan wysiger 0005)   | 50                      | 478.50   | 50                                  | 478.50   | 3                      | 134.10 | +T+M                           |
| <b>3.1.2.2 Acute/chronic osteomyelitis • Akute/ kroniese osteomiëllitis</b>  |                         |          |                                     |          |                        |        |                                |
| 0509 Conservative treatment • Konserwatiewe behandeling  |                         | *        |                                     | *        |                        |        | -                              |
| 0511 Operation: Tariff which would be applicable for compound fracture of the bone<br>involved, including six weeks post-operative care • Operasie: Gelde van toepassing<br>op 'n saamgestelde fraktuur van die betrokke been, insluitend ses weke na-<br>operatiewe behandeling |                         | *        |                                     | *        |                        |        | -                              |
| 0512 Sternum sequestrectomy and drainage: Including six weeks after-care. • Sternum<br>sekwestrektomie en dreinerings: Ses weke nasorg ingesluit   | 128                     | 1,225.00 | 102.40                              | 980.00   | 3                      | 134.10 | +T+M                           |
| <b>3.1.2.3 Osteotomy • Osteotomie</b>  |                         |          |                                     |          |                        |        |                                |
| 0514 Sternum: Repair of pectus-excavatum • Sternum: Herstel van pectus excavatum   | 330                     | 3,158.10 | 264                                 | 2,526.50 | 3                      | 134.10 | +T+M                           |
| 0515 Sternum: Repair of pectus carinatum • Sternum: Herstel van pectus carinatum   | 330                     | 3,158.10 | 264                                 | 2,526.50 | 3                      | 134.10 | +T+M                           |
| 0516 Pelvic • Van die Pelvis   | 320                     | 3,062.40 | 256                                 | 2,449.90 | 3                      | 134.10 | +T+M                           |
| 0521 Femoral: Proximal • Femoraal: Proksimaal  | 320                     | 3,062.40 | 256                                 | 2,449.90 | 3                      | 134.10 | +T+M                           |
| 0527 One leg/knee region • Een been/kniestreek   | 320                     | 3,062.40 | 256                                 | 2,449.90 | 3                      | 134.10 | +T+M                           |
| 0528 Os Calcis (Dwyer operation) • Kalkaneum (Dwyer operasie)  | 115                     | 1,100.60 | 92                                  | 880.40   | 3                      | 134.10 | +T+M                           |
| 0530 Metacarpal and phalanx: Corrective for mal-union or rotation • Metakarpaal en<br>falanks: Korrekatief vir wanhegting of rotasie   | 120                     | 1,148.40 | 96                                  | 918.70   | 3                      | 134.10 | +T+M                           |
| 0531 Rotational osteotomy tibia and fibula - stand alone procedure • Rotasie<br>osteotomie - tibia en fibula - alleenstaande prosedure   | 278.90                  | 2,669.10 | 223.12                              | 2,135.30 | 3                      | 134.10 | +T+M                           |
| 0532 Rotation osteotomies of the Radius, Ulna or Humerus • Rotasie osteotomieë van<br>Radius, Ulna of Humerus  | 160                     | 1,531.20 | 128                                 | 1,225.00 | 3                      | 134.10 | +T+M                           |
| 0533 Osteotomy single metatarsal • Osteotomie, enkele metatarsaal  | 60                      | 574.20   | 60                                  | 574.20   | 3                      | 134.10 | +T+M                           |
| 0534 Multiple metatarsal osteotomies • Veevuldige metatarsale osteotomieë  | 150                     | 1,435.50 | 120                                 | 1,148.40 | 3                      | 134.10 | +T+M                           |
| <b>3.1.2.4 Exostosis • Eksostose</b>   |                         |          |                                     |          |                        |        |                                |
| <i>Excision • Eksisie</i>  |                         |          |                                     |          |                        |        |                                |
| 0535 Readily accessible sites • Toeganklike areas  | 60                      | 574.20   | 60                                  | 574.20   | 3                      | 134.10 | +T+M                           |
| 0537 Less accessible sites • Minder toeganklike areas  | 96                      | 918.70   | 76.80                               | 735.00   | 3                      | 134.10 | +T+M                           |
| <b>3.1.2.5 Biopsy • Biopsie</b>  |                         |          |                                     |          |                        |        |                                |
| 0539 Needle Biopsy: Spine (no after-care), Modifier 0005 not applicable • Naaldbiopsie:<br>Wervelkolom (geen nasorg), Wysiger 0005 nie van toepassing nie  | 50                      | 478.50   | 50                                  | 478.50   | 4                      | 178.80 | +T                             |
| 0541 Needle Biopsy: Other sites (no after-care), Modifier 0005 not applicable •<br>Naaldbiopsie: Ander areas (geen na-sorg), Wysiger 0005 nie van toepassing nie<br>OPEN (MODIFIER 0005 NOT APPLICABLE • OOP (WYSIGER 0005 NIE VAN<br>TOEPASSING NIE)                            | 32                      | 306.20   | 32                                  | 306.20   | 4                      | 178.80 | +T                             |
| 0543 Readily accessible site • Maklik bereikbaar   | 64                      | 612.50   | 60                                  | 574.20   |                        |        | Per bone -<br>Soos per<br>been |
| 0545 Less accessible site • Moelik bereikbaar  | 96                      | 918.70   | 76.8                                | 735.00   |                        |        | Per bone -<br>Soos per<br>been |
| <b>3.2 Joints • Gewigte</b>  |                         |          |                                     |          |                        |        |                                |
| <b>3.2.1 Dislocations • Ontwrigtings</b>   |                         |          |                                     |          |                        |        |                                |
| 0547 Clavicle: either end • Klavikel: enige punt   | 38                      | 363.70   | 38                                  | 363.70   | 3                      | 134.10 | +T+M                           |
| 0549 Shoulder • Skouer   | 51                      | 488.10   | 51                                  | 488.10   | 3                      | 134.10 | +T+M                           |
| 0551 Elbow • Elmoog  | 51                      | 488.10   | 51                                  | 488.10   | 3                      | 134.10 | +T+M                           |
| 0552 Wrist • Polsgewrig  | 77                      | 736.90   | 61.6                                | 589.50   | 3                      | 134.10 | +T+M                           |
| 0553 Perilunar transscaphoid fracture dislocation • Perilunêre<br>transkafoidfraktuurontwrigting   | 130                     | 1,244.10 | 104                                 | 995.30   | 3                      | 134.10 | +T+M                           |
| 0555 Lunate • Lunatum  | 77                      | 736.90   | 61.6                                | 589.50   | 3                      | 134.10 | +T+M                           |
| 0556 Carpo-metacarpal dislocation • Karpometakarpace ontwrigting   | 51                      | 488.10   | 51                                  | 488.10   | 3                      | 134.10 | +T+M                           |
| 0557 Metacarpal-phalangeal or interphalangeal joints (hand) • Metakarpo-falangeaal of<br>interfalangeale gewigte (hand)  | 26                      | 248.80   | 26                                  | 248.80   | 3                      | 134.10 | +T+M                           |
| 0559 Hip • Heup  | 109                     | 1,043.10 | 87.2                                | 834.50   | 3                      | 134.10 | +T+M                           |
| 0561 Knee • Knie   | 96                      | 918.70   | 76.8                                | 735.00   | 3                      | 134.10 | +T+M                           |
| 0563 Patella • Patella   | 32                      | 306.20   | 32                                  | 306.20   | 3                      | 134.10 | +T+M                           |

\*Per service (specify) / Per diens (spesifiseer)

|  | Specialist<br>Spesialis |          | General<br>practitioner<br>Huisarts |          | Anaesthetic<br>Narkose |        |      |
|--|-------------------------|----------|-------------------------------------|----------|------------------------|--------|------|
|  | U/E                     | R        | U/E                                 | R        | U/E                    | R      | T/M  |
| 0565 Ankle • Enkel   | 90                      | 861.30   | 72                                  | 689.00   | 3                      | 134.10 | +T+M |
| 0567 Sub-Talar dislocation • Sub-Talare ontwrigting  | 90                      | 861.30   | 72                                  | 689.00   | 3                      | 134.10 | +T+M |
| 0569 Intertarsal or Tarsometatarsal or Midtarsal • Intertarsaal of Tarsometatarsaal of Midtarsaal  | 77                      | 736.90   | 61.6                                | 589.50   | 3                      | 134.10 | +T+M |
| 0571 Metatarsophalangeal or interphalangeal joints (foot) • Metatarsofalangeaal of interfalangeale gewrigte (voet)                             | 14                      | 134.00   | 14                                  | 134.00   | 3                      | 134.10 | +T+M |
| 0573 Spine with or without paralysis • Werwelkolom met of sonder verlamming  |                         | *        |                                     | *        |                        |        | -    |
| <b>3.2.2 Operations for dislocations • Operasies vir ontwrigting</b>   |                         |          |                                     |          |                        |        |      |
| 0578 Recurrent dislocation of shoulder • Herhaalde skouer-ontwrigting  | 200                     | 1,914.00 | 160                                 | 1,531.20 | 3                      | 134.10 | +T+M |
| 0579 Recurrent dislocation of large joints • Herhalende ontwrigting van groot gewrigte   | 161                     | 1,540.80 | 128.8                               | 1,232.60 | 3                      | 134.10 | +T+M |
| <b>3.2.3 Capsular operations • Kapsulêre operasies</b>   |                         |          |                                     |          |                        |        |      |
| Capsulotomy or arthrotomy or biopsy or drainage of joint • Kapsulotomie of artrotomie of biopsie of dreinasie van gewrig                       |                         |          |                                     |          |                        |        |      |
| 0582 Small joint (including three weeks after-care) • Klein gewrig (drie weke nasorg ingesluit)  | 51                      | 488.10   | 51                                  | 488.10   | 3                      | 134.10 | +T+M |
| 0583 Large joint (including three weeks after-care) • Groot gewrig (drie weke nasorg ingesluit)  | 96                      | 918.70   | 76.8                                | 735.00   | 3                      | 134.10 | +T+M |
| 0585 Capsulectomy digital joint • Kapsulektomie digitale gewrig  | 64                      | 612.50   | 60                                  | 574.20   | 3                      | 134.10 | +T+M |
| 0586 Multiple percutaneous capsulotomies of metacarpo-phalangeal joints • Veelvuldige perkutane kapsulotomieë van metakarpofalangeale gewrigte | 90                      | 861.30   | 72                                  | 689.00   | 3                      | 134.10 | +T+M |
| 0587 Release of digital joint contracture • Losmaak van falan- gealegewrigskontraaktuur  | 128                     | 1,225.00 | 102.4                               | 980.00   | 3                      | 134.10 | +T+M |
| <b>3.2.4 Synovectomy • Sinovektomie</b>  |                         |          |                                     |          |                        |        |      |
| 0589 Digital joint • Digitale gewrig   | 77                      | 736.90   | 61.6                                | 589.50   | 3                      | 134.10 | +T+M |
| 0592 Large joint • Grootgewrig   | 160                     | 1,531.20 | 102.4                               | 980.00   | 3                      | 134.10 | +T+M |
| 0593 Tendon synovectomy • Tendon sinovektomie  | 128                     | 1,225.00 | 120                                 | 1,148.40 | 3                      | 134.10 | +T+M |
| <b>3.2.5 Arthrodesis • Artrodese</b>   |                         |          |                                     |          |                        |        |      |
| 0597 Shoulder • Skouer   | 224                     | 2,143.70 | 179.2                               | 1,714.90 | 3                      | 134.10 | +T+M |
| 0598 Elbow • Elmboog   | 180                     | 1,722.60 | 144                                 | 1,378.10 | 3                      | 134.10 | +T+M |
| 0599 Wrist • Polsgewrig  | 180                     | 1,722.60 | 144                                 | 1,378.10 | 3                      | 134.10 | +T+M |
| 0600 Digital joint • Digitale gewrig   | 128                     | 1,225.00 | 102.4                               | 980.00   | 3                      | 134.10 | +T+M |
| 0601 Hip • Heup  | 320                     | 3,062.40 | 256                                 | 2,449.90 | 3                      | 134.10 | +T+M |
| 0602 Knee • Knie   | 180                     | 1,722.60 | 144                                 | 1,378.10 | 3                      | 134.10 | +T+M |
| 0603 Ankle • Enkel   | 180                     | 1,722.60 | 144                                 | 1,378.10 | 3                      | 134.10 | +T+M |
| 0604 Sub-talar • Sub-talaar  | 130                     | 1,244.10 | 104                                 | 995.30   | 3                      | 134.10 | +T+M |
| 0605 Stabilization of foot (triple-arthrodeses) • Stabilisering van voet (drievoudige artrodese)   | 180                     | 1,722.60 | 92.8                                | 888.10   | 3                      | 134.10 | +T+M |
| 0607 Mid-tarsal wedge resection • Midtarsale wigreseksie   | 180                     | 1,722.60 | 144                                 | 1,378.10 | 3                      | 134.10 | +T+M |
| <b>3.2.6 Arthroplasty • Artroplastie</b>   |                         |          |                                     |          |                        |        |      |
| 0614 Debridement large joints • Debridement groot gewrigte   | 160                     | 1,531.20 | 128                                 | 1,225.00 | 3                      | 134.10 | +T+M |
| 0615 Excision medial or lateral end of clavicle • Eksisie mediale of laterale punt van klavikel  | 116                     | 1,110.10 | 116                                 | 1,110.10 | 3                      | 134.10 | +T+M |
| 0617 Shoulder: Acromioplasty • Skouer: Akromioplastie  | 192                     | 1,837.40 | 153.6                               | 1,470.00 | 3                      | 134.10 | +T+M |
| 0619 Shoulder: Partial replacement • Skouer: Gedeeltelike vervanging   | 277                     | 2,650.90 | 221.6                               | 2,120.70 | 3                      | 134.10 | +T+M |
| 0620 Shoulder: Total replacement • Skouer: Totale vervanging   | 416                     | 3,981.10 | 332.8                               | 3,184.90 | 3                      | 134.10 | +T+M |
| 0621 Elbow: Excision head of radius • Elmboog: Eksisie kop van radius  | 96                      | 918.70   | 76.8                                | 735.00   | 3                      | 134.10 | +T+M |
| 0622 Elbow: Excision • Elmboog: Eksisie  | 192                     | 1,837.40 | 153.6                               | 1,470.00 | 3                      | 134.10 | +T+M |
| 0623 Elbow: Partial replacement • Elmboog: Gedeeltelike vervanging   | 188                     | 1,799.20 | 150.4                               | 1,439.30 | 3                      | 134.10 | +T+M |
| 0624 Elbow: Total replacement • Elmboog: Totale vervanging   | 282                     | 2,698.70 | 225.6                               | 2,159.00 | 3                      | 134.10 | +T+M |
| 0625 Wrist: Excision distal end of ulna • Polsgewrig: Eksisie distale end van ulna   | 96                      | 918.70   | 76.8                                | 735.00   | 3                      | 134.10 | +T+M |
| 0626 Wrist: Excision single bone • Polsgewrig: Eksisie een beentjie  | 110                     | 1,052.70 | 88                                  | 842.20   | 3                      | 134.10 | +T+M |
| 0627 Wrist: Excision proximal row • Polsgewrig: Eksisie proksimale ry  | 166                     | 1,588.60 | 132.8                               | 1,270.90 | 3                      | 134.10 | +T+M |
| 0631 Wrist: Total replacement • Polsgewrig: Totale vervanging  | 249                     | 2,382.90 | 199.2                               | 1,906.30 | 3                      | 134.10 | +T+M |
| 0635 Digital joint: Total replacement • Digitale gewrig: Totale vervanging   | 192                     | 1,837.40 | 153.6                               | 1,470.00 | 3                      | 134.10 | +T+M |
| 0637 Hip: Total replacement • Heup: Totale vervanging  | 416                     | 3,981.10 | 332.8                               | 3,184.90 | 3                      | 134.10 | +T+M |
| 0641 Hip: Prosthetic replacement of femoral head • Heup: Vervanging van kop van femur met protese  | 288                     | 2,756.20 | 230.4                               | 2,204.90 | 3                      | 134.10 | +T+M |
| 0643 Hip: Girdlestone • Heup: Girdlestone  | 320                     | 3,062.40 | 256                                 | 2,449.90 | 3                      | 134.10 | +T+M |

\*Per service (specify) / Per diens (spesifiseer)

|  | Specialist<br>Spesialis |          | General<br>practitioner<br>Huisarts |          | Anaesthetic<br>Narkose |        |                 |
|--|-------------------------|----------|-------------------------------------|----------|------------------------|--------|-----------------|
|  | U/E                     | R        | U/E                                 | R        | U/E                    | R      | T/M             |
| 0645 Knee: Partial replacement ● Knie: Gedeeltelike vervanging   | 277                     | 2,650.90 | 221.6                               | 2,120.70 | 3                      | 134.10 | +T+M            |
| 0646 Knee: Total replacement ● Knie: totale vervanging   | 416                     | 3,981.10 | 332.8                               | 3,184.90 | 3                      | 134.10 | +T+M            |
| 0649 Ankle: Total replacement ● Enkel: Totalevervanging  | 290.4                   | 2,779.10 | 232.32                              | 2,223.30 | 3                      | 134.10 | +T+M            |
| 0650 Ankle: Astragalectomy ● Enkel: Astragalektomie  | 154                     | 1,473.80 | 123.2                               | 1,179.00 | 3                      | 134.10 | +T+M            |
| <b>3.2.7 Miscellaneous (Joints) ● Diverse (gewrigte)</b>   |                         |          |                                     |          |                        |        |                 |
| 0661 Aspiration of joint or intra-articular injection (not subject to rule G) (M 0005 not applicable) ● Aspirasie van gewrig of intra-artikulêre inspuiting (nie onderhewig aan reël G nie) (W 0005 nie van toepassing)  | 9                       | 86.10    | 9                                   | 86.10    | 3                      | 134.10 | +T+M            |
| 0667 Arthroscopy (excluding after-care), modifiers 0005 and 0013 not applicable ● Artroskopies (nasorg uitgesluit), wysigers 0005 en 0013 nie van toepassing nie   | 60                      | 574.20   | 60                                  | 574.20   | 3                      | 134.10 | +T+M            |
| 0669 Manipulation large joint under general anaesthetic (not subject to rule G) (M 0005 not applicable) ● Manipulasie van groot gewrig onder algemene narkose (nie onderhewig aan reël G nie) (W 0005 nie van toepassing)  | 14                      | 134.00   | 14                                  | 134.00   | 4                      | 178.80 | Hip+T           |
|  |                         |          |                                     |          | 3                      | 134.10 | Knee+T          |
|  |                         |          |                                     |          | 3                      | 134.10 | Shoul-<br>der+T |
| 0670 The consultation fee only should be charged when manipulation of a large joint is performed with or without local anaesthetic ● Slegs konsultasiegelde mag gehef word wanneer 'n groot gewrig gemanipuleer word met of sonder lokale narkose  |                         | *        |                                     | *        |                        |        |                 |
| 0673 Meniscectomy or operation for other internal derangement of knee ● Menisektomie of operasie vir ander interne versteuring van knie  | 109                     | 1,043.10 | 87.2                                | 834.50   | 3                      | 134.10 | +T+M            |
| <b>3.2.8 Joint ligament reconstruction or suture ● Rekonstruksie of hegting van ligamente</b>  |                         |          |                                     |          |                        |        |                 |
| 0675 Ankle: Collateral ● Enkel: Kollateraal  | 160                     | 1,531.20 | 128                                 | 1,225.00 | 3                      | 134.10 | +T+M            |
| 0677 Knee: Collateral ● Knie: Kollateraal  | 160                     | 1,531.20 | 128                                 | 1,225.00 | 3                      | 134.10 | +T+M            |
| 0678 Knee: Cruciate ● Knie: Kruisligament  | 160                     | 1,531.20 | 128                                 | 1,225.00 | 3                      | 134.10 | +T+M            |
| 0679 Ligament augmentation procedure of knee ● Versterkte knie ligament herstel  | 280                     | 2,679.60 | 224                                 | 2,143.70 | 3                      | 134.10 | +T+M            |
| 0680 Digital joint ligament ● Digitale gewrig ligament   | 165                     | 1,579.10 | 132                                 | 1,263.20 | 3                      | 134.10 | +T+M            |
| <b>3.3 Amputations ● Amputasies</b>  |                         |          |                                     |          |                        |        |                 |
| <b>3.3.1 Specific amputations ● Spesifieke amputasies</b>  |                         |          |                                     |          |                        |        |                 |
| 0682 Fore-quarter amputation ● Voorkwartamputasie  | 294                     | 2,813.60 | 235.2                               | 2,250.90 | 9                      | 402.40 | +T+M            |
| 0683 Through shoulder ● Deur skouer  | 148                     | 1,416.40 | 118.4                               | 1,133.10 | 5                      | 223.60 | +T+M            |
| 0685 Upper arm or fore-arm ● Bo-arm of voorarm   | 116                     | 1,110.10 | 92.8                                | 888.10   | 3                      | 134.10 | +T+M            |
| 0687 Partial amputation of the hand: One ray ● Amputasie van gedeelte van hand: Een straal   | 102                     | 976.10   | 81.6                                | 780.90   | 3                      | 134.10 | +T+M            |
| 0691 Part of or whole of finger (skin flap included) ● Gedeelte van/of volle vinger (sluit vel flap in)  | 116.8                   | 1,117.80 | 93.44                               | 894.20   | 3                      | 134.10 | +T+M            |
| 0693 Hindquarter amputation   Agterkwart amputasie   | 420                     | 4,019.40 | 336                                 | 3,215.50 | 6                      | 268.30 | +T+M            |
| 0695 Through hip joint region ● Deur heupgewrigstreek  | 192                     | 1,837.40 | 153.6                               | 1,470.00 | 6                      | 268.30 | +T+M            |
| 0697 Through thigh ● Deur dybeen   | 205                     | 1,961.90 | 164                                 | 1,569.50 | 6                      | 268.30 | +T+M            |
| 0699 Below knee, through knee/Syme ● Onder knie, deur knie of Syme   | 194                     | 1,856.60 | 155.2                               | 1,485.30 | 6                      | 268.30 | +T+M            |
| 0701 Trans metatarsal or transtarsal ● Transmetatarsaal of transtarsaal  | 142                     | 1,358.90 | 113.6                               | 1,087.20 | 3                      | 134.10 | +T+M            |
| 0703 Foot: One ray ● Voet: Een straal  | 97                      | 928.30   | 77.6                                | 742.60   | 3                      | 134.10 | +T+M            |
| 0705 Toe (skin flap included) ● Toon (vel flap ingesluit)  | 66                      | 631.60   | 60                                  | 574.20   | 3                      | 134.10 | +T+M            |
| <b>3.3.2 Post-amputation reconstruction ● Rekonstruksie na amputasie</b>   |                         |          |                                     |          |                        |        |                 |
| 0706 Skin flap taken from a site remote from the injured finger or in cases of an advanced flap e.g. Cutler ● Waar vel flap geneem word van 'n liggaamsdeel verwyder van die beseerde vinger of in gevalle van verplasingsflap bv. Cutler<br><i>Note: If not performed on thumb or index finger it must be motivated ● Opmerking: Indien nie uitgevoer op duim of wysvinger nie moet dit gemotiveer word</i> | 75                      | 717.80   | 60                                  | 574.20   | 3                      | 134.10 | +T+M            |
| 0707 Krukenberg reconstruction ● Krukenbergrekonstruksie   | 206                     | 1,971.40 | 164.8                               | 1,577.10 | 3                      | 134.10 | +T+M            |
| 0709 Metacarpal transfer ● Melakarpale verplanting   | 192                     | 1,837.40 | 153.6                               | 1,470.00 | 3                      | 134.10 | +T+M            |
| 0711 Pollicization of the finger (Prior permission must be obtained from the Commissioner at all times) ● Pollisasie van vinger (Vooraf goedkeuring moet ten alle tye vanaf die Kommissaris verkry word)   | 282                     | 2,698.70 | 225.6                               | 2,159.00 | 3                      | 134.10 | +T+M            |
| 0712 Toe to thumb transfer (Prior permission must be obtained from the Commissioner at all times) ● Toon na duim verplanting (Vooraf goedkeuring moet ten alle tye vanaf die Kommissaris verkry word)  | 800                     | 7,656.00 | 640                                 | 6,124.80 | 3                      | 134.10 | +T+M            |

\*Per service (specify) / Per diens (spesifiseer)

|  | Specialist<br>Spesialis   |       | General<br>practitioner<br>Huisarts |       | Anaesthetic<br>Narkose |   |           |
|--|---|-------|-------------------------------------|-------|------------------------|---|-----------|
|  | U/E   | R     | U/E                                 | R     | U/E                    | R | T/M       |
| <b>3.4 Muscles, tendons and fascias • Spiere, tendons en fasciae</b> |   |       |                                     |       |                        |   |           |
| <b>3.4.1 Investigations • Ondersoeke</b>                             |   |       |                                     |       |                        |   |           |
| 0713   | Electromyography • Elektromiografie   | 75    | 717.80                              | 60    | 574.20                 | 3 | 134.10 +T |
| 0714   | Electromyographic neuro-muscular junctional study, including edrophonium respons • Elektromiografiese neuro- muskulêre verbindingstudie, ingeslote edrophonium respons  | 57    | 545.50                              | 57    | 545.50                 | 3 | 134.10 +T |
| 0715   | Strength duration curve per session • Kragduur-kromme per sessie  | 10.5  | 100.50                              | 10.5  | 100.50                 | 3 | 134.10 +T |
| 0717   | Electrical examination of single nerve or muscle • Elektriese ondersoek van enkele senuwee of spier   | 9     | 86.10                               | 9     | 86.10                  | 3 | 134.10 +T |
| 0721   | Voltage integration during isometric contraction • Stroomspanningsintegrasie tydens isometriese kontrakisie   | 12    | 114.80                              | 12    | 114.80                 | 3 | 134.10 +T |
| 0723   | Tonometry with edrophonium • Tonometrie met edrophonium   | 8     | 76.60                               | 8     | 76.60                  | 3 | 134.10 +T |
| 0725   | Isometric tension studies with edrophonium • Isometriese spanningstudies met edrophonium<br><i>Cranial reflex study (both early and late responses) supra occulofacia or corneofacial or Flabellifacia • Kraniale reekstudie (vroë en laat reaksie) supra-occulofacias of corneo-facialis of Flabello-faciall</i> | 10    | 95.70                               | 10    | 95.70                  | 3 | 134.10 +T |
| 0727   | Unilateral • Unilateraal  | 8     | 76.60                               | 8     | 76.60                  | 3 | 134.10 +T |
| 0728   | Bilateral • Bilateraai  | 14    | 134.00                              | 14    | 134.00                 | 3 | 134.10 +T |
| 0729   | Tendon reflex time • Tendon refleks-tyd   | 7     | 67.00                               | 7     | 67.00                  | 3 | 134.10 +T |
| 0730   | Limb-brain somatosensory studies (per limb) • Ledemaat-brein somatosensoriese studies (per ledemaat)  | 49    | 468.90                              | 49    | 468.90                 | 3 | 134.10 +T |
| 0731   | Visio and audiosensory studies • Visuele en oudiosensoriese toetse  | 49    | 468.90                              | 49    | 468.90                 |   |           |
| 0733   | Motor nerve conduction studies (single nerve) • Bestudering van geleiding deur motoriese senuwee (enkele senuwee)   | 26    | 248.80                              | 26    | 248.80                 |   |           |
| 0735   | Examinations of sensory nerve conduction by sweep averages (single nerve) • Ondersoek van sensoriese senuwee-geleiding met gowingsgemiddeldes (enkele senuwee)  | 31    | 296.70                              | 31    | 296.70                 | 3 | 134.10 +T |
| 0737   | Biopsy for motor nerve terminals and end plates • Biopsie vir motorsenuwee eindpunte en eindplate   | 20    | 191.40                              | 20    | 191.40                 | 3 | 134.10 +T |
| 0739   | Combined muscle biopsy with end plates and nerve terminal biopsy • Gekombineerde spierbiopsie met eindplate en senuwee-eindpunt biopsie   | 34    | 325.40                              | 34    | 325.40                 | 8 | 357.70 +T |
| 0740   | Muscle fatigue studies • Spieruitputtingsondersoeke   | 20    | 191.40                              | 20    | 191.40                 | 3 | 134.10 +T |
| 0741   | Muscle biopsy • Spierbiopsie  | 20    | 191.40                              | 20    | 191.40                 | 8 | 357.70 +T |
| 0742   | Global fee for all muscle studies, including histochemical studies • Globale tarief vir alle spierstudies, histochemiese studies ingeslote<br><i>Biochemical estimations on muscle biopsy specimens • Biochemiese toetse op spierbiopsie-monsters</i>   | 262   | 2,507.30                            | -     | -                      | - | -         |
| 4701   | Creatine kinase • Kreatine kinase   | 20.25 | 193.80                              | -     | -                      | - | -         |
| 4703   | Adenylate kinase • Adenylate kinase   | 33.3  | 318.70                              | -     | -                      | - | -         |
| 4705   | Pyruvate kinase • Pyruvate kinase   | 5.7   | 54.50                               | -     | -                      | - | -         |
| 4707   | Lactate dehydrogenase • Laktate dehydrogenase   | 1.6   | 15.30                               | -     | -                      | - | -         |
| 4709   | Adenylate deaminase • Adenylate deaminase   | 9.9   | 94.70                               | -     | -                      | - | -         |
| 4711   | Phosphoglycerate kinase • Fosfoglykerate kinase   | 13.7  | 131.10                              | -     | -                      | - | -         |
| 4713   | Phosphoglycerate mutase • Fosfoglykerate mutase   | 25.9  | 247.90                              | -     | -                      | - | -         |
| 4715   | Enolase • Enolase   | 32.7  | 312.90                              | -     | -                      | - | -         |
| 4717   | Phosphofruktokinase • Fosfofruktokinase   | 37.7  | 360.80                              | -     | -                      | - | -         |
| 4719   | Aldolase • Aldolase   | 15.75 | 150.70                              | -     | -                      | - | -         |
| 4721   | Glyceraldehyde 3 Phosphate Dehydrogenase • Glykeraldehide 3 Fosfate Dehydrogenase   | 11.06 | 105.80                              | -     | -                      | - | -         |
| 4723   | Phosphorylase • Fosforylase   | 34.7  | 332.10                              | -     | -                      | - | -         |
| 4725   | Phosphoglucumutase • Fosfoglukomutase   | 40.3  | 385.70                              | -     | -                      | - | -         |
| 4727   | Phosphohexose Isomerase • Fosfohexose isomerase   | 28.8  | 275.60                              | -     | -                      | - | -         |
| <b>3.4.2 Decompression Operations • Dekompressie Operasies</b>       |   |       |                                     |       |                        |   |           |
| 0743   | Major Compartmental Decompression • Ekstensiewe Kompartementele Dekompressie  | 132   | 1,263.20                            | 105.6 | 1,010.60               | 3 | 134.10 +T |
| 0744   | Fasciotomy only • Fasciotomie alleenlik   | 60    | 574.20                              | 60    | 574.20                 | 3 | 134.10 +T |
| <b>3.4.3 Muscle and tendon repair • Spier- en pees-herstel</b>       |   |       |                                     |       |                        |   |           |
| 0745   | Biceps humeri • Biseps humeri<br><i>Supra-spinatus • Supra-spinatus</i>   | 109   | 1,043.10                            | 87.2  | 834.50                 | 3 | 134.10 +T |

\*Per service (specify) / Per diens (spesifiseer)

|  | Specialist<br>Specials |          | General<br>practitioner<br>Huisarts |          | Anaesthetic<br>Narkose |        |      |
|--|------------------------|----------|-------------------------------------|----------|------------------------|--------|------|
|  | U/E                    | R        | U/E                                 | R        | U/E                    | R      | T/M  |
| 0746 Removal of calcification in Rotator cuff • Verwydering van verkalking in Rotatorkraag   | 96                     | 918.70   | 76.8                                | 735.00   | 3                      | 134.10 | +T+M |
| 0747 Rotator cuff • Rotatorkraag   | 134                    | 1,282.40 | 107.2                               | 1,025.90 | 4                      | 178.80 | +T   |
| 0748 Debridement rotator cuff • Debridement rotatorkraag   | 139.7                  | 1,336.90 | 111.76                              | 1,069.50 | 4                      | 178.80 | +T   |
| 0749 Scapulopexy - stand alone procedure • Skapulopeksie - alleenstaande prosedure   | 271.90                 | 2,602.10 | 217.52                              | 2,081.70 | 4                      | 178.80 | +T   |
| 0755 Infrapatellar or quadriceps tendon • Infrapatellere of kwadriseps pees  | 128                    | 1,225.00 | 102.4                               | 980.00   | 3                      | 134.10 | +T   |
| 0757 Achilles tendon repair • Achilles pees herstel  | 197.6                  | 1,891.00 | 158.08                              | 1,512.80 | 4                      | 178.80 | +T   |
| 0759 Other single tendon • Ander enkele pees   | 77                     | 736.90   | 61.6                                | 589.50   | 3                      | 134.10 | +T   |
| 0763 Tendon or ligament injection • Pees- of ligamentinspuiting<br><i>Hand • Hand</i>  | 9                      | 86.10    | 9                                   | 86.10    | 3                      | 134.10 | +T   |
| <i>Flexor tendon suture • Fleksor peeshegting</i>  |                        |          |                                     |          |                        |        |      |
| 0767 Primary (per tendon) • Primêr (per pees)  | 128                    | 1,225.00 | 102.4                               | 980.00   | 3                      | 134.10 | +T   |
| 0769 Secondary (per tendon) • Sekondêr (per pees)<br><i>Extensor tendon suture • Ekstensor pees hegting</i>                            | 160                    | 1,531.20 | 128                                 | 1,225.00 | 3                      | 134.10 | +T   |
| 0771 Primary (per tendon) • Primêr (per pees)  | 129.7                  | 1,241.20 | 60                                  | 574.20   | 3                      | 134.10 | +T   |
| 0773 Secondary (per tendon) • Sekondêr (per pees)  | 80                     | 765.60   | 64                                  | 612.50   | 3                      | 134.10 | +T   |
| 0774 Repair of Boutonnière deformity or Mallet Finger • Herstel van Boutonnière-deformiteit of Mallet-vinger                           | 122                    | 1,167.50 | 97.6                                | 934.00   | 3                      | 134.10 | +T   |
| <b>3.4.4 Tendon graft • Pees oorplanting</b>   |                        |          |                                     |          |                        |        |      |
| 0775 Free tendon graft • Vrye peesoorplanting  | 160                    | 1,531.20 | 128                                 | 1,225.00 | 3                      | 134.10 | +T   |
| 0776 Reconstruction of pulley for flexor tendon • Rekonstruksie van katrol van 'n fleksorpees<br><i>Finger • Vinger</i>                | 50                     | 478.50   | 50                                  | 478.50   | 3                      | 134.10 | +T   |
| 0777 Flexor • Fleksor  | 192                    | 1,837.40 | 153.6                               | 1,470.00 | 3                      | 134.10 | +T   |
| 0779 Extensor • Ekstensor  | 122                    | 1,167.50 | 97.6                                | 934.00   | 3                      | 134.10 | +T   |
| 0780 Two stage flexor tendon graft using silastic rod • Fleksor pees oorplanting silastiese stafies in twee stadia                     | 240                    | 2,296.80 | 192                                 | 1,837.40 | 3                      | 134.10 | +T   |
| <b>3.4.5 Tenolysis • Tenolise</b>  |                        |          |                                     |          |                        |        |      |
| 0781 Tendon freeing operation, except where specified elsewhere • Tenolise indien nie elders gespesifiseer nie                         | 64                     | 612.50   | 60                                  | 574.20   | 3                      | 134.10 | +T   |
| 0782 Carpal tunnel syndrome • Karpale tunnel-sindroom  | 64                     | 612.50   | 60                                  | 574.20   | 3                      | 134.10 | +T   |
| 0783 De Quervain • De Quervain   | 38                     | 363.70   | 38                                  | 363.70   | 3                      | 134.10 | +T   |
| 0784 Trigger finger • Snellenvinger  | 38                     | 363.70   | 38                                  | 363.70   | 3                      | 134.10 | +T   |
| 0785 Flexor tendon freeing operation following free tendon graft or suture • Fleksorpees bevryding na vrye pees oorplanting of hegting | 150                    | 1,435.50 | 120                                 | 1,148.40 | 3                      | 134.10 | +T   |
| 0787 Extensor tendon freeing operation following graft or suture • Bevryding van ekstensorpees na oorplanting of hegting               | 115                    | 1,100.60 | 92                                  | 890.40   | 3                      | 134.10 | +T   |
| 0788 Intrinsic tendon release per finger • Intrinsieke tenolise per vinger   | 64                     | 612.50   | 60                                  | 574.20   | 3                      | 134.10 | +T   |
| 0789 Central tendon tenotomy for Boutonnière deformity • Sentrale tendon tenotomie vir Boutonnière deformiteit                         | 64                     | 612.50   | 60                                  | 574.20   | 3                      | 134.10 | +T   |
| <b>3.4.6 Tenodesis • Tenodese</b>  |                        |          |                                     |          |                        |        |      |
| 0790 Digital joint • Digitale gewrig   | 90                     | 861.30   | 72                                  | 689.00   | 3                      | 134.10 | +T   |
| <b>3.4.7 Muscle, tendon and fascia transfer • Spier-, pees- en fascia-verplanting</b>  |                        |          |                                     |          |                        |        |      |
| 0791 Single tendon transfer • Enkele peesverplanting   | 96                     | 918.70   | 76                                  | 727.30   | 3                      | 134.10 | +T   |
| 0792 Multiple tendon transfer • Veelvuldige peesverplanting  | 128                    | 1,225.00 | 102.4                               | 980.00   | 3                      | 134.10 | +T   |
| 0793 Hamstring to quadriceps transfer • Hampese na kwadriseps-verplanting  | 141                    | 1,349.40 | 112.8                               | 1,079.50 | 3                      | 134.10 | +T   |
| 0794 Pectoralis major or Latissimus dorsi transfer to biceps tendon • Pektoralis major of Latissimus dorsi verplanting na besipstendon | 320                    | 3,062.40 | 256                                 | 2,449.90 | 5                      | 223.60 | +T   |
| 0795 Tendon transfer at elbow • Peesverplanting by elmboog<br><i>Hand tendons • Handpeese</i>  | 116                    | 1,110.10 | 92.8                                | 888.10   | 3                      | 134.10 | +T   |
| 0803 Single tendon transfer • Een peesverplanting  | 96                     | 918.70   | 76.8                                | 735.00   | 3                      | 134.10 | +T   |
| 0809 Substitution for intrinsic paralysis of hand • Vervanging vir intrinsieke spierverlamming van hand                                | 224                    | 2,143.70 | 179.2                               | 1,714.90 | 3                      | 134.10 | +T   |
| 0811 Opponens transfer • Opponensverplanting   | 128                    | 1,225.00 | 102.4                               | 980.00   | 3                      | 134.10 | +T   |

\*Per service (specify) / Per diens (spesifiseer)

|   | Specialist<br>Spesialis  |        | General<br>practitioner<br>Huisarts |        | Anaesthetic<br>Narkose |   |                           |
|---|--|--------|-------------------------------------|--------|------------------------|---|---------------------------|
|   | U/E  | R      | U/E                                 | R      | U/E                    | R | T/M                       |
| <b>3.4.8 Muscle slide operations and tendon lengthening ●</b>   |  |        |                                     |        |                        |   |                           |
| <b>Spielerstropingsoperasies en peesverlenging</b>  |  |        |                                     |        |                        |   |                           |
| 0812  | Percutaneous Tenotomy: All sites ● Perkutane Tenotomie: Alle areas   | 38     | 363.70                              | 38     | 363.70                 | 3 | 134.10 +T                 |
| 0813  | Torticollis ● Tortikollis  | 96     | 918.70                              | 76.8   | 735.00                 | 5 | 223.60 +T                 |
| 0815  | Scalenotomy ● Skalenotomie   | 132    | 1,263.20                            | 105.6  | 1,010.60               | 5 | 223.60 +T                 |
| 0817  | Scalenotomy with excision of first rib ● Skalenotomie met eksisie van eerste rib   | 190    | 1,818.30                            | 152    | 1,454.60               | 3 | 134.10 +T+M               |
| 0822  | Open release elbow (Mitals) - stand alone procedure ● Elmboog loslating - oop<br>procedure (Mitals) - alleenstaande prosedure  | 278.20 | 2,662.40                            | 222.56 | 2,129.90               | 3 | 134.10 +T+M               |
| 0823  | Excision or slide for Volkmann's Contracture ● Eksisie of prosedure vir Volksmann<br>se Kontraktuur  | 192    | 1,837.40                            | 153.6  | 1,470.00               | 3 | 134.10 +T                 |
| 0825  | Hip: Open muscle release ● Heup: Ope spierloslating  | 116    | 1,110.10                            | 92.8   | 888.10                 | 7 | 313.00 +T                 |
| 0829  | Knee: Quadricepsplasty ● Knie: Kwadrisepsplastiek  | 160    | 1,531.20                            | 128    | 1,225.00               | 3 | 134.10 +T                 |
| 0831  | Knee: Open tenotomy ● Knie: Oop tenotomie  | 141    | 1,349.40                            | 112.8  | 1,079.50               | 3 | 134.10 +T                 |
| 0835  | Calf ● Kuit  | 96     | 918.70                              | 76.8   | 735.00                 | 4 | 178.80 +T                 |
| 0837  | Open Elongation Tendon Achilles ● Ope Verlenging Achillespees  | 96     | 918.70                              | 76.8   | 735.00                 | 4 | 178.80 +T                 |
| 0838  | Percutaneous "Hoke" elongation tendoachilles - stand alone procedure ●<br>Perkutane verlenging tendo achilles ("Hoke")-alleenstaande prosedure   | 79.30  | 758.90                              | 63.44  | 607.10                 | 4 | 178.80 +T                 |
| 0845  | Foot: Plantar fasciotomy ● Voet: Plantare fasciotomie  | 70     | 669.90                              | 60     | 574.20                 | 3 | 134.10 +T                 |
| <b>3.5 Bursae and ganglia ● Bursas en ganglions</b>   |  |        |                                     |        |                        |   |                           |
| <i>Excision ● Uitsnyding</i>  |  |        |                                     |        |                        |   |                           |
| 0847  | Semi-membranosus ● Semi-membranosus  | 90     | 861.30                              | 72     | 689.00                 | 4 | 178.80 +T                 |
| 0849  | Prepatellar ● Prepatellêr  | 45     | 430.70                              | 45     | 430.70                 | 3 | 134.10 +T                 |
| 0851  | Olecranon ● Olekranon  | 81.8   | 782.80                              | 65.44  | 626.30                 | 3 | 134.10 +T                 |
| 0853  | Small bursa or ganglion ● Klein bursa of ganglion  | 80.9   | 774.20                              | 64.72  | 619.40                 | 3 | 134.10 +T                 |
| 0855  | Compound palmar ganglion or synovectomy ● Saamgestelde ganglion in handpalm<br>of sinovektomie   | 128    | 1,225.00                            | 102.4  | 980.00                 | 3 | 134.10 +T                 |
| 0857  | Aspiration or injection (not subject to rule G) (M 0005 not applicable) ● Aspirasie of<br>inspuiting (nie onderhewig aan reël G) (W 0005 nie van toepassing)   | 9      | 86.10                               | 9      | 86.10                  | 3 | 134.10 +T                 |
| <b>3.6 Miscellaneous ● Diverse</b>  |  |        |                                     |        |                        |   |                           |
| 0861  | Leg lengthening ● Beenverlenging   | 416    | 3,981.10                            | 332.8  | 3,184.90               | 3 | 134.10 +T+M               |
| <b>3.6.2 Removal of internal fixatives or prosthesis ● Verwydering van<br/>prostese of inwendige hegmiddels</b> |  |        |                                     |        |                        |   |                           |
| 0883  | Readily accessible ● Maklik bekombaar  | 32     | 306.20                              | 32     | 306.20                 |   | As per<br>bone<br>specify |
| 0884  | Less accessible ● Moeilik bekombaar  | 64     | 612.50                              | 60     | 574.20                 |   | + M                       |
| 0885  | Removal of prosthesis for infection soon after operation ● Verwydering van<br>prostese vir infeksie kort na operasie   | 128    | 1,225.00                            | 102.4  | 980.00                 |   | Soos per<br>been +M       |
| 0886  | Late removal of infected total joint replacement prosthesis (including six weeks after-<br>care Fee for total joint replacement of the specific joint plus 64,00 clinical procedure<br>units (general practitioner 60.00 clinical units) ● Laat verwydering van geïnfecteerde<br>totale gewrigsprostese insluitende ses weke nasorg. Gelde gelyk aan die vir totale<br>vervanging van betrokke gewrig plus 64,00 kliniese prosedure eenhede (algemene<br>praktisyn 60.00 kliniese prosedure eenhede) | 64     | 612.50                              | 60     | 574.20                 | 6 | 288.30 +T+M               |
| <b>3.7 Plasters (not subject to rule G) ● Gips (nie onderhewig aan reël G)</b>                                  |  |        |                                     |        |                        |   |                           |
| <i>Note: The initial application of a plaster cast is included in the scheduled fee ●</i>                       |  |        |                                     |        |                        |   |                           |
| <i>Opmerking: Die eerste aanwending van gips is by die oorspronklike gelde</i>                                  |  |        |                                     |        |                        |   |                           |
| <i>ingesluit</i>  |  |        |                                     |        |                        |   |                           |
| <i>Note: The Commissioner will only consider payment i.r.o. splinting material</i>                              |  |        |                                     |        |                        |   |                           |
| <i>(Scotchcast, Dynacast, etc.) in the following cases (not applicable when Plaster</i>                         |  |        |                                     |        |                        |   |                           |
| <i>of Paris is used):</i>   |  |        |                                     |        |                        |   |                           |
| <i>Where extremity splints are applied for at least five weeks:</i>   |  |        |                                     |        |                        |   |                           |
| <i>A maximum of one application for an upper extremity injury</i>   |  |        |                                     |        |                        |   |                           |
| <i>A maximum of two applications for a lower extremity injury</i>   |  |        |                                     |        |                        |   |                           |
| <i>Opmerking: Die Kommissaris sal slegs betaling oorweeg t.o.v. spalkingsmateriaal</i>                          |  |        |                                     |        |                        |   |                           |
| <i>(Scotchcast, Dynacast, ens) in die volgende gevalle (nie van toepassing wanneer</i>                          |  |        |                                     |        |                        |   |                           |
| <i>gips gebruik word nie):</i>  |  |        |                                     |        |                        |   |                           |
| <i>Waar ledemaatgipse vir ten minste 5 weke aanby:</i>  |  |        |                                     |        |                        |   |                           |

\*Per service (specify) / Per diens (spesifiseer)

|  | Specialist<br>Spesialls   |        | General<br>practitioner<br>Huisarts |        | Anaesthetic<br>Narkose |   |             |
|--|---|--------|-------------------------------------|--------|------------------------|---|-------------|
|  | U/E   | R      | U/E                                 | R      | U/E                    | R | T/M         |
| <i>Maksimum van een aanwending vir boonste ledemaatbesering</i>  |   |        |                                     |        |                        |   |             |
| <i>'n Maksimum van twee aanwendings vir 'n onderste ledemaatbesering</i>                                       |   |        |                                     |        |                        |   |             |
| Extremity • Ledemate   |   |        |                                     |        |                        |   |             |
| 0887   | Long limb cast (excluding after-care) (modifier 0005 not applicable) • Lang ledemaat gips (nasorg uitgesluit) (wysiger 0005 nie van toepassing)   | 13     | 124.40                              | 13     | 124.40                 | 3 | 134.10 +T   |
| 0888   | Short limb cast (excluding after-care) (modifier 0005 not applicable) • Kort ledemaat gips (nasorg uitgesluit) (wysiger 0005 nie van toepassing)  | 6.6    | 63.20                               | 6.6    | 63.20                  | 3 | 134.10 +T   |
| 0889   | Spica, plaster jacket or hinged cast brace • Spika, gipsbaadjie of geskarnierde stut  | 32     | 306.20                              | 32     | 306.20                 | 4 | 178.80 +T   |
| <b>3.8 Specific areas • Spesifieke areas</b>   |   |        |                                     |        |                        |   |             |
| <b>3.8.1 Foot and ankle • Voet en Enkel</b>  |   |        |                                     |        |                        |   |             |
| 0900   | Excision tarsal coalition - stand alone procedure • Verwydering van tarsale koalisie - alleenstaande prosedure  | 141.5  | 1,354.20                            | 113.2  | 1,083.30               | 3 | 134.10 +T+M |
| 0901   | Tenotomy single tendon • Tenotomie een pees   | 63.3   | 605.80                              | 60     | 574.20                 | 3 | 134.10 +T+M |
| 0903   | Hammer toe: one toe • Hamerton: een toon  | 99.5   | 952.20                              | 79.6   | 761.80                 | 3 | 134.10 +T+M |
| 0905   | Fillet of toe or Ruiz-Mora procedure • Toonontbening of Ruiz-Mora prosedure   | 99.5   | 952.20                              | 79.6   | 761.80                 | 3 | 134.10 +T+M |
| 0906   | Arthrodesis Hallux • Artrodese Hallux   | 148    | 1,416.40                            | 118.4  | 1,133.10               | 3 | 134.10 +T+M |
| 0909   | Excision arthroplasty • Eksisie artroplastiek   | 145.2  | 1,389.60                            | 116.16 | 1,111.70               | 3 | 134.10 +T+M |
| 0910   | Cheilectomy or metatarsophalangeal implant Hallux • Cheilektomie of metatarsofalangiale vervang Hallux  | 183    | 1,751.30                            | 146.4  | 1,401.00               | 3 | 134.10 +T+M |
| 0911   | Metatarsal osteotomy or Lapidus or similar or Chevron - stand alone procedure • Metatarsale osteotomie of Lapidus of derglike prosedure of Chevron - alleenstaande  | 189.2  | 1,810.60                            | 151.36 | 1,448.50               | 3 | 134.10 +T+M |
| 5730   | Hallux valgus double osteotomy etc • Hallux valgus dubbele osteotomie ens.  | 182.60 | 1,747.50                            | 146.08 | 1,398.00               | 3 | 134.10 +T+M |
| 5731   | Distal soft tissue procedure for Hallux Valgus • Distale sagteweefsel prosedure vir Hallux Valgus   | 173.8  | 1,663.30                            | 138.88 | 1,329.10               | 3 | 134.10 +T+M |
| 5732   | Aikin procedure or similar • Aikin operasie of derglike ingreep   | 166.8  | 1,596.30                            | 133.44 | 1,277.00               | 3 | 134.10 +T+M |
| 5734   | Removal bony prominence foot (bunionette not applicable on COID) • Verwyder benige prominensie aan voet (bunionette nie van toepassing op COID)   | 91.00  | 870.90                              | 72.8   | 696.70                 | 3 | 134.10 +T+M |
| 5735   | Repair angular deformity toe (lesser toes) • Herstel wanbelyning toon (kleiner tone)  | 97.2   | 930.20                              | 77.76  | 744.20                 | 3 | 134.10 +T+M |
| 5736   | Sesamoidectomy • Eksisie sesamoid been  | 97.8   | 936.90                              | 78.24  | 748.80                 | 3 | 134.10 +T+M |
| 5737   | Repair major foot tendons e.g. Tib Post • Heg groot pees in voet b.v. Tib post  | 147.30 | 1,409.70                            | 117.84 | 1,127.70               | 3 | 134.10 +T   |
| 5738   | Repair of dislocating peroneal tendons • Herstel ontwrigting peronius pees  | 173.2  | 1,657.50                            | 138.56 | 1,326.00               | 3 | 134.10 +T   |
| 5740   | Steindler strip - plantar fascia • Steindler stropping - plantare fascia  | 97.20  | 930.20                              | 77.76  | 744.20                 | 3 | 134.10 +T   |
| 5742   | Tendon transfer foot • Pees verplanting voet  | 172    | 1,646.00                            | 137.6  | 1,316.80               | 3 | 134.10 +T   |
| 5743   | Capsulotomy metatarsophalangeal joints - foot/Kapsulotomie metatarsofalangeale gewrigte - voet  | 86.8   | 830.70                              | 69.44  | 664.50                 | 3 | 134.10 +T   |
| <b>3.8.3 Replantation • Herinplantings</b>   |   |        |                                     |        |                        |   |             |
| 0912   | Replantation of amputated upper limb proximal to wrist joint • Replantasie van geamputeerde boonste ledemaat proximaal tot polsgewrig   | 730    | 6,986.10                            | 584    | 5,588.90               | 3 | 134.10 +T+M |
| 0913   | Replantation of thumb • Replantasie van duim  | 670    | 6,411.90                            | 536    | 5,129.50               | 3 | 134.10 +T+M |
| 0914   | Replantation of a single digit (to be motivated), for multiple digits, modifier 0005 applicable • Replantasie van 'n enkel vinger (moet gemotiveer word), vir veelvuldige vingers is wysiger 0005 toepaslik | 580    | 5,550.60                            | 464    | 4,440.50               | 3 | 134.10 +T+M |
| 0915   | Replantation operation through the palm • Replantasie-operasie deur die handpalm  | 1270   | 12,153.90                           | 1016   | 9,723.10               | 3 | 134.10 +T+M |
| <b>3.8.4 Hands: (Note: Skin: See Integumentary system) • Hande: (Let wel: Vel: Kyk Huidstelsel)</b>            |   |        |                                     |        |                        |   |             |
| 0919   | Epidermoid cysts • Epidermoïde siste  | 35     | 335.00                              | 35     | 335.00                 | 3 | 134.10 +T+M |
| 0920   | Ganglion or fibroma • Ganglion of fibroom   | 51     | 488.10                              | 51     | 488.10                 | 3 | 134.10 +T+M |
| <i>Removal of foreign bodies requiring incision • Verwydering van vreemde liggaampies wat insnyding vereis</i> |   |        |                                     |        |                        |   |             |
| 0922   | Under local anaesthetic • Onder lokale verdoving  | 19     | 181.80                              | 19     | 181.80                 | 3 | 134.10 +T+M |
| 0923   | Under general or regional anaesthetic • Onder algemene of streeksnarkose  | 32     | 306.20                              | 32     | 306.20                 | 3 | 134.10 +T+M |
| <i>Crushed hand injuries • Vergruisde handbeserings</i>  |   |        |                                     |        |                        |   |             |
| 0924   | Initial extensive soft tissue toilet under general anaesthetic (sliding scale)   Eerste ekstensiewe sagteweefsel toilet onder algemene narkose (glyskaal)   | 37     | 354.10                              | 37     | 354.10                 |   |             |
|  |   | to/tot | to/tot                              | to/tot | to/tot                 |   |             |

\*Per service (specify) / Per diens (spesifiseer)

|  | Specialist<br>Spesialls |          | General<br>practitioner<br>Huisarts |          | Anaesthetic<br>Narkose |        |      |
|--|-------------------------|----------|-------------------------------------|----------|------------------------|--------|------|
|  | U/E                     | R        | U/E                                 | R        | U/E                    | R      | T/M  |
| 0925 Subsequent dressing changes under general anaesthetic • Daaropvolgende verbandhennuwings onder algemene narkose   | 110                     | 1,052.70 | 88                                  | 842.20   | 3                      | 134.10 | +T+M |
| 16   | 153.10                  | 16       | 153.10                              | 3        | 134.10                 | +T+M   |      |
| 0926 Initial treatment of fractures, tendons, nerves, loss of skin and blood vessels, including removal of dead tissue under general anaesthesia and six weeks after-care • Aanvanklike behandeling van frakture, pese, senuwees, velerlies en bloedvate, insluitende verwydering van dooie weefsel onder algemene narkose en ses weke se nasorg | 269                     | 2,574.30 | 215.2                               | 2,059.50 | 3                      | 134.10 | +T+M |
| <b>3.8.5 Spine • Werwelkolom</b>   |                         |          |                                     |          |                        |        |      |
| 0927 Excision of one vertebral body, for a lesion within the body (no decompression) • Eksisie van een werwellicgaam vir 'n letsel in die werwel (geen dekompressie nie)   | 207                     | 1,981.00 | 165.6                               | 1,584.80 | 3                      | 134.10 | +T+M |
| 0928 Excision of each additional vertebral segment for a lesion within the body (no decompression) • Vir elke bykomende werwel vir 'n letsel in die werwel (geen dekompressie nie)   | 42                      | 401.90   | 42                                  | 401.90   | 3                      | 134.10 | +T+M |
| 0929 Manipulation of spine with anaesthetic (not including after-care), modifier 0005 not applicable • Manipulasie van werwelkolom met narkose (nasorg uitgesluit wysiger 0005 nie van toepassing nie)   | 14                      | 134.00   | 14                                  | 134.00   | 5                      | 223.60 | +T   |
| 0930 Posterior osteotomy of spine: One vertebral segment • Posterior spinale osteotomie: Een vertebrale segment  | 339                     | 3,244.20 | 271.2                               | 2,595.40 | 3                      | 134.10 | +T+M |
| 0931 Posterior spinal fusion: One level • Posterior spinale fusie: Een vlak  | 385                     | 3,684.50 | 308                                 | 2,947.60 | 3                      | 134.10 | +T+M |
| 0932 Posterior osteotomy of spine: Each additional vertebral segment • Posterior spinale osteotomie: Elke bykomende segment  | 103                     | 985.70   | 82.4                                | 788.60   | 3                      | 134.10 | +T+M |
| 0933 Anterior spinal osteotomy with disc removal: One vertebral segment • Anterior spinale osteotomie met diskus verwydering: Een bewegings segment  | 315                     | 3,014.60 | 252                                 | 2,411.60 | 3                      | 134.10 | +T+M |
| 0936 Anterior spinal osteotomy with disc removal: Each additional vertebral segment • Anterior spinale osteotomie met diskus verwydering: Elke bykomende bewegings segment   | 103                     | 985.70   | 82.4                                | 788.60   | 4                      | 178.80 | +T+M |
| 0938 Anterior fusion base of skull to C2 • Anterior fusie skedelbasis tot C2   | 449                     | 4,296.90 | 359.2                               | 3,437.50 | 4                      | 178.80 | +T+M |
| 0939 Trans-abdominal anterior exposure of the spine for spinal-fusion only if done by a second surgeon • Transabdominale anterior blootlegging van die werwelkolom vir spinale fusie slegs indien dit deur 'n tweede chirurg gedoen word   | 160                     | 1,531.20 | 128                                 | 1,225.00 | 3                      | 134.10 | +T+M |
| 0940 Trans-thoracic anterior exposure of the spine if done by a second surgeon • Trans-torakale anterior blootlegging van die werwelkolom indien dit deur 'n tweede chirurg gedoen word  | 160                     | 1,531.20 | 128                                 | 1,225.00 | 3                      | 134.10 | +T+M |
| 0941 Anterior interbody fusion: One level • Anterior tussenwerwel fusie: Een vlak  | 360                     | 3,445.20 | 288                                 | 2,756.20 | 3                      | 134.10 | +T+M |
| 0942 Anterior interbody fusion: Each additional level • Anterior tussenwerwelfusie: Elke bykomende vlak  | 102                     | 976.10   | 81.6                                | 780.90   | 3                      | 134.10 | +T+M |
| 0943 Laminectomy with decompression of nerve roots and disc removal: One level • Laminektomie met dekompressie van senuweewortels of diskus verwydering: Een vlak  | 240                     | 2,296.80 | 192                                 | 1,837.40 | 3                      | 134.10 | +T+M |
| 0944 Posterior fusion: Occiput to C2 • Posterior fusie: Occiput tot C2   | 390                     | 3,732.30 | 312                                 | 2,985.80 | 4                      | 178.80 | +T+M |
| 0946 Posterior spinal fusion: Each additional level • Posterior spinale fusie: Elke bykomende vlak   | 111                     | 1,062.30 | 88.8                                | 849.80   | 4                      | 178.80 | +T+M |
| 0948 Posterior interbody lumbar fusion: One level • Posterior tussen werwel lumbale fusie: Een vlak  | 364                     | 3,483.50 | 291.2                               | 2,786.80 | 3                      | 134.10 | +T+M |
| 0950 Posterior interbody lumbar fusion: Each additional interspace • Posterior tussen werwel lumbale fusie: Elke bykomende interspasie   | 95                      | 909.20   | 76                                  | 727.30   | 3                      | 134.10 | +T+M |
| 0959 Excision of coccyx • Uitsnyding van koksiks   | 96                      | 918.70   | 76.8                                | 735.00   | 3                      | 134.10 | +T+M |
| 0960 Posterior non-segmental instrumentation • Posterior non-segment instrumentasie  | 167                     | 1,598.20 | 133.6                               | 1,278.60 | 5                      | 223.60 | +T+M |
| 0961 Costo-transversectomy • Kosto-transversektomie  | 198                     | 1,894.90 | 158.4                               | 1,516.90 | 3                      | 134.10 | +T+M |
| 0962 Posterior segmental instrumentation: 2 to 6 vertebrae • Posterior segmentale instrumentasie: 2 tot 6 werwels  | 176                     | 1,684.30 | 140.8                               | 1,347.50 | 5                      | 223.60 | +T+M |
| 0963 Antero-lateral decompression of spinal cord or anterior debridement • Antero-laterale dekompressie van rugmurg of anterior debridement  | 326                     | 3,119.80 | 260.8                               | 2,495.90 | 3                      | 134.10 | +T+M |
| 0964 Posterior segmental instrumentation: 7 to 12 vertebrae • Posterior segmentale instrumentasie: 7 tot 12 werwels  | 201                     | 1,923.60 | 160.8                               | 1,538.90 | 5                      | 223.60 | +T+M |
| 0966 Posterior segmental instrumentation: 13 or more vertebrae • Posterior segmentale instrumentasie: 13 of meer werwels   | 245                     | 2,344.70 | 196                                 | 1,875.70 | 5                      | 223.60 | +T+M |
| 0968 Anterior instrumentation: 2 to 3 vertebrae • Anterior instrumentasie: 2 tot 3 werwels   | 159                     | 1,521.60 | 127.2                               | 1,217.30 | 5                      | 223.60 | +T+M |
| 0969 Skull or skull-femoral traction including two weeks after-care • Skedel of skedelfemorale traksie plus twee weke nasorg   | 64                      | 612.50   | 60                                  | 574.20   | -                      |        |      |
| 0970 Anterior instrumentation: 4 to 7 vertebrae • Anterior instrumentasie: 4 tot 7 werwels   | 185                     | 1,770.50 | 148                                 | 1,416.40 | 5                      | 223.60 | +T+M |

\*Per service (specify) / Per diens (spesifiseer)

|  | Specialist<br>Spesialis |           | General<br>practitioner<br>Huisarts |           | Anaesthetic<br>Narkose |        |      |
|--|-------------------------|-----------|-------------------------------------|-----------|------------------------|--------|------|
|  | U/E                     | R         | U/E                                 | R         | U/E                    | R      | T/M  |
| 0972 Anterior instrumentation: 8 or more vertebrae • Anterior instrumentasie: 8 of meer<br>werwels   | 206                     | 1,971.40  | 164.8                               | 1,577.10  | 5                      | 223.60 | +T+M |
| 0974 Additional pelvic fixation of instrumentation other than sacrum • Bykomende<br>pelviese fiksasie, sakrum uitgesluit   | 108                     | 1,033.60  | 86.4                                | 826.80    | 5                      | 223.60 | +T+M |
| 5760 Reinsertion of instrumentation • Herposisionering van instrumentasie  | 276                     | 2,641.30  | 220.8                               | 2,113.10  | 6                      | 268.30 | +T+M |
| 5751 Removal of posterior non-segmental instrumentation • Verwydering van posterior<br>non-segmentale instrumentasie   | 173                     | 1,655.60  | 138.4                               | 1,324.50  | 6                      | 268.30 | +T+M |
| 5752 Removal of posterior segmental instrumentation • Verwydering van posterior<br>segmentale instrumentasie   | 175                     | 1,674.80  | 140                                 | 1,339.80  | 6                      | 268.30 | +T+M |
| 5753 Removal of anterior instrumentation • Verwydering van anterior instrumentasie   | 204                     | 1,952.30  | 163.2                               | 1,561.80  | 6                      | 268.30 | +T+M |
| 5755 Laminectomy for spinal stenosis (exclude diskectomy, foraminotomy and<br>spondylolisthesis): One or two levels • Laminektomie vir spinale stenose (uitgesluit<br>diskektomie, foraminotomie en spondilolistese): Een of twee vlakke | 295                     | 2,823.20  | 236                                 | 2,268.50  | 3                      | 134.10 | +T+M |
| 5756 Laminectomy with full decompression for spondylolisthesis (Gill procedure) •<br>Laminektomie met volle dekompresie vir spondilolistese (Gill prosedure)   | 304                     | 2,909.30  | 243.2                               | 2,327.40  | 3                      | 134.10 | +T+M |
| 5757 Laminectomy for decompression without foraminotomy or diskectomy more than two<br>levels • Laminektomie vir dekompresie sonder foraminotomie of diskektomie meer<br>as twee vlakke  | 321                     | 3,072.00  | 256.8                               | 2,457.60  | 3                      | 134.10 | +T+M |
| 5758 Laminectomy with decompression of nerve roots and disc removal: Each additional<br>level • Laminektomie met dekompresie van senuewortels en diskus<br>verwydering: Elke bykomende vlak  | 63                      | 602.90    | 60                                  | 574.20    | 3                      | 134.10 | +T+M |
| 5759 Laminectomy for decompression diskectomy etc., revision operation •<br>Laminektomie vir dekompresie diskektomie ens., herhalings operasie   | 352                     | 3,368.60  | 281.6                               | 2,694.90  | 4                      | 178.80 | +T+M |
| 5760 Laminectomy, facetectomy, decompression for lateral recess stenosis plus spinal<br>stenosis: One level • Laminektomie, fasetomie, dekompresie van laterale reses<br>stenose plus spinale stenose: Een vlak                          | 301                     | 2,880.60  | 240.8                               | 2,304.50  | 3                      | 134.10 | +T+M |
| 5761 Laminectomy, facetectomy, decompression for lateral recess stenosis plus spinal<br>stenosis: Each additional level • Laminektomie, fasetomie, dekompresie van<br>laterale reses stenose plus spinale stenose: Elke bykomende vlak   | 68                      | 650.80    | 60                                  | 574.20    | 3                      | 134.10 | +T+M |
| 5763 Anterior disc removal and spinal decompression cervical: One level • Anterior<br>diskus verwydering en spinale dekompresie servikaal: Een vlak  | 344                     | 3,292.10  | 275.2                               | 2,633.70  | 3                      | 134.10 | +T+M |
| 5764 Anterior disc removal and spinal decompression cervical: Each additional level •<br>Anterior diskus verwydering en spinale dekompresie servikaal: Elke bykomende<br>vlak  | 81                      | 776.20    | 64.8                                | 620.10    | 3                      | 134.10 | +T+M |
| 5765 Vertebral corpectomy for spinal decompression: One level • Vertebrale korpektomie<br>vir spinale dekompresie: Een vlak  | 466                     | 4,459.60  | 372.8                               | 3,567.70  | 3                      | 134.10 | +T+M |
| 5766 Vertebral corpectomy for spinal decompression: Each additional level • Vertebrale<br>korpektomie vir spinale dekompresie: Elke bykomende vlak   | 88                      | 842.20    | 70.4                                | 673.70    | 3                      | 134.10 | +T+M |
| 5770 Use of microscope in spinal and intercranial procedures (modifier 0005 not<br>applicable) • Gebruik van mikroskoop vir spinale of interkraniale prosedures<br>(wysiger 0005 is nie toepaslik nie)                                   | 71                      | 679.50    | 60                                  | 674.20    |                        |        |      |
| <b>3.9 Facial bone procedures • Gesigsbeenprosedures</b>   |                         |           |                                     |           |                        |        |      |
| <i>Please note: Modifiers 0046 to 0058 are not applicable to section 3.9 of the tariff</i>   |                         |           |                                     |           |                        |        |      |
| <i>• Let wel: Wysigers 0046 tot 0058 is nie van toepassing op afdeling 3.9 van die<br/>tarief nie</i>  |                         |           |                                     |           |                        |        |      |
| 0987 Repair of orbital floor (blowout fracture) • Herstel van orbi-tale vloer (uitbars<br>fraktuur)  | 182                     | 1,741.70  | 145.6                               | 1,393.40  | 4                      | 178.80 | +T+M |
| 0988 Genioplasty • Genioplastie  | 263                     | 2,516.90  | 210.4                               | 2,013.50  | 4                      | 178.80 | +T+M |
| <i>Open reduction and fixation of central mid-third facial frac-ture with<br/>displacement • Oop reduksie en fiksering van fraktuur van sentrale middel-<br/>derde van aangesig:</i>   |                         |           |                                     |           |                        |        |      |
| 0989 Le Fort I • Le Fort I   | 184                     | 1,760.90  | 147.2                               | 1,408.70  | 4                      | 178.80 | +T+M |
| 0990 Le Fort II • Le Fort II   | 302                     | 2,890.10  | 241.6                               | 2,312.10  | 4                      | 178.80 | +T+M |
| 0991 Le Fort III • Le Fort III   | 433                     | 4,143.80  | 346.4                               | 3,315.00  | 4                      | 178.80 | +T+M |
| 0992 Le Fort I Osteotomy • Le Fort I Osteotomie  | 970                     | 9,282.90  | 776                                 | 7,426.30  | 4                      | 178.80 | +T+M |
| 0993 Palatal Osteotomy • Verhemelte Osteotomie   | 302                     | 2,890.10  | 241.6                               | 2,312.10  | 4                      | 178.80 | +T+M |
| 0994 Le Fort II Osteotomy (team fee) • Le Fort II Osteotomie (gelde vir span)  | 1103                    | 10,555.70 | 882.4                               | 8,444.60  | 4                      | 178.80 | +T+M |
| 0995 Le Fort III Osteotomy (team fee) • Le Fort III Osteotomie (gelde vir span)  | 1654                    | 16,828.80 | 1323.2                              | 12,663.00 | 4                      | 178.80 | +T+M |
| 0996 Fracture of maxilla without displacement • Fraktuur van maksilla sonder verplasing  |                         | *         |                                     | *         |                        |        | -    |
| <i>Mandible: Fractured nose and zygoma • Mandibula: Frak-ture van neus en<br/>sigoom</i>   |                         |           |                                     |           |                        |        |      |
| 0997 Open reduction and fixation • Oop reduksie en fiksering   | 302                     | 2,890.10  | 241.6                               | 2,312.10  | 3                      | 134.10 | +T+M |
| 0999 Closed reduction by inter-maxillary fixation • Geslote reduksie d.m.v. intermaksillere<br>fiksering   | 184                     | 1,760.90  | 147.2                               | 1,408.70  | 3                      | 134.10 | +T+M |

\*Per service (specify) / Per diens (spesifiseer)

|  | Specialist<br>Spesials   |       | General<br>practitioner<br>Huisarts |       | Anaesthetic<br>Narkose |   |             |
|--|--|-------|-------------------------------------|-------|------------------------|---|-------------|
|  | U/E  | R     | U/E                                 | R     | U/E                    | R | T/M         |
| 1001   | Temporo-mandibular joint: Reconstruction for dysfunction • Temporo-mandibulêre gewrig: Rekonstruksie weens abnormale funksie:  | 206   | 1,971.40                            | 164.8 | 1,577.10               | 4 | 178.80 +T+M |
| 1003   | Manipulation: Immobilisation and follow-up of fractured nose • Manipulasie: Immobilisering en nabehandeling van gebreekte neus   | 35    | 335.00                              | 35    | 335.00                 | 3 | 134.10 +T+M |
| 1005   | Nasal fracture without manipulation • Neusfraktuur sonder manipulasie  |       | *                                   |       | *                      |   | —           |
| 1007   | Mandibulectomy • Mandibulektomie   | 320   | 3,062.40                            | 256   | 2,449.90               | 5 | 223.60 +T+M |
| 1009   | Maxillectomy • Maksillektomie  | 382.5 | 3,660.50                            | 306   | 2,928.40               | 4 | 178.80 +T+M |
| 1011   | Bone graft to mandible • Beentransplantasie aan onderkaak  | 206   | 1,971.40                            | 164.8 | 1,577.10               | 4 | 178.80 +T+M |
| 1012   | Adjustment of occlusion by ramisection • Regstel van afsluiting d.m.v. ramiseksie.   | 227   | 2,172.40                            | 181.6 | 1,737.90               | 4 | 178.80 +T+M |
| 1013   | Fracture of arch of zygoma without displacement • Fraktuur van sigoma sonder verplasing  |       | *                                   |       | *                      |   | —           |
| 1015   | Fracture of arch of zygoma with displacement requiring operative manipulation but not including associated fractures; recent fractures (within four weeks) • Onlangse fraktuur van sigoma (binne vier weke) met verplasing wat operatiewe manipulasie benodig, gepaardgaande fraktuur uitgesluit | 131   | 1,253.70                            | 104.8 | 1,002.90               | 3 | 134.10 +T+M |
| 1017   | Fracture of arch of zygoma with displacement requiring operative manipulation but not including associated fractures; delayed fractures (after four weeks) • Vertraagde fraktuur van sigoma (na vier weke) met verplasing wat operatiewe manipulasie benodig, gepaardgaande fraktuur uitgesluit  | 262   | 2,507.30                            | 209.6 | 2,005.90               | 3 | 134.10 +T+M |
| <b>4. RESPIRATORY SYSTEM • ASEMHALINGSTELSEL</b> |  |       |                                     |       |                        |   |             |
| <b>4.1 Nose and sinuses • Neus en sinuses</b>    |  |       |                                     |       |                        |   |             |
| 1018   | Flexible nasopharyngolaryngoscope examination • Nasofaringeale en larinks ondersoek met buigbare teleskoop   | 51.94 | 497.10                              | —     | —                      |   | —           |
| 1019   | ENT endoscopy in rooms with rigid endoscope • ONK endoskopie in kamers met onbuigbare endoskoop  | 12    | 114.80                              | —     | —                      |   | —           |
| 1020   | Septum perforation repair by any method • Herstel van Septumperforasie deur middel van enige metode  | 125   | 1,196.30                            | 100   | 957.00                 | 4 | 178.80 +T   |
| 1022   | Functional reconstruction of nasal septum • Funksionele rekonstruksie van neusseptum   | 115   | 1,100.60                            | 92    | 880.40                 | 5 | 223.60 +T   |
| 1024   | Insertion of silastic obturator into nasal septum perforation (excluding material) • Inplaas van 'n silastiese abturator in 'n perforasie van die neusseptum (materiaal uitgesluit)  | 30    | 287.10                              | 30    | 287.10                 | 4 | 178.80 +T   |
| 1025   | Intranasal antrostomy (modifier 0005 to apply to opposite side) • Intranasale antrostomie (wysiger 0005 van toepassing op teenoorgestelde kant)  | 64.6  | 618.20                              | 60    | 574.20                 | 4 | 178.80 +T   |
| 1027   | Dacryocystorhinostomy • Dakrosistorinostomie   | 210   | 2,009.70                            | 168   | 1,607.80               | 5 | 223.60 +T   |
| 1029   | Turbinectomy (modifier 0005 to apply to opposite side) • Turbinektomie (wysiger 0005 van toepassing op teenoorgestelde kant)   | 62.6  | 599.10                              | 60    | 574.20                 | 4 | 178.80 +T   |
| 1030   | Endoscopic turbinectomy: laser or microdebrider • Endoskopiese turbinektomie: laser of mikrodebrider   | 90    | 861.30                              | 72    | 689.00                 | 5 | 223.60 +T   |
| 1034   | Autogenous nasal bone transplant: Bone removal included • Outogene beentransplantasie van die neus: Verwydering van been ingeslote   | 100   | 957.00                              | 80    | 765.60                 | 4 | 178.80 +T   |
| 1035   | Unilateral functional endoscopic sinus surgery (unilateral) • Funksionele endoskopiese sinus chirurgie (unilateraal)   | 140   | 1,339.80                            | 112   | 1,071.80               | 4 | 178.80 +T   |
| 1036   | Bilateral functional endoscopic sinus surgery • Bilaterale funksionele endoskopiese sinus chirurgie.<br><i>Diathermy to nose or pharynx exclusive of consultation fee, uni- or bilateral / Diatermie van neus of farinks, konsultasie-gelde uitgesluit, uni- of bilateraal</i>                   | 245   | 2,344.70                            | 196   | 1,875.70               | 4 | 178.80 +T   |
| 1037   | Under local anaesthetic • Met plaaslike verdowing  | 8     | 76.60                               | 8     | 76.60                  |   | —           |
| 1039   | Under general anaesthetic • Met algemene verdowing<br><i>Severe epistaxis, requiring hospitalisation / Erge epistakse wat hospitalisasie vereis</i>  | 35    | 335.00                              | 35    | 335.00                 | 4 | 178.80 +T   |
| 1041   | Control severe epistaxis requiring hospitalisation: Anterior plugging • Erge epistakse kontrole wat hospitalisasie vereis: Anterior tamponade  | 40    | 382.80                              | 40    | 382.80                 | 6 | 268.30 +T   |
| 1043   | Control severe epistaxis requiring hospitalisation: Anterior and posterior plugging • Erge epistakse kontrole wat hospitalisasie vereis: Anterior en posterior tamponade   | 60    | 574.20                              | 60    | 574.20                 | 6 | 268.30 +T   |
| 1045   | Ligation anterior ethmoidal artery • Afbind van arteria etmoidales anterior  | 59    | 564.60                              | 59    | 564.60                 | 6 | 268.30 +T   |
| 1047   | Cladwell-Luc operation (unilateral) • Cladwell-Luc operasie (unilateraal)  | 92    | 880.40                              | 73.6  | 704.40                 | 4 | 178.80 +T   |
| 1049   | Ligation internal maxillary artery • Afbind van arteria maxil-laris interna:   | 130   | 1,244.10                            | 104   | 995.30                 | 6 | 268.30 +T   |
| 1050   | Vidian neurectomy (transantral or transnasal) • Neurektomie van nervus vidii (transantraal of transnasaal)   | 113   | 1,081.40                            | 90.4  | 865.10                 | 3 | 134.10 +T   |
| 1054   | Antroscopy through the canine fossa (uni- or bilateral) • Antroskopie deur die caninus fossa (uni- of bilateraal)  | 40    | 382.80                              | —     | —                      | — | —           |
| 1055   | External frontal ethmoidectomy • Eksterne fronto-etmoidektomie   | 194   | 1,856.60                            | 155.2 | 1,485.30               | 4 | 178.80 +T   |

\*Per service (specify) / Per diens (spesifiseer)

|  | Specialist<br>Spesialis |          | General<br>practitioner<br>Huisarts |          | Anaesthetic<br>Narkose |        |     |
|--|-------------------------|----------|-------------------------------------|----------|------------------------|--------|-----|
|  | U/E                     | R        | U/E                                 | R        | U/E                    | R      | T/M |
| 1057 External ethmoidectomy and/or sphenoidectomy • Eksterne etmoidektomie en/of sfenoidektomie  | 164                     | 1,569.50 | 131.2                               | 1,255.60 | 4                      | 178.80 | +T  |
| 1059 Frontal osteomyelitis • Frontale osteomiëlitis  | 194                     | 1,856.60 | 155.2                               | 1,485.30 | 4                      | 178.80 | +T  |
| 1061 Lateral rhinotomy • Laterale rhinotomie   | 164                     | 1,569.50 | 131.2                               | 1,255.60 | 4                      | 178.80 | +T  |
| 1063 Removal of foreign bodies from nose at rooms • Verwydering van vreemde voorwerpe uit neus by spreekkamer  | 10                      | 95.70    | 10                                  | 95.70    |                        |        |     |
| 1065 Removal of foreign body from nose under general anaesthetic • Verwydering van vreemde voorwerp uit die neus onder algemene narkose  | 35                      | 335.00   | 35                                  | 335.00   | 4                      | 178.80 | +T  |
| 1067 Proof puncture, unilateral at rooms • Sinusspoeling, unilateraal by spreekkamer   | 10                      | 95.70    | 10                                  | 95.70    | 4                      | 178.80 | +T  |
| 1069 Proof puncture, uni- or bilateral under general anaesthetic • Sinusspoeling, uni- of bilateraal onder algemene narkose  | 35                      | 335.00   | 35                                  | 335.00   | 4                      | 178.80 | +T  |
| 1075 Multiple intranasal procedures: Not to exceed (see Modifier 0068) • Veelvuldige intranasale prosedures: Maksimum bedrag (sien Wysiger 0068)   | 194                     | 1,856.60 | 155.2                               | 1,485.30 | 4                      | 178.80 | +T  |
| 1077 Septum abscess, at room, including after-care • Septumabses, by spreekkamer, nabehandeling ingesluit  | 8                       | 76.60    | 8                                   | 76.60    |                        |        |     |
| 1079 Septum abscess, under general anaesthetic • Septumabses, onder algemene verdoewing  | 35                      | 335.00   | 35                                  | 335.00   | 4                      | 178.80 | +T  |
| 1081 Oro-antral fistula (without Caldwell-Luc) • Oro-antrale fistel (sonder Caldwell-Luc)  | 86                      | 823.00   | 68.8                                | 658.40   | 4                      | 178.80 | +T  |
| 1083 Choanal atresia: Intranasal approach • Atresie van agterste neusopening: Intranasale metode   | 113                     | 1,081.40 | 90.4                                | 865.10   | 5                      | 223.60 | +T  |
| 1084 Choanal atresia: Transpalatal approach • Atresie van agterste neusopening: Transpalatien metode   | 194                     | 1,856.60 | 155.2                               | 1,485.30 | 7                      | 313.00 | +T  |
| 1085 Total reconstruction of the nose: Including reconstruction of nasal septum (septumplasty) nasal pyramid (osteotomies) and nasal tip • Rekonstruksie van die neus: Insluitende rekonstruksie van die septum (septumplastiek), die piramide (osteotomieë) en neuspunt | 350                     | 3,349.50 | 280                                 | 2,679.60 | 5                      | 223.60 | +T  |
| 1087 Subtotal reconstruction consisting of any two of the following: Septumplasty, osteotomies, nasal tip reconstruction • Subtotale rekonstruksie, bestaande uit enige twee van die volgende: Septumplastiek, osteotomieë, neuspunt-rekonstruksie                       | 210                     | 2,009.70 | 168                                 | 1,607.80 | 5                      | 223.60 | +T  |
| <i>Forehead rhinoplasty (all stages) • Voorhoof-rinoplastiek (alle stadiums)</i>   |                         |          |                                     |          |                        |        |     |
| 1089 Total • Volledig  | 552                     | 5,282.60 | 441.6                               | 4,226.10 | 5                      | 223.60 | +T  |
| 1091 Partial • Gedeeltelik   | 414                     | 3,962.00 | 331.2                               | 3,169.60 | 5                      | 223.60 | +T  |
| <b>4.3 Larynx • Larinks</b>  |                         |          |                                     |          |                        |        |     |
| 1117 Laryngeal intubation • Laringeale intubasie   | 10                      | 95.70    | 10                                  | 95.70    |                        |        |     |
| <i>Laryngectomy • Laringektomie</i>  |                         |          |                                     |          |                        |        |     |
| 1118 Laryngeal stroboscopy with video capture • Laringeale stroboskopies met video vaslegging  | 39                      | 373.20   | 39                                  | 373.20   | 6                      | 268.30 | +T  |
| 1119 Without block dissection of the neck • Sonder blokdisseksie van die nek   | 430                     | 4,115.10 | 344                                 | 3,292.10 | 7                      | 313.00 | +T  |
| 1127 Tracheostomy • Trageostomie   | 90                      | 861.30   | 72                                  | 689.00   | 9                      | 402.40 | +T  |
| 1129 External laryngeal operation, e.g. laryngeal stenosis, laryngocele, abductor, paralysis, laryngofissure • Eksterne laringeale operasie, bv. vir laringeale stenose, laringeoseel, abduktor-paraliese, laringo-fissuur   | 294.4                   | 2,817.40 | 235.52                              | 2,253.90 | 8                      | 357.70 | +T  |
| <i>Direct laryngoscopy • Direkte laringoskopies</i>  |                         |          |                                     |          |                        |        |     |
| 1130 Diagnostic laryngoscopy including biopsy • Diagnostiese laringoskopies insluitende biopsie  | 35                      | 335.00   | 35                                  | 335.00   | 6                      | 268.30 | +T  |
| 1131 Plus foreign body removal • Plus vreemde voorwerp verwydering   | 46                      | 440.20   | 46                                  | 440.20   | 6                      | 268.30 | +T  |
| <b>4.4 Bronchial procedure • Bronchiale prosedures</b>   |                         |          |                                     |          |                        |        |     |
| <i>Bronchoscopy • Brongoskopies</i>  |                         |          |                                     |          |                        |        |     |
| 1132 Diagnostic bronchoscopy without removal of foreign object • Diagnostiese brongoskopies sonder verwydering van vreemde voorwerp  | 65                      | 622.10   | 60                                  | 574.20   | 6                      | 268.30 | +T  |
| 1133 With removal of foreign body • Met verwydering van vreemde voorwerp   | 80                      | 765.60   | 64                                  | 612.50   | 8                      | 357.70 | +T  |
| 1134 Bronchoscopy with use of laser • Brongoskopies met gebruik van laser  | 75                      | 717.80   | -                                   | -        | 8                      | 357.70 | +T  |
| 1135 With bronchograph • Met brongografie  | 80                      | 765.60   | 64                                  | 612.50   | 8                      | 357.70 | +T  |
| 1136 Nebulisation (in rooms) • Nebuliserings (in kamers)   | 12                      | 114.80   | 12                                  | 114.80   | 8                      | 357.70 | +T  |
| 1137 Bronchial lavage • Brongiale spoeling   | -                       | -        | -                                   | -        | 8                      | 357.70 | +T  |
| 1138 Thoracotomy: for bronchopleural fistula (including ruptured bronchus, any cause) • Torakotomie: vir brongopleurale fistel (ruptuur van die brongus, alle oorsake, ingeslote)  | 350                     | 3,349.50 | 280                                 | 2,679.60 | 12                     | 536.50 | +T  |
| <b>4.5 Pleura • Pleura</b>   |                         |          |                                     |          |                        |        |     |

\*Per service (specify) / Per diens (spesifiseer)

|  | Specialist<br>Spesialis   |          | General<br>practitioner<br>Huisarts          |          | Anaesthetic<br>Narkose         |        |  |
|--|---|----------|--|----------|--------------------------------|--------|--|
|  | U/E   | R        | U/E  | R        | U/E                            | R      | T/M  |
| 1139 Pleural needle biopsy (not including aftercare): modifier 0005 not applicable • Naaldbiopsie van pleura (nasorg uitgesluit): wysiger 0005 nie van toepassing nie  | 50  | 478.50   | 50   | 478.50   | 3                              | 134.10 | +T   |
| 1141 Insertion of intercostal catheter (under water drainage) • Inplasing van tussenribse kateter (met onderwater-dreinasie)   | 50  | 478.50   | 50   | 478.50   | 6                              | 268.30 | +T   |
| 1143 Paracentesis chest: Diagnostic • Parasentese borskas: Diagnosties   | 8   | 76.60    | 8  | 76.60    | 3                              | 134.10 | +T   |
| 1145 Paracentesis chest: Therapeutic • Parasentese borskas: Terapeuties  | 13  | 124.40   | 13   | 124.40   | 3                              | 134.10 | +T   |
| 1147 Pneumothorax: Induction (diagnostic) • Pneumotoraks: Induksie (diagnosties)   | 25  | 239.30   | 25   | 239.30   |                                |        |  |
| 1149 Pleurectomy • Pleurektomie  | 250   | 2,392.50 | 200  | 1,914.00 | 11                             | 491.80 | +T   |
| 1151 Decortication of lung • Dekortikasie van long   | 350   | 3,349.50 | 280  | 2,679.60 | 11                             | 491.80 | +T   |
| 1153 Chemical pleurodesis (instillation silver nitrate, tetracycline, talc, etc) • Chemiese pleurodesis (instillering silwernitrat, tetrasiklien, talk, ens)   | 55  | 526.40   | 55   | 526.40   | 3                              | 134.10 | +T   |
| <b>4.6 Pulmonary procedures • Longprosedures</b>   |   |          |  |          |                                |        |  |
| <b>4.6.1 Surgical • Chirurgies</b>   |   |          |  |          |                                |        |  |
| 1155 Needle biopsy lung (not including after-care): modifier 0005 not applicable • Naaldbiopsie long (nasorg uitgesluit): wysiger 0005 nie van toepassing nie  | 32  | 306.20   | 32   | 306.20   | 5                              | 223.60 | +T   |
| 1157 Pneumonectomy • Pneumonektomie  | 350   | 3,349.50 | 280  | 2,679.60 | 11                             | 491.80 | +T   |
| 1159 Pulmonary lobectomy • Pulmonêre lobektomie  | 389.5   | 3,727.50 | 311.6  | 2,982.00 | 11                             | 491.80 | +T   |
| 1161 Segmental lobectomy • Segmentale lobektomie   | 365   | 3,493.10 | 292  | 2,794.40 | 11                             | 491.80 | +T   |
| <i>Excision tracheal stenosis • Eksisie van stenose van trachea</i>  |   |          |  |          |                                |        |  |
| 1163 Cervical • Servikaal  | 375   | 3,588.80 | 300  | 2,871.00 | 8                              | 357.70 | +T   |
| 1164 Intra-thoracic • Intratorakaaal   | 350   | 3,349.50 | 280  | 2,679.60 | 12                             | 536.50 | +T   |
| 1171 Drainage empyema (including six weeks after-treatment) • Dreinerig van empieem (insluitende ses weke nabehandeling)   | 170   | 1,626.90 | 136  | 1,301.50 | 11                             | 491.80 | +T   |
| 1173 Drainage of lung abscess (including six weeks after-treatment) • Dreinerig van longabses (insluitende ses weke nabehandeling)   | 170   | 1,626.90 | 136  | 1,301.50 | 11                             | 491.80 | +T   |
| <i>Thoracotomy • Torakotomie</i>   |   |          |  |          |                                |        |  |
| 1175 Limited: For lung or pleural biopsy • Beperk: Vir biopsie van long of pleura  | 115   | 1,100.60 | 92   | 880.40   | 11                             | 491.80 | +T   |
| 1177 Major: Diagnostic • Groot: Diagnosties  | 215   | 2,057.60 | 172  | 1,646.00 | 11                             | 491.80 | +T   |
| 1179 Thoracoscopy • Torakoskopie   | 89  | 851.70   | 71.2   | 681.40   | 11                             | 491.80 | +T   |
| <b>4.6.2 Pulmonary function tests • Longfunksietoetse</b>  |   |          |  |          |                                |        |  |
| 1186 Flow volume test: Inspiration/expiration • Vloeivolumetoets: Inspirasie/ekspirasie  | 30  | 287.10   | 30   | 287.10   |                                |        |  |
| 1188 Flow volume test: Inspiration/expiration pre- and post-bronchodilator (to be charged for only with first consultation—thereafter item 1186 applies) • Vloeivolumetoets: Inspirasie/ekspirasie voor- en na-brongodilator (hefbaar slegs tydens eerste konsultasie—daarna is item 1186 toepaslik) | 50  | 478.50   | 50   | 478.50   |                                |        | Fees as for specialist<br>Gelde soos vir spesialis |
| 1189 Forced expirogram only • Forseerde ekspiogram alleenlik   | 10  | 95.70    | 10   | 95.70    |                                |        | Fees as for specialist<br>Gelde soos vir spesialis |
| 1191 N2 single breath distribution • N2 enkel asem verspreiding  | 10  | 95.70    | 10   | 95.70    |                                |        | Fees as for specialist<br>Gelde soos vir spesialis |
| 1197 Compliance and resistance, using oesophageal balloon • Rekbaarheid en weerstand d.m.v. esofageale ballon  | 24  | 229.70   | 24   | 229.70   |                                |        | Fees as for specialist<br>Gelde soos vir spesialis |
| 1201 Maximum inspiratory/expiratory pressure • Maksimum inspiratoriese/ekspiratoriese druk   | 5   | 47.90    | 5  | 47.90    |                                |        | Fees as for specialist<br>Gelde soos vir spesialis |
|  | <b>Pulmonologists<br/>and Other<br/>Specialists/<br/>Pulmonoloë en<br/>Ander Spesialiste.</b> |          | <b>General<br/>practitioner<br/>Huisarts</b> |          | <b>Anaesthetic<br/>Narkose</b> |        |  |
|  | U/E   | R        | U/E  | R        | U/E                            | R      | T/M  |
| 1193 Functional residual capacity or residual volume: helium method, nitrogen open circuit method, or other method • Funksionele residuele kapasiteit of residuele volume: helium, stikstof opebaan of ander metode  | 37.76   | 361.40   |  | --       |                                |        | Fees as for specialist<br>Gelde soos vir spesialis |
| 1195 Thoracic gas volume • Intra torakale gas volume   | 37.93   | 363.00   |  | --       |                                |        | Fees as for specialist<br>Gelde soos vir spesialis |

\*Per service (specify) / Per diens (spesifiseer)

|  | Specialist<br>Specialis |          | General<br>practitioner<br>Huisarts |          | Anaesthetic<br>Narkose |   |  |
|--|-------------------------|----------|-------------------------------------|----------|------------------------|---|--|
|  | U/E                     | R        | U/E                                 | R        | U/E                    | R | T/M  |
| 1196 Determination of resistance to airflow, oscillatory or plethysmographic methods • Bepaling van lugweg weerstand ossillasie of met pletismograaf   | 45.31                   | 433.60   |                                     | --       |                        |   | Fees as for specialist<br>Gelde soos vir spesialis |
| 1198 Prolonged postexposure evaluation of bronchospasm with multiple spirometric determinations after antigen, cold air, methacholine or other chemical agent, with subsequent spirometrics • Verlengde na-blootstelling bepaling van brongospasme met spirometrie voor en na antigen, koue lug, meta cholien of ander chemiese agent, met opvolg spirometrie  | 55.89                   | 534.90   |                                     | --       |                        |   | Fees as for specialist<br>Gelde soos vir spesialis |
| 1199 Pulmonary stress testing; simple (eg. prolonged exercise test for bronchospasm with pre- and post-spirometry • Pulmonale inspanningstoets, eenvoudig (bv. verlengde oefeningstoets vir brongospasme met pre- en post-spirometrie)   | 96.5                    | 923.50   |                                     | --       |                        |   | Fees as for specialist<br>Gelde soos vir spesialis |
| 1200 Carbon monoxide diffusing capacity, any method • Kool monoksied diffusie, enige metode  | 38.06                   | 364.20   |                                     | --       |                        |   | Fees as for specialist<br>Gelde soos vir spesialis |
| <b>4.7.1 Tariff items for intensive care • Tarief items vir intensiewe sorg</b>  |                         |          |                                     |          |                        |   |  |
| Category 1: Cases requiring intensive monitoring (to include cases where physiological instability is anticipated, e.g. diabetic pre-coma, asthma, gastrointestinal haemorrhage, etc). Please note that item 1204 may not be charged by the responsible surgeon for monitoring a patient post-operatively in ICU or in the high-care unit since post-operative monitoring is included in the fee for the procedure   |                         |          |                                     |          |                        |   |  |
| Kategorie 1: Gevalle wat intensiewe monitering vereis (sluit spesifieke gevalle in waar fisiologiese onstabieliteit vermoed word, bv. diabetiese pre-koma, asma, gastro-intestinale bloeding, ens). Let asseblief daarna op dat item 1204 nie deur die verantwoordelike chirurg gehef mag word vir monitering van die pasient na-operatief in die intensiewe sorg-eenheid of in die hoe sorg aangesien na-operatiewe monitering ingesluit is in die gelde vir die prosedure. |                         |          |                                     |          |                        |   |  |
| 1204 Category 1: Per day • Kategorie 1: Per dag  | 30                      | 287.10   | 30                                  | 287.10   |                        |   | Fees as for specialist<br>Gelde soos vir spesialis |
| Category 2 Cases requiring active system support (where active specialised intervention is required in cases such as acute myocardial infarction; diabetic coma, head injury, severe asthma, acute pancreatitis, eclampsia, flail chest, etc.) Ventilation may or may not be part of the active system support.  |                         |          |                                     |          |                        |   |  |
| Kategorie 2: Gevalle wat aktiewe sisteem bystand vereis (waar aktiewe gespesialiseerde intervensie vereis word, byvoorbeeld akute miokardiale infarksie, diabetiese koma, hoofbesering, ernstige asma, akute pankreatitis, eklampsie, vluel borskas, ens.) Ventilasiemag deel uitmaak of nie deel uitmaak van die aktiewe sisteem bystand nie  |                         |          |                                     |          |                        |   |  |
| 1205 Category 2: First day • Kategorie 2: Eerste dag   | 100                     | 957.00   | 80                                  | 765.60   |                        |   | Fees as for specialist<br>Gelde soos vir spesialis |
| 1206 Category 2: Subsequent days, per day • Kategorie 2: Daaropvolgende dae, per dag   | 50                      | 478.50   | 50                                  | 478.50   |                        |   | Fees as for specialist<br>Gelde soos vir spesialis |
| 1207 Category 2: After two weeks, per day • Kategorie 2: Na twee weke, per dag   | 30                      | 287.10   | 30                                  | 287.10   |                        |   | Fees as for specialist<br>Gelde soos vir spesialis |
| Category 3: Cases with multiple organ failure or Category 2 patients that may require multidisciplinary intervention   |                         |          |                                     |          |                        |   |  |
| Kategorie 3: Gevalle met veelvuldige orgaan ineenstorting of Kategorie 2 pasiente wat multidissiplinere intervensie mag vereis   |                         |          |                                     |          |                        |   |  |
| 1208 Category 3: First day (principal practitioner) • Kategorie 3: Eerste dag (hoof praktisyn)   | 137                     | 1,311.10 | 109.6                               | 1,048.90 |                        |   | Fees as for specialist<br>Gelde soos vir spesialis |
| 1209 Category 3: First day (per involved practitioner) • Kategorie 3: Eerste dag (per betrokke praktisyn)  | 58                      | 555.10   | 58                                  | 555.10   |                        |   | Fees as for specialist<br>Gelde soos vir spesialis |
| 1210 Category 3: Subsequent days (per involved practitioner) • Kategorie 3: Opvolgende dae (per betrokke praktisyn)  | 50                      | 478.50   | 50                                  | 478.50   |                        |   | Fees as for specialist<br>Gelde soos vir spesialis |

\*Per service (specify) / Per diens (spesifiseer)

|   | Specialist<br>Spesialis |        | General<br>practitioner<br>Huisarts |        | Anaesthetic<br>Narkose |   |  |
|---|-------------------------|--------|-------------------------------------|--------|------------------------|---|--|
|   | U/E                     | R      | U/E                                 | R      | U/E                    | R | T/M  |
| 1211 Cardio-respiratory resuscitation: Prolonged attendance in cases of emergency ( <i>not necessarily in ICU</i> ) 50,00 clinical procedure units (R478.50) per half hour or part thereof for the first hour per practitioner, thereafter 25,00 clinical procedure units (R239.30) per half hour up to a maximum of 150,00 clinical procedure units (R1435.50) per practitioner. Resuscitation fee includes all necessary additional procedures e.g. infusion, intubation, etc. : Kardio-respiratoriese resussitasie: Verlengde bystand in noodgevalle ( <i>nie noodwendig in intensiewe sorg eenheid nie</i> ) 50,00 kliniese prosedure eenhede (R478.50) per halfuur of gedeelte daarvan vir die eerste uur per praktisyn, daarna 25,00 kliniese prosedure eenhede (R239.30) per halfuur met 'n maksimum van 150,00 kliniese prosedure eenhede (R1435.50) per praktisyn Restussitasiegelde sluit alle nodige bykomende prosedures in byvoorbeeld infuus, intubasie, ens. |                         |        |                                     |        |                        |   |  |
| <b>VENTILATION • VENTILASIE</b>   |                         |        |                                     |        |                        |   |  |
| 1212 First day • Eerste dag   | 75                      | 717.80 | 75                                  | 717.80 |                        |   | Fees as for specialist<br>Gelde soos vir spesialis |
| 1213 Subsequent days • Opvolgende dae   | 50                      | 478.50 | 50                                  | 478.50 |                        |   | Fees as for specialist<br>Gelde soos vir spesialis |
| 1214 After two weeks, per day • Na twee weke, per dag   | 25                      | 239.30 | 25                                  | 239.30 |                        |   | Fees as for specialist<br>Gelde soos vir spesialis |
| 1215 Insertion of arterial pressure cannula • Inplasing van arteriële druk kannula  | 25                      | 239.30 | 25                                  | 239.30 |                        |   | Fees as for specialist<br>Gelde soos vir spesialis |
| 1216 Insertion of Swan Ganz catheter for haemodynamic monitoring • Inplasing van Swan Ganz kateter vir hemodinamiese monitering   | 50                      | 478.50 | 50                                  | 478.50 |                        |   | Fees as for specialist<br>Gelde soos vir spesialis |
| 1217 Insertion of central venous line via peripheral vein • Inplasing van sentrale veneuse lyn via perifere vena  | 10                      | 95.70  | 10                                  | 95.70  |                        |   | Fees as for specialist<br>Gelde soos vir spesialis |
| 1218 Insertion of central venous line via subclavian or jugular veins • Inplasing van sentrale veneuse lyn via subklaviese of jugulêre venas  | 25                      | 239.30 | 25                                  | 239.30 |                        |   | Fees as for specialist<br>Gelde soos vir spesialis |
| 1219 Hyperalimentation (daily fee) • Hiperalimentasie (dagtarief)   | 15                      | 143.60 | 15                                  | 143.60 |                        |   | Fees as for specialist<br>Gelde soos vir spesialis |
| 1220 Patient-controlled analgesic pump: Hire fee: Per 24 hours (Cassette to be charged for according to item 0201 per patient) • Pasiënt-beheerde verdowingspomp: Verhuringsgelde: Per 24 uur (Gelde vir kasset word gehef volgens item 0201 per pasiënt)   | 30                      | 287.10 | 30                                  | 287.10 |                        |   | Fees as for specialist<br>Gelde soos vir spesialis |
| 1221 Professional fee for managing a patient-controlled analgesic pump: Once off charge per patient • Professionele gelde vir bestuur van pasiënt-beheerde verdowingspomp: Eenmalige heffing per pasiënt  | 30                      | 287.10 | 30                                  | 287.10 |                        |   | Fees as for specialist<br>Gelde soos vir spesialis |
| <b>4.8 Hyperbaric Oxygen Treatment • Hiperbariese Suurstofbehandeling</b>   |                         |        |                                     |        |                        |   |  |
| 4800 Pre-hyperbaric assessment of a patient in the hyperbaric unit (all hours) (includes interpretation of ECG and/or lung function test) • Voor-hiperbariese evaluering van 'n pasiënt in die hiperbariese eenheid (alle ure) (sluit die vertolking van EKG en longfunksietoets in)  | 16                      | 153.10 | 16                                  | 153.10 |                        |   |  |
| 4801 Monitoring of a patient at the hyperbaric chamber during hyperbaric treatment (includes pre-hyperbaric assessment and consultation regarding the indication for hyperbaric treatment provided in the hyperbaric unit): Low pressure table (1.5-1.8 ATA x 45-60 min) • Monitering van 'n pasiënt by die hiperbariese kamer tydens hiperbariese terapie (sluit pre-hiperbariese evaluering en konsultasie aangaande indikasie vir hiperbariese terapie binne die hiperbariese eenheid in): Lae druk tabel (1.5-1.8 ATA x 45-60 min)  | 10                      | 95.70  | 10                                  | 95.70  |                        |   |  |

\*Per service (specify) / Per diens (spesifiseer)

|   | Specialist<br>Spesialis |          | General<br>practitioner<br>Huisarts |          | Anaesthetic<br>Narkose |   |           |
|---|-------------------------|----------|-------------------------------------|----------|------------------------|---|-----------|
|   | U/E                     | R        | U/E                                 | R        | U/E                    | R | T/M       |
| 4804 Monitoring of a patient at the hyperbaric chamber during hyperbaric treatment (includes pre-hyperbaric assessment and consultation regarding the indication for hyperbaric treatment provided in the hyperbaric unit): Routine HBO table (2-2.5 ATA x 90-120 min) • Monitoring van 'n pasiënt by die hiperbariese kamer tydens hiperbariese terapie (sluit pre-hiperbariese evaluering en konsultasie aangaande indikasie vir hiperbariese terpaie binne die hiperbariese eenheid in): Roetine HST tabel (2-2.5 ATA x 90-120 min)  | 30                      | 287.10   | 30                                  | 287.10   |                        |   |           |
| 4805 Monitoring of a patient at the hyperbaric chamber during hyperbaric treatment (includes pre-hyperbaric assessment and consultation regarding the indication for hyperbaric treatment provided in the hyperbaric unit): Routine HBO table (2-2.5 ATA x 90-120 min) • Monitoring van 'n pasiënt by die hiperbariese kamer tydens hiperbariese terapie (sluit pre-hiperbariese evaluering en konsultasie aangaande indikasie vir hiperbariese terpaie binne die hiperbariese eenheid in): Roetine HST tabel (2-2.5 ATA x 90-120 min)  | 60                      | 574.20   | 60                                  | 574.20   |                        |   |           |
| 4806 Monitoring of a patient at the hyperbaric chamber during hyperbaric treatment (includes pre-hyperbaric assessment and consultation regarding the indication for hyperbaric treatment provided in the hyperbaric unit): Emergency HBO table (2.5-3 ATA x 90-120 min) • Monitoring van 'n pasiënt by die hiperbariese kamer tydens hiperbariese terapie (sluit pre-hiperbariese evaluering en konsultasie aangaande indikasie vir hiperbariese terapie binne die hiperbariese eenheid in): Nood HST tabel (2.5-3 ATA x 90-120 min)   | 80                      | 765.60   | 80                                  | 765.60   |                        |   |           |
| 4809 Monitoring of a patient at the hyperbaric chamber during hyperbaric treatment (includes pre-hyperbaric assessment and consultation regarding the indication for hyperbaric treatment provided in the hyperbaric unit): USN TT5 (2.8 ATA x 135 min) • Monitoring van 'n pasiënt by die hiperbariese kamer tydens hiperbariese terapie (sluit pre-hiperbariese evaluering en konsultasie aangaande indikasie vir hiperbariese terpaie binne die hiperbariese eenheid in): USN TT5 (2.8 ATA x 135 min)  | 90                      | 861.30   | 90                                  | 861.30   |                        |   |           |
| 4810 Monitoring of a patient at the hyperbaric chamber during hyperbaric treatment (includes pre-hyperbaric assessment and consultation regarding the indication for hyperbaric treatment provided in the hyperbaric unit): USN TT6 (2.8 ATA x 285 min) • Monitoring van 'n pasiënt by die hiperbariese kamer tydens hiperbariese terapie (sluit pre-hiperbariese evaluering en konsultasie aangaande indikasie vir hiperbariese terpaie binne die hiperbariese eenheid in): USN TT6 (2.8 ATA x 285 min)  | 190                     | 1,818.30 | 190                                 | 1,818.30 |                        |   |           |
| 4811 Monitoring of a patient at the hyperbaric chamber during hyperbaric treatment (includes pre-hyperbaric assessment and consultation regarding the indication for hyperbaric treatment provided in the hyperbaric unit): USN TT6ext/6A or Cx 30 (2.8-6 ATA x 305-490 min) • Monitoring van 'n pasiënt by die hiperbariese kamer tydens hiperbariese terapie (sluit pre-hiperbariese evaluering en konsultasie aangaande indikasie vir hiperbariese terpaie binne die hiperbariese eenheid in): USN TT6vlg/6A or Cx 30 (2.8-6 ATA x 305-490 min)                              | 327                     | 3,129.40 | 327                                 | 3,129.40 |                        |   |           |
| 4815 Prolonged attendance <u>inside</u> a hyperbaric chamber: 50,00 clinical procedure units per half hour or part thereof for the first hour. Thereafter 25,00 clinical procedure units per half hour; minimum 50,00 clinical procedure units; maximum 400,00 clinical procedure units • Verlengde bystand <u>binne</u> 'n hiperbariese kamer: 50,00 kliniese prosedure eenhede per halfuur of gedeelte daarvan vir die eerste uur, daarna 25,00 kliniese prosedure eenhede per half uur; minimum 50,00 kliniese prosedure eenhede; maksimum 400,00 kliniese prosedure eenhede |                         |          |                                     |          |                        |   |           |
| <b>5. MEDIASTINAL PROCEDURES • MEDIASTINALE PROSEDURES</b>  |                         |          |                                     |          |                        |   |           |
| 1223 Mediastinoscopy • Mediastinoskopie   | 95                      | 909.20   | 76                                  | 727.30   | 5                      |   | 223.60 +T |
| <b>6. CARDIOVASCULAR SYSTEM • KARDIO-VASKULÊRE SISTEEM</b>  |                         |          |                                     |          |                        |   |           |
| MODIFIER GOVERNING FEES FOR AN ANAESTHESIOLOGIST OPERATING INTRA-AORTIC BALLOON PUMP (CARDIOVASCULAR SYSTEM) • WYSIGER VAN TOEPASSING OP GELDE VIR 'N ANESTESIOLOOG VIR BEHEER VAN INTRA-AORTIESE BALLONPOMP (KARDIO-VASKULÊRE SISTEEM)   |                         |          |                                     |          |                        |   |           |
| 0100 Where an anaesthesiologist would be responsible for operating an intra-aortic balloon pump, a fee of 75,00 clinical procedure units (R615.80) is applicable • Waar 'n anesthesioloog verantwoordelik is vir beheer van 'n intra-aortiese ballonpomp is 'n tarief van 75,00 kliniese prosedure eenhede (R615.80) van toepassing   |                         |          |                                     |          |                        |   |           |

\*Per service (specify) / Per diens (spesifiseer)

|  | Specialist<br>Spesialls |          | General<br>practitioner<br>Huisarts |          | Anaesthetic<br>Narkose |        |     |
|--|-------------------------|----------|-------------------------------------|----------|------------------------|--------|-----|
|  | U/E                     | R        | U/E                                 | R        | U/E                    | R      | T/M |
| <b>6.1 General • Algemeen</b>  |                         |          |                                     |          |                        |        |     |
| <i>General practitioner's fee for the taking of an ECG only • Algemene praktisyn se gelde vir slegs die neem van 'n EKG</i>  |                         |          |                                     |          |                        |        |     |
| Where an ECG is done by a general practitioner and interpreted by a physician, the general practitioner is entitled to his full consultation fee, plus half of fee determined for ECG • Wanneer 'n EKG deur 'n algemene praktisyn geneem is en deur 'n spesialis vertolk word, is die algemene praktisyn geregtig op konsultasiegelde plus helfte van die bedrag toepaslik van die EKG |                         |          |                                     |          |                        |        |     |
| 1228 Without effort: (1232) • Rustend: (1232)  |                         |          | 4.5                                 | 43.10    |                        |        | -   |
| 1229 Without and with effort: (1233) • Sonder en met inspanning: (1233)  |                         | -        | 6.5                                 | 62.20    |                        |        | -   |
| <i>Note: Items 1228 and 1229 deal only with the fees for taking of the ECG, the consultation fee must still be added • Opmerking: Items 1228 en 1229 dui slegs die gelde vir die neem van die EKG aan, die konsultasietarief moet bygevoeg word</i>  |                         | -        |                                     |          |                        |        |     |
| <i>Physician's fee for interpreting an ECG • Internis se gelde vir vertolking van 'n EKG</i>   |                         |          |                                     |          |                        |        |     |
| A specialist physician is entitled to the following fees for interpretation of an ECG tracing referred for interpretation. • 'n Internis is geregtig op die volgende gelde vir die vertolking van 'n EKG wanneer dit verwys word vir vertolking.   |                         |          |                                     |          |                        |        |     |
| 1230 Without effort • Rustend  | 6                       | 57.40    |                                     | -        |                        |        | -   |
| 1231 Without and with effort • Sonder en met inspanning  | 10                      | 95.70    |                                     | -        |                        |        | -   |
| <i>Electrocardiogram • Elektrokardiogram</i>   |                         |          |                                     |          |                        |        |     |
| 1232 Without effort • Rustend  | 9                       | 86.10    | 9                                   | 86.10    |                        |        | -   |
| 1233 Without and with effort • Sonder en met inspanning  | 13                      | 124.40   | 13                                  | 124.40   |                        |        | -   |
| 1234 Effort electrocardiogram with the aid of a special bicycle ergometer, monitoring apparatus and availability of associated apparatus • Inspannings-elektrokardiogram met behulp van 'n spesiale fiets-ergometer, monitorapparaat en beskikbaarheid van geassosieerde apparaat  | 40                      | 382.80   | 40                                  | 382.80   |                        |        | -   |
| 1235 Multi-stage treadmill • Meerfasige trapmeultoets  | 60                      | 574.20   | 60                                  | 574.20   |                        |        | -   |
| 1241 X-ray screening (Chest) • X-straaldeurligting (Borskas)   | 4                       | 38.30    | 4                                   | 38.30    |                        |        | -   |
| 1245 Angiography cerebral: First two series • Angiografie serebraal: Eerste twee reekse  | 34.3                    | 328.30   | 34.3                                | 328.30   | 4                      | 178.80 | +T  |
| 1246 Angiography peripheral: Per limb • Angiografie perifeer: Per ledemaat   | 25                      | 239.30   | 25                                  | 239.30   | 4                      | 178.80 | +T  |
| 1248 Paracentesis of pericardium • Parasentese van perikardium   | 50                      | 478.50   | 50                                  | 478.50   | 9                      | 402.40 | +T  |
| <b>6.3 Cardiac surgery • Hartchirurgie</b>   |                         |          |                                     |          |                        |        | +T  |
| 1311 Pericardial drainage • Dreinerings van perikardium  | 140                     | 1,339.80 | 112                                 | 1,071.80 | 4                      | 178.80 | +T  |
| <b>6.3.1 Open heart surgery • Opehart-chirurgie</b>  |                         |          |                                     |          |                        |        |     |
| 1322 Attendance at other operations for monitoring at bedside, by physician heart block, etc: Per hour • Bystand by ander operasies, en toesighouding by siekbed deur internis by vir 'n hartblok, ens.: Per uur   | 20                      | 191.40   |                                     |          |                        |        |     |
| <b>6.4 Peripheral vascular system • Perifere vasculêre sisteem</b>   |                         |          |                                     |          |                        |        |     |
| <b>6.4.2 Arterio-venous-abnormalities • Arterio-veneuse-afwykings</b>  |                         |          |                                     |          |                        |        |     |
| 1369 Fistula or aneurysm (as for grafting of various arteries) • Fistel of aneurisme (soos vir transplantasie van arteries)  |                         |          |                                     |          |                        |        |     |
| <b>6.4.3 Arteries • Arteries</b>   |                         |          |                                     |          |                        |        |     |
| <b>6.4.3.1 Aorta-iliac and major branches • Aorta-iliac en groot takke</b>   |                         |          |                                     |          |                        |        |     |
| <i>Abdominal aorta and iliac artery: Abdominal aorta en arteria iliaca</i>   |                         |          |                                     |          |                        |        |     |
| 1373 Ruptured • Geruptuur  | 600                     | 5,742.00 | 480                                 | 4,593.60 | 15                     | 670.70 | +T  |
| <b>6.4.3.2 Iliac artery • Arteria iliaca</b>   |                         |          |                                     |          |                        |        |     |
| 1379 Prosthetic grafting and/or Thrombo-end-arteriectomy • Inplanting van prostese en/of Trombo-endarteriëktomie   | 300                     | 2,871.00 | 240                                 | 2,296.80 | 13                     | 581.20 | +T  |
| <b>6.4.3.3 Peripheral • Perifeer</b>   |                         |          |                                     |          |                        |        |     |
| 1385 Prosthetic grafting • Inplanting van prostese   | 255                     | 2,440.40 | 204                                 | 1,952.30 | 5                      | 223.60 | +T  |
| <i>Grafting vein • Transplantasie vena</i>   |                         |          |                                     |          |                        |        |     |
| 1387 Proximal to knee joint • Net bokant kniegewrig  | 300                     | 2,871.00 | 240                                 | 2,296.80 | 5                      | 223.60 | +T  |
| 1388 Distal to knee joint • Tot onderkant kniegewrig   | 444                     | 4,249.10 | 355.2                               | 3,399.30 | 5                      | 223.60 | +T  |
| 1389 Endarterectomy when not part of another specified procedure • Endarterektomie wanneer nie 'n deel van 'n ander gespesifiseerde prosedure nie  | 264                     | 2,526.50 | 211.2                               | 2,021.20 | 5                      | 223.60 | +T  |

\*Per service (specify) / Per diens (spesifiseer)

|  | Specialist<br>Spesials   |       | General<br>practitioner<br>Huisarts |        | Anaesthetic<br>Narkose |    |           |
|--|--|-------|-------------------------------------|--------|------------------------|----|-----------|
|  | U/E  | R     | U/E                                 | R      | U/E                    | R  | T/M       |
| <b>Embolectomy • Embolektomie</b>  |  |       |                                     |        |                        |    |           |
| 1393   | Peripheral embolectomy transfemoral • Perifere transfemorale embolektomie  | 168   | 1,607.80                            | 134.4  | 1,286.20               | 5  | 223.60 +T |
| <b>Miscellaneous arterial procedures / Diverse arteriële prosedures</b>  |  |       |                                     |        |                        |    |           |
| 1395   | Arterial suture: Trauma • Hegting van arterie: Trauma  | 125   | 1,196.30                            | 100    | 957.00                 | 5  | 223.60 +T |
| 1396   | Suture major blood vessel (artery or vein) - trauma (major blood vessels are defined as aorta, innominate artery, carotid artery and vertebral artery, subclavian artery, axillary artery, iliac artery, common femoral and popliteal artery. The vertebral and popliteal arteries are included because of the relevant inaccessibility of the arteries and difficult surgical exposure). • Hegting van groot bloetvaat (arterie of vena) - trauma (groot bloedate word omskryf as aorta innominate arterie, karotis arterie, en vertebrale arterie subklaviese arterie, axillêre arterie, iliaka arterie, gewone femorale en popliteale arterie. Die femorale en popliteale arterie word ingesluit as gevolg van die onbereikbaarheid van die arteries en moeilike chirurgiese blootlegging). | 264   | 2,526.50                            | 211.2  | 2,021.20               | 15 | 670.70 +T |
| 1397   | Profundoplasty • Profundoplastiek  | 210   | 2,009.70                            | 168    | 1,607.80               | 5  | 223.60 +T |
| 1399   | Distal tibial (ankle region) • Tibiaal distaal (naby enkel)  | 456   | 4,363.90                            | 364.8  | 3,491.10               | 5  | 223.60 +T |
| 1401   | Femoro-femoral • Femoro-femoraal   | 254   | 2,430.80                            | 203.2  | 1,944.60               | 5  | 223.60 +T |
| 1402   | Carotid-subclavian • Carotis-subklavies  | 288   | 2,756.20                            | 230.4  | 2,204.90               | 8  | 357.70 +T |
| 1403   | Axillo-femoral (Bifemoral + 50%) • Aksillo-femoraal (Bifemoraal + 50%)   | 288   | 2,756.20                            | 230.4  | 2,204.90               | 8  | 357.70 +T |
| <b>6.4.4 Veins • Venas</b>   |  |       |                                     |        |                        |    |           |
| 1407   | Ligation of saphenous vein • Afbinding van vena saphena  | 50    | 478.50                              | 50     | 478.50                 | 3  | 134.10 +T |
| 1408   | Placement of Hickman catheter or similar • Inplasing van Hickman kateter of soortgelyk   | 91    | 870.90                              | 72.8   | 696.70                 | 4  | 178.80 +T |
| <b>Ligation of inferior vena cava / Afbinding van vena cava inferior</b>   |  |       |                                     |        |                        |    |           |
| 1410   | Abdominal • Abdominaal   | 180   | 1,722.60                            | 144    | 1,378.10               | 8  | 357.70 +T |
| <b>"Umbrella" operation on inferior vena caval • "Sambreël" operasie op vena cava inferior</b>   |  |       |                                     |        |                        |    |           |
| 1412   | Abdominal • Abdominaal   | 100   | 957.00                              | 80     | 765.60                 | 8  | 357.70 +T |
| Combined procedure for varicose veins: Ligation of saphenous vein stripping, multiple ligation including ligation of perforating veins as indicated • Gekombineerde prosedure vir spatate: Afbinding van vena saphena stroping, veelvuldige afbinding insluitende afbinding van perforerende venas soos aangedui |  |       |                                     |        |                        |    |           |
| 1413   | Unilateral • Unilateraal   | 141   | 1,349.40                            | 112.8  | 1,079.50               | 3  | 134.10 +T |
| 1415   | Bilateral • Bilateraal   | 247   | 2,363.80                            | 197.6  | 1,891.00               | 3  | 134.10 +T |
| 1417   | Extensive sub-fascial ligation of perforating veins • Uitgebreide sub-fasiële afbinding van perforerende venas   | 125   | 1,196.30                            | 100    | 957.00                 | 3  | 134.10 +T |
| 1419   | Lesser varicose vein procedure • Klein spatate prosedures  | 31    | 296.70                              | 31     | 296.70                 | 3  | 134.10 +T |
| <b>Compression sclerotherapy of varicose veins • Skleroserende inspuiting met kompressie vir spatate</b>   |  |       |                                     |        |                        |    |           |
| 1421   | Per injection to a maximum of nine injections per leg (excluding cost of material) • Per inspuiting tot 'n maksimum van nege inspuitings per been (koste van materiaal uitgesluit)   | 9     | 86.10                               | 9      | 86.10                  |    |           |
| <b>Thrombectomy / Trombektomie</b>   |  |       |                                     |        |                        |    |           |
| 1425   | Inferior vena cava (Trans abdominal) • Vena cava inferior (transabdominaal)  | 240   | 2,296.80                            | 192    | 1,837.40               | 11 | 491.80 +T |
| 1427   | Ilio-femoral • Ilio-femoraal   | 175   | 1,674.80                            | 140    | 1,339.80               | 6  | 268.30 +T |
| <b>7. LYMPHO RETICULAR SYSTEM • LIMFO RETIKULÊRE STELSEL</b>   |  |       |                                     |        |                        |    |           |
| <b>7.1 Spleen • Milt</b>   |  |       |                                     |        |                        |    |           |
| 1435   | Splenectomy (trauma) • Splenektomie (trauma)   | 221.3 | 2,117.80                            | 177.04 | 1,694.30               | 9  | 402.40 +T |
| <b>Bone marrow biopsy / Beenmurg biopsie</b>   |  |       |                                     |        |                        |    |           |
| 1457   | By trephine • Deur middel van trefien  | 13    | 124.40                              | 13     | 124.40                 | 3  | 134.10 +T |
| 1458   | Simple aspiration of marrow by means of trocar or cannula • Eenvoudige aspirasie van murg trokar of kannula  | 8     | 76.60                               | 8      | 76.60                  |    |           |
| <b>8. DIGESTIVE SYSTEM • SPYSVERTERINGSTELSEL</b>  |  |       |                                     |        |                        |    |           |
| <b>8.1 Oral cavity • Mondholte</b>   |  |       |                                     |        |                        |    |           |
| 1467   | Drainage of intra-oral abscess • Dreinerings van abses in die mondholte  | 31    | 296.70                              | 31     | 296.70                 | 4  | 178.80 +T |
| 1483   | Alveolar periosteal or other flaps for arch closure • Alveolêre periosteale of ander flappe vir boog sluiting  | 138   | 1,320.70                            | 110.4  | 1,056.50               | 4  | 178.80 +T |
| <b>8.2 Lips • Lippe</b>  |  |       |                                     |        |                        |    |           |

\*Per service (specify) / Per diens (spesifiseer)

|  | Specialist<br>Spesialis |          | General<br>practitioner<br>Huisarts |          | Anaesthetic<br>Narkose |        |     |
|--|-------------------------|----------|-------------------------------------|----------|------------------------|--------|-----|
|  | U/E                     | R        | U/E                                 | R        | U/E                    | R      | T/M |
| 1485 Local excision of benign lesion of lip • Lokale uitsnyding van goedaardige letsel van lip   | 27                      | 258.40   | 27                                  | 258.40   | 4                      | 178.80 | +T  |
| 1499 Lip reconstruction following an injury: Directed repair • Liprekonstruksie na besering: Direkte herstel   | 91                      | 870.90   | 72.8                                | 696.70   | 4                      | 178.80 | +T  |
| <i>Lip reconstruction following an injury only / Liprekonstruksie slegs na besering</i>  |                         |          |                                     |          |                        |        |     |
| 1501 Flap repair • Flapherstel   | 206                     | 1,971.40 | 164.8                               | 1,577.10 | 4                      | 178.80 | +T  |
| 1503 Total reconstruction (first stage) • Totale rekonstruksie (eerste stadium)  | 206                     | 1,971.40 | 164.8                               | 1,577.10 | 4                      | 178.80 | +T  |
| 1504 Subsequent stages (see item 0297) • Daaropvolgende stadiums (Sien item 0297)  | 104                     | 995.30   | 83.2                                | 796.20   | 4                      | 178.80 | +T  |
| <b>8.3 Tongue • Tong</b>   |                         |          |                                     |          |                        |        |     |
| 1505 Partial glossectomy • Gedeeltelike glossektomie   | 225                     | 2,153.30 | 180                                 | 1,722.60 | 6                      | 268.30 | +T  |
| 1507 Local excision of lesion of tongue • Lokale uitsnyding van letsel van tong  | 27                      | 258.40   | 27                                  | 258.40   | 4                      | 178.80 | +T  |
| <b>8.4 Palate, uvula and salivary gland • Verhemelte, uvula en speekselklier</b>   |                         |          |                                     |          |                        |        |     |
| 1526 Total parotidectomy with preservation of facial nerve • Totale verwydering van parotis met behoud van fasialis senuwee  | 358.5                   | 3,430.80 | 286.8                               | 2,744.70 | 5                      | 223.60 | +T  |
| 1531 Drainage of parotid abscess • Dreinerings van parotisabses  | 25                      | 239.30   | 25                                  | 239.30   | 4                      | 178.80 | +T  |
| <b>8.5 Oesophagus • Esofagus</b>   |                         |          |                                     |          |                        |        |     |
| 1545 Oesophagoscopy with rigid instrument: First and subsequent • Esofagoskopie met onbuigbare instrument: Eerste en herhaal   | 47                      | 449.80   | 47                                  | 449.80   | 4                      | 178.80 | +T  |
| 1550 With removal of foreign body • Met verwydering van vreemde voorwerp<br><i>Hiatus hernia and diaphragmatic hernia repair / Hiatus-breek en diafragmalesse breukherstel</i>   | 70                      | 669.90   | 60                                  | 574.20   | 4                      | 178.80 | +T  |
| 1563 With anti-reflux procedure • Met anti-refluksprosedure  | 300                     | 2,871.00 | 240                                 | 2,296.80 | 11                     | 491.80 | +T  |
| 1565 With Collins Nissen oesophageal lengthening procedure • Met Collins Nissen esofagusverlenging   | 350                     | 3,349.50 | 280                                 | 2,679.60 | 11                     | 491.80 | +T  |
| <b>8.6 Stomach • Maag</b>  |                         |          |                                     |          |                        |        |     |
| 1587 Upper gastro-intestinal fibre-optic endoscopy • Boonste gastro-intestinale veseloptiese endoskopie:<br>Own equipment • Eie apparaat   | 65                      | 622.10   | 60                                  | 574.20   | 4                      | 178.80 | +T  |
| 1589 Endoscopic control of gastrointestinal haemorrhage from upper gastrointestinal tract, intestines or large bowel by injection of vasoconstrictors and/or scleroses (endoscopic haemostasis) to be added to gastroscopy (item 1587) or colonoscopy (item 1653) • Endoskopiese beheer van gastroïntestinale bloeding van boonste gastroïntestinale weg, derms, of dikderm d.m.v. inspuiting van vatvernouers en/of sklerose (endoskopiese hemostase): voeg by gastroskopie (item 1587) of kolonoskopie (item 1653) | 15                      | 143.60   | 15                                  | 143.60   | 6                      | 268.30 | +T  |
| 1591 Upper gastro-intestinal endoscopy with removal of foreign bodies (stomach) • Boonste gastro-intestinale endoskopie met verwydering van vreemde liggamte (maag)  | 90                      | 861.30   | 72                                  | 689.00   | 6                      | 268.30 | +T  |
| 1597 Gastrotomy or Gastrostomy • Gastrotomie of Gastrostomie<br><i>Vagotomy / Vagotomie</i>  | 116                     | 1,110.10 | 92.8                                | 888.10   | 6                      | 268.30 | +T  |
| 1615 Suture of perforated gastric or duodenal ulcer or wound or injury • Hegting van geperforeerde maag- of duodenale ulkus of van wond of besering  | 200                     | 1,914.00 | 160                                 | 1,531.20 | 7                      | 313.00 | +T  |
| 1617 Partial gastrectomy • Gedeeltelike gastrektomie   | 300                     | 2,871.00 | 240                                 | 2,296.80 | 7                      | 313.00 | +T  |
| 1619 Total gastrectomy • Totale gastrektomie   | 375                     | 3,588.80 | 300                                 | 2,871.00 | 7                      | 313.00 | +T  |
| <b>8.7 Duodenum • Duodenum</b>   |                         |          |                                     |          |                        |        |     |
| 1626 Endoscopic examination of the small bowel beyond the duodenojejunal flexure with biopsy with or without polypectomy with or without arrest of haemorrhage (enteroscopy) • Endoskopiese ondersoek van die dunderm verder as die duodenojejonale fleksuur met biopsie met of sonder stopsetting van bloeding (enteroskopie)   | 120                     | 1,148.40 | 96                                  | 918.70   | 3                      | 134.10 | +T  |
| 1627 Duodenal intubation (under X-ray screening) • Duodenale intubasie (met X-straal deurligting)  | 8                       | 76.60    |                                     |          |                        |        |     |
| <b>8.8 Intestines • Dermkanaal</b>   |                         |          |                                     |          |                        |        |     |
| 1634 Enterotomy or Enterostomy • Enterotomie of Enterostomie   | 116                     | 1,110.10 | 92.8                                | 888.10   | 3                      | 134.10 | +T  |

\*Per service (specify) / Per diens (spesifiseer)

|   | Specialist<br>Spesialls |          | General<br>practitioner<br>Huisarts |          | Anaesthetic<br>Narkose |        |     |
|---|-------------------------|----------|-------------------------------------|----------|------------------------|--------|-----|
|   | U/E                     | R        | U/E                                 | R        | U/E                    | R      | T/M |
| 1637 Operation for relief of intestinal obstruction • Operasie vir verligting van intestinale obstruksie  | 230                     | 2,201.10 | 184                                 | 1,760.90 | 7                      | 313.00 | +T  |
| 1639 Resection of small bowel with enterostomy or anastomosis • Reseksie van dunderm met enterostomie of anastomose   | 230                     | 2,201.10 | 184                                 | 1,760.90 | 6                      | 268.30 | +T  |
| 1645 Suture of intestine (small or large): Wound or injury • Hegting van derm (dun of dik): Wond of besering  | 116                     | 1,110.10 | 92.8                                | 888.10   | 6                      | 268.30 | +T  |
| 1647 Closure of intestinal fistula • Sluiting van intestinale fistel  | 258                     | 2,469.10 | 206.4                               | 1,975.20 | 6                      | 268.30 | +T  |
| 1657 Right or left hemicolectomy or segmental colectomy • Regter of linker-hemikolektomie of segmentale kolektomie  | 325                     | 3,110.30 | 260                                 | 2,488.20 | 6                      | 268.30 | +T  |
| 1661 Colotomy: Including removal of foreign body • Kolotomie: Verwydering van vreemde voorwerp ingeslote  | 135                     | 1,292.00 | 108                                 | 1,033.60 | 7                      | 313.00 | +T  |
| 1663 Total colectomy • Totale kolektomie  | 390                     | 3,732.30 | 312                                 | 2,985.80 | 6                      | 268.30 | +T  |
| 1665 Colostomy or ileostomy isolated procedure • Kolostomie of ileostomie losstaande procedure  | 196                     | 1,875.70 | 156.8                               | 1,500.60 | 6                      | 268.30 | +T  |
| 1667 Colostomy: Closure • Kolostomie: Sluiting  | 150                     | 1,435.50 | 120                                 | 1,148.40 | 5                      | 223.60 |     |
| 1668 Revision of ileostomy pouch • Hersiening van ileostomie sak  | 375                     | 3,588.80 | 300                                 | 2,871.00 | 6                      | 268.30 | +T  |
| <b>8.10 Rectum and anus • Rektum en anus</b>  |                         |          |                                     |          |                        |        |     |
| 1677 Sigmoidoscopy: First and subsequent, with or without biopsy • Sigmoidoskopies: Eerste en daaropvolgende met of sonder biopsie  | 13                      | 124.40   | 13                                  | 124.40   | 3                      | 134.10 | +T  |
| <i>Repair of prolapsed rectum: Abdominal • Herstel van rektum prolaps: Abdominaal</i>   |                         |          |                                     |          |                        |        |     |
| 1688 Total mesorectal excision with colo-anal anastomosis and defunctioning enterostomy or colostomy • Totale mesorektale uitsnyding met kolo-anaale anastomose en enterostomie of kolostomie   | 445                     | 4,258.70 | 356                                 | 3,406.90 | 8                      | 357.70 | +T  |
| 1705 Incision and drainage of submucous abscess • Insnyding en dreinerings van perianale abses  | 40                      | 382.80   | 40                                  | 382.80   | 3                      | 134.10 | +T  |
| 1707 Drainage of submucous abscess • Dreinerings van sub-mukusale abses   | 40                      | 382.80   | 40                                  | 382.80   | 3                      | 134.10 | +T  |
| 1737 Dilatation of ano-rectal structure • Dilatasie van ano-rektale struktuur   | 12.5                    | 119.60   | 12.5                                | 119.60   | 3                      | 134.10 | +T  |
| 1742 Bio-feedback training for faecal incontinence during anorectal manometry performed by doctor • Bio-terugvoeropleiding vir fekale inkontinensie gedurende anorektale manometrie uitgevoer deur dokter   | 27                      | 258.40   |                                     |          |                        |        |     |
| <b>8.11 Liver • Lewer</b>   |                         |          |                                     |          |                        |        |     |
| 1743 Needle biopsy of liver • Naaldbiopsie van lewer  | 25                      | 239.30   | 25                                  | 239.30   | 3                      | 134.10 | +T  |
| 1745 Biopsy of liver by laparotomy • Biopsie van lewer deur laparotomie   | 90                      | 861.30   | 72                                  | 689.00   | 5                      | 223.60 | +T  |
| 1747 Drainage of liver abscess • Dreinerings van lewerabses   | 141                     | 1,349.40 | 112.8                               | 1,079.50 | 3                      | 134.10 | +T  |
| 1748 Body composition measured by bio-electrical impedance • Liggaamsamestelling gemeet deur middel van bio-elektriese impedansie   | 3                       | 28.70    | 3                                   | 28.70    |                        |        |     |
| <i>Hemi-hepatectomy • Hemi-hepatektomie</i>   |                         |          |                                     |          |                        |        |     |
| 1749 Right • Regs   | 440                     | 4,210.80 | 352                                 | 3,368.60 | 9                      | 402.40 | +T  |
| 1751 Left • Links   | 300                     | 2,871.00 | 240                                 | 2,296.80 | 9                      | 402.40 | +T  |
| 1753 Partial or segmental hepatectomy • Gedeeltelike of segmentale hepatektomie   | 350                     | 3,349.50 | 280                                 | 2,679.60 | 9                      | 402.40 | +T  |
| 1757 Suture of liver wound or injury • Hegting van lewerwond of besering  | 180                     | 1,722.60 | 144                                 | 1,378.10 | 9                      | 402.40 | +T  |
| <b>8.12 Biliarytract • Galweë</b>   |                         |          |                                     |          |                        |        |     |
| 1763 With exploration of common bile duct • Met eksplorasië van choledochus   | 275                     | 2,631.80 | 220                                 | 2,105.40 | 6                      | 268.30 | +T  |
| 1765 Exploration of common bile duct: Secondary operation • Eksplorasië van choledochus: Sekondêre operasie   | 291                     | 2,784.90 | 232.8                               | 2,227.90 | 6                      | 268.30 | +T  |
| 1767 Reconstruction of common bile duct • Rekonstruksie van choledochus   | 400                     | 3,828.00 | 320                                 | 3,062.40 | 6                      | 268.30 | +T  |
| <b>8.13 Pancreas • Pankreas</b>   |                         |          |                                     |          |                        |        |     |
| 1778 Pancreas: ERCP: Endoscopy + Catheterisation of pancreas duct or choledochus • Pankreas: ERCP: Endoskopie + kateterisasië van pankreasbuis of choledochus   | 97                      | 928.30   | 77.6                                | 742.60   | 5                      | 223.60 | +T  |
| 1779 Endoscopic exploration of the common bile duct performed following endoscopic retrograde choangiography to be added to ERCP (item 1778) • Endoskopiese eksplorering van die gemeenskaplike galbuis uitgevoer na endoskopiese retrograde cholangiografie om by ERCP (item 1778) te voeg | 10                      | 95.70    | 10                                  | 95.70    | 4                      | 178.80 | +T  |
| <i>Pancreatic functions tests • Pankreas funksietoets</i>   |                         |          |                                     |          |                        |        |     |
| 1783 Drainage of pancreatic abscess • Dreinerings van pankreasabses   | 180                     | 1,722.60 | 144                                 | 1,378.10 | 6                      | 268.30 | +T  |
| 1791 Local, partial or subtotal pancreatectomy • Lokale, gedeeltelike of subtotale pankreatektomie  | 250                     | 2,392.50 | 200                                 | 1,914.00 | 8                      | 357.70 | +T  |

\*Per service (specify) / Per diens (spesifiseer)

|  | Specialist<br>Spesialls |          | General<br>practitioner<br>Huisarts |          | Anaesthetic<br>Narkose |        |     |
|--|-------------------------|----------|-------------------------------------|----------|------------------------|--------|-----|
|  | U/E                     | R        | U/E                                 | R        | U/E                    | R      | T/M |
| 1793 Distal pancreatectomy with internal drainage • Distale pankreatektomie met interne dreinasie  | 300                     | 2,871.00 | 240                                 | 2,296.80 | 8                      | 357.70 | +T  |
| <b>8.14 Peritoneal cavity • Peritoneale holte</b>  |                         |          |                                     |          |                        |        |     |
| <i>Pneumo-peritoneum f. Pneumoperitoneum</i>   |                         |          |                                     |          |                        |        |     |
| 1797 First • Eerste  | 13                      | 124.40   | 13                                  | 124.40   | 4                      | 178.80 | +T  |
| 1799 Repeat • Daaropvolgende   | 6                       | 57.40    | 6                                   | 57.40    | 4                      | 178.80 | +T  |
| 1800 Peritoneal lavage • Peritoneale uitspoeling   | 20                      | 191.40   | 20                                  | 191.40   |                        |        |     |
| 1801 Diagnostic paracentesis: Abdomen • Diagnostiese parasentese: Buik   | 8                       | 76.60    | 8                                   | 76.60    |                        |        |     |
| 1803 Therapeutic paracentesis: Abdomen • Terapeutiese parasentese: Buik  | 13                      | 124.40   | 13                                  | 124.40   |                        |        |     |
| 1807 Add to open procedure where procedure was performed through a laparoscope ( for anaesthetic refer to modifier 0027). • Voeg by oop prosedure wanneer 'n prosedure deur 'n laparoskoop uitgevoer word ( vir narkose verwys na wysiger 0027).   | 45                      | 430.70   | 45                                  | 430.70   | 5                      | 223.60 | +T  |
| 1809 Laparotomy • Laparotomie  | 196                     | 1,875.70 | 156.8                               | 1,500.60 | 5                      | 223.60 | +T  |
| 1811 Suture of burst abdomen • Hegting van gebarste abdomen  | 188.3                   | 1,802.00 | 150.64                              | 1,441.60 | 5                      | 223.60 | +T  |
| 1812 Laparotomy for control of surgical haemorrhage • Laparotomie vir beheer van chirurgiese bloeding  | 105                     | 1,004.90 | 84                                  | 803.90   | 5                      | 223.60 | +T  |
| 1813 Drainage of subphrenic abscess • Dreinerings van sub-freniese abses<br><i>Drainage of other intraperitoneal abscess (excluding appendix abscess) • Dreinerings van ander intraperitoneale abses (appendiksabses uitgesluit)</i>   | 180                     | 1,722.60 | 144                                 | 1,378.10 | 7                      | 313.00 | +T  |
| 1815 Drainage of other intraperitoneal abscess (excluding appendix abscess): Transabdominal • Dreinerings van ander intraperitoneale abses (appendiksabses uitgesluit): Transabdominaal  | 248.4                   | 2,377.20 | 198.72                              | 1,901.80 | 5                      | 223.60 | +T  |
| 1817 Transrectal drainage of pelvic abscess • Transrektale dreinerings van bekkenabses   | 75                      | 717.80   | 60                                  | 574.20   | 4                      | 178.80 | +T  |
| <b>9. HERNIAE • BREUKE</b>   |                         |          |                                     |          |                        |        |     |
| 1819 Inguinal or femoral hernia • Inguinale of femorale breuk (trauma)   | 125                     | 1,198.30 | 100                                 | 957.00   | 5                      | 223.60 | +T  |
| 1825 Recurrent inguinal or femoral hernia • Herhalende inguinale of femorale breuk   | 155                     | 1,483.40 | 124                                 | 1,186.70 | 4                      | 178.80 | +T  |
| 1827 Strangulated hernia requiring resection of bowel • Reseksie van darm vir gestranguleerde breuk  | 238                     | 2,277.70 | 190.4                               | 1,822.10 | 7                      | 313.00 | +T  |
| 1831 Umbilical hernia • Naelbreuk  | 140                     | 1,339.80 | 112                                 | 1,071.80 | 3                      | 134.10 | +T  |
| 1835 Incisional • Snitbreuk  | 160                     | 1,531.20 | 128                                 | 1,225.00 | 4                      | 178.80 | +T  |
| 1836 Implantation of mesh or other prosthesis for incisional or ventral hernia repair (List separately in addition to code for the incisional or ventral hernia repair) • Inplaas van wondgaas (mesh) of ander prostese vir snit- of ventrale breuk herstel (Herhaal saam met die toepaslike prosedure kode vir snit- of ventrale breuk herstel) | 77                      | 736.90   | 61.6                                | 589.60   | 4                      | 178.80 | +T  |
| <b>10. URINARY SYSTEM • URINEWEE</b>   |                         |          |                                     |          |                        |        |     |
| <b>10.1 Kidney • Nier</b>  |                         |          |                                     |          |                        |        |     |
| 1839 Renal biopsy, per kidney, open • Nierbiopsie, per nier, oop   | 71                      | 679.50   | 60                                  | 574.20   | 5                      | 223.60 | +T  |
| 1841 Renal biopsy (needle) • Nierbiopsie (naald)   | 30                      | 287.10   | 30                                  | 287.10   | 3                      | 134.10 | +T  |
| <i>Peritoneal dialysis • Peritoneale dialise</i>   |                         |          |                                     |          |                        |        |     |
| 1843 First day • Eerstedag   | 33                      | 315.80   | 33                                  | 315.80   |                        |        |     |
| 1845 Every subsequent day • Elke daaropvolgende dag  | 33                      | 315.80   | 33                                  | 315.80   |                        |        |     |
| <i>Haemodialysis • Hemodialise</i>   |                         |          |                                     |          |                        |        |     |
| 1847 Per hour or part thereof • Per uur of gedeelte daarvan  | 21                      | 201.00   | 21                                  | 201.00   |                        |        |     |
| 1849 Maximum: Eight hours • Maksimum: Agt uur  | 168                     | 1,607.80 | 134.4                               | 1,286.20 |                        |        |     |
| 1851 Thereafter per week • Daarna per week   | 55                      | 526.40   | 55                                  | 526.40   |                        |        |     |
| 1852 Continuous hemodiafiltration per day in intensive or high care unit • Volgehoudende haemodiafiltrasie per dag in intensiewe of hoë sorgseenheid   | 33                      | 315.80   | 33                                  | 315.80   |                        |        |     |
| <i>Nephrectomy • Nefrektomie</i>   |                         |          |                                     |          |                        |        |     |
| 1853 Primary nephrectomy • Primêre nefrektomie   | 225                     | 2,153.30 | 180                                 | 1,722.60 | 5                      | 223.60 | +T  |
| 1855 Secondary nephrectomy • Sekondêre nefrektomie   | 267                     | 2,555.20 | 213.6                               | 2,044.20 | 5                      | 223.60 | +T  |
| 1863 Nephro-ureterectomy • Nefro-ureterektomie   | 305                     | 2,918.90 | 244                                 | 2,335.10 | 5                      | 223.60 | +T  |
| 1865 Nephrotomy with drainage nephrostomy • Nefrotomie met dreineringsnefrostomie  | 189                     | 1,808.70 | 151.2                               | 1,447.00 | 6                      | 268.30 | +T  |
| 1873 Suture renal laceration (renorrhaphy) • Hegting renalelaserasie (renorrhafie)   | 193                     | 1,847.00 | 154.4                               | 1,477.60 | 6                      | 268.30 | +T  |
| 1879 Closure renal fistula • Sluiting van nierfistel   | 189                     | 1,808.70 | 151.2                               | 1,447.00 | 5                      | 223.60 | +T  |
| 1881 Pyeloplasty • Piëloplastiek   | 252                     | 2,411.60 | 201.6                               | 1,929.30 | 5                      | 223.60 | +T  |

\*Per service (specify) / Per diens (spesifiseer)

|  | Specialist<br>Spesialls |          | General<br>practitioner<br>Huisarts |          | Anaesthetic<br>Narkose |        |     |
|--|-------------------------|----------|-------------------------------------|----------|------------------------|--------|-----|
|  | U/E                     | R        | U/E                                 | R        | U/E                    | R      | T/M |
| 1885 Pyelolithotomy • Piëloolithotomie   | 189                     | 1,808.70 | 151.2                               | 1,447.00 | 5                      | 223.60 | +T  |
| 1891 Perinephric abscess or renal abscess: Drainage • Perinefiese abses of nierabses: Dreinasie  | 200                     | 1,914.00 | 160                                 | 1,531.20 | 7                      | 313.00 | +T  |
| <b>10.2 Ureter • Ureter</b>  |                         |          |                                     |          |                        |        |     |
| 1897 Ureterorrhaphy: Suture of ureter • Ureterorrhafie: Hegting van ureter   | 147                     | 1,406.80 | 117.6                               | 1,125.40 | 5                      | 223.60 | +T  |
| 1898 Lumbar approach • Deur middel van lendesnit   | 189                     | 1,808.70 | 151.2                               | 1,447.00 | 5                      | 223.60 | +T  |
| 1899 Ureteroplasty • Ureteroplastiek   | 181                     | 1,732.20 | 144.8                               | 1,385.70 | 5                      | 223.60 | +T  |
| 1903 Ureterectomy only • Ureterektomie alleenlik   | 137                     | 1,311.10 | 109.6                               | 1,048.90 | 5                      | 223.60 | +T  |
| 1919 Closure of ureteric fistula • Sluiting van fistula van ureter   | 147                     | 1,406.80 | 117.6                               | 1,125.40 | 5                      | 223.60 | +T  |
| 1921 Immediate deligation of ureter • Onmiddellike losmaak van afbinding om ureter (deligasie)   | 147                     | 1,406.80 | 117.6                               | 1,125.40 | 5                      | 223.60 | +T  |
| <b>10.3 Bladder • Blaas</b>  |                         |          |                                     |          |                        |        |     |
| 1945 Installation of radio-opaque material for cystography or urethrocytography • Installering van radio-opaak materiaal vir sistograe of uretrasistografie  | 5                       | 47.90    | 5                                   | 47.90    | 3                      | 134.10 | +T  |
| 1949 Cystoscopy/Hospital equipment • Sistoskopie/Hospitaal toerusting  | 44                      | 421.10   | 44                                  | 421.10   | 3                      | 134.10 | +T  |
| 1951 And retrograde pyelography or retrograde ureteral catheterisation: Unilateral or bilateral • En retrograde pielograe of retrograde kateterisering van ureter: Unilateraal of bilateraal   | 10                      | 95.70    | 10                                  | 95.70    | 3                      | 134.10 | +T  |
| 1952 J J Stent catheter • J J Stent kateter  | 44                      | 421.10   | 44                                  | 421.10   | 3                      | 134.10 | +T  |
| 1954 Ureteroscopy • Ureteroskopie  | 35                      | 335.00   |                                     |          | 3                      | 134.10 | +T  |
| 1959 With manipulation of ureteral calculus • Met manipulasie van uretersteen  | 20                      | 191.40   | 20                                  | 191.40   | 3                      | 134.10 | +T  |
| 1961 With removal of foreign body or calculus from urethra or bladder • Met verwydering van vreemde voorwerp of kalkulus van uretra of blaas   | 20                      | 191.40   | 20                                  | 191.40   | 3                      | 134.10 | +T  |
| 1964 And control of haemorrhage and blood clot evacuation • En kontroliering van bloeding en bloedklont evakuasie  | 15                      | 143.60   | 15                                  | 143.60   | 3                      | 134.10 | +T  |
| 1976 Optic urethrotomy • Optiese uretrotomie<br><i>Internal urethrotomy / Interne uretrotomie</i>  | 80                      | 765.60   | 64                                  | 612.50   | 3                      | 134.10 | +T  |
| 1979 Female • Vroulik  | 50                      | 478.50   | 50                                  | 478.50   | 3                      | 134.10 | +T  |
| 1981 Male • Manlik<br><i>Transurethral resection of bladderneck / Transureterale reseksie van blaasnek</i>   | 76.2                    | 729.20   | 60.96                               | 583.40   | 3                      | 134.10 | +T  |
| 1985 Female • Vroulik  | 105                     | 1,004.90 | 84                                  | 803.90   | 5                      | 223.60 | +T  |
| 1986 Male • Manlik   | 125                     | 1,196.30 | 100                                 | 957.00   | 5                      | 223.60 | +T  |
| 1987 Litholapaxy • Litolapaksie  | 80                      | 765.60   | 64                                  | 612.50   | 3                      | 134.10 | +T  |
| 1989 Cystometrogram • Sistometrogram   | 25                      | 239.30   | 25                                  | 239.30   | 3                      | 134.10 | +T  |
| 1991 Flometric bladder studies with videocystography • Vloei-metriese blaasstudies met videosisistografie  | 40                      | 382.80   | 40                                  | 382.80   | 3                      | 134.10 | +T  |
| 1992 Without videocystography • Sonder videosisistografie  | 25                      | 239.30   | 25                                  | 239.30   | 3                      | 134.10 | +T  |
| 1993 Voiding cysto-urethrogram • Urinerings sisto-uretrogram   | 21                      | 201.00   | 21                                  | 201.00   | 3                      | 134.10 | +T  |
| 1995 Percutaneous aspiration of bladder • Perkutane aspirasie van blaas  | 10                      | 95.70    | 10                                  | 95.70    | 3                      | 134.10 | +T  |
| 1996 Bladder catheterisation—male (not at operation) • Blaas kateterisasie—manlik (nie tydens operasie)  | 6                       | 57.40    | 6                                   | 57.40    | 3                      | 134.10 | +T  |
| 1997 Bladder catheterisation—female (not at operation) • Blaas kateterisasie—vroulik (nie tydens operasie)   | 3                       | 28.70    | 3                                   | 28.70    |                        |        |     |
| 1999 Percutaneous cystostomy • Perkutane sistostomie<br><i>Total cystectomy • Totale sistektomie</i>   | 24                      | 229.70   | 24                                  | 229.70   | 3                      | 134.10 | +T  |
| 2013 Diverticulectomy (independant procedure): Multiple or single • Divertikulektomie (onafhanklike prosedure): Veelvoudig of enkelvoudig  | 137                     | 1,311.10 | 109.60                              | 1,048.90 | 5                      | 223.60 | +T  |
| 2015 Suprapubic cystostomy • Suprapubiese sistostomie<br><i>Reconstruction of ectopic bladder exclusive of orthopaedic operation (if required) / Rekonstruksie van ektopiese blaas met uitsluiting van ortopediese operasie (indien benodig)</i> | 67                      | 641.20   | 60                                  | 574.20   | 5                      | 223.60 | +T  |
| 2035 Cutaneous vesicostomy • Kutane vesikostomie   | 118                     | 1,129.30 | 94.4                                | 903.40   | 5                      | 223.60 | +T  |
| 2039 Operation for ruptured bladder • Operasie vir ruptuur van blaas   | 137                     | 1,311.10 | 109.6                               | 1,048.90 | 6                      | 268.30 | +T  |
| 2047 Drainage of perivesical or prevesical abscess • Dreinerig van peri-vesikale of prevesikale abses<br><i>Evacuation of clots from bladder • Verwydering van bloedklonte uit blaas</i>   | 105                     | 1,004.90 | 84                                  | 803.90   | 6                      | 268.30 | +T  |
| 2049 Other than post-operative • Post-operatief uitgesluit   | 132.10                  | 1,264.20 | 105.68                              | 1,011.40 | 5                      | 223.60 | +T  |
| 2050 Post-operative • Post-operatief   |                         |          |                                     |          | 5                      | 223.60 | +T  |
| 2051 Simple bladder lavage: Including catheterisation • Eenvoudige blaaspoeling: Kateterisasie ingesluit   | 12                      | 114.80   | 12                                  | 114.80   | 3                      | 134.10 | +T  |

\*Per service (specify) / Per diens (spesifiseer)

|  | Specialist<br>Spesialis |          | General<br>practitioner<br>Huisarts |          | Anaesthetic<br>Narkose |        |     |
|--|-------------------------|----------|-------------------------------------|----------|------------------------|--------|-----|
|  | U/E                     | R        | U/E                                 | R        | U/E                    | R      | T/M |
| 2058 Non-surgical supervision of paraplegic patient All urodynamic studies excluded and charged for separately under items 1979, 1981, 1991 and 1992 of the Tariff • Nie-operatiewe toesig van parapleë. Alle urodinamiese ondersoeke uitgesluit en kan afsonderlik voor gevra word onder items 1979, 1981, 1991 en 1992 in Tarief | 117                     | 1,119.70 | 93.6                                | 895.80   |                        |        |     |
| <b>10.4 Urethra • Uretra</b>   |                         |          |                                     |          |                        |        |     |
| <i>Dilatation of urethral structure: By passage of sound / Dilatasie van struktuur van uretra: deur middel van 'n sonde</i>  |                         |          |                                     |          |                        |        |     |
| 2063 Initial (male) • Eerste (manlik)  | 20                      | 191.40   | 20                                  | 191.40   | 3                      | 134.10 | +T  |
| 2065 Subsequent (male) • Opvolg (manlik)   | 10                      | 95.70    | 10                                  | 95.70    | 3                      | 134.10 | +T  |
| 2067 By passage of filiform and follower (male) • D.m.v. 'n filiform en opvolger (manlik)  | 20                      | 191.40   | 20                                  | 191.40   | 3                      | 134.10 | +T  |
| 2071 Urethrorrhaphy: Suture of urethral wound or injury • Uretromrae: Hegting van wond of besering van uretra<br><i>Urethraplasty / Uretraplastiek</i><br><i>Pendulous urethra / Penduleuse uretra</i>   | 139                     | 1,330.20 | 111.2                               | 1,064.20 | 5                      | 223.60 | +T  |
| 2075 First stage • Eerste stadium  | 71                      | 679.50   | 60                                  | 574.20   | 4                      | 178.80 | +T  |
| 2077 Second stage • Tweede stadium   | 145                     | 1,387.70 | 116                                 | 1,110.10 | 4                      | 178.80 | +T  |
| 2081 Reconstruction or repair of male anterior urethra (one stage) • Rekonstruksie of herstel van anterior manlike uretra (een stadium)<br><i>Reconstruction or repair of prostatic or membranous urethra / Rekonstruksie of herstel van prostatiese of membraneuse uretra</i>   | 261.6                   | 2,503.50 | 209.28                              | 2,002.80 | 4                      | 178.80 | +T  |
| 2083 First stage • Eerste stadium  | 168                     | 1,607.80 | 134.4                               | 1,286.20 | 6                      | 268.30 | +T  |
| 2085 Second stage • Tweede stadium   | 168                     | 1,607.80 | 134.4                               | 1,286.20 | 6                      | 268.30 | +T  |
| 2086 If done in one stage • Indien dit 'n een stadium operasie is<br><i>Total Urethrectomy / Totale Uretrektomie</i>   | 294                     | 2,813.60 | 235.2                               | 2,250.90 | 6                      | 268.30 | +T  |
| 2095 Drainage of simple localised perineal urinary extravasation • Dreinerings van eenvoudige gelokaliseerde perineale urinêre ekstrasvasie  | 128.8                   | 1,232.60 | 103.04                              | 986.10   | 4                      | 178.80 | +T  |
| 2097 Drainage of extensive pedneal urinary extravasation • Dreinerings van uitgebreide perineale en/of abdominale urinêre ekstrasvasie   | 137                     | 1,311.10 | 109.6                               | 1,048.90 | 3                      | 134.10 | +T  |
| 2103 Simple urethral meatotomy • Eenvoudige uretrale meatotomie<br><i>Incision of deep peri-urethral abscess / Insnyding van diep peri-uretrale abses</i>  | 39.45                   | 377.50   | 39.45                               | 377.50   | 3                      | 134.10 | +T  |
| 2105 Female • Vroulik  | 123.1                   | 1,178.10 | 98.48                               | 942.50   | 3                      | 134.10 | +T  |
| 2107 Male • Manlik   | 123.1                   | 1,178.10 | 98.48                               | 942.50   | 3                      | 134.10 | +T  |
| 2109 Badenoch pull-through for intractable structure or incontinence • Badenoch deurtrek operasie vir moeilike struktuur of inkontinensie  | 181                     | 1,732.20 | 144.8                               | 1,385.70 | 5                      | 223.60 | +T  |
| 2111 External sphincterotomy • Eksterne sfinkterotomie   | 108                     | 1,033.60 | 86.4                                | 826.80   | 4                      | 178.80 | +T  |
| 2115 Operation for correction of male urinary incontinence with or without introduction of prosthesis (excluding cost of prosthesis) • Operasie vir regstel van manlike urinêre inkontinensie met of sonder die aanbring van prostese (sonder koste van prostese)  | 168                     | 1,607.80 | 134.4                               | 1,286.20 | 5                      | 223.60 | +T  |
| 2116 Urethral meatoplasty • Uretrale meatoplastiek   | 101.5                   | 971.40   | 81.2                                | 777.10   | 3                      | 134.10 | +T  |
| 2117 Closure of urethrostomy or urethrocutaneous fistula (independant procedure) • Sluiting van uretrotomie of uretrokutane fistel (onafhanklike prosedure)  | 150.3                   | 1,438.40 | 120.24                              | 1,150.70 | 5                      | 223.60 | +T  |
| <b>11. MALE GENITAL SYSTEM • MANLIKE GESLAGSTELSEL</b>   |                         |          |                                     |          |                        |        |     |
| <b>11.1 Penis • Penis</b>  |                         |          |                                     |          |                        |        |     |
| 2141 Plastic operation for insertion of prosthesis • Plastiek operasie vir inplaas van prostese  | 101                     | 966.60   | 80.8                                | 773.30   | 3                      | 134.10 | +T  |
| 2147 Plastic operation for injury: Including fracture of penis and skin graft if required • Plastiese operasie vir 'n besering: Insluitende fraktuur van penis en veloorplanting indien nodig  | 168                     | 1,607.80 | 134.4                               | 1,286.20 | 3                      | 134.10 | +T  |
| <b>11.2 Testis en epididymis • Testis en epididimis</b>  |                         |          |                                     |          |                        |        |     |
| <i>Orchidectomy (total or subcapsular) • Orgidektomie (totaal of subkapsulêr)</i>  |                         |          |                                     |          |                        |        |     |
| 2191 Unilateral • Unilateraal  | 98                      | 937.90   | 78.4                                | 750.30   | 6                      | 268.30 | +T  |
| 2193 Bilateral • Bilateraal  | 147                     | 1,406.80 | 117.6                               | 1,125.40 | 3                      | 134.10 | +T  |
| 2213 Suture or repair of testicular injury • Hegting of herstel van besering van testis  | 110.3                   | 1,055.60 | 88.24                               | 844.50   | 3                      | 134.10 | +T  |
| 2216 Incision and Drainage of testis or epididymis e.g. abscess or haematoma • Insnyding en dreinerings van testis of epididimis bv. abses of hematoom   | 90                      | 861.30   | 72                                  | 689.00   | 4                      | 178.80 | +T  |
| 2227 Incision and drainage of scrotal wall abscess • Insnyding en dreinerings en skrotumwandabses  | 42.7                    | 408.60   | 42.7                                | 408.60   | 5                      | 223.60 | +T  |

\*Per service (specify) / Per diens (spesifiseer)

|   | Specialist<br>Spesials |          | General<br>practitioner<br>Huisarts |          | Anaesthetic<br>Narkose |        |     |
|---|------------------------|----------|-------------------------------------|----------|------------------------|--------|-----|
|   | U/E                    | R        | U/E                                 | R        | U/E                    | R      | T/M |
| <b>11.3 Prostate • Prostaat</b>   |                        |          |                                     |          |                        |        |     |
| 2245 Trans-urethral resection of prostate • Trans-uretrale reseksie van prostaat  | 252                    | 2,411.60 | 201.6                               | 1,929.30 | 6                      | 268.30 | +T  |
| <b>14 NERVOUS SYSTEM • SENUWEESTELSE</b>  |                        |          |                                     |          |                        |        |     |
| <b>14.1 Diagnostic procedures • Diagnostiese prosedures</b>   |                        |          |                                     |          |                        |        |     |
| 2709 Full spinogram including bilateral median and postedortibial studies • Volledige spinogram wat bilaterale medianus en tibialis postedor studies insluit                              | 140                    | 1,339.80 |                                     |          |                        |        |     |
| 2711 Electro-encephalography: taking of record • Elektro-enkefalografie: Neem van rekord  | 36.10                  | 345.50   | 36.10                               | 345.50   |                        |        | -   |
| 2712 Electro-encephalography—interpretation • Elektro-enkefalografie — interpretasie  | 24                     | 229.70   | 24                                  | 229.70   |                        |        | -   |
| 2713 Lumbar puncture and/or intrathecal injections • Lumbale punksie en/of intratekale inspuitings  | 15                     | 143.60   | 15                                  | 143.60   |                        |        | -   |
| 2714 Cisternal puncture and/or intrathecal injections • Sisternale punksie en/of intratekale inspuitings<br><i>Electromyography • Elektromiografie</i>                                    | 15                     | 143.60   | 15                                  | 143.60   |                        |        | -   |
| 2717 First • Eerste   | 75                     | 717.80   | 60                                  | 574.20   | 3                      | 134.10 | +T  |
| 2718 Subsequent • Opvolg<br><i>Angiography Carotis • Angiografie Karotis</i>  | 75                     | 717.80   | 60                                  | 574.20   | 3                      | 134.10 | +T  |
| 2725 Unilateral • Unilateraal   | 25                     | 239.30   | 25                                  | 239.30   | 4                      | 178.80 | +T  |
| 2726 Bilateral • Bilateraal   | 44                     | 421.10   | 44                                  | 421.10   | 4                      | 178.80 | +T  |
| 2727 Vertebral artery: Direct needling • Vertebrale arterie: Direkte benaalding   | 50                     | 478.50   | 50                                  | 478.50   | 4                      | 178.80 | +T  |
| 2729 Vertebral catheterisation • Vertebrale kateterisasie<br><i>Air encephalography and Posterior fossa tomography • Lugenkefalografie en Posterior fossa tomografie</i>                  | 50                     | 478.50   | 50                                  | 478.50   | 4                      | 178.80 | +T  |
| 2731 Injection of air (independent procedure) • Inspuit van lug (alleenstaande prosedure)   | 14.5                   | 138.80   |                                     |          | 4                      | 178.80 | +T  |
| 2737 Visual field charting on Bjerrum Screen • Gesigsveldbepaling d.m.v. Bjerrum skerm<br><i>Ventricular needling without burring • Ventrikelpunksie, sonder boorgate</i>                 | 7                      | 67.00    | 7                                   | 67.00    |                        |        |     |
| 2739 Tapping only • Slegs aftapping   | 16                     | 153.10   | 16                                  | 153.10   | 4                      | 178.80 | +T  |
| 2741 Plus introduction of air and/or contrast dye for ventriculography • Plus inplasing van lug en/of kontrasmiddel vir ventrikulografie<br><i>Subdural tapping • Subdurale aftapping</i> | 43                     | 411.50   | 43                                  | 411.50   | 4                      | 178.80 | +T  |
| 2743 First sitting • Eerste keer  | 15                     | 143.60   | 15                                  | 143.60   | 4                      | 178.80 | +T  |
| 2745 Subsequent • Daaropvolgende keer   | 10                     | 95.70    | 10                                  | 95.70    | 4                      | 178.80 | +T  |
| <b>14.2 Introduction of burr holes for • Boorgate vir</b>   |                        |          |                                     |          |                        |        |     |
| 2747 Ventriculography • Ventrikulografie  | 150                    | 1,435.50 | 120                                 | 1,148.40 | 8                      | 357.70 | +T  |
| 2749 Catheterisation for ventriculography and/or drainage • Kateterisering vir ventrikulografie en/of dreinerings   | 150                    | 1,435.50 | 120                                 | 1,148.40 | 8                      | 357.70 | +T  |
| 2753 Subdural haematoma • Subdurale hematoom  | 150                    | 1,435.50 | 120                                 | 1,148.40 | 8                      | 357.70 | +T  |
| 2755 Subdural empyema • Subdurale empieëm   | 150                    | 1,435.50 | 120                                 | 1,148.40 | 8                      | 357.70 | +T  |
| 2757 Brain abscess • Breinabses   | 150                    | 1,435.50 | 120                                 | 1,148.40 | 8                      | 357.70 | +T  |
| <b>14.3 Nerve procedures • Senuwee prosedures</b>   |                        |          |                                     |          |                        |        |     |
| 2765 Nerve conduction studies (see items 0733 and 3285) • Senuweegeleidingstudies (sien items 0733 en 3285)   | 26                     | 248.80   | 26                                  | 248.80   | 4                      | 178.80 | +T  |
| <b>14.3.1 Nerve repair of suture • Senuwee herstel van hegting</b>  |                        |          |                                     |          |                        |        |     |
| 2767 Suture Brachial Plexus (see also items 2837 and 2839) • Hegting Brachiale Plexus (sien items 2837 en 2839)<br><i>Suture • Hegting</i><br><i>Large nerve • Groot senuwee</i>          | 300                    | 2,871.00 | 240                                 | 2,296.80 | 6                      | 268.30 | +T  |
| 2769 Primary • Primêr   | 134                    | 1,282.40 | 107.2                               | 1,025.90 | 5                      | 223.60 | +T  |
| 2771 Secondary • Sekondêr<br><i>Digital nerve • Digitale senuwee</i>  | 202                    | 1,933.10 | 161.6                               | 1,546.50 | 5                      | 223.60 | +T  |
| 2773 Primary • Primêr   | 65                     | 622.10   | 60                                  | 574.20   | 3                      | 134.10 | +T  |
| 2775 Secondary • Sekondêr<br><i>Nerve graft • Senuwee-transplantaat</i>   | 96                     | 918.70   | 76.8                                | 735.00   | 3                      | 134.10 | +T  |

\*Per service (specify) / Per diens (spesifiseer)

|  | Specialist<br>Spesialis |           | General<br>practitioner<br>Huisarts |          | Anaesthetic<br>Narkose |   |     |
|--|-------------------------|-----------|-------------------------------------|----------|------------------------|---|-----|
|  | U/E                     | R         | U/E                                 | R        | U/E                    | R   | T/M |
| 2777 Simple • Eenvoudig<br><i>Fascicular • Fassikulêr</i>  | 202                     | 1,933.10  | 161.6                               | 1,546.50 | 4                      | 178.80  | +T  |
| 2779 First fasciculus • Eerste fassikulus  | 202                     | 1,933.10  | 161.6                               | 1,546.50 | 4                      | 178.80  | +T  |
| 2781 Each additional fasciculus • Elke bykomende fassikulus  | 50                      | 478.50    | 50                                  | 478.50   | 4                      | 178.80  | +T  |
| 2783 Nerve flap: To include all stages • Senuweeflap: Alle stadia ingesluit.   | 224                     | 2,143.70  | 179.2                               | 1,714.90 | 4                      | 178.80  | +T  |
| 2787 Grafting of facial nerve • Oorplanting van nervus facialis  | 215                     | 2,057.60  | 172                                 | 1,646.00 | 5                      | 223.60  | +T  |
| <b>14.3.2 Neurectomy • Neurektomie</b>   |                         |           |                                     |          |                        |   |     |
| 2799 Intrathecal injections for pain • Intratekale inspuitings vir pyn   | 36                      | 344.50    | 36                                  | 344.50   | 5                      | 223.60  | +T  |
| 2800 Plexus nerve block • Pleksus senuweeblok  | 36                      | 344.50    | 36                                  | 344.50   |                        | As for<br>specialists-<br>Soos vir<br>spesialiste | -   |
| 2801 Epidural injection for pain (see modifier 0045 for post-operative pain relief) (refer to modifier 0021 for epidural anaesthetic) • Epidurale inspuiting vir pyn (sien wysiger 0045 vir post-operatiewe pynverligting) (verwys na wysiger 0021 vir epidurale narkose). | 36                      | 344.50    | 36                                  | 344.50   |                        |   |     |
| 2802 Peripheral nerve block • Perifere senuweeblok   | 25                      | 239.30    | 25                                  | 239.30   |                        | As for<br>specialists-<br>Soos vir<br>spesialiste |     |
| <i>Alcohol injection in peripheral nerves for pain • Alkohol inspuiting in perifere senuwes vir pyn</i>  |                         |           |                                     |          |                        |   |     |
| 2803 Unilateral • Unilateraal  | 20                      | 191.40    | 20                                  | 191.40   | 3                      | 134.10  | +T  |
| 2805 Bilateral • Bilateraal  | 35                      | 335.00    | 35                                  | 335.00   | 3                      | 134.10  | +T  |
| 2809 Peripheral nerve section for pain • Perifere senuwee-deursnyding vir pyn  | 45                      | 430.70    | 45                                  | 430.70   | 3                      | 134.10  | +T  |
| 2815 Excision interdigital neuroma – Morton • Eksisie interdigitaal neurom – Morton  | 82.3                    | 787.50    | 65.84                               | 630.10   | 3                      | 134.10  | +T  |
| 2825 Excision: Neuroma: Peripheral • Eksisie: Neuroom: Perifere  | 64                      | 612.50    | 60                                  | 574.20   | 3                      | 134.10  | +T  |
| <b>14.3.3 Other nerve procedures • Ander senuwee prosedures</b>  |                         |           |                                     |          |                        |   |     |
| 2827 Transposition of ulnar nerve • Transposisionering van nervus ulnaris<br><i>Neurolysis • Neurolise</i>   | 100                     | 957.00    | 80                                  | 765.60   | 3                      | 134.10  | +T  |
| 2829 Minor • Klein   | 51                      | 488.10    | 51                                  | 488.10   | 3                      | 134.10  | +T  |
| 2831 Major • Groot   | 132                     | 1,263.20  | 120                                 | 1,148.40 | 3                      | 134.10  | +T  |
| 2833 Digital • Digitaal  | 96                      | 918.70    | 76.80                               | 735.00   | 3                      | 134.10  | +T  |
| 2835 Scaleneotomy • Skalenotomie   | 132                     | 1,263.20  | 105.6                               | 1,010.60 | 6                      | 268.30  | +T  |
| 2837 Brachial plexus, suture or neurolysis (item 2767) • Brachiaal pleksus, hegting of neurolise (item 2767)   | 300                     | 2,871.00  | 240                                 | 2,296.80 | 6                      | 268.30  | +T  |
| 2839 Total brachial plexus exposure with graft, neurolysis and transplantation • Totale brachiaal pleksus blootlegging met oorplanting, neurolise en transplantaat   | 1200                    | 11,484.00 | 450                                 | 4,306.50 | 6                      | 268.30  | +T  |
| 2841 Carpal Tunnel • Karpaaltonnel<br><i>Lumbar sympathectomy • Lumbale simpatektomie</i>  | 64                      | 612.50    | 60                                  | 574.20   | 3                      | 134.10  | +T  |
| 2843 Unilateral • Unilateraal  | 153                     | 1,464.20  | 122.4                               | 1,171.40 | 4                      | 178.80  | +T  |
| 2845 Bilateral • Bilateraal<br><i>Sympathetic block • Simpatiese senuweeblok:</i><br><i>Other levels • Op enige vlak:</i>  | 268                     | 2,664.80  | 214.4                               | 2,051.80 | 6                      | 268.30  | +T  |
| 2849 Unilateral • Unilateraal  | 20                      | 191.40    | 20                                  | 191.40   | 3                      | 134.10  | +T  |
| 2851 Bilateral • Bilateraal  | 35                      | 335.00    | 35                                  | 335.00   | 3                      | 134.10  | +T  |
| <b>14.4 Skull procedures • Skedelprosedures</b>  |                         |           |                                     |          |                        |   |     |
| <i>Repair of depressed fracture of skull • Herstel van ingedrewe skedelfraktuur</i>  |                         |           |                                     |          |                        |   |     |
| <i>Without brain laceration • Sonder skeuring van hersings</i>   |                         |           |                                     |          |                        |   |     |
| 2859 Major • Groot   | 200                     | 1,914.00  | 160                                 | 1,531.20 | 8                      | 357.70  | +T  |
| 2860 Small • Klein   | 170                     | 1,626.90  | 136                                 | 1,301.50 | 8                      | 357.70  | +T  |
| <i>With brain lacerations • Met skeuring van hersings</i>  |                         |           |                                     |          |                        |   |     |
| 2861 Small • Klein   | 200                     | 1,914.00  | 160                                 | 1,531.20 | 8                      | 357.70  | +T  |
| 2862 Major • Groot   | 375                     | 3,588.80  | 300                                 | 2,871.00 | 8                      | 357.70  | +T  |
| 2863 Cranioplasty • Kranioplastiek   | 280                     | 2,679.60  | 224                                 | 2,143.70 | 8                      | 357.70  | +T  |
| 2875 Theco-peritoneal C.S.F. shunt • Teko-peritoneale S.S.V. kortsluiting  | 280                     | 2,679.60  | 224                                 | 2,143.70 | 8                      | 357.70  | +T  |
| <b>14.6 Aneurysm repair • Aneurisme herstel</b>  |                         |           |                                     |          |                        |   |     |

\*Per service (specify) / Per diens (spesifiseer)

|  | Specialist<br>Spesialis |          | General<br>practitioner<br>Huisarts |          | Anaesthetic<br>Narkose |        |      |
|--|-------------------------|----------|-------------------------------------|----------|------------------------|--------|------|
|  | U/E                     | R        | U/E                                 | R        | U/E                    | R      | T/M  |
| 2876 Repair of aneurysm or arterio-venous anomalies (intracranial) • Herstel van aneurisme of arterio-veneuse-anomalieë (intrakraniaal)  | 700                     | 6,699.00 | 560                                 | 5,359.20 | 15                     | 670.70 | +T   |
| <b>14.7 Posterior fossa surgery • Posterior fossa chirurgie</b><br><i>Neurectomy • Neurektomie</i>   |                         |          |                                     |          |                        |        |      |
| 2879 Glosso-pharyngeal nerve • Glosso-faringeale senuwee<br><i>Eighth nerve • Agste kopsenuwee</i>   | 480                     | 4,593.60 | 384                                 | 3,674.90 | 6                      | 268.30 | +T   |
| 2881 Intracranial • Intrakraniaal  | 480                     | 4,593.60 | 384                                 | 3,674.90 | 8                      | 357.70 | +T   |
| 2887 Vestibular nerve • Vestibulêre senuwee  | 480                     | 4,593.60 | 384                                 | 3,674.90 | 9                      | 402.40 | +T   |
| <b>14.7.1 Supratentorial procedures • Supratentoriale prosedures</b>   |                         |          |                                     |          |                        |        |      |
| 2899 Craniectomy for extra-dural haematoma or empyema • Kraniëktomie weens ekstradurale hematoom of empieën  | 375                     | 3,588.80 | 300                                 | 2,871.00 | 11                     | 491.80 | +T   |
| <b>14.8 Craniotomy for • Kraniotomie vir</b>   |                         |          |                                     |          |                        |        |      |
| 2900 Extra-dural orbital decompression • Ekstradurale orbitale dekompessie   | 700                     | 6,699.00 | 560                                 | 5,359.20 | 11                     | 491.80 | +T   |
| 2903 Abscess • Abses   | 450                     | 4,306.50 | 360                                 | 3,445.20 | 11                     | 491.80 | +T   |
| 2904 Haematoma, foreign body: Cerebral or cerebellar • Hematoom, vreemde voorwerpe: Serebraal of serebellêr  | 450                     | 4,306.50 | 360                                 | 3,445.20 | 11                     | 491.80 | +T   |
| 2905 Focal epilepsy: Excision of cortical scar • Fokale epilepsie: Uitsnyding van kortikale litteken   | 450                     | 4,306.50 | 360                                 | 3,445.20 | 11                     | 491.80 | +T   |
| 2906 With anterior fossa meningocele and repair of bony skull defect • Met herstel anterior fossa meningoseel en sluiting van benige skedeldefek   | 375                     | 3,588.80 | 300                                 | 2,871.00 | 11                     | 491.80 | +T   |
| 2909 CSF-leaks • SSV-lekkasie  | 450                     | 4,306.50 | 360                                 | 3,445.20 | 11                     | 491.80 | +T   |
| <b>14.8.1 Stereo-tactic cerebral and spinal cord procedures • Sterio-taktiese</b>  |                         |          |                                     |          |                        |        |      |
| 2918 Non-operative supervision of paraplegics for all disciplines except urologists • Nie-operatiewe toesig van parapleë vir alle dissiplines, behalwe uroloë  | 244                     | 2,335.10 | 195.2                               | 1,868.10 |                        |        |      |
| <b>14.9 Spinal operations • Spinale operasies</b><br><i>Chordotomy • Chordotomie</i>   |                         |          |                                     |          |                        |        |      |
| 2923 Unilateral • Unilateraal  | 178                     | 1,703.50 | 142.4                               | 1,362.80 | 3                      | 134.10 | +T+M |
| 2925 Open • Oop  | 350                     | 3,349.50 | 280                                 | 2,679.60 | 3                      | 134.10 | +T+M |
| <i>Rhizotomy • Risotomie</i>   |                         |          |                                     |          |                        |        |      |
| 2927 Extradural, but intraspinal • Extraduraal, maar intraspinaal  | 320                     | 3,062.40 | 256                                 | 2,449.90 | 3                      | 134.10 | +T+M |
| 2928 Intradural • Intraduraal  | 350                     | 3,349.50 | 280                                 | 2,679.60 | 3                      | 134.10 | +T+M |
| <i>Extramedullary, but Intradural • Ekstramedullêr, maar Intraduraal</i>   |                         |          |                                     |          |                        |        |      |
| 2940 Lumbar osteophyte removal • Lumbale osteofiet verwydering   | 187                     | 1,789.60 | 149.6                               | 1,431.70 | 3                      | 134.10 | +T+M |
| 2941 Cervical or thoracic osteophyte removal • Servikale of torakale osteofiet verwydering   | 285                     | 2,727.50 | 228                                 | 2,182.00 | 3                      | 134.10 | +T+M |
| <b>14.10 Arterial ligations • Arteriële afbinding</b><br><i>Carotis • Karotis</i>  |                         |          |                                     |          |                        |        |      |
| 2951 Trauma • Trauma   | 120                     | 1,148.40 | 96                                  | 918.70   | 8                      | 357.70 | +T   |
| <b>14.11 Medical Psychotherapy • Mediese Psigoterapie</b>  |                         |          |                                     |          |                        |        |      |
| 2957 Individual psychotherapy (specific type)—per short session (20 minutes) • Individuele psigoterapie (spesifiseer tipe)—per kort sessie (20 minute)   | 31.7                    | 303.40   | 16                                  | 153.10   |                        |        |      |
| 2974 Individual psychotherapy (specific type)—per intermediate session (40 minutes) • Individuele psigoterapie—per intermedieë sessie (40 minute)  | 48                      | 459.40   | 32                                  | 306.20   |                        |        |      |
| 2975 Individual psychotherapy (specify type)—per extended session (60 minutes or longer) • Individuele psigoterapie (spesifiseer tipe)—per verlengde sessie (60 minute of langer)                        | 72                      | 689.00   | 48                                  | 459.40   |                        |        |      |
| 2958 Psychoanalytic therapy—per 60-minute session • Psigoanalitiese terapie—per 60-minute sessie   | 95.09                   | 910.00   | 48                                  | 459.40   |                        |        |      |
| <b>14.12 Physical treatment methods • Fisiese behandelingsmetodes</b>  |                         |          |                                     |          |                        |        |      |
| 2970 Electro-convulsive treatment (ECT)—each time (see rule Va) • Elektro-konvulsiewe behandeling (EKB)—per keer (raadpleeg reël Va)   | 25                      | 239.30   | 17                                  | 162.70   | 3                      | 134.10 | +T   |
| 2971 Intravenous anti-depressive medication through infusion—per push in (maximum 1 push in per 24 hours) • Binnearse anti-depressiewe medikasie deur infuus—per instoot (maksimum 1 instoot per 24 uur) | 6                       | 57.40    |                                     |          |                        |        |      |

\*Per service (specify) / Per diens (spesifiseer)

|   | Specialist<br>Spesialis |        | General<br>practitioner<br>Huisarts |        | Anaesthetic<br>Narkose |           |     |
|---|-------------------------|--------|-------------------------------------|--------|------------------------|-----------|-----|
|   | U/E                     | R      | U/E                                 | R      | U/E                    | R         | T/M |
| <b>14.13 Psychiatric examination methods • Psigiatryse ondersoekmetodes</b>   |                         |        |                                     |        |                        |           |     |
| 2972 Narco-analysis (maximum of 3 sessions per treatment)—per session • Narkoanalise (maksimum van 3 sessies per behandeling)—per sessie  | 24                      | 229.70 |                                     |        |                        |           |     |
| 2973 Psychochemistry by Psychiatrist (specify examination)—per session (maximum of 3 sessions per examination) • Psigometrie deur Psigiater (spesifiseer ondersoek)—per sessie (maksimum van 3 sessies per ondersoek)   | 24                      | 229.70 |                                     |        |                        |           |     |
| <b>15. GENERAL • ALGEMEEN</b>   |                         |        |                                     |        |                        |           |     |
| 3001 Implantation of pellets (excluding cost of material) • Inplantasie van korrels (koste van materiaal uitgesluit)  | 3                       | 28.70  | 3                                   | 28.70  |                        |           |     |
| <b>16 EYE • OOG</b>   |                         |        |                                     |        |                        |           |     |
| <b>16.1 Procedures performed in rooms • Spreekkamerprosedures</b>   |                         |        |                                     |        |                        |           |     |
| <b>16.1.1 Eye investigations -note : Not more than three (3) items in this section may be charged during one visit • Oogondersoeke - Opmerking: 'n Maksimum van drie (3) items uit hierdie afdeling mag gedurende een besoek gehef word.</b>  |                         |        |                                     |        |                        |           |     |
| Eye investigations and photography refer to one or both eyes except where otherwise indicated • Oogondersoeke en fotografie verwys na een of albei oë, behalwe waar anders aangetoon  |                         |        |                                     |        |                        |           |     |
| Material used is excluded • Materiaal gebruik word uitgesluit.  |                         |        |                                     |        |                        |           |     |
| The tariff for photography is not related to the number of photographs taken • Die tarief vir fotografie het nie betrekking op die aantal foto's wat geneem word nie  |                         |        |                                     |        |                        |           |     |
| 3002 Gonioscopy (not to be charged with item 3004 and/or item 3012) • Gonioskopie (mag nie gehef word saam met item 3004 en/of item 3012 nie)   | 7                       | 67.00  | 7                                   | 67.00  |                        |           |     |
| 3003 Fundus contact lens or 90D lens examination • Fundus kontaklens of 90D lens ondersoek  | 7                       | 67.00  | 7                                   | 67.00  |                        |           |     |
| 3004 Peripheral fundus examination with indirect ophthalmoscope (not to be charged with item 3002 and/or item 3012) • Perifere fundus ondersoek met indirekte oftalmoskoop (mag nie gehef word saam met item 3002 en/of item 3012 nie.  | 7                       | 67.00  | 7                                   | 67.00  |                        |           |     |
| 3009 Basic capital equipment used in own rooms by Ophthalmologists. Only to be charged at first and follow-up consultations. Not to be charged for post-operative follow-up consultations • Basiese kapitaal apparaat gebruik in eie kamers deur oftalmoloë. Mag slegs tydens eerste en opvolgkonsultasies gehef word. Nie vir gebruik tydens na-operatiewe besoeke nie | 11.68                   | 111.80 | -                                   |        |                        |           |     |
| 3013 Ocular motility assessment: Comprehensive examination • Okulêre motiliteitsbepalings: Omvattende ondersoek   | 12                      | 114.80 | 12                                  | 114.80 |                        |           |     |
| 3014 Tonometry per test with maximum of 2 tests for provocative tonometry (one or both eyes) • Tonometrie per toets met maksimum van 2 toetse vir uitloktionometrie (een of albei oë)   | 7                       | 67.00  | 7                                   | 67.00  |                        |           |     |
| 3021 Retinal function assessment including refraction after ocular surgery (within four months), maximum two examinations • Retinafunksie-bepaling insluitend refraksie na okulêre chirurgie (binne vier maande), maksimum twee ondersoeke  | 9                       | 86.10  | 9                                   | 86.10  |                        |           | -   |
| <b>16.1.2 Special eye investigations • Spesiale oogondersoeke</b>   |                         |        |                                     |        |                        |           |     |
| 3015 Charting of visual field with manual perimeter • Kartering van gesigsveld met manuele perimeter  | 28                      | 268.00 | 28                                  | 268.00 |                        |           |     |
| 3016 Retinal threshold test without storage facilities • Retina drempeltoets sonder bergingsfasiliteite   | 30                      | 287.10 | 30                                  | 287.10 |                        |           |     |
| 3017 Retinal threshold test inclusive of computer disc storage for Delta or Statpak programs • Retina drempeltoets insluitende rekenaarskyfberging vir Delta of Statpak programme   | 74                      | 708.20 | 60                                  | 574.20 |                        |           |     |
| 3018 Retinal threshold trend evaluation (additional to 3017) • Retina drempelverloop evaluasie (addisioneel tot 3017)   | 16                      | 153.10 | 16                                  | 153.10 |                        |           | -   |
| 3020 Pachymetry: Only when own instrument is used, per eye. Only in addition to corneal surgery • Pagimetrie: Alleenlik wanneer eie instrument gebruik word per oog. Alleenlik as toevoeging tot kornea chirurgie   | 46                      | 440.20 | 46                                  | 440.20 |                        |           | -   |
| 3025 Electronic tonography • Elektroniese tonografie  | 19                      | 181.80 | 19                                  | 181.80 |                        |           | -   |
| 3027 Fundus photography • Fundusfotografie  | 21                      | 201.00 | 21                                  | 201.00 |                        |           | -   |
| 3029 Anterior segment microphotography • Anterior-segment mikrofotografie   | 21                      | 201.00 | 21                                  | 201.00 |                        |           | -   |
| 3031 Fluorescein angiography: One or both eyes (not to be used with item 3022) • Fluoresseïen angiografie: Een of beide oë (kan nie saam item 3022 gebruik word nie)  | 45                      | 430.70 | 45                                  | 430.70 | 4                      | 178.80 +T |     |
| 3032 Eyelid and orbit photography • Ooglid en orbit fotografie  | 9                       | 86.10  | 9                                   | 86.10  |                        |           | -   |

\*Per service (specify) / Per diens (spesifiseer)

|  | Specialist<br>Spesialis |          | General<br>practitioner<br>Huisarts |          | Anaesthetic<br>Narkose |   |   |
|--|-------------------------|----------|-------------------------------------|----------|------------------------|---|---|
|  | U/E                     | R        | U/E                                 | R        | U/E                    | R | T/M                                     |
| 3033 Interpretation of item 3031 referred by other clinician • Interpretasie van item 3031 verwys deur ander geneesheer  | 16                      | 153.10   | 16                                  | 153.10   |                        |   | -                                       |
| 3034 Determination of lens implant power per eye • Bepaling van lensimplantstuk sterkte per oog  | 15                      | 143.60   | 15                                  | 143.60   |                        |   | -                                       |
| 3035 Where a minor procedure usually done in the consulting rooms requires a general anaesthetic or use of an operating theatre, an additional fee may be charged • Wanneer 'n klein prosedure wat gewoonlik in die spreekkamer uitgevoer word 'n algemene narkose of die gebruik van 'n teater vereis, kan bykomende gelde gehef word   | 22                      | 210.50   | 22                                  | 210.50   |                        |   | As per procedure-<br>Soos per prosedure |
| 3036 Corneal topography: For pathological corneas only on special motivation. For refractive surgery - may be charged once pre-operative and once post-operative per sitting (for one or both eyes) • Kornea topografie: alleenlik vir patologiese korneas met spesiale motivering. Vir refraktêre chirurgie: mag een maal pre-operatief en een maal post-operatief gehef word per sitting (vir een of beide oë) | 36                      | 344.50   | 36                                  | 344.50   |                        |   | -                                       |
| <b>16.2 Retina</b>   |                         |          |                                     |          |                        |   |   |
| 3037 Surgical treatment of retinal detachment including vitreous replacement but excluding vitrectomy • Chirurgiese behandeling van retinaloslating insluitende vervanging van vitreous uitsluitende vitrektomie   | 306.9                   | 2,937.00 | 245.52                              | 2,349.60 | 4                      |   | 178.80 +T                               |
| 3039 Prophylaxis and treatment of retina and choroid by cryotherapy and/or diathermy and/or photocoagulation and/or laser per eye • Profilakse en behandeling van retina en choroid met krioterapie en/of diatermie en/of fotokoagulasie en/of laser per oog   | 105                     | 1,004.90 | 54                                  | 516.80   | 6                      |   | 268.30 +T                               |
| 3041 Pan retinal photocoagulation (per eye), done in one sitting • Panretinale fotokoagulasie (per oog), in een sitting (Subsequent sittings: Modifier 0005) • (Daaropvolgende sittings: Wysiger 0005)   | 150                     | 1,435.50 | 120                                 | 1,148.40 | 6                      |   | 268.30 +T                               |
| 3044 Removal of encircling band and/or buckling material • Verwydering van omsirkelende bande en/of induik-materiaal   | 105                     | 1,004.90 | 84.00                               | 803.90   | 6                      |   | 268.30 +T                               |
| <b>16.3 Cataract • Katarak</b>   |                         |          |                                     |          |                        |   |   |
| 3045 Intra-capsular extraction • Intra-kapsulêre ekstrasie   | 210                     | 2,009.70 | 168                                 | 1,607.80 | 7                      |   | 313.00 +T                               |
| 3047 Extra-capsular (including capsulotomy) • Ekstra-kapsulêr (kapsulotomie ingesluit)   | 210                     | 2,009.70 | 168                                 | 1,607.80 | 7                      |   | 313.00 +T                               |
| 3049 Insertion of lenticulus in addition to 3045 or 3047 (cost of lens excluded) Modifier 0005 not applicable • Inplasing van lentikulus addisioneel tot 3045 of 3047 (koste van lens uitgesluit) (Wysiger 0005 nie van toepassing nie)  | 57                      | 545.50   | 57                                  | 545.50   | 7                      |   | 313.00 +T                               |
| 3050 Repositioning of intra ocular lens • Herposisionering van intra okulêre lens  | 171.10                  | 1,637.40 | 136.88                              | 1,309.90 | 6                      |   | 268.30 +T                               |
| 3051 Needling or capsulotomy • Benaalding of kapsulotomie  | 130                     | 1,244.10 | 104                                 | 995.30   | 6                      |   | 268.30 +T                               |
| 3052 Laser capsulotomy • Laser kapsulotomie  | 105                     | 1,004.90 | 84                                  | 803.90   | 4                      |   | 178.80 +T                               |
| 3057 Removal of lenticulus • Verwydering van lentikulus  | 210                     | 2,009.70 | 168                                 | 1,607.80 | 4                      |   | 178.80 +T                               |
| 3058 Exchange of intra ocular lens • Vervanging van intra okulêre lens   | 236                     | 2,258.50 | 188.8                               | 1,806.80 | 4                      |   | 178.80 +T                               |
| 3059 Insertion of lenticulus when 3045 or 3047 was not executed (cost of lens excluded) • Inplasing van lentikulus wanneer 3045 of 3047 nie uitgevoer is nie (koste van lens uitgesluit)   | 210                     | 2,009.70 | 168                                 | 1,607.80 | 7                      |   | 313.00 +T                               |
| 3060 Use of own surgical microscope for surgery or examination (not for slitlamp microscope) (for use by ophthalmologists only) • Gebruik van eie chirurgiese mikroskoop vir chirurgie of ondersoek (nie vir spleetlamp mikroskoop nie) (slegs vir gebruik deur oftalmoloeë)   | 4                       | 38.30    |                                     |          |                        |   |   |
| <b>16.4 Glaucoma • Glaukoom</b>  |                         |          |                                     |          |                        |   |   |
| 3061 Drainage operation • Dreineringsoperasie  | 247.6                   | 2,369.50 | 198.08                              | 1,896.60 | 6                      |   | 268.30 +T                               |
| 3062 Implantation of aqueous shunt device/seton in glaucoma, e.g. Ahmed or Molteno valve or Collagen implants. Additional to item 3061 • Inplanting van dreineringsklep of ander seton in glaukoom bv. Ahmed of Molteno klep of kollageen implantate. Addisioneel tot item 3061  | 60                      | 574.20   | 60                                  | 574.20   | 11                     |   | 491.80 +T                               |
| 3063 Cyclortherapy or cyclodiathermy • Siklokrioterapie of siklediatermie  | 105                     | 1,004.90 | 84                                  | 8,038.80 | 5                      |   | 223.60 +T                               |
| 3064 Laser trabeculoplasty • Laser trabekuloplastie  | 105                     | 1,004.90 | 84                                  | 803.90   | 4                      |   | 178.80 +T                               |
| 3065 Removal of blood anterior chamber • Verwydering van bloed van voorste kamer   | 105                     | 1,004.90 | 84                                  | 803.90   | 4                      |   | 178.80 +T                               |
| 3067 Goniotomy • Goniotomie  | 210                     | 2,009.70 | 168                                 | 1,607.80 | 7                      |   | 313.00 +T                               |
| <b>16.5 Intra-ocular foreign body • Vreemde voorwerp in oog</b>  |                         |          |                                     |          |                        |   |   |
| 3071 Anterior to Iris • Anterior tot die Iris  | 127                     | 1,215.40 | 101.6                               | 972.30   | 4                      |   | 178.80 +T                               |

\*Per service (specify) / Per diens (spesifiseer)

|  | Specialist<br>Spesialis |          | General<br>practitioner<br>Huisarts |          | Anaesthetic<br>Narkose |        |     |
|--|-------------------------|----------|-------------------------------------|----------|------------------------|--------|-----|
|  | U/E                     | R        | U/E                                 | R        | U/E                    | R      | T/M |
| 3073 Posterior to Iris (including prophylactic thermal treatment to retina) • Posterior tot die Iris (profiaktiese hittebehandeling van retina ingesluit)  | 210                     | 2,009.70 | 168                                 | 1,607.80 | 6                      | 268.30 | +T  |
| <b>16.6 Strabismus • Strabismus</b><br>(Whether operation performed on one eye or both) • (Hetsy operasie uitgevoer op een of albei oë)  |                         |          |                                     |          |                        |        |     |
| 3075 Operation on one or two muscles • Operasie op een of twee spiere  | 175.6                   | 1,680.50 | 148.48                              | 1,421.00 | 4                      | 178.80 | +T  |
| 3076 Operation on three or four muscles • Operasie op drie of vier spiere  | 200                     | 1,914.00 | 160                                 | 1,531.20 | 5                      | 223.60 | +T  |
| 3077 Subsequent operation one or two muscles • Daaropvolgende operasie een of twee spiere  | 120                     | 1,148.40 | 96                                  | 918.70   | 5                      | 223.60 | +T  |
| 3078 Subsequent operation on three of four muscles • Daaropvolgende operasie op drie of vier spiere  | 150                     | 1,435.50 | 120                                 | 1,148.40 | 5                      | 223.60 | +T  |
| <b>16.7 Globe • Oogbol</b>   |                         |          |                                     |          |                        |        |     |
| 3080 Examination of eyes under general anaesthetic where no surgery is done • Ondersoek van oë onder algemene narkose waar 'n operasie nie gedoen word nie   | 80                      | 765.60   | 64                                  | 612.50   | 4                      | 178.80 | +T  |
| 3081 Treatment of minor perforating injury. No uveal involvement • Behandeling van klein perforerende besering. Uvea nie betrek nie.   | 161.6                   | 1,546.50 | 129.28                              | 1,237.20 | 6                      | 268.30 | +T  |
| 3083 Treatment of major perforating injury. Uvea involved. • Behandeling van groot perforerende besering. Uvea betrek.   | 267.5                   | 2,560.00 | 214                                 | 2,048.00 | 6                      | 268.30 | +T  |
| 3085 Enucleation or Evisceration • Enukleasie of Evisserasie   | 105                     | 1,004.90 | 84.00                               | 803.90   | 4                      | 178.80 | +T  |
| 3087 Enucleation or Evisceration with mobile implant: Excluding cost of implant and prosthesis • Enukleasie of Evisserasie met beweeglike inplantstuk: Koste van inplantstuk en protese uitgesluit   | 160                     | 1,531.20 | 128                                 | 1,225.00 | 5                      | 223.60 | +T  |
| 3088 Hydroxyapatite insertion (Additional to item 3087) • Hidroksiapetite inplasing (Addisionele tot item 3087)  | 40                      | 382.80   | 40                                  | 382.80   | 5                      | 223.60 | +T  |
| 3089 Subconjunctival injection if not done at time of operation • Subkonjunktivale inspuiting indien nie tydens operasie gedoen nie  | 10                      | 95.70    | 10                                  | 95.70    | 5                      | 223.60 | +T  |
| 3091 Retrobulbar injection (if not done at time of operation) • Retrobulbere inspuiting (indien nie gedoen tydens operasie)  | 16                      | 153.10   | 16                                  | 153.10   | 4                      | 178.80 | +T  |
| 3092 External laser treatment for superficial lesions • Eksterne laser behandeling vir oppervlakkige letsels   | 53                      | 507.20   | 53                                  | 507.20   |                        |        |     |
| 3096 Adding of air or gas in vitreous as a post-operative procedure or pneumoretinopexy • Byvoeging van lug of gas in vitreous as 'n na-operatiewe prosedure of pneumoretinopeksie   | 130                     | 1,244.10 | 104                                 | 995.30   | 4                      | 178.80 | +T  |
| 3097 Anterior vitrectomy • Anterior vitrektomie  | 280                     | 2,679.60 | 224                                 | 2,143.70 | 6                      | 268.30 | +T  |
| 3098 Removal of silicon from globe • Verwydering van silikon uit oogbol  | 280                     | 2,679.60 | 224                                 | 2,143.70 | 6                      | 268.30 | +T  |
| 3099 Posterior vitrectomy including anterior vitrectomy, encircling of globe and vitreous replacement • Posteriorvitrektomie insluitende anterior vitrektomie omsirkeling van oogbol en vervanging van vitreus   | 419                     | 4,009.80 | 335.2                               | 3,207.90 | 6                      | 268.30 | +T  |
| 3100 Lensectomy done at time of posterior vitrectomy • Lensektomie gedoen saam met posterior vitrektomie   | 30                      | 287.10   | 30                                  | 287.10   | 7                      | 313.00 | +T  |
| <b>16.8 Orbit • Oogkas</b>   |                         |          |                                     |          |                        |        |     |
| 3101 Drainage of orbital abscess • Dreinerings van orbitale abses  | 105                     | 1,004.90 | 84                                  | 803.90   | 4                      | 178.80 | +T  |
| 3104 Removal orbital implant. • Verwydering orbitale protese   | 212.7                   | 2,035.50 | 170.16                              | 1,628.40 | 5                      | 223.60 | +T  |
| 3105 Exenteration • Eksenterasie   | 275                     | 2,631.80 | 220                                 | 2,105.40 | 5                      | 223.60 | +T  |
| 3107 Orbitotomy requiring bone flap • Orbitotomie wat beenflap vereis  | 393                     | 3,781.00 | 314.40                              | 3,008.80 | 5                      | 223.60 | +T  |
| 3108 Eye socket reconstruction • Oogkasrekonstruksie   | 206                     | 1,971.40 | 164.8                               | 1,577.10 | 5                      | 223.60 | +T  |
| 3109 Hydroxyapatite implantation in eye cavity when evisceration or enucleation was done previously • Hidroksiapetite inplanting wanneer evisserasie of enukleasie reeds voorheen gedoen is  | 300                     | 2,871.00 | 240                                 | 2,296.80 | 5                      | 223.60 | +T  |
| 3110 Second stage hydroxyapatite implantation • Tweede stadium hidroksiapetite inplanting  | 110                     | 1,052.70 | 88                                  | 842.20   | 5                      | 223.60 | +T  |
| <b>16.9 Cornea • Kornea</b>  |                         |          |                                     |          |                        |        |     |
| 3111 Contact lenses: Assessment involving preliminary fittings and tolerance visits • Kontaklensoë: Aanvanklike passings en verdraagsaamheidsbesoeke   | .                       | .        | .                                   | .        |                        |        |     |
| 3113 Fitting of contact lenses and instructions to patient: Includes eye examination, first fittings of the contact lenses and further post-fitting visits for one year • Passings van kontaklense en instruksie aan die pasiënt: Oog-ondersoek, eerste aanpas van kontaklense en opvolgbesoeke vir een jaar ingeslote | 200                     | 1,914.00 | 160                                 | 1,531.20 |                        |        |     |

\*Per service (specify) / Per diens (spesifiseer)

|   | Specialist<br>Spesialis |          | General<br>practitioner<br>Huisarts |          | Anaesthetic<br>Narkose |        |     |
|---|-------------------------|----------|-------------------------------------|----------|------------------------|--------|-----|
|   | U/E                     | R        | U/E                                 | R        | U/E                    | R      | T/M |
| 3115 Fitting of only one contact lens and instructions to the patient: Eye examination, first fitting of the contact lens and further post-fitting visits for one year included • Passing van slegs een kontaklen en instruksies aan die pasient: Oog-onderzoek, eerste pas van kontaklen en opvolgbesoeke vir een jaar ingeslote | 166                     | 1,588.60 | 132.8                               | 1,270.90 |                        |        |     |
| 3116 Astigmatic correction with T cuts or wedge resection in pathological corneal astigmatism following trauma, intra ocular surgery or penetrating keratoplasty • Astigmatiese korreksie met T snitte of wig reseksie in patologiese korneale astigmatisme na trauma, intraokulere chirurgie of korneale oorplanting.            | 135.2                   | 1,293.90 | 108.16                              | 1,035.10 | 5                      | 223.60 | +T  |
| *3117 Removal of foreign body: On the basis of fee per consultation • Verwydering van vreemde voorwerp op die basis van gelde per konsultasie   |                         | *        |                                     | *        | 3                      | 134.10 | +T  |
| 3118 Curettage of cornea after removal of foreign body • Curettage van kornea na verwydering van vreemde voorwerp   | 10                      | 95.70    | 10                                  | 95.70    |                        |        |     |
| 3119 Tattooing • Tattoeëring  | 26                      | 248.80   | 26                                  | 248.80   | 4                      | 178.80 | +T  |
| 3121 Graft (Lamellar of full thickness) • Oorplanting (Lamellêr van volle dikte)  | 289                     | 2,765.70 | 231.2                               | 2,212.60 | 6                      | 268.30 | +T  |
| 3123 Insertion of intra-corneal or intrascleral prosthesis for refractive surgery • Inplaas van intra/korneale of intrasklerale prostese vir refraktiewe chirurgie  | 254                     | 2,430.80 | 203.2                               | 1,944.60 | 6                      | 268.30 | +T  |
| 3125 Keratectomy or conjunctival flap • Keratektomie of konjunktivale flap  | 127                     | 1,215.40 | 101.6                               | 972.30   | 6                      | 268.30 | +T  |
| 3127 Cauterization of Cornea (by chemical, thermal or cryotherapy methods) • Kouterisasie van Kornea (deur chemiese, termale of krioterapie metodes)  | 10                      | 95.70    | 10                                  | 95.70    | 4                      | 178.80 | +T  |
| 3130 Pterygium or conjunctival cyst. No conjunctival flap or graft used • Pterigium of konjunktivale kiste. Geen konjunktivale flap of oorplanting.   | 96.9                    | 927.30   | 77.52                               | 741.90   | 4                      | 178.80 | +T  |
| 3131 Paracentesis • Parasentese   | 53                      | 507.20   | 53                                  | 507.20   | 4                      | 178.80 | +T  |
| 3136 Conjunctival flap or graft - stand alone procedure • Konjunktivale flap of oorplanting - alleenstaande prosedure   | 95.7                    | 915.80   | 76.56                               | 732.70   | 6                      | 268.30 | +T  |
| <b>16.10 Ducts • Buise</b>  |                         |          |                                     |          |                        |        |     |
| 3133 Probing and/or syringing, per duct • Sondering en/of deurspoeling per buis   | 10                      | 95.70    | 10                                  | 95.70    | 4                      | 178.80 | +T  |
| 3135 Insert polythene tubes/stent unilateral. Additional • Inplasing van politeenbuis of stent. Unilateraal. Addisioneel  | 13                      | 124.40   | 13                                  | 124.40   | 4                      | 178.80 | +T  |
| 3137 Excision of lacrimal sac: Unilateral • Uitsnyding van traansak: Unilateraal  | 132                     | 1,263.20 | 105.6                               | 1,010.60 | 4                      | 178.80 | +T  |
| 3139 Dacryocystorhinostomy (single) with or without polythene sac • Dakriosistorinostomie (enkel) met of sonder politeenbuis  | 210                     | 2,009.70 | 168                                 | 1,607.80 | 5                      | 223.60 | +T  |
| 3141 Sealing Punctum surgical/cautery per eye • Toemaak van punktum chirurgies of met kouterisasie. Per oog.  | 24.9                    | 238.30   | 24.9                                | 238.30   | 4                      | 178.80 | +T  |
| 3142 Sealing Punctum with plugs. Per eye. • Toemaak van punktum met proppie. Per oog  | 20                      | 191.40   | 16                                  | 153.10   | 4                      | 178.80 | +T  |
| 3143 Three-snip operation • Driesnit-operasie<br>Repair of canaliculus • Herstel van kanalikulus  | 10                      | 95.70    | 10                                  | 95.70    | 4                      | 178.80 | +T  |
| 3145 Primary procedure • Primêre prosedure  | 132                     | 1,263.20 | 105.6                               | 1,010.60 | 4                      | 178.80 | +T  |
| 3147 Secondary procedure • Sekondêre prosedure  | 175                     | 1,674.80 | 140                                 | 1,339.80 | 4                      | 178.80 | +T  |
| <b>16.11 Iris • Iris</b>  |                         |          |                                     |          |                        |        |     |
| 3149 Iridectomy or iridotomy by open operation as isolated procedure • Iridektomie of iridotomie met oop operasie as geïsoleerde prosedure  | 132                     | 1,263.20 | 105.6                               | 1,010.60 | 4                      | 178.80 | +T  |
| 3153 Iridectomy or iridotomy by laser or photocoagulation as isolated procedure (maximum one procedure) • Iridektomie of iridotomie met laser of fotokoagulasie as geïsoleerde prosedure (maksimum een prosedure)   | 105                     | 1,004.90 | 84                                  | 803.90   | 4                      | 178.80 | +T  |
| 3157 Division of anterior synechiae as isolated procedure • Verdeling van anterior sinegies as geïsoleerde prosedure  | 132                     | 1,263.20 | 105.6                               | 1,010.60 | 4                      | 178.80 | +T  |
| 3158 Repair iris as in dialysis. Anterior chamber reconstruction. • Herstel van iris soos in dialise. Anterior segment rekonstruksie.   | 142.4                   | 1,362.80 | 113.92                              | 1,090.20 | 5                      | 223.60 | +T  |
| <b>16.12 Lids • Ooglede</b>   |                         |          |                                     |          |                        |        |     |
| 3161 Tarsorrhaphy • Tarsorrafië   | 47                      | 449.80   | 47                                  | 449.80   | 4                      | 178.80 | +T  |
| 3165 Repair of skin laceration of the lid. Simple • Herstel van velleserasie van die ooglid. Eenvoudig.   | 27.3                    | 261.30   | 27.3                                | 261.30   | 4                      | 178.80 | +T  |
| 3176 Lid operation for facial nerve paralysis including tarsorrhaphy but excluding cost of material • Ooglidoperasie vir fasiale senuweeverlamming, tarsorrafië ingesluit maar koste van materiaal uitgesluit   | 187                     | 1,789.60 | 149.6                               | 1,431.70 | 4                      | 178.80 | +T  |
| <b>16.12.1 Entropion or ectropion by • Entropion of ektropion d.m.v.</b>  |                         |          |                                     |          |                        |        |     |
| 3172 Blepharoplasty lower eyelid plus fat pad. • Blefaroplastiek onderste ooglid met vet kussinkie.   | 125.80                  | 1,203.90 | 100.64                              | 963.10   | 4                      | 178.80 | +T  |
| 3177 Cautery • Kouterisasie   | 10                      | 95.70    | 10                                  | 95.70    | 4                      | 178.80 | +T  |

\*Per service (specify) / Per diens (spesifiseer)

|   | Specialist<br>Spesialis |          | General<br>practitioner<br>Huisarts |          | Anaesthetic<br>Narkose |        |     |
|---|-------------------------|----------|-------------------------------------|----------|------------------------|--------|-----|
|   | U/E                     | R        | U/E                                 | R        | U/E                    | R      | T/M |
| 3179 Suture • Hegting   | 49.4                    | 472.80   | 49.4                                | 472.80   | 4                      | 178.80 | +T  |
| 3181 Open operation • Oop operasie  | 111.5                   | 1,067.10 | 89.2                                | 853.60   | 4                      | 178.80 | +T  |
| 3183 Free skin, mucosal grafting or flap • Vry vel, slymvlies oorplanting of flap   | 122.6                   | 1,173.30 | 98.08                               | 938.60   | 5                      | 223.60 | +T  |
| <b>16.12.2 Reconstruction of eyelid • Rekonstruksie van ooglid</b>  |                         |          |                                     |          |                        |        |     |
| <i>Staged procedures for partial or total loss of eyelid • Prosedures vir gedeeltelike of volledige verlies van ooglid</i>  |                         |          |                                     |          |                        |        |     |
| 3185 First stage • Eerste stadium   | 206                     | 1,971.40 | 164.8                               | 1,577.10 | 4                      | 178.80 | +T  |
| 3187 Subsequent stage • Daaropvolgende stadium  | 206                     | 1,971.40 | 164.8                               | 1,577.10 | 4                      | 178.80 | +T  |
| 3189 Full thickness eyelid laceration for injury: Direct repair • Volle dikte ooglid laserasie as gevolg van besering: Direkte herstel.   | 136.5                   | 1,306.30 | 109.2                               | 1,045.00 | 5                      | 223.60 | +T  |
| 3191 Blepharoplasty: Upper lid for improvement in function (unilateral) • Biefaroplastiek: Boonste ooglid om funksie te verbeter. (unilateraal)   | 130.5                   | 1,248.90 | 104.4                               | 999.10   | 4                      | 178.80 | +T  |
| <b>16.12.3 Ptosis • Ptose</b>   |                         |          |                                     |          |                        |        |     |
| 3193 Repair by superior rectus, levator or frontalis muscle operation • Herstel deur middel van superior rektus, ligspier of frontalespier operasie<br><i>Ptosis: By lesser procedure e.g. sling operation • Ptose: D.m.v. enige kleiner operasies, bv draagbandoperasies</i> | 190                     | 1,818.30 | 152                                 | 1,454.60 | 4                      | 178.80 | +T  |
| 3195 Unilateral • Unilateraal   | 137.6                   | 1,316.80 | 110.08                              | 1,053.50 | 4                      | 178.80 | +T  |
| 3197 Bilateral • Bilateraal   | 166                     | 1,588.60 | 132.8                               | 1,270.90 | 4                      | 178.80 | +T  |
| 3198 Eximer laser: Hire fee • Eksimer laser: Verhuringsgelde  | 284.4                   | 2,721.70 |                                     | -        |                        |        |     |
| <b>16.13 Conjunctiva • Konjunktiva</b>  |                         |          |                                     |          |                        |        |     |
| 3199 Repair of conjunctiva by grafting • Herstel van konjunktiva deur oorplanting   | 132                     | 1,263.20 | 105.6                               | 1,010.60 | 4                      | 178.80 | +T  |
| 3200 Repair of lacerated conjunctiva • Herstel van laserasie van konjunktiva  | 47                      | 449.80   | 47                                  | 449.80   | 4                      | 178.80 | +T  |
| <b>16.14 General • Algemeen</b>   |                         |          |                                     |          |                        |        |     |
| 3196 Diamond knife: Use of own diamond knife during intraocular surgery • Diamantmes: Gebruik van eie diamantmes gedurende intraokulêre chirurgie   | 12                      | 114.80   |                                     |          |                        |        |     |
| 3201 Laser apparatus (hire fee): for one or both eyes done in one sitting • Laser apparaat (verhuringsgelde): vir een of beide oë in een sitting gedoen   | 109                     | 1,043.10 |                                     |          |                        |        |     |
| 3202 PHAKO emulsification apparatus (hire fee) • FAKO emulsifiseringsapparaat (verhuringsgelde)   | 109                     | 1,043.10 |                                     |          |                        |        |     |
| 3203 Vitrectomy apparatus (hire fee) • Vitrektomie apparaat (verhuringsgelde)   | 120                     | 1,148.40 |                                     |          |                        |        |     |
| <b>17 EAR • OOR</b>   |                         |          |                                     |          |                        |        |     |
| <b>17.1 External Ear (Pinna) • Eksterne Oor (Oorskulp)</b>  |                         |          |                                     |          |                        |        |     |
| Major reconstruction of external ear • Groot operasie vir rekonstruksie van   |                         |          |                                     |          |                        |        |     |
| 3271 Partial or total reconstruction traumatic absence or following tumour excision of external ear (fee according to arrangement) • Gedeeltelike of algehele rekonstruksie van uitwendige oor vir traumatiese afwesigheid (fooi volgens ooreenkoms)                          |                         |          |                                     |          |                        |        |     |
| <b>17.2 External ear canal • Uitwendige gehoorgang</b>  |                         |          |                                     |          |                        |        |     |
| 3204 Removal of foreign body at rooms • Verwydering van vreemde voorwerp by spreekkamer   |                         | *        |                                     | *        | 4                      | 178.80 | +T  |
| 3205 Removal of foreign body under general anaesthetic • Verwydering van vreemde voorwerp onder algemene narkose  | 21                      | 201.00   | 21                                  | 201.00   | 4                      | 178.80 | +T  |
| 3206 Microscopic examination of tympanic membrane including microsuction • Mikroskopiese ondersoek van timpaniese membraan insluitende mikrotoilet  | 8                       | 76.60    | 8                                   | 76.60    | -                      |        |     |
| 3209 Bilateral myringotomy • Bilaterale miringotomie  | 46                      | 440.20   | 46                                  | 440.20   | 4                      | 178.80 | +T  |
| 3210 ENT microscope instrument fee used in consulting rooms by otorhinolaryngologists • ONK mikroskoop instrument fooi vir gebruik in die spreekkamers deur otorinolaringoloë   | 43.4                    | 415.30   | 43.4                                | 415.30   |                        |        |     |
| 3211 Unilateral myringotomy with insertion ventilation tube • Unilaterale miringotomie met inplaaas van ventilasie buis   | 38                      | 363.70   | 38                                  | 363.70   | 4                      | 178.80 | +T  |
| 3212 Bilateral myringotomy with insertion ventilation tube • Bilaterale miringotomie met inplaaas van ventilasiebuis  | 57                      | 545.50   | 57                                  | 545.50   | 4                      | 178.80 | +T  |
| 3214 Reconstruction of middle ear ossicles (ossiculoplasty) • Rekonstruksie van middeloor ossikels (ossikulêre rekonstruksie)   | 255                     | 2,440.40 | 204                                 | 1,952.30 | 5                      | 223.60 | +T  |
| <i>Meatus Atresia • Meatus-atresie</i>  |                         |          |                                     |          |                        |        |     |

\*Per service (specify) / Per diens (spesifiseer)

|   | Specialist<br>Spesialis  |       | General<br>practitioner<br>Huisarts |        | Anaesthetic<br>Narkose |   |           |
|---|--|-------|-------------------------------------|--------|------------------------|---|-----------|
|   | U/E  | R     | U/E                                 | R      | U/E                    | R | T/M       |
| 3215  | Repair of stenosis of cartilaginous portion • Herstel van stenose van kraakbenige deel   | 164   | 1,569.50                            | 131.2  | 1,255.60               | 4 | 178.80 +T |
| 3219  | Removal of osteoma from meatus: Solitary • Verwyder van enkele meatale osteoom   | 77    | 736.90                              | 61.6   | 589.50                 | 4 | 178.80 +T |
| 3221  | Removal of osteoma from meatus: Multiple • Verwydering van veelvuldige meatale osteome   | 215   | 2,057.60                            | 172    | 1,646.00               | 4 | 178.80 +T |
| <b>7.3 Middle ear • Middelloor</b>  |  |       |                                     |        |                        |   |           |
| 3237  | Exploratory tympanotomy • Eksploratiewe timpanotomie   | 158.9 | 1,520.70                            | 127.12 | 1,216.50               | 5 | 223.60 +T |
| 3243  | Myringoplasty • Miringoplastiek  | 138   | 1,320.70                            | 110.4  | 1,056.50               | 5 | 223.60 +T |
| 3245  | Functional reconstruction of tympanic membrane • Funktionele rekonstruksie van timpaniese membraan   | 277   | 2,650.90                            | 221.6  | 2,120.70               | 5 | 223.60 +T |
| 3257  | Cortical mastoidectomy • Kortikale mastoïdektomie  | 130   | 1,244.10                            | 104    | 995.30                 | 5 | 223.60 +T |
| 3259  | Radical mastoidectomy (excluding minor procedures) • Radikale mastoïdektomie (kleiner prosedures uitgesluit)   | 195   | 1,866.20                            | 156    | 1,492.90               | 5 | 223.60 +T |
| 3260  | Computerized static posturography consists of standing a patient on a Piezo-electric platform which tests the vestibular and proprioceptive systems • Gerekenariseerde statiese bewegingsondersoeke met 'n pasiënt in 'n staande posisie op 'n Piezo-elektriese platform wat die vestibulêre en proprioseptiewe stelsels toets | 71.48 | 684.10                              | 60     | 574.20                 |   |           |
| 3264  | Tympanomastoidectomy • Timpanomastoïdektomie   | 320   | 3,062.40                            | 256    | 2,449.90               | 5 | 223.60 +T |
| 3265  | Reconstruction of posterior canal wall, following radical mastoidectomy • Rekonstruksie van posterior wand van die kanaal, na radikale mastoïdektomie  | 375   | 3,588.80                            | 300    | 2,871.00               | 5 | 223.60 +T |
| <b>17.4 Facial nerve • Fasiaalissenuwee</b>   |  |       |                                     |        |                        |   |           |
| <b>17.4.1 Facial nerve tests • Fasiaalissenuweetoetse</b>   |  |       |                                     |        |                        |   |           |
| 3223  | Percutaneous stimulation of the facial nerve • Perkutane stimulasie van die fasiaalissenuwee   | 9     | 86.10                               | 9      | 86.10                  | 4 | 178.80 +T |
| 3224  | Electroneurography (ENOG) • Elektroneurografie (ENOG)  | 75    | 717.80                              | 60     | 574.20                 | 4 | 178.80 +T |
| <b>17.4.2 Facial nerve surgery • Fasiaalissenuwee chirurgie</b>   |  |       |                                     |        |                        |   |           |
| <b>EXPLORATION OF FACIAL NERVE • BLOOTLEGGING VAN NERVUS FASIALIS</b>   |  |       |                                     |        |                        |   |           |
| 3227  | Exploration of tympano mastoid segment • Blootlegging van die timpanomastoïd segment   | 277   | 2,650.90                            | 221.6  | 2,120.70               | 5 | 223.60 +T |
| 3228  | Grafting of the tympano mastoid segment (including item 3227) • Oorplanting van die timpanomastoïd segment (insluitende item 3227)   | 436   | 4,172.50                            | 348.8  | 3,338.00               | 5 | 223.60 +T |
| 3230  | Extratemporal grafting of the facial nerve • Ekstratemporale oorplanting van die fasiaalissenuwee  | 436   | 4,172.50                            | 348.8  | 3,338.00               | 5 | 223.60 +T |
| 3232  | Facio-assessory or facio-hypoglossal anastomosis • Fasio-aksessortese of fasio-hipoglossale anastomose   | 124   | 1,186.70                            | 99.2   | 948.30                 | 6 | 268.30 +T |
| <b>17.5 Inner ear • Binne-oor</b>   |  |       |                                     |        |                        |   |           |
| <b>17.5.1 Audiometry • Oudlometrie</b>  |  |       |                                     |        |                        |   |           |
| 3273  | Pure tone audiometry (air conduction) • Suiver toon oudlometrie (luggeleiding)   | 6.5   | 62.20                               | 6.5    | 62.20                  |   |           |
| 3274  | Pure tone audiometry (bone conduction with masking) • Suiver toon oudlometrie (beengeleiding met maskering)  | 6.5   | 62.20                               | 6.5    | 62.20                  |   |           |
| 3275  | Impedance audiometry (tympanometry) • Impedansie oudlometrie (tympanometrie)   | 6.5   | 62.20                               | 6.5    | 62.20                  |   |           |
| 3277  | Speech audiometry: Inclusive fee (speech audiogram, speech reception threshold, discrimination score) • Spraak oudlometrie: Inklusiewe gelde (spraak audiogram, spraak ontvangs drempel, diskrimineringsstelling)  | 10    | 95.70                               | 10     | 95.70                  |   |           |
| <b>17.5.2 Balance tests • Balanstoetse</b>  |  |       |                                     |        |                        |   |           |
| 3251  | Minimal calorie test (excluding consultation fee) • Minimale kalorietoets (konsultasie uitgesluit)   | 10    | 95.70                               | 10     | 95.70                  |   |           |
| 3253  | Electro-nystagmography for spontaneous and positional nystagmus • Elektro-nistagmografiese ondersoeke vir spontane en posisie nistagmus  | 25    | 239.30                              | 25     | 239.30                 |   |           |
| 3255  | Calorie test done with electro-nystagmography • Kaloriese toets met elektro-nistagmografie   | 70    | 669.90                              | 60     | 574.20                 |   |           |
| 3256  | Video nystagmoscopy (binocular) • Videonistagmoskopie (binokulêr)  | 50    | 478.50                              | 50     | 478.50                 |   |           |
| 3258  | Otolith repositioning manoeuvre • Otoliet herposisionering maneuver  | 14    | 134.00                              | 14     | 134.00                 |   |           |
| <b>17.6 Microsurgery of the skull base • Mikrochirurgie van die skedelbasis</b>   |  |       |                                     |        |                        |   |           |
| <b>17.6.1 Middle fossa approach (i.e. transtemporal or supralabyrinthine) • Middelfossatoegang (d.i. transtemporale of suprala)</b> |  |       |                                     |        |                        |   |           |

\*Per service (specify) / Per diens (spesifiseer)

|  | Specialist<br>Specialis |          | General<br>practitioner<br>Huisarts |          | Anaesthetic<br>Narkose         |        |                      |
|--|-------------------------|----------|-------------------------------------|----------|--------------------------------|--------|----------------------|
|  | U/E                     | R        | U/E                                 | R        | U/E                            | R      | T/M                  |
| 3229 Facial nerve: Exploration of the labyrinthine segment • Fasielissenuwee: Eksplorasi van die labirintêre segment   | 420                     | 4,019.40 | 336                                 | 3,215.50 | 5                              | 223.60 | +T                   |
| 5221 Facial nerve: Grafting of labyrinthine segment (graft removal and exploration of labyrinthine segment included) • Fasielissenuwee: Oorplanting van die labirintêre segment (verwydering van oorplantingsweefsel en eksplorasi van die labirintêre segment ingesluit)  | 510                     | 4,880.70 | 408                                 | 3,904.60 | 11                             | 491.80 | +T                   |
| 5222 Facial nerve surgery inside the internal auditory canal (if grafting required and harvesting of graft included) • Fasielissenuwee-chirurgie binne die inwendige gehoorgang (indien oorplanting benodig word, is die oorplanting en weefselverwydering ingesluit)  | 620                     | 5,933.40 | 496                                 | 4,746.70 | 11                             | 491.80 | +T                   |
| <b>17.6.2 Translabyrinthine approach • Translabirintêre toegang</b>  |                         |          |                                     |          |                                |        |                      |
| 5229 Facial nerve surgery in the internal auditory canal, translabyrinthine (if grafting and graft removal included) • Chirurgie van die fasielissenuwee in die inwendige gehoorgang, translabyrinthine toegang (indien oorplanting benodig, weefselverwydering en oorplanting ingesluit)  | 660                     | 6,316.20 | 528                                 | 5,053.00 |                                |        |                      |
| <b>17.6.7 Subtotal petrosectomy • Subtotale petrosektomie</b>  |                         |          |                                     |          |                                |        |                      |
| 5247 Subtotal petrosectomy for CSF leak and/or for total obliteration of the mastoid cavity • Subtotale petrosektomie vir SSV-lek en/of obliterasi van die mastoïdholte  | 480                     | 4,593.60 | 384                                 | 3,674.90 |                                |        |                      |
| <b>Confined to specialist in Physical<br/>Medicine • Beperk tot spesialiste in<br/>Fisiese Geneeskunde</b>   |                         |          |                                     |          | <b>Anaesthetic<br/>Narkose</b> |        |                      |
|  | U/E                     | R        | U/E                                 | R        | U/E                            | R      | T/M                  |
| <b>18. PHYSICAL TREATMENT • FISIESE BEHANDELING</b>  |                         |          |                                     |          |                                |        |                      |
| 3279 Domiciliary or nursing home treatment (only applicable where a patient is physically incapable of attending the rooms, and the equipment has to be transported to the patient) • Domisilêre of Verpleeginrigtings behandeling (alleenlik van toepassing waar dit vir die pasient fisies onmoontlik is om na die spreekkamer te kom, en die apparaat na die pasient vervoer moet word) | 0.75                    | 7.20     |                                     | -        |                                |        | -                    |
| 3280 Consultation units for specialists in physical medicine when treatment is given (per treatment) • Konsultasie-eenhede vir spesialiste in fisiese geneeskunde wanneer behandelings gegee word (per behandeling)  | 13.5                    | 129.20   |                                     |          |                                |        | -                    |
| 3281 Ultrasonic therapy • Ultrasoniese terapie   | 10                      | 95.70    |                                     |          |                                |        | -                    |
| 3282 Shortwave diathermy • Kortgolf diatermie  | 10                      | 95.70    |                                     |          |                                |        | -                    |
| 3284 Sensory nerve conduction studies • Bestudering van geleiding deur sensoriese senuwee  | 31                      | 296.70   |                                     |          |                                |        | -                    |
| 3285 Motor nerve conduction studies • Motoriese senuwee studies  | 26                      | 248.80   |                                     |          |                                |        | -                    |
| 3287 Spinal joint and ligament injection • Spinale gewrigs- en ligament inspuiting.  | 20                      | 191.40   | 20                                  | 191.40   |                                |        | -                    |
| 3288 Epidural injection • Epidurale inspuiting   | 36                      | 344.50   |                                     |          |                                |        | -                    |
| 3289 Multiple injections - First joint • Veelvuldige inspuitings - eerste gewrig   | 7.5                     | 71.80    |                                     |          |                                |        | -                    |
| 3290 Each additional joint • Elke daaropvolgende gewrig  | 4.5                     | 43.10    |                                     |          |                                |        | -                    |
| 3291 Tendon or ligament injection • Pees of ligament inspuiting  | 9                       | 86.10    |                                     |          |                                |        | -                    |
| 3292 Aspiration of joint or interarticular injection • Aspirasi van gewrig of intra artikulêre inspuiting  | 9                       | 86.10    |                                     |          |                                |        | -                    |
| 3293 Aspiration or injection of bursa or ganglion • Aspirasi of inspuiting in die bursa of ganglion  | 9                       | 86.10    |                                     |          |                                |        | -                    |
| 3294 Paracervical nerve block • Paraservikale senuweeblok  | 20                      | 191.40   |                                     |          |                                |        | -                    |
| 3295 Paravertebral root block—unilateral • Paravertebrale wortelblok—unilateraal   | 20                      | 191.40   |                                     |          |                                |        | -                    |
| 3296 Paravertebral root block—bilateral • Paravertebrale wortelblok—bilateraal   | 30                      | 287.10   |                                     |          |                                |        | -                    |
| 3297 Manipulation of spine • Manipulasie van die spinale kolom   | 14                      | 134.00   |                                     |          |                                |        | -                    |
| 3298 Spinal traction • Traksië van die spinale kolom   | 6                       | 57.40    |                                     |          |                                |        | -                    |
| 3299 Manipulation of large joints under general anaesthesia • Manipulasie van die groot gewrigte onder algemene narkose  | 14                      | 134.00   |                                     |          | 4                              | 178.80 | Hip+T<br>+M          |
|  |                         |          |                                     |          | 3                              | 134.10 | knee+<br>T+M         |
|  |                         |          |                                     |          | 3                              | 134.10 | Shoul<br>der+T<br>+M |
| 3300 Manipulation of large joints without anaesthetic • Manipulasie van die groot gewrigte sonder narkose  | -                       | -        | -                                   | -        |                                |        | -                    |
| 3301 Muscle fatigue studies • Spier uitputting studies   | 20                      | 191.40   |                                     |          |                                |        | -                    |
| 3302 Strength duration curve per session • Kragduur-kromme per sessie.   | 10.5                    | 100.50   |                                     |          |                                |        | -                    |

\*Per service (specify) / Per diens (spesifiseer)

|  | Specialist<br>Spesials |        | General<br>practitioner<br>Huisarts |       | Anaesthetic<br>Narkose |   |     |
|--|------------------------|--------|-------------------------------------|-------|------------------------|---|-----|
|  | U/E                    | R      | U/E                                 | R     | U/E                    | R | T/M |
| 3303 Electromyography ● Elektromiografie   | 75                     | 717.80 |                                     |       |                        |   | -   |
| 3304 All other physical treatments carried out: Complete physical treatment: Specify treatment (for subsequent treatments by a general practitioner, for the same condition within 4 months after initial treatment: A fee for the treatment only is applicable: See rules L and M) ● Alle ander fisiese behandeling uitgevoer: Bedrag vir behandeling in sy geheel: Spesifiseer behandeling (Vir opvolgbehandelings deur 'n algemene praktisyn vir dieselfde toestand binne 4 maande na inisiële behandeling: Slegs gelde vir die behandeling is van toepassing: Sien reëls L en M) | 10                     | 95.70  | 10                                  | 95.70 |                        |   | -   |

\*Per service (specify) / Per diens (spesifiseer)

|  | Specialist Radiologist<br>Spesialis Radioloog |        | Other specialists and General practitioner<br>Ander |        | Anaesthetic Narkose |           |     |
|--|---|--------|---|--------|---------------------|-----------|-----|
|  | U/E   | R      | U/E   | R      | U/E                 | R         | T/M |
| <b>19. RADIOLOGY RADIOLOGIE</b>  |   |        |   |        |                     |           |     |
| <b>19.1 Skeleton • Skelet</b>  |   |        |   |        |                     |           |     |
| <b>19.1.1 Limbs • Ledemate</b>   |   |        |   |        |                     |           |     |
| 3305 Finger, toe • Vinger, toon  | 9.5   | 95.10  | 6.3   | 63.10  | -                   | -         |     |
| 6500 Hand • Hand   | 11.6  | 116.10 | 7.7   | 77.10  | -                   | -         |     |
| 6501 Wrist (specify region) • Polsgewrig (spesifiseer streek)  | 11.6  | 116.10 | 7.7   | 77.10  | -                   | -         |     |
| 6503 Scaphoid • Skafoïed   | 11.6  | 116.10 | 7.7   | 77.10  | -                   | -         |     |
| 6504 Radius and Ulna • Radius en ulna  | 11.6  | 116.10 | 7.7   | 77.10  | -                   | -         |     |
| 6505 Elbow • Elmboog   | 11.6  | 116.10 | 7.7   | 77.10  | -                   | -         |     |
| 6506 Humerus • Humerus   | 11.6  | 116.10 | 7.7   | 77.10  | -                   | -         |     |
| 6507 Shoulder • Skouer   | 11.6  | 116.10 | 7.7   | 77.10  | -                   | -         |     |
| 6508 Acromio-Clavicular joint • Akromio-klavikulêre gewrig   | 11.6  | 116.10 | 7.7   | 77.10  | -                   | -         |     |
| 6509 Clavicle • Clavikel   | 11.6  | 116.10 | 7.7   | 77.10  | -                   | -         |     |
| 6510 Scapula • Skapula   | 11.6  | 116.10 | 7.7   | 77.10  | -                   | -         |     |
| 6511 Foot • Voet   | 11.6  | 116.10 | 7.7   | 77.10  | -                   | -         |     |
| 6512 Ankle • Enkel   | 11.6  | 116.10 | 7.7   | 77.10  | -                   | -         |     |
| 6513 Calcaneus • Kalkaneus   | 11.6  | 116.10 | 7.7   | 77.10  | -                   | -         |     |
| 6514 Tibia and fibula • Tibia en fibula  | 11.6  | 116.10 | 7.7   | 77.10  | -                   | -         |     |
| 6515 Knee • Knie   | 11.6  | 116.10 | 7.7   | 77.10  | -                   | -         |     |
| 6516 Patella • Patella   | 11.6  | 116.10 | 7.7   | 77.10  | -                   | -         |     |
| 6517 Femur • Femur   | 11.6  | 116.10 | 7.7   | 77.10  | -                   | -         |     |
| 6518 Hip • Heup  | 11.6  | 116.10 | 7.7   | 77.10  | -                   | -         |     |
| 6519 Sesamoid Bone • Sesamoïedbeen   | 11.6  | 116.10 | 7.7   | 77.10  | -                   | -         |     |
| 3309 Smith-Petersen or equivalent controls, in theatre • Smith Petersen of ekwivalente kontrole, in teater   | 58  | 580.60 | 38.7  | 387.40 | -                   | -         |     |
| 3311 Stress studies, e.g. joint • Spanningsopnames, bv. gewrig   | 11.6  | 116.10 | 7.7   | 77.10  | -                   | -         |     |
| 3313 Full length study, both legs • Vollengte opnames, beide bene  | 23.2  | 232.20 | 15.5  | 155.20 | -                   | -         |     |
| 3317 Skeletal survey • Skeletopname  | 42  | 420.40 | 28  | 280.30 | -                   | -         |     |
| 3319 Arthrography per joint • Artografie per gewrig  | 23.1  | 231.20 | 15.4  | 154.20 | -                   | -         |     |
| 3320 Introduction of contrast medium or air: Add • Insit van kontrasmedium of lug: Voeg by   | 20.7  | 207.20 | 13.8  | 138.10 | -                   | -         |     |
| <b>19.1.2 Spinal column • Werwelkolom</b>  |   |        |   |        |                     |           |     |
| 3321 Per region, cervical, sacral, coccygeal, one region thoracic • Per streek, bv. nek, sakrum, koksiks, een streek torakaal  | 16.6  | 166.20 | 11  | 110.10 | -                   | -         |     |
| 3325 Stress studies • Spanningsopname  | 16.6  | 166.20 | 11  | 110.10 | -                   | -         |     |
| 3331 Pelvis (Sacro-iliac or hip joints to be added where an extra set of views is required) • Bekken (ilio-sakralegewrigte of heupe word siegs bygetel wanneer'n aparte stel opnames van die addisionele gebied vereis word)                             | 16.6  | 166.20 | 11  | 110.10 | -                   | -         |     |
| <b>Myelography • Miëlografie</b>   |   |        |   |        |                     |           |     |
| 3333 Lumbar • Lumbaal  | 43.3  | 433.40 | 28.9  | 289.30 | 4                   | 178.80 +T |     |
| 3334 Thoracic • Torakaal   | 33.3  | 333.30 | 22.2  | 222.20 | 4                   | 178.80 +T |     |
| 3336 Cervical • Servikaal  | 53.3  | 533.50 | 35.5  | 355.40 | 4                   | 178.80 +T |     |
| 3336 Multiple (lumbar, thoracic, cervical): Same fee as for first segment (no additional introduction of contrast medium) • Veelvuldig (lumbaal, torakaal en servikaal): Dieselfde geelde as vir eerste segment (geen bykomende insit van kontrasmedium) |   |        |   |        |                     |           |     |
| 3344 Introduction of contrast medium • Insit van kontrasmedium   | 28.1  | 281.30 | 18.7  | 187.20 | 4                   | 178.80 +T |     |
| 3346 Discography • Diskografie   | 51.9  | 519.50 | 34.6  | 346.30 | 4                   | 178.80 +T |     |
| 3347 Introduction of contrast medium per disc level: Add • Insit van kontrasmedium per diskus vlak: Voeg by  | 42.3  | 423.40 | 28.2  | 282.30 | -                   | -         |     |

|   | Specialist Radiologist<br>Spesialis Radioloog  |       | Other specialists and General practitioner<br>Ander |      | Anaesthetic Narkose |   |           |
|---|--|-------|---|------|---------------------|---|-----------|
|   | U/E  | R     | U/E   | R    | U/E                 | R | T/M       |
| <b>19.1.3 Skull ● Skedel</b>                        |  |       |   |      |                     |   |           |
| 3349  | Skull studies ● Skedelstudies  | 23.5  | 235.20  | 15.7 | 157.20              |   | -         |
| 3351  | Paranasal sinuses ● Paranasale sinusse   | 16.5  | 165.20  | 11   | 110.10              |   | -         |
| 3353  | Facial bones and/or orbits ● Aangesigsbene en/of oogholtes   | 18.9  | 189.20  | 12.6 | 126.10              |   | -         |
| 3355  | Mandible ● Mandibula   | 14.1  | 141.10  | 9.4  | 94.10               |   | -         |
| 3357  | Nasal bone ● Nasale been   | 11.7  | 117.10  | 7.8  | 78.10               |   | -         |
| 3359  | Mastoid: Bilateral ● Mastoed: Bilateriaal  | 27    | 270.30  | 18   | 180.20              |   | -         |
|   | <i>Teeth ● Tande</i>   |       |   |      |                     |   |           |
| 3361  | One quadrant ● Een kwadrant  | 5.5   | 55.10   | 3.7  | 37.00               |   | -         |
| 3363  | Two quadrants ● Twee kwadrante   | 9.5   | 95.10   | 6.3  | 63.10               |   | -         |
| 3365  | Full mouth ● Volle mond  | 16.5  | 165.20  | 11   | 110.10              |   | -         |
| 3366  | Rotation tomography of the teeth and jaws ● Rotasietomografie van die kaak en tande  | 20    | 200.20  | 13.3 | 133.10              |   | -         |
| 3367  | Temporo-mandibular joints: Per side ● Temporo-mandibulêre gewigte: Per kant  | 6.5   | 165.20  | 11   | 110.10              |   | -         |
| 3369  | Tomography: Per side ● Tomografie: Per kant  | 16.5  | 165.20  | 11   | 110.10              |   | -         |
| 3371  | Localisation of foreign body in the eye ● Lokalisering van vreemde voorwerp in die oog   | 23.5  | 235.20  | 15.7 | 157.20              |   | -         |
| 3381  | Ventriculography ● Ventrikulografie  | 40.9  | 409.40  | 27.3 | 273.30              | 4 | 178.80 +T |
| 3385  | Post-nasal studies: Lateral neck ● Post-nasale studies: Laterale nek   | 9.5   | 95.10   | 6.3  | 63.10               |   | -         |
| 3387  | Maxillo-facial cephalometry ● Maksillofasiale kefalometrie   | 13.2  | 132.10  | 8.8  | 88.10               |   | -         |
| 3389  | Dacrocystography ● Dakrosistografie  | 16.55 | 165.70  | 11   | 110.10              | 4 | 178.80 +T |
| 3391  | For introduction of contrast medium add ● Vir insit van kontrasmedium voeg by  | 16.55 | 165.70  | 11   | 110.10              |   | -         |
| <b>19.2 Alimentary tract ● Spysverteringskanaal</b> |  |       |   |      |                     |   |           |
| 3393  | Bowel washout: Add ● Demspoeling: Voeg by  | 7.2   | 72.10   | 4.8  | 48.00               |   | -         |
| 3395  | Sialography (plus 80% for each additional gland) ● Sialografie (plus 80% vir elke bykomende klier)   | 19    | 190.20  | 12.7 | 127.10              | 4 | 178.80 +T |
| 3397  | Introduction of contrast medium (plus 80% for each additional gland—add) ● Insit van kontrasmedium (plus 80% vir elke bykomende klier—voeg by)   | 16.6  | 166.20  | 11   | 110.10              |   | -         |
| 3399  | Pharynx and oesophagus ● Farinks en esofagus   | 19    | 190.20  | 12.7 | 127.10              |   | -         |
| 3403  | Oesophagus, stomach and duodenum (control film of abdomen included) and limited follow through ● Esofagus, maag en duodenum (Oorsigfoto van die buik ingesluit) en beperkte deurvolging  | 30    | 300.30  | 20   | 200.20              |   | -         |
| 3405  | Double contrast: Add ● Dubbel kontras: Voeg by   | 11    | 110.10  | 7.3  | 73.10               |   | -         |
| 3406  | Small bowel meal (control film of abdomen included except when part of item 3408) ● Dundermmaal (Oorsigfoto van die buik ingesluit tensy deel van item 3408)   | 30    | 300.30  | 20   | 200.20              |   | -         |
| 3408  | Barium meal and dedicated gastro-intestinal tract follow through (including control film of the abdomen, oesophagus, duodenum, small bowel and colon) ● Barium maal en toegewyde gastroIntestinale kanaal deurvolging (insluitend kontrole film van die buik, esofagus, maag, duodenum en kolon) | 43.3  | 433.40  | 28.9 | 289.30              |   | -         |
| 3409  | Barium enema (control film of abdomen included) ● Barium kliesma (oorsigfoto van die buik ingesluit)   | 27.5  | 275.30  | 18.3 | 183.20              |   | -         |
| 3411  | Air contrast study (add) ● Lug-kontrasstudie (voeg by)   | 29    | 290.30  | 19.3 | 193.20              |   | -         |
| 3416  | Pancreas: E R C P hospital equipment: Choledogram and/ or pancreatography screening included ● Pankreas: E R C P hospitaal toerusting: Choledogram en/of pancreatografie deuringing ingesluit  | 23.3  | 233.20  | 15.5 | 155.20              | 4 | 178.80 +T |
|   | Note: For items 3415 and 3416: Endoscopy (See item 1778)   |       |   |      |                     |   |           |
|   | Opmerking: Vir items 3415 en 3416: Endoskopies (sien item 1778)  |       |   |      |                     |   |           |

|  | Specialist Radiologist<br>Spesialis Radioloog |        | Other specialists and General practitioner<br>Ander |        | Anaesthetic Narkose |           |     |
|--|---|--------|---|--------|---------------------|-----------|-----|
|  | U/E   | R      | U/E   | R      | U/E                 | R         | T/M |
| 3417 Gastric/oesophageal/duodenal intubation control •<br>Gastriese/esofageale/duodenale intubasie-kontrol   | 8.8   | 88.10  | 5.9   | 59.10  |                     |           | -   |
| 3419 Gastric/oesophageal intubation insertion of tube (add) •<br>Intubasie insit van buis (voeg by)  | 8.4   | 84.10  | 5.6   | 56.10  |                     |           | -   |
| 3421 Duodenal intubation: Insertion of tube (add) •<br>buis (voeg by)  | 16.5  | 165.20 | 11  | 110.10 |                     |           | -   |
| 3423 Hypotonic duodenography (3403 and 3405 included) (add) •<br>duodenografie (3403 en 3405 ingesluit) (voeg by)  | 44  | 440.40 | 29.3  | 293.30 |                     |           | -   |
| <b>19.3 Biliary tract • Galweë</b>   |   |        |   |        |                     |           |     |
| <b><i>Cholangiography • Cholangiografie</i></b>  |   |        |   |        |                     |           |     |
| 3427 Intravenous • Intraveneus   | 33  | 330.30 | 22  | 220.20 |                     |           | -   |
| 3431 Operative: First series: Add item 3607 only when the Radiologist attends<br>personally in the theatre • Operatief: Eerste reeks: Voeg item 3607 slegs by as<br>die Radioloog self in die teater teenwoordig is  | 31.6  | 316.30 | 21  | 210.20 |                     |           | -   |
| 3433 Post-operative: T-Tube • Post-operatief: T-Buis   | 25  | 250.30 | 16.7  | 167.20 |                     |           | -   |
| 3435 Introduction of contrast medium (add) • Insit van kontrasmedium (voeg by)   | 8.4   | 84.10  | 5.6   | 56.10  |                     |           | -   |
| 3437 Trans hepatic, percutaneous • Transhepaties, perkutaan  | 27.5  | 275.30 | 18.3  | 183.20 |                     |           | -   |
| 3439 Introduction of contrast medium (add) • Insit van kontrasmedium (voeg by)   | 49.7  | 497.50 | 33.1  | 331.30 |                     |           | -   |
| 3441 Tomography of biliary tract (add) • Tomografie van galweë (voeg by)   | 14.1  | 141.10 | 9.4   | 94.10  |                     |           | -   |
| <b>19.4 Chest • Borskas</b>  |   |        |   |        |                     |           |     |
| 3443 Larynx (Tomography included) • Larinks (Tomografie ingesluit)   | 18.8  | 188.20 | 12.5  | 125.10 |                     |           | -   |
| 3445 Chest (item 3601 included) • Borskas (item 3601 ingesluit)  | 14.1  | 141.10 | 9.4   | 94.10  |                     |           | -   |
| 3447 Chest and cardiac studies (item 3601 Included) • Borskas en hartstudies (item<br>3601 ingesluit)  | 18.9  | 189.20 | 12.6  | 126.10 |                     |           | -   |
| 3449 Ribs • Ribbes   | 18.5  | 185.20 | 12.3  | 123.10 |                     |           | -   |
| 3451 Sternum or sternoclavicular joints • Sternum of stemoklavikulêre gewrigte   | 18.9  | 189.20 | 12.6  | 126.10 |                     |           | -   |
| <b><i>Bronchography • Brongografie</i></b>   |   |        |   |        |                     |           |     |
| 3453 Unilateral • Unilateraal  | 18.9  | 189.20 | 12.6  | 126.10 | 8                   | 357.70 +T |     |
| 3455 Bilateral • Bilateraal  | 33.1  | 331.30 | 22.1  | 221.20 | 8                   | 357.70 +T |     |
| 3457 Introduction of contrast medium included • Insit van kontrasmedium ingesluit  | 53.6  | 536.50 | 35.7  | 357.40 |                     |           | -   |
| 3461 Pleurography • Pleurografie   | 18.9  | 189.20 | 12.6  | 126.10 | 3                   | 134.10 +T |     |
| 3463 For introduction of contrast medium: Add • Vir insit van kontrasmedium: Voeg<br>by  | 4.2   | 42.00  | 2.8   | 28.00  |                     |           | -   |
| 3465 Laryngography • Laringografie   | 16.5  | 165.20 | 11  | 110.10 |                     |           | -   |
| 3467 For introduction of contrast medium: Add • Vir insit van kontrasmedium: Voeg<br>by  | 15  | 150.20 | 10  | 100.10 |                     |           | -   |
| 3468 Thoracic inlet • Toraksinlaat   | 9.5   | 95.10  | 6.3   | 63.10  |                     |           | -   |
| <b>19.5 Abdomen • Bulk</b>   |   |        |   |        |                     |           |     |
| 3477 Control films of the abdomen (not being part of examination for barium meal,<br>barium enema, pyelogram, cholecystogram, cholangiogram etc.) • Oorsigfoto<br>van die Bulk (wat nie deel vorm van bv bariummaal, bariumkliesma, piëlogram<br>cholesistogram of cholangiogram ensovoorts nie) | 14.1  | 141.10 | 9.4   | 94.10  |                     |           | -   |
| 3479 Acute abdomen or equivalent studies • Akute buikstudies of ekwivalente<br>opnames   | 23.5  | 235.20 | 15.7  | 157.20 |                     |           | -   |

|  | Specialist Radiologist<br>Spesialis Radioloog   |      | Other specialists and General practitioner<br>Ander |       | Anaesthetic Narkose |   |           |
|--|---|------|---|-------|---------------------|---|-----------|
|  | U/E   | R    | U/E   | R     | U/E                 | R | T/M       |
| <b>19.6 Urinary tract • Urinewee</b>   |   |      |   |       |                     |   |           |
| <b>EXCRETORY UROGRAM • UITSKEIDINGSUROGRAM:</b>                              |   |      |   |       |                     |   |           |
| 3487   | Control film included and bladder views before and after micturition (intravenous pyelogram) (item 0206 not applicable) • Oorsigfoto ingesluit, asook blaasopnames voor en na lediging (binnearse piëlogram) (item 0206 nie van toepassing nie) | 37.6 | 376.40  | 25.1  | 261.30              |   | -         |
| 3493   | Waterload test: Add • Hidrasie-toets: Voeg by   | 18.3 | 183.20  | 12.2  | 122.10              |   | -         |
| 3497   | Cystography only or urethrography only (retrograde) • Sistografie alleen of uretrografie alleen (retrograad)<br><b>Cysto-urethrography • Sisto-uretrografie</b>   | 29   | 290.30  | 19.3  | 193.20              |   | -         |
| 3499   | Retrograde • Retrograad   | 47.8 | 478.50  | 31.9  | 319.30              |   | -         |
| 3503   | Introduction of contrast medium: Add • Insit van kontrasmedium: Voeg by   | 5.5  | 55.10   | 3.7   | 37.00               |   | -         |
| 3505   | Retrograde-prograde pyelography • Piëlografie retrograad-prograad   | 27.5 | 275.30  | 18.3  | 183.20              |   | +T        |
| 3511   | Aspiration renal cyst • Aspirasie nier sist   | 27.6 | 276.30  | 18.4  | 184.20              |   | -         |
| 3513   | Tomography of renal tract: Add • Tomografie van nierweë: Voeg by  | 14.1 | 141.10  | 9.4   | 94.10               |   | -         |
| <b>19.8 Vascular Studies • Vaskulêre Studies</b>                             |   |      |   |       |                     |   |           |
| 3536   | Dedicated angiography suite: analogue monoplane unit. Once off charge per patient by owner of equipment • Toegewyde angiografiesuite: Analoeë enkelvlak eenheid: Eenmalige heffing per pasiënt deur eienaar van toerusting                      | 315  | 3,153.20  |       |                     |   | -         |
| 3537   | Dedicated angiographysuite: Digital monoplane unit: Once off charge per patient by owner of equipment • Toegewyde angiografie suite: Digitale enkelvlak eenheid: Eenmalige heffing per pasiënt deur eienaar van toerusting                      | 617  | 6,176.20  |       |                     |   | -         |
| 3538   | Dedicated angiographysuite: Analogue bi-plane unit: Once off charge per patient by owner of equipment • Toegewyde angiografie suite: Analoeë dubbelvlak eenheid: Eenmalige heffing per pasiënt deur eienaar van toerusting                      | 693  | 6,936.90  |       |                     |   | -         |
| 3539   | Dedicated angiographysuite: Digital bi-plane unit: Once off charge per patient by owner of equipment • Toegewyde angiografie suite: Digitale dubbelvlakeenheid: Eenmalige heffing per pasiënt deur eienaar van toerusting                       | 827  | 8,278.30  |       |                     |   | -         |
| 3545   | Venography: Per limb • Venografie: Per ledemaat   | 27.5 | 275.30  | 16.5  | 165.20              |   | -         |
| 3548   | Analogue monoplane screening table • Analoeë enkelvlak deurligtingstafel  | 272  | 2,722.70  | 163.2 | 1,633.60            |   | -         |
| 3550   | Digital monoplane screening table • Digitale enkelvlak deurligtingstafel  | 530  | 5,306.30  | 318   | 3,183.20            |   | -         |
| <b>19.8.2 Introduction of contrast medium • Inplasing van kontrasmedium:</b> |   |      |   |       |                     |   |           |
| 3557   | Catheterisation aorta or vena cava, any level, any route, with aortogram/cavogram • Kateterisasie aorta of vena cava, enige vlak, enige roete, met aortogram/cavogram   | 81   | 810.80  | 48.6  | 486.50              | 4 | 178.80 +T |
| 3558   | Translumbar aortic puncture, with full study • Translumbale aortiese punksie, met volle studie  | 116  | 1,161.20  | 69.6  | 696.70              | 5 | 223.60 +T |
| 3559   | Selective first order catheterisation, arterial or venous, with angiogram/venogram • Selektiewe eerste orde kateterisasie, arterieel of veneus, met angiogram/venogram  | 95   | 951.00  | 57    | 570.60              | 4 | 178.80 +T |
| 3560   | Selective second order catheterisation, arterial or venous, with angiogram/venogram • Selektiewe tweede orde kateterisasie, arterieel of veneus, met angiogram/venogram   | 109  | 1,091.10  | 65.4  | 654.70              | 4 | 178.80 +T |
| 3562   | Selective third order catheterisation, arterial or venous, with angiogram/venogram • Selektiewe derde orde kateterisasie, arterieel of veneus, met angiogram/venogram   | 122  | 1,221.20  | 73.2  | 732.70              | 4 | 178.80 +T |
| 3563   | Direct intravenous for limb: Add • Direkte intraveneuse inplasing in ledemaat: Voeg by  | 11.1 | 111.10  | 7.4   | 74.10               |   | -         |
| 3564   | Direct femoral arterial or venous or jugular venous puncture • Direkte femorale arteriële of veneuse of jugulêre veneuse punksie  | 62   | 620.60  | 37.2  | 372.40              |   | -         |

|  | Specialist Radiologist<br>Spesialis Radioloog |          | Other specialists and General practitioner<br>Ander |          | Anaesthetic Narkose |           |     |
|--|---|----------|---|----------|---------------------|-----------|-----|
|  | U/E   | R        | U/E   | R        | U/E                 | R         | T/M |
| 3566 Guiding catheter placement, any site arterial or venous, for any intracranial procedure or arteriovenous malformation (AVM) ● Gids kateter plasing, enige plek arterieel of veneus, vir enige intrakraniale prosedure of arteriovenouse malfomasie (AVM)  | 143   | 1,431.40 | 85.8  | 858.90   | 5                   | 223.60 +T |     |
| 3570 Microcatheter insertion, any cranial vessel and/or pulmonary vessel, arterial or venous (including guiding catheter placement) ● Mikrokateter inplasing, enige kranale vat en/of pulmonêre vat, arterieel of veneus (insluitende gids kateter plasing)  | 218   | 2,182.20 | 130.8   | 1,309.30 | 5                   | 223.60 +T |     |
| 3572 Transcatheter selective blood sampling, arterial or venous ● Transkateter selektiewe bloedmonstereming, arterieel of veneus   | 54  | 540.50   | 32.4  | 324.30   |                     | -         |     |
| 3574 Spinal angiogram (global fee) including all selective catheterisations ● Spinale angiogram (globale gelde) alle selektiewe kateterisasies ingesluit   | 800   | 8,008.00 | 480   | 4,804.80 | 5                   | 223.60 +T |     |
| 3575 "Cut-downs" for venography: Add ● In snyding vir venografie: Voeg by  | 16.55   | 165.70   | 11  | 110.10   |                     | -         |     |
| <b>19.9 Tomography And Cinematography ● Tomografie en Kinematografie</b>   |   |          |   |          |                     |           |     |
| 3577 Tomography (conventional except where otherwise specified): Add 100% provided that if it is more than one dimension, fee shall be charged for the additional investigation at 50% of the tariff with a maximum of two additional investigations ● Tomografie (konvensioneel behalwe waar anders vermeld) Voeg by 100% met dien verstande dat indien tomografie in meer as een vlak gedoen word gelde vir die addisionele ondersoekte teen 50% van die tarief bereken sal word met 'n maksimum van twee addisionele ondersoekte. |   |          |   |          |                     |           |     |
| 3579 Tomography (multi-dimensional in motion): Add 150% ● Tomografie (met beweging in meer as een dimensie): Voeg by 150%  |   |          |   |          |                     |           |     |
| 3581 Cinematography: For first series: Add 100% ● Kinematografie: Vir eerste reeks: Voeg by 100%   |   |          |   |          |                     |           |     |
| 3583 Cinematography: For each series after the first: Add 80% of the primary fee ● Kinematografie: Vir tweede en elke volgende reeks: Voeg by 80%  |   |          |   |          |                     |           |     |
| <b>19.9.1 Computed Tomography · Rekenaartomografie</b>   |   |          |   |          |                     |           |     |
| 6400 Plus Spiral CT ● Plus Spirale RT  | 50  | 481.00   |   |          | -                   | -         |     |
| 6401 Plus 3D reconstruction ● Plus 3D rekonstruksie  | 50  | 481.00   |   |          | -                   | -         |     |
| 6402 Plus high resolution study ● Plus hoë resoluë studie  | 50  | 481.00   |   |          | -                   | -         |     |
| 6403 CT limb uncontrasted ● RT ledemaat ongekontrasteerd   | 200   | 1,924.00 |   |          | 5                   | 223.60 +T |     |
| 6404 CT limb with contrast only ● RT ledemaat met kontras alleenlik  | 200   | 1,924.00 |   |          | 5                   | 223.60 +T |     |
| 6405 CT Limb pre AND post contrast ● RT ledemaat voor EN na kontras  | 250   | 2,405.00 |   |          | 5                   | 223.60 +T |     |
| 6406 CT joint uncontrasted ● RT gewrig ongekontrasteerd  | 200   | 1,924.00 |   |          | 5                   | 223.60 +T |     |
| 6407 CT joint with contrast only ● RT gewrig met kontras alleenlik   | 200   | 1,924.00 |   |          | 5                   | 223.60 +T |     |
| 6408 CT joint pre AND post contrast ● RT gewrig voor EN na kontras   | 250   | 2,405.00 |   |          | 5                   | 223.60 +T |     |
| 6409 CT brain uncontrasted (including posterior fossa) ● RT brein ongekontrasteerd (insluitend posterior fossa)  | 210   | 2,020.20 |   |          | 5                   | 223.60 +T |     |
| 6410 CT brain with contrast only (including posterior fossa) ● RT brein met kontras alleenlik (insluitend posterior fossa)   | 210   | 2,020.20 |   |          | 5                   | 223.60 +T |     |
| 6411 CT brain pre AND post contrast (including posterior fossa) ● RT brein voor EN na kontras (insluitend posterior fossa)   | 265   | 2,549.30 |   |          | 5                   | 223.60 +T |     |
| 6412 CT orbits complete study, axial OR coronal, uncontrasted ● RT oogkaste volledige studie, aksiaal OF koronaal, ongekontrasteerd  | 160   | 1,539.20 |   |          | 5                   | 223.60 +T |     |
| 6413 CT orbits complete study, axial AND coronal, uncontrasted ● RT oogkaste volledige studie, aksiaal EN koronaal, ongekontrasteerd   | 210   | 2,020.20 |   |          | 5                   | 223.60 +T |     |
| 6414 CT orbits complete study, axial OR coronal pre AND post contrast ● RT oogkaste volledige studie, aksiaal OF koronaal voor EN na kontras   | 215   | 2,068.30 |   |          | 5                   | 223.60 +T |     |
| 6415 CT orbits complete study, axial AND coronal pre AND post contrast ● RT oogkaste volledige studie, aksiaal EN koronaal voor EN na kontras  | 265   | 2,549.30 |   |          | 5                   | 223.60 +T |     |
| 6416 CT paranasal sinuses limited study axial OR coronal ● RT paranasalesinusse beperkte studie, aksiaal OF koronaal   | 50  | 481.00   |   |          | 5                   | 223.60 +T |     |

|   | Specialist Radiologist<br>Spesialis Radioloog |          | Other specialists and<br>General practitioner<br>Ander |   | Anaesthetic<br>Narkose |        |     |
|---|---|----------|--|---|------------------------|--------|-----|
|   | U/E   | R        | U/E  | R | U/E                    | R      | T/M |
| 6417 CT paranasalsinuses limited study axial AND coronal ● RT paranasalesinusse beperkte studie aksiaal EN koronaal   | 100   | 962.00   |  |   | 5                      | 223.60 | +T  |
| 6418 CT paranasal sinuses complete study, axial OR coronal, uncontrasted ● RT paranasale sinuses volledige studie, aksiaal OF koronaal, ongekontrasteerd            | 160   | 1,539.20 |  |   | 5                      | 223.60 | +T  |
| 6419 CT paranasal sinuses complete study, axial AND coronal, uncontrasted ● RT paranasale sinuses volledige studie, aksiaal EN koronaal, ongekontrasteerd           | 210   | 2,020.20 |  |   | 5                      | 223.60 | +T  |
| 6420 CT paranasal sinuses complete study, axial OR coronal, pre AND post contrast ● RT paranasale sinuses volledige studie, aksiaal OF koronaal, voor EN na kontras | 215   | 2,068.30 |  |   | 5                      | 223.60 | +T  |
| 6421 CT paranasalsinuses complete study, axial AND coronal, pre AND post contrast ● RT paranasale sinuses volledige studie, aksiaal EN koronaal, voor EN na kontras | 260   | 2,501.20 |  |   | 5                      | 223.60 | +T  |
| 6422 CT pituitary fossa, uncontrasted ● RT pituitêre fossa, ongekontrasteerd  | 160   | 1,539.20 |  |   | 5                      | 223.60 | +T  |
| 6423 CT pituitary fossa, pre AND post contrast ● RT pituitêre fossa, voor EN na kontras   | 210   | 2,020.20 |  |   | 5                      | 223.60 | +T  |
| 6424 CT internal auditory meati, uncontrasted ● RT binneoorkanale, ongekontrasteerd   | 100   | 962.00   |  |   | 5                      | 223.60 | +T  |
| 6425 CT internal auditory meati, pre AND post contrast ● RT binneoorkanale, voor EN na kontras  | 150   | 1,443.00 |  |   | 5                      | 223.60 | +T  |
| 6426 CT mastoids ● RT mastoïede   | 100   | 962.00   |  |   | 5                      | 223.60 | +T  |
| 6427 CT ear structures, limited study ● RT oor struktuur, beperkte studie   | 100   | 962.00   |  |   | 5                      | 223.60 | +T  |
| 6428 CT middle AND inner ear, complete study including reconstructions ● RT middel- EN binne-oor, volledige studie insluitend rekonstruksies                        | 310   | 2,982.20 |  |   | 5                      | 223.60 | +T  |
| 6429 CT facial bones ● RT gesigsbene  | 210   | 2,020.20 |  |   | 5                      | 223.60 | +T  |
| 6430 CT neck soft tissue, uncontrasted ● RT nek sagteweefsel, ongekontrasteerd  | 185   | 1,779.70 |  |   | 5                      | 223.60 | +T  |
| 6431 CT neck soft tissue with contrast only ● RT nek sagteweefsel met kontras alleenlik   | 185   | 1,779.70 |  |   | 5                      | 223.60 | +T  |
| 6432 CT neck pre AND post contrast/ ● C T nek voor EN na kontras  | 235   | 2,260.70 |  |   | 5                      | 223.60 | +T  |
| 6433 CT cervical spine uncontrasted ● RT servikale werwels ongekontrasteerd   | 300   | 2,886.00 |  |   | 5                      | 223.60 | +T  |
| 6434 CT cervical spine pre AND post contrast ● RT servikale werwels voor EN na kontras  | 350   | 3,367.00 |  |   | 5                      | 223.60 | +T  |
| 6435 CT cervical spine post myelogram ● RT servikale werwels post-miëlogram   | 150   | 1,443.00 |  |   | 5                      | 223.60 | +T  |
| 6436 CT dorsal spine uncontrasted ● RT torakale werwels ongekontrasteerd  | 300   | 2,886.00 |  |   | 5                      | 223.60 | +T  |
| 6437 CT dorsal spine pre AND post contrast ● RT torakale werwels voor EN na kontras   | 350   | 3,367.00 |  |   | 5                      | 223.60 | +T  |
| 6438 CT dorsal spine post myelogram ● RT torakale werwels post-miëlogram  | 150   | 1,443.00 |  |   | 5                      | 223.60 | +T  |
| 6439 CT lumbar spine uncontrasted ● RT lumbale werwels ongekontrasteerd   | 300   | 2,886.00 |  |   | 5                      | 223.60 | +T  |
| 6440 CT lumbar spine pre AND post contrast ● RT lumbale werwels voor EN na kontras  | 350   | 3,367.00 |  |   | 5                      | 223.60 | +T  |
| 6441 CT lumbar spine post myelogram ● RT lumbale werwels post-miëlogram   | 150   | 1,443.00 |  |   | 5                      | 223.60 | +T  |
| 6442 CT pelvimetry (topogram only) ● RT pelvimetrie (topogram alleenlik)  | 50  | 481.00   |  |   | 5                      | 223.60 | +T  |
| 6443 CT chest uncontrasted ● RT borskas ongekontrasteerd  | 235   | 2,260.70 |  |   | 5                      | 223.60 | +T  |
| 6444 CT chest with contrast ● RT borskas met kontras  | 235   | 2,260.70 |  |   | 5                      | 223.60 | +T  |
| 6445 CT chest pre AND post contrast ● RT borskas voor EN na kontras   | 285   | 2,741.70 |  |   | 5                      | 223.60 | +T  |
| 6446 CT chest high resolution lungs, limited study ● RT borskas hoë resoluë longe, beperkte studie  | 100   | 962.00   |  |   | 5                      | 223.60 | +T  |
| 6447 CT high resolution lungs, complete study ● RT hoë resoluë longe, volledige studie  | 235   | 2,260.70 |  |   | 5                      | 223.60 | +T  |
| 6448 CT abdomen uncontrasted ● RT buik ongekontrasteerd   | 215   | 2,068.30 |  |   | 5                      | 223.60 | +T  |
| 6449 CT abdomen with contrast ● RT buik met kontras   | 215   | 2,068.30 |  |   | 5                      | 223.60 | +T  |
| 6450 CT abdomen pre AND post contrast ● RT buik voor EN na kontras  | 265   | 2,549.30 |  |   | 5                      | 223.60 | +T  |

|   | Specialist Radiologist<br>Spesialis Radioloog |          | Other specialists and General practitioner<br>Ander |        | Anaesthetic Narkose |           |     |
|---|---|----------|---|--------|---------------------|-----------|-----|
|   | U/E   | R        | U/E   | R      | U/E                 | R         | T/M |
| 6451 CT abdomen triphasic study ● RT buik trifasiese studie   | 315   | 3,030.30 |   |        | 5                   | 223.60 +T |     |
| 6452 CT pelvis uncontrasted ● RT bekken ongekontrasteerd  | 215   | 2,068.30 |   |        | 5                   | 223.60 +T |     |
| 6453 CT pelvis with contrast ● RT bekken met kontras  | 215   | 2,068.30 |   |        | 5                   | 223.60 +T |     |
| 6454 CT pelvis pre AND post contrast ● RT bekken voor EN na kontras   | 265   | 2,549.30 |   |        | 5                   | 223.60 +T |     |
| 6455 CT abdomen AND pelvis uncontrasted ● RT buik EN bekken ongekontrasteerd  | 315   | 3,030.30 |   |        | 5                   | 223.60 +T |     |
| 6456 CT abdomen AND pelvis with contrast ● RT buik EN bekken met kontras  | 315   | 3,030.30 |   |        | 5                   | 223.60 +T |     |
| 6457 CT abdomen AND pelvis pre AND post contrast ● RT buik EN bekken voor EN na kontras   | 365   | 3,511.30 |   |        | 5                   | 223.60 +T |     |
| 6458 CT chest, abdomen AND pelvis with contrast ● RT borskas, buik EN bekken met kontras  | 545   | 5,242.90 |   |        | 5                   | 223.60 +T |     |
| 6459 CT base of skull to symphysis pubis with contrast ● RT skedelbasistot simfise pubis met kontras  | 735   | 7,070.70 |   |        | 5                   | 223.60 +T |     |
| 6460 CT for dental implants maxilla OR mandible ● RT vir tandinplantingsmaksilla OF mandible  | 250   | 2,405.00 |   |        | 5                   | 223.60 +T |     |
| 6461 CT for dental implants maxilla AND mandible ● RT vir tandinplantingsmaksilla EN mandible   | 500   | 4,810.00 |   |        | 5                   | 223.60 +T |     |
| 6462 CT angiography per limited region (including spiral, high resolution AND all reconstructions) ● RT angiografie per beperkte gebied (insluitend spiral, hoë resoluësie EN alle rekonstruksies)  | 515   | 4,964.30 |   |        | 5                   | 223.60 +T |     |
| 6463 CT angiography per extensive region (including spiral, high resolution, 3D AND all other reconstructions) ● RT angiografie per ekstensiewe gebied (insluitend spiral, hoë resoluësie, 3D en alle rekonstruksies)   | 615   | 5,916.30 |   |        | 5                   | 223.60 +T |     |
| 6464 CT limited study any region, Region to be identified on the account ● RT beperkte studie enige gebied, Gebied moet aangedui word op rekening.  | 50  | 481.00   |   |        | 5                   | 223.60 +T |     |
| 6465 CT guidance for aspiration, biopsy or drainage ● RT begeleiding vir aspirasie, biopsie of dreinasie  | 100   | 962.00   |   |        | 11                  | 491.80 +T |     |
| 6466 CT guidance for aspiration at time of CT diagnostic study ● RT begeleiding vir aspirasie, ten tye van RT diagnostiese studie   | 50  | 481.00   |   |        | 5                   | 223.60 +T |     |
| 6467 CT stereotactic localisation for biopsy ● RT stereotaktiese lokalisasie vir biopsie  | 150   | 1,443.00 |   |        | 11                  | 491.80 +T |     |
| 6468 CT for radiotherapy planning (not to be used as an add-on) ● RT vir radioterapie beplanning (mag nie as 'n byvoëging gebruik word nie)   | 160   | 1,539.20 |   |        | 5                   | 223.60 +T |     |
| 6469 Quantitative CT for bone mineral density ● Kwantitatiewe RT vir beëndigtheid   | 97  | 933.10   |   |        | 5                   | 223.60 +T |     |
| 3597 Contrast media: General Rule Y applies (Please note: item 0201 is not applicable for contrast media) ● Kontrasmiddels: Algemene Reël Y geld (Let wel: item 0201 is nie toepaslike vir kontrasmiddels nie)  |   |          |   |        |                     |           | -   |
| <b>19.10 Miscellaneous ● Diverse</b>  |   |          |   |        |                     |           |     |
| 3592 Where a fully digital C-arm portable x-ray unit, with angiography/interventional capability is used in hospital or theatre, per half hour ● Waar 'n volledig digitale C-arm mobiele x-straalteenheid, met angiografie/intervensionele kapasiteit soos gebruik in hospitaal of teater, per halfuur. | 47  | 470.50   |   |        |                     |           | -   |
| 3601 Fluoroscopy: Per half hour: Add (Items 3445 and 3447 include fluoroscopy) ● Fluoroskopie: Per halfuur: Voëg by (Items 3445 en 3447 sluit deurligting in)   | 11.6  | 116.10   | 7.7   | 77.10  |                     |           | -   |
| 3602 Where a C-arm portable X-ray unit is used in hospital or theatre: Per half hour: Add ● Waar 'n C-arm mobiele röntgeneenheid in die hospitaal of teater gebruik word: Per half-uur: Voëg by   | 16  | 160.20   | 10.7  | 107.10 |                     |           | -   |
| 3603 Sinography ● Sinografie  | 27.7  | 277.30   | 18.4  | 184.20 |                     |           | -   |
| 3600 Peripheral bone densitometry utilizing ionizing radiation ● Perifere beëndigtheidstoëting met gebruik van ioniserende bestraling   | 13  | 130.10   | 13  | 130.10 |                     |           | -   |
| 3604 Bone densitometry (to be charged once only for one or more levels done at the same session) ● Beëndigtheidsmëting (word slegs eenmalig geëis vir een of meer vlakke gedoen tydens dieselfde sessie)  | 77  | 770.80   | 77  | 770.80 |                     |           | -   |

|   | Specialist Radiologist<br>Spesialis Radioloog |        | Other specialists and General practitioner<br>Ander |        | Anaesthetic Narkose |           |     |
|---|---|--------|---|--------|---------------------|-----------|-----|
|   | U/E   | R      | U/E   | R      | U/E                 | R         | T/M |
| 3607 Attendance at operation in theatre or at radiological procedure performed by a surgeon or physician in X-ray department (except item 3309): Per half hour: Plus fee for examination performed (Only to be used by radiological technical staff) • Teenwoordigheid by operasie in teater of by radiologiese prosedure uitgevoer deur 'n chirurg of internis in X-straal-afdeling (behalwe item 3309): Per halfuur: Plus gelde vir ondersoek gedoen (Mag slegs deur die radiologiese tegniese personeel gehê word)   | 8.4   | 84.10  | 5.6   | 56.10  |                     |           |     |
| 3609 Foreign body localisation: Fee for part examined plus two-thirds for every additional series plus fluoroscopy fee if this is done • Bepaling van ligging van vreemde voorwerp: Tarief vir deel wat ondersoek is, plus twee derdes vir elke bykomstige reeks, plus geld vir fluoroskopie indien dit uitgevoer word  |   |        |   |        |                     |           |     |
| 3611 Foreign body localisation: Introduction of sterile needle markers: Add • Bepaling van ligging: Vreemde voorwerp, met Inplasing van steriele naaldmerkers: Voeg by  | 16.5  | 165.20 | 11  | 110.10 |                     |           | -   |
| 3612 Ultrasonic bone densitometry • Ultrasoniese beëindigheidsmeting  | 19  | 190.20 | 13  | 130.10 |                     |           | -   |
| 3613 Setting of sterile trays • Stel van steriele blaasie   | 3.3   | 33.00  | 3.3   | 33.00  |                     |           | -   |
| <b>19.1 Ultrasonic investigations   Ultrasoniese ondersoeke</b>   |   |        |   |        |                     |           |     |
| 3619 Intravascular ultrasound imaging assesses the atherosclerotic process to guide the placement of an intracoronary stent. This item may be applied once per vessel (left anterior descending territory, circumflex territory and/or right coronary territory) in which a stent or multiple stents are deployed • Intravaskulêre ultrasoniese beelding evalueer die aterosklerotiese proses om die terapeutiese intervensies te lei. Hierdie item mag eenmaal toegepas word per vaat (linker voorafdalende tak verspreiding, sirkumfleks verspreiding en/of regter koronêre verspreiding) waarin 'n stent of veelvuldige stents geplaas word. | 30  | 283.50 | 30  | 283.50 | 9                   | 402.40 +T |     |
| 3596 Intravascular ultrasound per case, arterial or venous, for intervention • Intravaskulêre ultraklank per geval, arterieel of veneus, vir intervensie  | 30  | 283.50 | 30  | 283.50 |                     |           | -   |
| 3621 Cardiac examination (M. Mode) • Eggo kardiografie (M. Mode)  | 25  | 236.30 | 25  | 236.30 |                     |           | -   |
| 3622 Cardiac examination: 2 Dimensional • Eggo kardiografie: 2 Dimensioneel   | 50  | 472.50 | 50  | 472.50 |                     |           | -   |
| 3623 Cardiac examination+effort: Add • Eggo kardiografie+inspanning: Voeg by  | 10  | 94.50  | 10  | 94.50  |                     |           | -   |
| 3624 Cardiac examination+contrast: Add • Eggo kardiografie+kontras: Voeg by   | 10  | 94.50  | 10  | 94.50  |                     |           | -   |
| 3625 Cardiac examinations+doppler: Add • Eggo kardiografie+doppler: Voeg by   | 50  | 472.50 | 50  | 472.50 |                     |           | -   |
| 3626 Cardiac examinations + phonocardiography: Add • Eggo kardiografie + fonokardiografie: Voeg by  | 10  | 94.50  | 10  | 94.50  |                     |           | -   |
| 3627 Ultrasound examination includes whole abdomen and pelvic organs, where pelvic organs are clinically indicated (including liver, gall bladder, spleen, pancreas, abdominal vascular anatomy, para-aortic area, renal tract, pelvic organs) • Ultraklank ondersoek van hele buik en bekkenorgane, indien bekkenorgane klinies aangedui is (Insluitende lewer, galblaas, milt, pankreas, abdominale vasculêre anatomie, para-aortiese area, urienwee, bekkenorgane.)  | 60  | 567.00 | 60  | 567.00 |                     |           | -   |
| 5102 Ultrasound of joints (eg shoulder hip knee), per joint • Ultraklank van gewrigte (bv. skouer, heup, knie) per gewrig   | 50  | 472.50 | 50  | 472.50 |                     |           | -   |
| 5103 Ultrasound soft tissue, any region • Ultraklank sagteweefsel, enige gebied   | 50  | 472.50 | 50  | 472.50 |                     |           | -   |
| 3628 Renal tract • Urienweeë  | 50  | 472.50 | 50  | 472.50 |                     |           | -   |
| 3631 Ophthalmic examination • Oogondersoek  | 50  | 472.50 | 50  | 472.50 |                     |           | -   |
| 3632 Axial length measurement and calculation of intra-ocular lens power. Per eye. Not to be used with item 3034 • Meet van aksiale lengte en bepaling van sterkte van 'n intraokulêre lens. Per oog. Kan nie saam met item 3034 gebruik word nie.  | 50  | 472.50 | 50  | 472.50 |                     |           | -   |
| 3634 Peripheral vascular study, B mode only examination • Perifere vasculêrestudie, B mode alleenlik  | 39  | 368.60 | 39  | 368.60 |                     |           | -   |

|  | Specialist Radiologist<br>Spesialis Radioloog |          | Other specialists and General practitioner<br>Ander |          | Anaesthetic Narkose |           |     |
|--|---|----------|---|----------|---------------------|-----------|-----|
|  | U/E   | R        | U/E   | R        | U/E                 | R         | T/M |
| 5110 Carotid ultrasound vascular study; B mode, pulsed and colour doppler; bilatera study, internal, external and common carotid flow and anatomy • Karotis ultraklank vaskulêre studie: B mode en kleur Doppler; bilaterale studie, interne, eksterne en gemene karotisvloei en anatomie  | 128   | 1,209.60 | 102.4   | 967.70   |                     |           | -   |
| 5111 Full ultrasonic and colour Doppler evaluation of entire extracranial vascular tree; carotids, vertebral and subclavian vessels (not to be used together with items 5110, 5112, 5113, 5114) • Vol ultraklank Doppler evaluasie van totale ekstra kraniale vaskulêre strukture; karotisse, vertebrale en subklaviese vate. (Mag nie saam met items 5110, 5112, 5113, 5114 gehêf word nie)   | 206   | 1,946.70 | 164.8   | 1,557.40 |                     |           | -   |
| 5112 Peripheral arterial ultrasound vascular study; B mode, pulsed and colour doppler; per limb; to include waveforms at minimum of three levels, pressure studies at two levels and full interpretation of results • Perifere arteriële ultraklank vaskulêre studie; B mode "pulsed" en kleurdoppler; per ledemaat om golfvorms by 'n minimum van drie vlakke, drukking studies by twee vlakke en volle interpretasie van resultate, in te sluit. | 117   | 1,105.70 | 93.6  | 884.50   |                     |           | -   |
| 5113 Peripheral venous ultrasound vascular study; B mode, pulsed and colour doppler; to evaluate deep vein thrombosis • Perifere veneuse ultraklank vaskulêre studie; B mode "pulsed" en kleurdoppler; om diep veen trombose te evalueer.  | 117   | 1,105.70 | 93.6  | 884.50   |                     |           | -   |
| 5114 Peripheral venous ultrasound vascular study; B mode, pulsed and colour Doppler in erect and supine position including compression manoeuvres and reflux in superficial and deep systems, bilaterally • Perifere veneuse ultraklank vaskulêre studie; B mode, "pulsed" en kleurdoppler in liggend en staande posisie insluitend kompressie maneuvres en refluxs in oppervlakkige en diep sisteme, bilateral                                    | 178   | 1,682.10 | 142.4   | 1,345.70 |                     |           | -   |
| 3635 + Doppler • + Doppler   | 39  | 368.60   | 39  | 368.60   |                     |           | -   |
| 3637 Colour Doppler (may be added onto any other regional exam, but not to be added to items 5110, 5111, 5112, 5113 or 5114) • +Kleur Doppler (mag by enige ander streeksondersoek gevoeg word, maar mag nie by items 5110, 5111, 5112, 5113 of 5114 gevoeg word nie)  | 78  | 737.10   | 62.4  | 589.70   |                     |           | -   |
| <b>19.12 Portable unit examinations • Ondersoeke met mobiele eenheid</b>   |   |          |   |          |                     |           |     |
| 3639 Where X-ray unit is kept and used in the hospital: Add • Waar mobiele Röntgen-eenheid in die hospitaal gehou en gebruik word: Voeg by   | 10  | 100.10   | 7   | 70.10    |                     |           | -   |
| 3640 Theatre investigations (with portable unit or fixed installation) • Teaterondersoeke (met mobiele eenhede of vaste installasie)   | 4.5   | 45.00    | 3   | 30.00    |                     |           | -   |
| 3641 Tracer test • Speurtoets  | 33.2  | 332.30   | 22.1  | 221.20   |                     |           | -   |
| 3642 Repeat of further tracer tests for same investigation • Herhaling van verdere speurtoetse vir dieselfde ondersoek   | 16.6  | 166.20   | 11.1  | 111.10   |                     |           | -   |
| 3643 If both tracer and therapeutic procedures are done, half fee of tracer test to be charged plus therapeutic fee • Indien beide speurtoetse en terapeutiese prosedures uitgevoer word, moet die helfte van die bedrag vir die speurtoets plus die bedrag vir terapie gevra word   |   |          |   |          |                     |           |     |
| 3645 Other organ scanning with use of relevant radio isotopes • Ander orgaanafasting met radio-isotope   | 82.2  | 822.80   | 54.8  | 548.60   |                     |           | -   |
| <b>19.14 Interventional radiological procedures   Intervensionele radiologiese prosedures</b>  |   |          |   |          |                     |           |     |
| 5014 Atherectomy (per vessel) • Aterektomie (per vat)  | 341   | 3,413.40 | 204.6   | 2,048.00 |                     |           | -   |
| 5016 Aspiration thrombectomy (per vessel) • Aspirasie trombektomie (per vat)   | 219   | 2,192.20 | 131.4   | 1,316.30 |                     |           | -   |
| 5018 On-table thrombolysis/transcatheter infusion performed in angiography suite • Op-tafel trombolise/transkateter infuus uitgevoer in angiografie suite  | 178   | 1,781.80 | 106.8   | 1,069.10 | 5                   | 223.60 +T |     |
| 5022 Embolisation non-intracranial, per vessel • Embolisering nie-intrakraniaal, per vat   | 178   | 1,781.80 | 106.8   | 1,069.10 | 9                   | 402.40 +T |     |
| 5031 Antegrade ureteric stent insertion • Antegraad ureteriese stent inplasing   | 116   | 1,161.20 | 69.6  | 696.70   | 6                   | 268.30 +T |     |

|  | Specialist Radiologist<br>Spesialis Radioloog |          | Other specialists and General practitioner<br>Ander |          | Anaesthetic Narkose |   |           |
|--|---|----------|---|----------|---------------------|---|-----------|
|  | U/E   | R        | U/E   | R        | U/E                 | R | T/M       |
| 5033 Percutaneous cystostomy in radiology suite ● Perkutane sistostomie in radiologie suite  | 50  | 500.50   | 30  | 300.30   |                     |   | -         |
| 5034 Fine needle aspiration or biopsy ● Aspirasie of biopsie deur middel van 'n fyn naald  | 25  | 250.30   | 13.33   | 133.40   | 6                   |   | 268.30 +T |
| 5035 Urethral balloon dilatation in radiology suite ● Uretrale ballon dilatasie in radiologie suite  | 38  | 380.40   | 22.8  | 228.20   |                     |   | -         |
| 5036 Percutaneous Abdominal/Pelvic/Other drain insertion, any modality ● Perkutane abdominale/pelviëse/ander dreineringsbuis invoering, enige modaliteit                                     | 57  | 570.60   | 34.2  | 342.30   | 6                   |   | 268.30 +T |
| 5037 Urethral stenting in radiology suite ● Uretrale stent inplasing in radiologie suite   | 171   | 1,711.70 | 102.6   | 1,027.00 |                     |   | -         |
| 5041 Balloon occlusion/Wada test ● Ballon afsluiting/Wada toets  | 178   | 1,781.80 | 106.8   | 1,069.10 | 9                   |   | 402.40 +T |
| 5043 Intracranial angioplasty ● Intrakraniale angioplastiek  | 341   | 3,413.40 | 204.6   | 2,048.00 | 13                  |   | 581.20 +T |
| 5045 Hepatic arterial infusion catheter insertion ● Hepatiese arteriële infuus kateter inplasing   | 260   | 2,602.60 | 156   | 1,561.60 | 6                   |   | 268.30 +T |
| 5047 Combined internal/external biliary drainage ● Gekombineerde interne/eksterne gal dreinerings  | 171   | 1,711.70 | 102.6   | 1,027.00 | 9                   |   | 402.40 +T |
| 5049 Percutaneous gall bladder drainage ● Perkutane galblaas dreinerings   | 116   | 1,161.20 | 69.6  | 696.70   | 9                   |   | 402.40 +T |
| 5072 Tunnelled/Subcutaneous arterial/venous line performed in radiology suite ● Getoonel/subkutane arteriële/veneuse lyn uitgevoer in radiologie suite                                       | 137   | 1,371.40 | 82.2  | 822.80   | 5                   |   | 223.60 +T |
| 5074 IVC filter insertion jugular or femoral route ● IVC filter inplasing jugulêre of femorale roete   | 260   | 2,602.60 | 156   | 1,561.60 | 9                   |   | 402.40 +T |
| 5076 Intravascular foreign body removal, arterial or venous, any route ● Intravaskulêre vreemde voorwerp verwydering, arterieel of veneus, enige roete                                       | 341   | 3,413.40 | 204.6   | 2,048.00 | 9                   |   | 402.40 +T |
| 5078 Percutaneous sclerotherapy of an arteriovenous malformation (AVM) per session ● Perkutane skleroterapie van 'n arterioveneuse malformasie (AVM) per sessie                              | 117   | 1,171.20 | 70.2  | 702.70   | 5                   |   | 223.60 +T |
| 5080 Transjugular intrahepatic portosystemic shunt ● Transjugulêre intrahepatiese portosistemiese omleiding  | 559   | 5,595.60 | 335.4   | 3,357.40 | 13                  |   | 581.20 +T |
| 5082 Transjugular liver biopsy ● Transjugulêre lewer biopsie   | 116   | 1,161.20 | 69.6  | 696.70   | 9                   |   | 402.40 +T |
| 5088 Oesophageal stent insertion in radiology suite ● Esofageale stent inplasing in radiologie suite   | 171   | 1,711.70 | 102.6   | 1,027.00 | 6                   |   | 268.30 +T |
| 5090 Tracheal stent insertion ● Tragiale stent inplasing   | 171   | 1,711.70 | 102.6   | 1,027.00 | 6                   |   | 268.30 +T |
| 5091 GIT Balloon dilatation under fluoroscopy ● GIT ballon dilatasie onder fluoroskopie  | 111   | 1,111.10 | 66.6  | 666.70   | 6                   |   | 268.30 +T |
| 5092 Other GIT stent insertion ● Ander GIT stent inplasing   | 171   | 1,711.70 | 102.6   | 1,027.00 | 6                   |   | 268.30 +T |
| 5093 Percutaneous gastrostomy in radiology suite ● Perkutane gastrostomie in radiologie suite  | 143   | 1,431.40 | 85.8  | 858.90   |                     |   | -         |
| 5094 Cutting needle biopsy with image guidance ● Insnydende naalbiopsie onder beeldende begeleiding  | 38  | 380.40   | 22.8  | 228.20   |                     |   | -         |
| 5095 Chest drain insertion in radiology suite ● Borskas dreineringsbuis inplasing in radiologie suite  | 54  | 540.50   | 32.4  | 324.30   |                     |   | -         |
| <b>19.15 Magnetic Resonance Imaging ● Magnetiese Resonansie Beelding:</b><br>Magnetic Resonance Imaging: Per anatomical Region ● Magnetiese Resonansie Beelding: Per anatomiese Liggaamsdeel |   |          |   |          |                     |   |           |
| Note: See modifier 6101 for limited examinations Opmerking: Sien wysiger 6101 vir beperkte ondersoeke  |   |          |   |          |                     |   |           |
| 6210 Cervical vertebrae ● Nekwerwels   | 600   | 6,006.00 | 400   | N/A      | 5                   |   | 223.60 +T |
| 6211 Thoracic vertebrae ● Torakale werwels   | 600   | 6,006.00 | 400   | N/A      | 5                   |   | 223.60 +T |
| 6212 Lumbar vertebrae ● Lumbale werwels  | 600   | 6,006.00 | 400   | N/A      | 5                   |   | 223.60 +T |
| 6213 Sacrum ● Sakrum   | 600   | 6,006.00 | 400   | N/A      | 5                   |   | 223.60 +T |

|   | Specialist Radiologist<br>Spesialis Radioloog  |          | Other specialists and General practitioner<br>Ander |        | Anaesthetic Narkose |   |     |
|---|--|----------|---|--------|---------------------|---|-----|
|   | U/E  | R        | U/E   | R      | U/E                 | R | T/M |
| <b>CONTRAST MEDIUM • KONTRASMEDIUM</b>  |  |          |   |        |                     |   |     |
| 6260  | Current price according to the regular price list published by the Radiological Society of SA • Huidige prys volgens die gereëde pryslys wat deur die Radiologiese Vereniging van SA gepubliseer word. |          |   |        |                     |   |     |
| <b>LOW FIELD STRENGTH PERIPHERAL JOINT MAGNETIC RESONANCE IMAGING • LAE VELD STERKTE PERIFERE GEWRIGSMAGNETIESE RESONANSIE-BEELDING</b>   |  |          |   |        |                     |   |     |
| 6270  | 105  | 1,051.10 | 70  | 700.70 |                     |   | -   |
| Low field strength peripheral joint examination (feet, knees, hands, and elbows) in dedicated limb units not able to perform body, spine or head examinations • Lae veld sterkte perifere gewrigsondersoeke (voete, knieë, hande, en elmboë, in toegewese ledemaateenheid wat nie in staat is om liggaam-, wervelkolom- of kopondersoeke uit te voer nie) |  |          |   |        |                     |   |     |
| <b>20 Radiotherapy • Radioterapie</b>   |  |          |   |        |                     |   |     |
| 3657  | 10   | 105.30   |   | -      | -                   |   | -   |
| Kilovolt therapy (single field) • Kilovoltterapie (enkel veld)  |  |          |   |        |                     |   |     |
| 3658  | 18   | 189.50   |   | -      | -                   |   | -   |
| Kilovolt therapy (multiple fields) • Kilovoltterapie (veelvuldige velde)  |  |          |   |        |                     |   |     |

|   | Pathologist/<br>Patoloog |        | Other specialists and<br>general practioners/<br>Ander Spesialiste en<br>Huisartse |        |
|---|--------------------------|--------|--|--------|
|   | U/E                      | R      | U/E  | R      |
| <b>21. PATHOLOGY • PATOLOGIE</b>  |                          |        |  |        |
| ♦ Notes: For fees for Histology and Cytology refer to items 4561 to 4593 under section 22: Anatomical Pathology • Opmerkings: Vir Histologie- en Sitologie-tariewe verwys na items 4561 tot 4593 onder Afdeling 22: Anatomiese Patologie. |                          |        |  |        |
| <b>21.1 Haematology • Hematologie</b>   |                          |        |  |        |
| 3705 Alkali resistant haemoglobin • Alkaliebestande hemoglobien   | 4.5                      | 44.80  | 3  | 29.90  |
| 3706 Coombs' consumption • Coombs-verbruik  | 7.2                      | 71.70  | 4.8  | 47.80  |
| 3709 Antiglobulin test (Coombs' or trypsinized red cells) • Antiglobulientoets (Coombsmetode of getripsineerde rooiselle)   | 3.65                     | 36.40  | 2.45   | 24.40  |
| 3710 Antibody titration • Antiligaam-titrasie   | 7.2                      | 71.70  | 4.8  | 47.80  |
| 3711 Arneth count • Arneth-telling  | 2.25                     | 22.40  | 1.5  | 14.90  |
| 3712 Antibody identification Antiligaam identifkasië  | 8.45                     | 84.20  | 5.65   | 56.30  |
| 3713 Bleeding time (does not include the cost of the simplate device) • Bloeyd (sluit nie die koste van simplateapparaat in nie)  | 6.94                     | 69.10  | 4.63   | 46.10  |
| 3715 Buffy Layer examination • "Buffy" laag ondersoek   | 19.9                     | 198.20 | 13.27  | 132.20 |
| 3716 Mean Cell Volume • Gemiddelde Selvolume  | 2.25                     | 22.40  | 1.5  | 14.90  |
| 3717 Bone marrow cytological examination only • Beenmurg sitologiese ondersoek  | 19.9                     | 198.20 | 13.27  | 132.20 |
| 3719 Bone marrow: Aspiration • Beenmurg: Aspirasie  | 8.4                      | 83.70  | 5.6  | 55.80  |
| 3720 Bone marrow trephine biopsy (excluding aspiration and histological examination) • Beenmurg trefien biopsie (sluit nie aspirasie of histologiese ondersoek in nie)  | 32.6                     | 324.70 | 21.7   | 216.10 |
| 3721 Bone marrow aspiration and trephine biopsy (excluding histological examination) • Beenmurg aspirasie en trefien biopsie (sluit nie histologiese ondersoek in nie)  | 36.8                     | 366.50 | 24.5   | 244.00 |
| 3722 Capillary fragility: Hess • Kapillêre breekbaarheid: Hess  | 2.02                     | 20.10  | 1.35   | 13.40  |
| 3723 Circulating anticoagulants • Sirkulerende antistolmiddel   | 5.85                     | 58.30  | 3.9  | 38.80  |
| 3724 Coagulation factor inhibitor assay • Koagulasiefaktor-inhibeerderessias  | 57.56                    | 573.30 | 38.37  | 382.20 |
| 3725 Clot retraction • Stolselretraksie   | 1.8                      | 17.90  | 1.2  | 12.00  |
| 3726 Activated protein C resistance Geaktiveerde proteïen C-weerstandigheid   | 26                       | 259.00 | 17.3   | 172.30 |
| 3727 Coagulation time • Stollingstyd  | 3.16                     | 31.50  | 2.11   | 21.00  |
| 3728 Anti-factor Xa Activity • Anti-faktor Xa aktiwiteit  | 53.6                     | 533.90 | 35.73  | 355.90 |
| 3729 Cold agglutinins • Koue agglutiniene   | 3.6                      | 35.90  | 2.4  | 23.90  |
| 3730 Protein S: Functional • Proteïen S: Funksioneel  | 37.5                     | 373.50 | 25   | 249.00 |
| 3731 Compatability for blood transfusion • Verenigbaarheid vir bloedtransfusie  | 3.6                      | 35.90  | 2.4  | 23.90  |
| 3734 Protein C (chromogenic) • Proteïen C (chromogenies)  | 30.29                    | 301.70 | 20.19  | 201.10 |
| 3739 Erythrocyte count • Eritrosietelling   | 2.25                     | 22.40  | 1.5  | 14.90  |
| 3740 Factors V and VII: Qualitative • Faktore V en VII: Kwalitatief   | 7.2                      | 71.70  | 4.8  | 47.80  |
| 3741 Coagulation factor assay: functional • stollingsfaktor-essai: funksioneel  | 9.45                     | 94.10  | 6.3  | 62.70  |
| 3742 Coagulation factor assay: Immunological • Stollings faktor-essais: Immunologies  | 4.5                      | 44.80  | 3  | 29.90  |
| 3743 Erythrocyte sedimentation rate • Eritrosiet-besinkingsnelheid  | 2.5                      | 24.90  | 1.67   | 16.60  |
| 3744 Fibrin stabilising factor (urea test) • Fibrin-Stabiliserende faktor (ureum oplosbaarheidstoets)   | 4.5                      | 44.80  | 3  | 29.90  |
| 3746 Fibrin monomers • Fibrin monomere  | 2.7                      | 26.90  | 1.8  | 17.90  |
| 3747 Folic acid clearance test • Foliensuur-uitsuiweringstoets  | 16.2                     | 161.40 | 10.8   | 107.60 |
| 3748 Plasminogen Activator Inhibitor (PAI-I) • Plasminogeen aktivator inhibitor (PAI-I)   | 65.95                    | 656.90 | 43.97  | 437.90 |
| 3750 Tissue Plasminogen Activator (tPA) • Weefsel plasminogeen aktivator (tPA)  | 67.79                    | 675.20 | 45.19  | 450.10 |
| 3751 Osmotic fragility (screen) • Osmotiese breekbaarheid (sifting)   | 2.25                     | 22.40  | 1.5  | 14.90  |
| 3753 Osmotic fragility (before and after incubation) • Osmotiese breekbaarheidstoets (voor en na inkubasie)   | 18                       | 179.30 | 12   | 119.50 |
| 3754 ABO Reverse Group • ABO Terugwaartse groep   | 5.5                      | 54.80  | 3.67   | 36.60  |
| 3755 Full blood count (including items 3739, 3762, 3783, 3785, 3791) • Volle bloedtelling (insluitende items 3739, 3762, 3783, 3785, 3791)  | 10.5                     | 104.60 | 7  | 69.70  |
| 3756 Full cross match • Volledige kruisverenigbaarheid  | 7.2                      | 71.70  | 4.8  | 47.80  |

|  | Pathologist/<br>Patoloog |        | Other specialists and<br>general practioners/<br>Ander Spesialiste en<br>Huisartse |        |
|--|--------------------------|--------|--|--------|
|  | U/E                      | R      | U/E  | R      |
| 3757 Coagulation factors (quantitative) • Stollingsfaktore (kwantitatief)  | 32.2                     | 320.70 | 21.47  | 213.80 |
| 3758 Factor VIII related antigen • Faktor VIII verwante antigeen   | 60.46                    | 602.20 | 40.31  | 401.50 |
| 3759 Coagulation factor correction study • Stollingsfaktor-korreksiestudies  | 11.72                    | 116.70 | 7.81   | 77.80  |
| 3761 Factor XIII related antigen • faktor XIII verwante antigeen   | 61.11                    | 608.70 | 40.74  | 405.80 |
| 3762 Haemoglobin estimation • Hemoglobienbepaling  | 1.8                      | 17.90  | 1.2  | 12.00  |
| 3763 Contact activated product essay • Kontakgeaktiveerde produk-essai   | 16.2                     | 161.40 | 10.8   | 107.60 |
| 3764 Grouping: A-, B- and O-antigens • Groepering: A-, B- en O-antigene  | 3.6                      | 35.90  | 2.4  | 23.90  |
| 3765 Grouping; Rh antigens • Groepering: Rh antigene   | 3.6                      | 35.90  | 2.4  | 23.90  |
| 3766 PIVKA • PIVKA   | 43.49                    | 433.20 | 28.99  | 288.70 |
| 3767 Euglobulin lysis time • Euglobinliesetyd  | 25.58                    | 254.80 | 17.05  | 169.80 |
| 3768 Haemoglobin A (column chromatography) • Hemoglobien A (kolom)   | 15                       | 149.40 | 10   | 99.60  |
| 3769 HB Electrophoresis • Hemoglobien elektroforese  | 26.82                    | 267.10 | 17.88  | 178.10 |
| 3770 Haemoglobin-S (solubility test) • Hemoglobien-S (oplosbaarheidstoets)   | 3.6                      | 35.90  | 2.4  | 23.90  |
| 3778 Haemoglobin electrophoresis • Hemoglobien-elektroferese   | 9.45                     | 94.10  | 6.3  | 62.70  |
| 3773 Ham's acidified serum test • Ham se aangesuurde serumtoets  | 8                        | 79.70  | 5.3  | 52.80  |
| 3775 Heinz bodies • Heinz-liggaampies  | 2.25                     | 22.40  | 1.5  | 14.90  |
| 3776 Haemosiderin in urinary sediment • Haemosiderien in uriensediment   | 2.25                     | 22.40  | 1.5  | 14.90  |
| 3777 Heparin estimation • Heparienbepaling   | 24.39                    | 242.90 | 16.26  | 161.90 |
| 3781 Heparin tolerance • Heparien toleransie   | 7.2                      | 71.70  | 4.8  | 47.80  |
| 3783 Leucocyte differential count • Leukosiet differensiële telling  | 6.2                      | 61.80  | 4.15   | 41.30  |
| 3785 Leucocytes: total count • Leukosiet: totale telling   | 1.8                      | 17.90  | 1.2  | 12.00  |
| 3786 QBC malaria concentration and fluorescent staining • QBC malaria konsentraat en fluoressensie kleuring                          | 25                       | 249.00 | 16.66  | 165.90 |
| 3787 LE-cells • LE-selle   | 8.3                      | 82.70  | 5.55   | 55.30  |
| 3789 Neutrophil alkaline phosphatase • Neutrofiel alkaliese fosfatas   | 28                       | 278.90 | 18.7   | 186.30 |
| 3790 P.Vivax Antigen • P. Vivax Ag   | 9                        | 89.60  | 6  | 59.80  |
| 3791 Packed cell volume: Haematocrit • Gepakte selvolume: Hematokrit   | 1.8                      | 17.90  | 1.2  | 12.00  |
| 3792 Plasmodium falciparum: Monoclonal immunological identification • Plasmodium falciparum: Monoklonaal immunologiese identifikasie | 9                        | 89.60  | 6  | 59.80  |
| 3793 Plasma haemoglobin • Plasma-hemoglobien   | 6.75                     | 67.20  | 4.5  | 44.80  |
| 3794 Platelet Sensitivities • plaatjie sensitiviteit   | 18.64                    | 185.70 | 12.43  | 123.80 |
| 3795 Platelet aggregation per aggregant • Plaatjieklomping per klomp   | 12.14                    | 120.90 | 8.09   | 80.60  |
| 3796 Platelet antibodies: agglutination • Plaatjie-antiliggame: agglutinasie   | 5.4                      | 53.80  | 3.6  | 35.90  |
| 3797 Platelet count • Plaatjetelling   | 2.25                     | 22.40  | 1.5  | 14.90  |
| 3799 Platelet adhesiveness • Plaatjieklewerigheid  | 4.5                      | 44.80  | 3  | 29.90  |
| 3801 Prothrombin consumption • Protrombienenverbruik   | 5.85                     | 58.30  | 3.9  | 38.80  |
| 3803 Prothrombin determination (two stages) • Protrombienenbepaling (twee stadia)  | 5.85                     | 58.30  | 3.9  | 38.80  |
| 3805 Prothrombin index • Protrombienenindeks   | 6                        | 59.80  | 4  | 39.80  |
| 3806 Therapeutic drug level: Dosage • Geneesmiddelvlak: Dosering   | 4.5                      | 44.80  | 3  | 29.90  |
| 3807 Reclassification time • Herklassifiseringstyd   | 2.25                     | 22.40  | 1.5  | 14.90  |
| 3809 Reticulocyte count • Retikulosietelling   | 3                        | 29.90  | 2  | 19.90  |
| 3811 Sickling test • Sekelseltoets   | 2.25                     | 22.40  | 1.5  | 14.90  |
| 3814 Sucrose lysis test for PNH • Sukrose-lisetoets vir PNH  | 3.6                      | 35.90  | 2.4  | 23.90  |
| 3816 T and B-cells EAC markers (per marker) T en B-selle EAC-merkors (per merker)  | 20.25                    | 201.70 | 13.5   | 134.50 |
| 3817 Thromboplastin generation • Tromboplastien-generasie  | 13.05                    | 130.00 | 9  | 89.60  |
| 3819 Thromboplastin inhibition • Tromboplastien-inhibisie  | 16.2                     | 161.40 | 10.8   | 107.60 |
| 3820 Thrombo-Elastogram • Trombo-Elastogram  | 26                       | 259.00 | 17.33  | 172.60 |
| 3821 Viscosity: whole blood or plasma • Viskositeit: heel bloed of plasma  | 3.6                      | 35.90  | 2.4  | 23.90  |
| 3825 Fibrinogen titre • Fibrinogeen-titer  | 3.6                      | 35.90  | 2.4  | 23.90  |
| 3827 Fibrindex test • Fibrindex toets  | 3.6                      | 35.90  | 2.4  | 23.90  |
| 3829 Glucose 6-phosphate-dehydrogenase: Qualitative • Glukose 6-fosfaat-dehidrogenase: Kwalitatief                                   | 8                        | 79.70  | 5.35   | 53.30  |
| 3830 Glucose 6-phosphate-dehydrogenase: quantitative • Glukose 6-fosfaat-dehidrogenase: kwantitatief.                                | 16                       | 159.40 | 10.7   | 106.60 |

|   | Pathologist/<br>Patoloog |        | Other specialists and<br>general practioners/<br>Ander Spesialiste en<br>Huisartse |        |
|---|--------------------------|--------|--|--------|
|   | U/E                      | R      | U/E  | R      |
| 3831 Red cell pyruvate kinase: qualitative ● Rooisel piruvaat kinase: kwalitatief   | 8                        | 79.70  | 5.35   | 53.30  |
| 3832 Red cell pyruvate kinase: quantitative ● Rooisel piruvaat kinase: kwantitatief   | 16                       | 159.40 | 10.7   | 106.60 |
| 3834 Red cell Rhesus phenotype ● Rooisel Rhesus fenotiepe   | 9.9                      | 98.60  | 6.6  | 65.70  |
| 3835 Haemoglobin F in blood smear ● Hemoglobien F in bloedsmeer   | 5.85                     | 58.30  | 3.9  | 38.80  |
| 3837 Partial thromboplastin time ● Gedeeitelike tromboplastientyd   | 5.85                     | 58.30  | 3.9  | 38.80  |
| 3841 Thrombin time (screen) ● Trombientyd (sifting)   | 7.16                     | 71.30  | 4.77   | 47.50  |
| 3843 Thrombin time (serial) ● Trombientyd (reeks)   | 7.65                     | 76.20  | 5.1  | 50.80  |
| 3845 Thromboplastin generation (screen) ● Tromboplastiengenerasie (sifting)   | 11.95                    | 119.00 | 7.97   | 79.40  |
| 3847 Haemoglobin H ● Hemoglobien H  | 2.25                     | 22.40  | 1.5  | 14.90  |
| 3849 Fibrinolysin: diffusion plate ● Fibrinolosien: diffusieplaat   | 5.85                     | 58.30  | 3.9  | 38.80  |
| 3851 Fibrin degeneration products (diffusion plate) ● Fibrin degenerasieprodukte (diffusieplaat)  | 10.35                    | 103.10 | 6.9  | 68.70  |
| 3853 Fibrin degeneration products (latex slide) ● Fibrin degenerasie produkte (latex plaatjie)  | 4.5                      | 44.80  | 3  | 29.90  |
| 3854 XDP (Dimer test or equivalent latex slide test) ● XDP (Dimer-toets of ekwivalente latex-plaatjetoets)  | 8.5                      | 84.70  | 5.67   | 56.50  |
| 3855 Hemagglutination inhibition ● Hemagglutinasie inhibisie  | 9.9                      | 98.60  | 6.6  | 65.70  |
| 3858 Heparin Removal ● heparin verwydering  | 28.88                    | 287.60 | 19.25  | 191.70 |
| 3863 Autogenous vaccine ● Outogene vaksien  | 12.6                     | 125.50 | 8.4  | 83.70  |
| 3864 Entomological examination ● Entomologiese ondersoek  | 20.7                     | 206.20 | 13.8   | 137.40 |
| 3870 Rectal biopsy ● Rektale biopsie  | 3.5                      | 34.90  | 2.35   | 23.40  |
| 3879 Compylobacter in stool: fastidious culture ● Campylo bacter in feces: puntenerige kweking  | 9.9                      | 98.60  | 6.6  | 65.70  |
| <b>21.2 Microscopic examinations ● Mikroskopiese ondersoeke</b>   |                          |        |  |        |
| 3865 Parasites in blood smear ● Parasiete in bloedsmeer   | 5.6                      | 55.80  | 3.73   | 37.20  |
| 3866 Bilharzia: hatch test ● Bilharzia: hatch toets   | 3                        | 29.90  | 2  | 19.90  |
| 3867 Miscellaneous (body fluids, urine, exudate, fungi, pus, scrapings, sputum, wounds, etc.) ● Diverse (liggaamsvog, urien, eksudaat, skimmels, etter, skrappings, etc.) | 4.9                      | 48.80  | 3.3  | 32.90  |
| 3868 Fungus identification ● Fungus identifikasie   | 8.3                      | 82.70  | 5.5  | 54.80  |
| 3869 Faeces (including parasites) ● Fekalieë (parasiete ingesluit)  | 4.9                      | 48.80  | 3.27   | 32.60  |
| 3871 Addis count ● Addis-telling  | 5.85                     | 58.30  | 3.9  | 38.80  |
| 3873 Transmission electron microscopy ● Transmissie elektronmikroskopie   | 85                       | 846.60 | 57   | 567.70 |
| 3874 Scanning electron microscopy ● Skanderings-elektronmikroskopie   | 100                      | 996.00 | 67   | 667.30 |
| 3875 Inclusion bodies ● Insluitingsliggaampie   | 4.5                      | 44.80  | 3  | 29.90  |
| 3878 Crystal identification polarised light microscopy ● Kristal identifikasie gepolariseerde ligmikroskopie  | 4.5                      | 44.80  | 3  | 29.90  |
| 3880 Antigen detection with polyclonal antibodies ● Antigeen bespeuring met poliklonale antiliggame   | 4.5                      | 44.80  | 3  | 29.90  |
| 3881 Mycobacteria ● Mikobakterie  | 3                        | 29.90  | 2  | 19.90  |
| 3882 Antigen detection with monoclonal antibodies ● Antigeebespeuring met monoklonale antiliggame   | 10.8                     | 107.60 | 7.2  | 71.70  |
| 3883 Concentration techniques for parasites ● Konsentrasie tegnieke vir parasiete   | 3                        | 29.90  | 2  | 19.90  |
| 3884 Dark field, phase- or interference contrast microscopy, Nomarski or Fontana ● Donkerveld, fase- of interferensie-kontrasmikroskopie, Nomarski of Fontana             | 6.3                      | 62.70  | 4.2  | 41.80  |
| 3885 Cytochemical stain ● Sitochemiese kleuning   | 5.45                     | 54.30  | 3.65   | 36.40  |
| <b>21.3 Bacteriology (culture and biological examination ● Bakteriologie (kweking en biologiese ondersoek)</b>  |                          |        |  |        |
| 3886 Antibiotic MIC per organism per antibiotic ● Antibiotikum MIK per organisme per antibiotikum   | 43.2                     | 430.30 | 28.6   | 284.90 |
| 3887 Antibiotic susceptibility test, per organism ● Antibiotikum gevoeligheidsstoets per organisme  | 8                        | 79.70  | 5.3  | 52.80  |
| 3889 Clostridium difficile toxin: Monoclonal immunological ● Clostridium difficile toksien: Monoklonaal immunologies.   | 12.4                     | 123.50 | 8.26   | 82.30  |

|   | Pathologist/<br>Patoloog |        | Other specialists and<br>general practioners/<br>Ander Spesialiste en<br>Huisartse |        |
|---|--------------------------|--------|--|--------|
|   | U/E                      | R      | U/E  | R      |
| 3890 Antibiotic assay of tissues and fluids • Antibiotikum-essai vir weefsels en vloeistof                    | 13.9                     | 138.40 | 9.25   | 92.10  |
| 3891 Blood culture: aerobic • Bloedkweking: aerobies  | 5.85                     | 58.30  | 3.9  | 38.80  |
| 3892 Blood culture: anaerobic • Bloedkweking: anaerobies  | 5.85                     | 58.30  | 3.9  | 38.80  |
| 3893 Bacteriological culture: miscellaneous • Bakteriologiese kweking: diverse                                | 6.3                      | 62.70  | 4.2  | 41.80  |
| 3894 Radiometric blood culture • Radiometriese bloedkweking   | 10.8                     | 107.60 | 7.2  | 71.70  |
| 3895 Bacteriological culture: fastidious organisms • Bakteriologiese kweking: puntenerige organisme           | 9.9                      | 98.60  | 6.6  | 65.70  |
| 3896 In vivo culture: bacteria • In vivo kweking: bakterie  | 16                       | 159.40 | 10.65  | 106.10 |
| 3897 In vivo culture: virus • In vivo kweking: virus  | 16                       | 159.40 | 10.65  | 106.10 |
| 3898 Bacterial exotoxin production (in vitro assay) • Bakteriese eksotoksien produksie (in vitro essai)       | 4.5                      | 44.80  | 3  | 29.90  |
| 3899 Bacterial exotoxin production (in vivo assay) • Bakteriese eksotoksien produksie (in vivo essai)         | 20.7                     | 206.20 | 13.8   | 137.40 |
| 3901 Fungal culture • Fungus-kweking  | 4.5                      | 44.80  | 3  | 29.90  |
| 3903 Antibiotic level: biological fluids • Antibiotikum vlak: biologiese vog                                  | 11.7                     | 116.50 | 7.8  | 77.70  |
| 3905 Identification of virus rickettsia • Identifikasie van virus rickettsia                                  | 20.7                     | 206.20 | 13.8   | 137.40 |
| 3906 Identification: chlamydia • Identifikasie: chlamidia   | 16                       | 159.40 | 10.65  | 106.10 |
| 3907 Culture for staphylococcus aureus • Kweking vir stafilococcus aureus                                     | 2.25                     | 22.40  | 1.5  | 14.90  |
| 3908 Anaerobic culture: comprehensive • Anaerobiese kweking: omvattend  | 9.9                      | 98.60  | 6.6  | 65.70  |
| 3909 Anaerobic culture: limited procedure • Anaerobiese kweking: beperkte prosedure                           | 4.5                      | 44.80  | 3  | 29.90  |
| 3910 Biological fluid assay: Bact Stat + % kill • Biologiese vog essai: Bact Stat + % gedood                  | 11.25                    | 112.10 | 7.5  | 74.70  |
| 3912 Bacteriophage typing • Bakteriofaag-tipering   | 4.5                      | 44.80  | 3  | 29.90  |
| 3915 Mycobacterium culture • Mikobakterie kweking   | 4.5                      | 44.80  | 3  | 29.90  |
| 3917 Mycoplasma culture: limited • Mikoplasma kweking beperk  | 2.25                     | 22.40  | 1.5  | 14.90  |
| 3918 Mycoplasma culture: comprehensive • Mikoplasma kweking: omvattend  | 9.9                      | 98.60  | 6.6  | 65.70  |
| 3919 Identification of mycobacterium • Identifikasie van mikobakterie   | 9.9                      | 98.60  | 6.6  | 65.70  |
| 3920 Mycobacterium: antibiotic sensitivity • Mikobakterie: antibiotikumsensitiwiteit                          | 9.9                      | 98.60  | 6.6  | 65.70  |
| 3921 Antibiotic synergistic study • Ondersoek vir sinergisme van antibiotiese middels                         | 20.7                     | 206.20 | 13.8   | 137.40 |
| 3922 Viable cell count • Lewendeseltelling  | 1.35                     | 13.40  | 0.9  | 9.00   |
| 3923 Biochemical ident of bacterium: abridged • Biochemiese ident van bakterie                                | 3.15                     | 31.40  | 2.1  | 20.90  |
| 3924 Biochemical ident of bacterium: extended • Biologiese ident van bakterie: omvattend                      | 12.5                     | 124.50 | 8.33   | 83.00  |
| 3925 Serological ident of bacterium: abridged • Serologiese ident van bakterie: verkort                       | 3.15                     | 31.40  | 2.1  | 20.90  |
| 3926 Serological ident of bacterium: extended • Serologiese ident van bakterie: omvattend                     | 10.2                     | 101.60 | 6.8  | 67.70  |
| 3927 Grouping of streptococci • Streptokokkus groepering  | 7.3                      | 72.70  | 4.85   | 48.30  |
| 3928 Antimicrobial substances • Antimikrobiese substansies  | 3.8                      | 37.80  | 2.5  | 24.90  |
| 3929 Radiometric mycobacterium identification • Radiometriese mikobakterie identifikasie                      | 14                       | 139.40 | 9.3  | 92.60  |
| 3930 Radiometric mycobacterium antibiotic sensitivity • Radiometriese mikobakterie antibiotiese sensitiwiteit | 25                       | 249.00 | 16.7   | 166.30 |
| <b>21.4 Serology • Serologie</b>  |                          |        |  |        |
| 3933 IgE: Total; EMIT or ELISA • IgE: Totaal; EMIT of ELISA   | 11.7                     | 116.50 | 7.8  | 77.70  |
| 3934 Auto antibodies by labelled antibodies • Outo-antiliggame deur gemerkte                                  | 16                       | 159.40 | 10.65  | 106.10 |
| 3938 Precipitin test per antigen • Presipitasie toets per antigeen  | 4.5                      | 44.80  | 3  | 29.90  |
| 3939 Agglutination test per antigen • Agglutinasietoets per antigeen  | 5.5                      | 54.80  | 3.67   | 36.60  |
| 3940 Haemagglutination test: per antigen • Haemagglutinasietoets: per antigeen                                | 9.9                      | 98.60  | 6.6  | 65.70  |
| 3941 Modified Coombs' test for brucellosis • Gewysigde Coombs-toets vir brucellose                            | 4.5                      | 44.80  | 3  | 29.90  |
| 3942 Hepatitis Rapid Viral Ab • Hepatitis Virus AI - spoedmetode  | 20                       | 199.20 | 13.33  | 132.80 |
| 3943 Antibody titer to bacterial exotoxin • Antiliggaam titer teen bakteriese eksotoksien                     | 3.6                      | 35.90  | 2.4  | 23.90  |

|  | Pathologist/<br>Patoloog |          | Other specialists and<br>general practioners/<br>Ander Spesialiste en<br>Huisartse |          |
|--|--------------------------|----------|--|----------|
|  | U/E                      | R        | U/E  | R        |
| 3944 IgE: Specific antibody titer: ELISA/EMIT: per Ag • IgE: spesifieke antiliggam<br>titer: ELISA/EMIT: per Ag                                  | 12.4                     | 123.50   | 8.27   | 82.40    |
| 3945 Complement fixation test • Komplementbindingstoets  | 5.85                     | 58.30    | 3.9  | 38.80    |
| 3946 IgM: Specific antibody titer: ELISA or EMIT: per Ag • IgM: Spesifieke antiliggam<br>titer: ELISA/EMIT: per Ag                               | 14.05                    | 139.90   | 9.37   | 93.30    |
| 3947 C-reactive protein • C-reaktiewe proteïen   | 3.6                      | 35.90    | 2.4  | 23.90    |
| 3948 IgG: Specific antibody titer: ELISA/EMIT: per Ag • IgG: Spesifieke antiliggam<br>titer: ELISA/EMIT: per Ag                                  | 12.95                    | 129.00   | 8.63   | 86.00    |
| 3949 Qualitative Kahn. VDRL or other flocculation • Kwalitatiewe Kahn. VDRL of ander<br>flokkulasie  | 2.25                     | 22.40    | 1.5  | 14.90    |
| 3950 Neutrophil phagocytosis • Neutrofil-fagositose  | 25.2                     | 251.00   | 16.8   | 167.30   |
| 3951 Quantitative Kahn. VDRL or other flocculation • Kwantitatiewe Kahn. VDRL of<br>ander flokkulasie  | 3.6                      | 35.90    | 2.4  | 23.90    |
| 3952 Neutrophil chemotaxis • Neutrofiel-chemotakse   | 67.95                    | 676.80   | 45.3   | 451.20   |
| 3953 Tube agglutination test • Buise agglutinasietoets   | 4.15                     | 41.30    | 2.76   | 27.50    |
| 3955 Paul Bunnell: presumptive • Paul Bunnell: vermoedelik   | 2.25                     | 22.40    | 1.5  | 14.90    |
| 3956 Infectious Mononucleous latex slide test (Monospot or equivalent) • Infektiewe<br>Mononukleose latex-plaatjietoets (Monospot of ekwivalent) | 8.5                      | 84.70    | 5.67   | 56.50    |
| 3957 Paul Bunnell: Absorption • Paul Bunnell: Absorpsie  | 4.5                      | 44.80    | 3  | 29.90    |
| 4063 Fructosamine • Fruktosamine   | 7.2                      | 71.70    | 4.8  | 47.80    |
| 4138 CK-MB: immunoinhibition/precipitation • CK-MB: immunoinhibisie / presipetasie   | 10.8                     | 107.60   | 7.2  | 71.70    |
| 4154 Myoglobin quantitative: monodonal immunological • Mioglobien kwantitatief:<br>monoklonaal immunologies                                      | 12.4                     | 123.50   | 8.27   | 82.40    |
| 4272 Porphobilinagen qualitative screen: urine • Porfobilinogeen kwalitatiewe sifting:<br>urien  | 5                        | 49.80    | 3.33   | 33.20    |
| 4273 Porphobilinogen/ALA: quantitative each • Porfobilinogeen/ALS kwantitatief elk   | 15                       | 149.40   | 10   | 99.60    |
| 4458 Micro-albuminuria: radio-isotope method • Mikro-albuminurie: radio-isotoop  | 12.42                    | 123.70   | 8.3  | 82.70    |
| 4459 Acetyl choline receptor antibody • Asetielcholien reseptor antiliggam   | 158.12                   | 1,574.90 | 105.41   | 1,049.90 |
| 4463 C6 complement functional essay • C6 komplement funksionele bepaling   | 45                       | 448.20   | 30   | 298.80   |
| 4466 Beta-2-microglobulin • Beta-2-mikroglobulien  | 12.42                    | 123.70   | 8.3  | 82.70    |
| 4479 Vitamin B12-absorption: Shilling test • Vitamien B12-absorpsie: Shillingtoets   | 11.7                     | 116.50   | 7.8  | 77.70    |
| 4480 Serotonin • Serotonien  | 18.75                    | 186.80   | 12.5   | 124.50   |
| 4481 Thyroxine (T4) • Tiroksien (T4)   | 12.42                    | 123.70   | 8.28   | 82.50    |
| 4482 Free thyroxine (FT4) • Vry tiroksien (FT4)  | 17.48                    | 174.10   | 11.65  | 116.00   |
| 4485 Insulin • Insulien  | 12.42                    | 123.70   | 8.28   | 82.50    |
| 4489 Unsaturated vitamin B12 binding capacity • Onversadigde vitamien B12<br>bindingskapasiteit  | 12.6                     | 125.50   | 8.4  | 83.70    |
| 4491 Vitamin B12 • Vitamien B12  | 12.42                    | 123.70   | 8.28   | 82.50    |
| 4493 Drug concentration: quantitative • Middelkonsentrasie: kwantitatief   | 12.42                    | 123.70   | 8.28   | 82.50    |
| 4497 Carbohydrate deficient transferrin • Koolwaterstof-gebrekkige transferrien  | 29.06                    | 289.40   | 19.37  | 192.90   |
| 4499 Cortisol • Kortisol   | 12.42                    | 123.70   | 8.28   | 82.50    |
| 4500 DHEA sulphate • DHEA-sulfaat  | 12.42                    | 123.70   | 8.28   | 82.50    |
| 4507 Thyrotropin (TSH) • Tirotropien (TSH)   | 19.6                     | 195.20   | 13.07  | 130.20   |
| 4509 Free tri-iodothyronine (FT3) • Vry trijodotironien (FT3)  | 17.48                    | 174.10   | 11.65  | 116.00   |
| 4510 Total tri-iodothyronine (T3) • Totale trijodotironien (T3)  | 12.42                    | 123.70   | 8.28   | 82.50    |
| 4511 Renin activity • Renien aktiwiteit  | 18.9                     | 188.20   | 12.6   | 125.50   |
| 4516 Follitropin (FSH) • Follitropien (FSH)  | 12.42                    | 123.70   | 8.28   | 82.50    |
| 4517 Lutropin (LH) • Lutropien (LH)  | 12.42                    | 123.70   | 8.28   | 82.50    |
| 4522 Alpha-Feto protein • Alfa-fetoproteïen  | 12.42                    | 123.70   | 8.28   | 82.50    |
| 4523 ACTH • AKTH   | 21.74                    | 216.50   | 14.49  | 144.30   |
| 4627 Gastrin • Gastrien  | 12.42                    | 123.70   | 8.28   | 82.50    |
| 4528 Ferritin • Ferritien  | 12.42                    | 123.70   | 8.28   | 82.50    |
| 4530 Antiplatelet antibodies • Antiplaatjie antiliggame  | 15.3                     | 152.40   | 10.2   | 101.60   |
| 4531 Hepatitis: per antigen or antibody • Hepatitis: per antigeen of antiliggam  | 14.49                    | 144.30   | 9.66   | 96.20    |
| 4532 Transcobalamine • Transkobalamien   | 12.42                    | 123.70   | 8.28   | 82.50    |

|   | Pathologist/<br>Patoloog |        | Other specialists and<br>general practitioners/<br>Ander Spesialiste en<br>Huisartse |        |
|---|--------------------------|--------|--|--------|
|   | U/E                      | R      | U/E  | R      |
| 4533 Folic acid • Foliensuur  | 12.42                    | 123.70 | 8.28   | 82.50  |
| 4535 Unsaturated iron binding capacity • Onversadigde ysterverbindingsvermoë  | 12.42                    | 123.70 | 8.28   | 82.50  |
| 4536 Erythrocyte folate • Rooisel folaat  | 17.48                    | 174.10 | 11.65  | 116.00 |
| 4537 Prolactin • Prolaktien   | 12.42                    | 123.70 | 8.28   | 82.50  |
| 4564 Performance of fine-needle aspiration for cytology • Uitvoer van fynnaald aspirasie vir sitologie                                    | 15                       | 149.40 |  |        |
| 4601 Panel typing: Antibody detection: Class I • Paneeltipering: Antiliggam opsporing: Klas I   | 36                       | 358.60 | 24   | 239.00 |
| 4602 Panel typing: Antibody detection: Class II • Paneeltipering: Antiliggam opsporing: Klas II   | 44                       | 438.20 | 29.3   | 291.80 |
| 4607 Crossmatching T-cells (per tray) • Kruispassing T-selle (per blad)   | 18                       | 179.30 | 12   | 119.50 |
| 4608 Crossmatching B-cells • Kruispassing B-selle   | 38                       | 378.50 | 25.3   | 252.00 |
| 4609 Crossmatching T- & B-cells • Kruispassing T- & B-selle   | 48                       | 478.10 | 32   | 318.70 |
| 4610 Helicobacter pylori antigen test • Helikobakter pylori stoelgang antigeen  | 34.6                     | 344.60 | 23.07  | 229.80 |
| 4613 Anti-Gm1 Antibody Assay • Anti Gm1 AI bepaling   | 75                       | 747.00 | 50   | 498.00 |
| 4614 HIV Ab - Rapid Test • MIV AI - spoedmetode   | 20                       | 199.20 | 13.33  | 132.80 |
| 3959 Rose Waaler Agglutination test • Rose Waaler agglutinasietoet.   | 4.5                      | 44.80  | 3  | 29.90  |
| 3961 Slide agglutination test • Voorwerp glas-agglutinasietoets   | 2.63                     | 26.20  | 1.75   | 17.40  |
| 3962 Rebeck skin window • Rebeck-huidvenster  | 5.4                      | 53.80  | 3.6  | 35.90  |
| 3963 Serum complement level: each component • Serum komplement vlak: per  | 3.15                     | 31.40  | 2.1  | 20.90  |
| 3967 Auto-antibody: Sensitised erythrocytes • Outo-antiliggam: Gesensitiseerde  | 4.5                      | 44.80  | 3  | 29.90  |
| 3969 Western blot technique • Western klad tegniek  | 74                       | 737.00 | 49   | 488.00 |
| 3970 Epstein-Barr virus antibody titer • Epstein-Barr virus antiliggam titer  | 6.75                     | 67.20  | 4.5  | 44.80  |
| 3971 Immuno-diffusion test: per antigen • Immuno-diffusie toets: per antigeen   | 3.15                     | 31.40  | 2.1  | 20.90  |
| 3973 Immuno electrophoresis: per immune serum • Immuno-elektroforese: per immuunserum   | 9.45                     | 94.10  | 6.3  | 62.70  |
| 3975 Indirect immuno-fluorescence test (Bacterial, viral, parasitic) • Indirekte immuno fluoessensietoets (Bakterieel, viraal, parasitêr) | 12                       | 119.50 | 8  | 79.70  |
| 3977 Counter immuno-electrophoresis • Kontra immuno-elektroferese   | 6.75                     | 67.20  | 4.5  | 44.80  |
| 3978 Lymphocyte transformation • Limfosien-transformasie  | 51.7                     | 514.90 | 34.5   | 343.60 |
| 3980 Bilharzia Ag Serum/Urine • Bilharzia Ag Serum/Urine  | 14.49                    | 144.30 | 9.66   | 96.20  |
| <b>21.5 Skin test • Huidtoetse:</b>   |                          |        |  |        |
| For skin-prick allergy tests, please refer to items 0218 to 0221 in the Integumentary   |                          |        |  |        |
| <b>21.6 Biochemical tests: Blood • Biochemiese toetse: Bloed</b>  |                          |        |  |        |
| 3991 Abnormal pigments: qualitative • Abnormale pigmente: kwalitatief   | 4.5                      | 44.80  | 3  | 29.90  |
| 3993 Abnormal pigments: quantitative • Abnormale pigmente: kwantitatief   | 9                        | 89.60  | 6  | 59.80  |
| 3995 Acid phosphatase • Suurfosfatase   | 5.18                     | 51.60  | 3.45   | 34.40  |
| 3996 Serum Amyloid A • Serum Amiloied A   | 8.28                     | 82.50  | 5.52   | 55.00  |
| 3997 Acid phosphatase fractionation • Suurfosfatase fraksionasie  | 1.8                      | 17.90  | 1.2  | 12.00  |
| 3998 Amino acids: Quantitative (Post derivatisation HPLC) • Aminosure: Kwantitatief (Post derivatisering HDVC)                            | 78.12                    | 778.10 | 52.08  | 518.70 |
| 3999 Albumin • Albumien   | 4.8                      | 47.80  | 3.2  | 31.90  |
| 4000 Alcohol • Alkohol  | 12.4                     | 123.50 | 8.27   | 82.40  |
| 4001 Alkaline phosphatase • Alkaliiese fosfatase  | 5.18                     | 51.60  | 3.45   | 34.40  |
| 4002 Alkaline Phosphatase-iso-enzymes • Alkaliiese fosfatase-iso-ensieme  | 11.7                     | 116.50 | 7.8  | 77.70  |
| 4003 Ammonia: enzymatic • Ammoniak: ensiematies   | 7.71                     | 76.80  | 5.14   | 51.20  |
| 4004 Ammonia: monitor • Ammoniak: monitor   | 4.5                      | 44.80  | 3  | 29.90  |
| 4005 Alpha-antitrypsin • Alfa-antitripsien  | 7.2                      | 71.70  | 4.8  | 47.80  |
| 4006 Amylase • Amilase  | 5.18                     | 51.60  | 3.45   | 34.40  |
| 4007 Arsenic in blood, hair or nails • Arseen in bloed, hare of naels   | 36.25                    | 361.10 | 24.17  | 240.70 |
| 4008 Bilirubin - Reflectance • Billirubin reflektansie  | 4.77                     | 47.50  | 3.18   | 31.70  |
| 4009 Bilirubin: total • Billirubin: totaal  | 4.77                     | 47.50  | 3.18   | 31.70  |
| 4010 Bilirubin: conjugated • Billirubin: gekonjugeerd   | 3.62                     | 36.10  | 2.41   | 24.00  |

|  | Pathologist/<br>Patoloog |        | Other specialists and<br>general practitioners/<br>Ander Spesialiste en<br>Huisartse |        |
|--|--------------------------|--------|--|--------|
|  | U/E                      | R      | U/E  | R      |
| 4014 Cadmium: atomic absorp • Kadmium: atoomabsorpsies   | 18.12                    | 180.50 | 12.08  | 120.30 |
| 4016 Calcium: Ionized / Kalsium: Geïoniseerd   | 6.75                     | 67.20  | 4.5  | 44.80  |
| 4017 Calcium: spectrophotometric • Kalsium: spektrofotometrie  | 3.62                     | 36.10  | 2.41   | 24.00  |
| 4018 Calcium: atomic absorption • Kalsium: atoomabsorpsie  | 7.25                     | 72.20  | 4.83   | 48.10  |
| 4019 Carotene • Karoteen   | 2.25                     | 22.40  | 1.5  | 14.90  |
| 4023 Chloride • Chloried   | 2.59                     | 25.80  | 1.73   | 17.20  |
| 4029 Cholinesterase: serum or erythrocyte: each • Cholinesterase: serum of rooisel: elk                                    | 7.48                     | 74.50  | 4.99   | 49.70  |
| 4030 Cholinesterase phenotype (Dibucaine or fluoride each) • Cholinesterase fenotipe (Dibucaine of fluoried elk)           | 9                        | 89.60  | 6  | 59.80  |
| 4031 Total CO <sub>2</sub> • Totale CO <sub>2</sub>  | 5.18                     | 51.60  | 3.45   | 34.40  |
| 4032 Creatinine • Kreatinien   | 3.62                     | 36.10  | 2.41   | 24.00  |
| 4035 CSF-Albumin • SSV Albumien  | 9.45                     | 94.10  | 6.3  | 62.70  |
| 4036 CSF-IgG Index • SSV IgG Indeks  | 9.45                     | 94.10  | 6.3  | 62.70  |
| 4040 Homocysteine (random) • Homosisteïn (lukraak)   | 15.3                     | 152.40 | 10.2   | 101.60 |
| 4041 Homocysteine (after Methionine load) • Homosisteïn (na Metionien-lading)  | 18.1                     | 180.30 | 12.06  | 120.10 |
| 4042 D-Xylose absorption test: two hours • D-Xylose absorpsietoets twee uur  | 13.15                    | 131.00 | 8.75   | 87.20  |
| 4045 Fibrinogen: quantitative • Fibrinogeen: kwantitatief  | 3.6                      | 35.90  | 2.4  | 23.90  |
| 4047 Hollander test • Hollander se toets   | 24.75                    | 246.50 | 16.5   | 164.30 |
| 4049 Glucose tolerance test (2 specimens) • Glukose toleransietoets (2 monsters)   | 8.97                     | 89.30  | 5.98   | 59.60  |
| 4050 Glucose strip-test with photometric reading • Glukose strokietoets met fotometriese lesing                            | 1.8                      | 17.90  | 1.2  | 12.00  |
| 4051 Galactose • Galaktose   | 11.25                    | 112.10 | 7.5  | 74.70  |
| 4052 Glucose tolerance test (3 specimens) • Glukose toleransietoets (3 monsters)   | 13.17                    | 131.20 | 8.78   | 87.40  |
| 4053 Glucose tolerance test (4 specimens) • Glukose toleransietoets (4 monsters)   | 17.37                    | 173.00 | 11.58  | 115.30 |
| 4057 Glucose Quantitative • Glukose Kwantitatief   | 3.62                     | 36.10  | 2.41   | 24.00  |
| 4061 Glucose tolerance test (5 specimens) • Glukose toleransietoets (5 monsters)   | 21.56                    | 214.70 | 14.37  | 143.10 |
| 4064 Glycated haemoglobin: chromatography • Geglikosileerde hemoglobien: chromatografie                                    | 7.2                      | 71.70  | 4.8  | 47.80  |
| 4067 Lithium: flame ionisation • Litium: vlam ionisasie  | 5.18                     | 51.60  | 3.45   | 34.40  |
| 4068 Lithium: atomic absorption • Litium: atoomabsorpsie:  | 7.48                     | 74.50  | 4.99   | 49.70  |
| 4071 Iron • Yster  | 6.75                     | 67.20  | 4.5  | 44.80  |
| 4073 Iron-binding capacity • Ysterbindingsvermoë   | 7.65                     | 76.20  | 5.1  | 50.80  |
| 4075 Blood gases: Panel 1: Astrup/pO <sub>2</sub> • Bloedgasse: Paneel 1: Astrup/pO <sub>2</sub>                           | 22                       | 219.10 | 22   | 219.10 |
| 4076 Blood gases: Panel 2: Panel 1 (4075) & ancillary tests • Bloedgasse: Paneel 2: Paneel 1 (4075) & bykomende toetse     | 34                       | 338.60 | 34   | 338.60 |
| 4078 Oximetry analysis: MetHbCOHbO <sub>2</sub> HbR= HbSulfHb • Oksimetriese analise: MetHbCOHbO <sub>2</sub> HbR=HbSulfHb | 6.75                     | 67.20  | 4.5  | 44.80  |
| 4079 Ketones in plasma: qualitative • Ketone in plasma: kwalitatief  | 2.25                     | 22.40  | 1.5  | 14.90  |
| 4081 Drug level-biological fluid: Quantitative • Middel viak-biologiese vog: kwantitatief                                  | 10.8                     | 107.60 | 7.2  | 71.70  |
| 4085 Lipase • Lipase   | 5.18                     | 51.60  | 3.45   | 34.40  |
| 4091 Lipoprotein electrophoresis • Lipoproteïen-elektroferese  | 9                        | 89.60  | 6  | 59.80  |
| 4093 Osmolality: serum or urine • Osmolaliteit: serum of urien   | 6.75                     | 67.20  | 4.5  | 44.80  |
| 4094 Magnesium: spectrophotometric • Magnesium: spektrofotometries   | 3.62                     | 36.10  | 2.41   | 24.00  |
| 4095 Magnesium: atomic absorption • Magnesium: atoomabsorpsie  | 7.25                     | 72.20  | 4.83   | 48.10  |
| 4096 Mercury: atom absorption • Kwik: atoomabsorpsie   | 18.12                    | 180.50 | 12.08  | 120.30 |
| 4097 Copper: spectrophotometric • Koper: spektrofotometries  | 3.62                     | 36.10  | 2.41   | 24.00  |
| 4098 Copper: atomic absorption • Koper: atoomabsorpsie   | 18.12                    | 180.50 | 12.08  | 120.30 |
| 4105 Protein electrophoresis • Proteïen-elektroferese  | 9                        | 89.60  | 6  | 59.80  |
| 4106 IgG sub-class 1.2. 3 or 4: Per sub-class • IgG subklas 1.2. 3 of 4: Per subklas                                       | 20                       | 199.20 | 13.2   | 131.50 |
| 4109 Phosphate • Fosfaat   | 3.62                     | 36.10  | 2.41   | 24.00  |
| 4111 Phospholipids • Fosfolipiede  | 3.15                     | 31.40  | 2.1  | 20.90  |
| 4113 Potassium • Kalium  | 3.62                     | 36.10  | 2.41   | 24.00  |
| 4114 Sodium • Natrium  | 3.62                     | 36.10  | 2.41   | 24.00  |

|  | Pathologist/<br>Patoloog |        | Other specialists and<br>general practioners/<br>Ander Spesialiste en<br>Huisartse |        |
|--|--------------------------|--------|--|--------|
|  | U/E                      | R      | U/E  | R      |
| 4117 Protein: total ● Proteïen: totaal   | 3.11                     | 31.00  | 2.07   | 20.60  |
| 4121 pH. pCO <sub>2</sub> or pO <sub>2</sub> each ● pH. pCO <sub>2</sub> of pO <sub>2</sub> : elk  | 6.75                     | 67.20  | 4.5  | 44.80  |
| 4123 Pyruvic acid ● Pirodruiwesuur   | 4.5                      | 44.80  | 3  | 29.90  |
| 4125 Salicylates ● Salisilate  | 4.5                      | 44.80  | 3  | 29.90  |
| 4126 Secretin-pancreozymin responds ● Sekretien-pankreasimien-respons  | 26.1                     | 260.00 | 17.4   | 173.30 |
| 4127 Caeruloplasmin ● Seruloplasmin  | 4.5                      | 44.80  | 3  | 29.90  |
| 4128 Phenylalanine: Quantitative Feniellalanien: kwantitatief  | 11.25                    | 112.10 | 7.5  | 74.70  |
| 4129 Glutamate dehydrogenase (GDH) ● Glutamaat dehydrogenase (GDH)   | 5.4                      | 53.80  | 3.6  | 35.90  |
| 4130 Aspartate amino transferase (AST) ● Aspartaat amino transferase (AST)   | 5.4                      | 53.80  | 3.6  | 35.90  |
| 4131 Alanine amino transferase (ALT) ● Alanien amino transferase (ALT)   | 5.4                      | 53.80  | 3.6  | 35.90  |
| 4132 Creatine kinase (CK) ● Kreatien kinase (CK)   | 5.4                      | 53.80  | 3.6  | 35.90  |
| 4133 Lactate dehydrogenase (LD) ● Laktaat dehydrogenase (LD)   | 5.4                      | 53.80  | 3.6  | 35.90  |
| 4134 Gamma glutamyl transferase (GGT) ● Gamma glutamiel transferase (GGT)  | 5.4                      | 53.80  | 3.6  | 35.90  |
| 4135 Aldolase ● Aldolase   | 5.4                      | 53.80  | 3.6  | 35.90  |
| 4136 Angiotensin converting enzyme (ACE) ● Angiotensien omskakelingsensiem (ACE)   | 9                        | 89.60  | 6  | 59.80  |
| 4137 Lactate dehydrogenase isoenzyme ● Laktaat dehydrogenase isoensiem   | 10.8                     | 107.60 | 7.2  | 71.70  |
| 4139 Adenosine deaminase ● Adenosien deaminase   | 16                       | 159.40 | 10.67  | 106.30 |
| 4142 Red cell enzymes: each · Rooiselsiensieme: elk  | 7.8                      | 77.70  | 5.2  | 51.80  |
| 4143 Serum/plasma enzymes: each ● Serum/plasma ensieme: elk  | 5.4                      | 53.80  | 3.6  | 35.90  |
| 4144 Transferrin · Transferrien  | 11.7                     | 116.50 | 7.8  | 77.70  |
| 4145 Lead: spectrophotometric ● Lood: spektrofotometries   | 4.5                      | 44.80  | 3  | 29.90  |
| 4146 Lead: atomic absorption ● Lood: atoomabsorpsie.   | 15                       | 149.40 | 10   | 99.60  |
| 4151 Urea ● Ureum  | 3.62                     | 36.10  | 2.41   | 24.00  |
| 4154 Myoglobin quantitative: Monoclonal immunological ● Mioglobien kwantitatief:<br>Monoklonaal immunologies   | 12.4                     | 123.50 | 8.27   | 82.40  |
| 4155 Uric acid ● Uriensuur   | 3.78                     | 37.60  | 2.52   | 25.10  |
| 4157 Vitamin A-saturation test ● Vitamien A-versadigingstoets  | 15.3                     | 152.40 | 10.2   | 101.60 |
| 4158 Vitamin E (tocopherol) ● Vitamien E (tokoferol)   | 27                       | 268.90 | 18   | 179.30 |
| 4159 Vitamin A ● Vitamien A  | 6.3                      | 62.70  | 4.2  | 41.80  |
| 4160 Vitamin C (ascorbic acid) ● Vitamien C (askorbiensuur)  | 2.25                     | 22.40  | 1.5  | 14.90  |
| 4171 Sodium + potassium + chloride + CO <sub>2</sub> + urea ● Natrium + kalium + chloried + CO <sub>2</sub> +<br>ureum                                       | 15.84                    | 157.80 | 10.56  | 105.20 |
| 4172 ELIZA or EMIT technique (drug assay) ● ELIZA of EMIT tegniek (geneesmiddel)   | 12.42                    | 123.70 | 8.28   | 82.50  |
| 4181 Quant protein estimation: Mancini method ● Kwant proteïen bepaling: Mancini<br>metode   | 7.76                     | 77.30  | 5.17   | 51.50  |
| 4182 Quant protein estimation: nephelometer ● Kwant proteïen bepaling: nefelometer   | 8.28                     | 82.50  | 5.52   | 55.00  |
| 4183 Quant protein estimation: labelled antibody ● Kwant proteïen bepaling: gemerkte<br>antiliggaam  | 12.42                    | 123.70 | 8.28   | 82.50  |
| 4185 Lactose ● Laktose   | 10.8                     | 107.60 | 7.2  | 71.70  |
| 4187 Zinc: atomic absorption ● Sink: atoomabsorpsie  | 18.12                    | 180.50 | 12.08  | 120.30 |
| <b>21.7 Biochemical tests: Urine ● Biochemiese toets: uriene</b>   |                          |        |  |        |
| 4188 Urine dipstick, per stick (irrespective of the number of tests on stick) ● Urien<br>doopstrokie, per strokie (ongegag die aantal toetse op die strokie) | 1.5                      | 14.90  | 1  | 10.00  |
| 4189 Abnormal pigments ● Abnormale pigmente  | 4.5                      | 44.80  | 3  | 29.90  |
| 4193 Alkapton test: homogentisic acid ● Alkapton toets: homogentisien-suur   | 4.5                      | 44.80  | 3  | 29.90  |
| 4194 Amino acids: quantitative (Post derivatisation HPLC) ● Aminosure: kwantitatief<br>(Post derivatisering HDVC)  | 78.12                    | 778.10 | 52.08  | 518.70 |
| 4195 Amino laevulinic acid ● Aminolevuliensuur   | 18                       | 179.30 | 12   | 119.50 |
| 4197 Amylase ● Amilase   | 5.18                     | 51.60  | 3.45   | 34.40  |
| 4199 Ascorbic acid ● Askorbiensuur   | 2.25                     | 22.40  | 1.5  | 14.90  |
| 4201 Bence-Jones protein ● Bence-Jones proteïen  | 2.7                      | 26.90  | 1.8  | 17.90  |
| 4202 Bence-Jones protein: Bradshaw's test ● Bence-Jones proteïen: Bradshaw's toets   | 2.25                     | 22.40  | 1.5  | 14.90  |
| 4203 Phenol ● Fenol  | 3.6                      | 35.90  | 2.4  | 23.90  |

|  | Pathologist/<br>Patoloog                                  |          | Other specialists and<br>general practioners/<br>Ander Spesialiste en<br>Huisartse |        |
|--|---|----------|--|--------|
|  | U/E   | R        | U/E  | R      |
|  | 4204 Calcium: atomic absorption • Kalsium: atoomabsorpsie | 7.25     | 72.20  | 4.83   |
| 4205 Calcium: spectrophotometric • Kalsium: spektrofotometries   | 3.62  | 36.10    | 2.41   | 24.00  |
| 4206 Calcium: absorption and excretion studies • Kalsium: absorpsie en ekskresie   | 25  | 249.00   | 16.7   | 166.30 |
| 4207 Catecholamines fluorimetric screen test • Katekolamiene. fluorimetriese   | 11.25   | 112.10   | 7.5  | 74.70  |
| 4208 Lead: spectrophotometric • Lood: spektrofotometries   | 4.5   | 44.80    | 3  | 29.90  |
| 4209 Lead: atomic absorption • Lood: atoom absorpsie   | 15  | 149.40   | 10   | 99.60  |
| 4211 Bile pigments: qualitative • Galpigmente: kwalitatief   | 2.25  | 22.40    | 1.5  | 14.90  |
| 4213 Protein: quantitative • Proteïen: kwantitatief  | 2.25  | 22.40    | 1.5  | 14.90  |
| 4214 Mercury • Kwik  | 7.25  | 72.20    | 4.83   | 48.10  |
| 4216 Mucopolysaccharides: qualitative • Mukopolisakkariede: kwalitatief  | 3.6   | 35.90    | 2.4  | 23.90  |
| 4217 Oxalate/Citrate: enzymatic each • Oksalaat/Sitraat: ensiematies elk   | 9.38  | 93.40    | 6.25   | 62.30  |
| 4218 Glucose: quantitative • Glukose: kwantitatief   | 2.25  | 22.40    | 1.5  | 14.90  |
| 4219 Steroids: chromatography (each) • Steroïede: chromatografie (elk)   | 7.2   | 71.70    | 4.8  | 47.80  |
| 4221 Creatinine • Kreatinien   | 3.62  | 36.10    | 2.41   | 24.00  |
| 4223 Creatinine clearance • Kreatinien-opruiming   | 7.65  | 76.20    | 5.1  | 50.80  |
| 4225 Xylose • Xilose   | 3.15  | 31.40    | 2.1  | 20.90  |
| 4227 Electrophoreses: qualitative • Elektroforese: kwalitatief   | 4.5   | 44.80    | 3  | 29.90  |
| 4229 Uric acid clearance • uriensuuropruiming  | 7.65  | 76.20    | 5.1  | 50.80  |
| 4237 5-Hydroxy-indole-acetic acid: screen • 5-Hidroksie-indolasynsuur: siftingsstoets  | 2.7   | 26.90    | 1.8  | 17.90  |
| 4239 5-Hydroxy-indole-acetic acid: quantitative • 5-Hidroksie-indolasynsuur: kwantitatief  | 6.75  | 67.20    | 4.5  | 44.80  |
| 4241 Indican or indole: qualitative • Indikan of indool: kwalitatief   | 3.15  | 31.40    | 2.1  | 20.90  |
| 4245 Vitamin A-screen test • Vitamien A-siftingsstoets   | 5.4   | 53.80    | 3.6  | 35.90  |
| 4247 Ketones: excluding dip-stick method • Ketone: dompelstrokiemetode uitgesluit  | 2.25  | 22.40    | 1.5  | 14.90  |
| 4248 Reducing substances • Reduserende stowwe  | 1.8   | 17.90    | 1.2  | 12.00  |
| 4249 Melanogen (melanin) • Melanogeen (melanien)   | 4.5   | 44.80    | 3  | 29.90  |
| 4251 Metanephrines: column chromatography • metanefriene: kolom chromatografie   | 22.05   | 219.60   | 14.7   | 146.40 |
| 4253 Aromatic amines (gaschromatography/mass spectrophotometry) • Aromatiese amiene (gaschromatografie / massaspektrofotometrie) | 27  | 268.90   | 18   | 179.30 |
| 4254 Nitrosonaphtol test for tyrosine • Nitrosonaftoets vir tirosien   | 2.25  | 22.40    | 1.5  | 14.90  |
| 4262 Micro Albumin-Qualitative • Mikroalbumien Kwalitatief   | 4.5   | 44.80    | 3  | 29.90  |
| 4263 pH: Excluding dip-stick method • pH: Dompelstrokiemetode uitgeslote   | 0.9   | 9.00     | 0.6  | 6.00   |
| 4265 Thin layer chromatography: one way • Dunlaag chromatografie: enkelrigting   | 6.75  | 67.20    | 4.5  | 44.80  |
| 4266 Thin layer chromatography: two way • Dunlaag chromatografie: tweerigting  | 11.25   | 112.10   | 7.5  | 74.70  |
| 4267 Total organic matter screen: Infrared • Totale organiese materiaal sifting: Infraroo  | 31.25   | 311.30   | 20.83  | 207.50 |
| 4268 Organic acids: quantitative: GCMS • Organiese sure: kwantitatief: GCMS  | 109.38  | 1,089.40 | 72.92  | 726.30 |
| 4269 Phenylpyruvic acid: ferric chloride • Fenielpirodruivesuur: ferrichloried   | 2.25  | 22.40    | 1.5  | 14.90  |
| 4271 Phosphate excretion index • Fosfaat uitskeidings indeks   | 22.05   | 219.60   | 14.7   | 146.40 |
| 4283 Magnesium: spectrophotometric • Magnesium: spektrofotometries   | 3.62  | 36.10    | 2.41   | 24.00  |
| 4284 Magnesium: atomic absorption • Magnesium: atoomabsorpsie  | 7.25  | 72.20    | 4.83   | 48.10  |
| 4285 Identification of carbohydrate • Identifikasie van koolhidrate  | 7.65  | 76.20    | 5.1  | 50.80  |
| 4287 Identification of drug: qualitative • Identifikasie van geneesmiddel: kwalitatief   | 4.5   | 44.80    | 3  | 29.90  |
| 4288 Identification of drug: quantitative • Identifikasie van geneesmiddel: kwantitatief   | 10.8  | 107.60   | 7.2  | 71.70  |
| 4293 Urea clearance • Ureum opruiming  | 5.4   | 53.80    | 3.6  | 35.90  |
| 4297 Copper: spectrophotometric • Koper: spektrofotometries  | 3.62  | 36.10    | 2.41   | 24.00  |
| 4298 Copper: Atomic absorption • Koper: atoomabsorpsie   | 18.12   | 180.50   | 12.08  | 120.30 |
| 4299 Indoles: quantitative • Indole: kwantitatief  | 6.75  | 67.20    | 4.5  | 44.80  |
| 4300 Indican or Indole: Qualitative • Indikan of Indool: Kwalitatief   | 3.15  | 31.40    | 2.1  | 20.90  |
| 4301 Chloride • Chloried   | 2.59  | 25.80    | 1.73   | 17.20  |
| 4307 Ammonium chloride loading test • Ammoniumchloried-ladingstoets  | 22.05   | 219.60   | 14.7   | 146.40 |
| 4309 Urobilinogen: quantitative • Urobilinoëen: kwantitatief   | 6.75  | 67.20    | 4.5  | 44.80  |
| 4313 Phosphate • Fosfaat   | 3.62  | 36.10    | 2.41   | 24.00  |

|  | Pathologist/<br>Patoloog |        | Other specialists and<br>general practioners/<br>Ander Spesialiste en<br>Huisartse |        |
|--|--------------------------|--------|--|--------|
|  | U/E                      | R      | U/E  | R      |
| 4315 Potassium • Kalium  | 3.62                     | 36.10  | 2.41   | 24.00  |
| 4316 Sodium • Natrium  | 3.62                     | 36.10  | 2.41   | 24.00  |
| 4319 Urea • Ureum  | 3.62                     | 36.10  | 2.41   | 24.00  |
| 4321 Uric acid • Uriensuur   | 3.62                     | 36.10  | 2.41   | 24.00  |
| 4322 Fluoride • Fluoried   | 5.18                     | 51.60  | 3.45   | 34.40  |
| 4323 Total protein and protein electrophoreses • Totale proteïen en  | 11.25                    | 112.10 | 7.5  | 74.70  |
| 4325 VMA: quantitative • VMA: kwantitatief   | 11.25                    | 112.10 | 7.5  | 74.70  |
| 4327 Immunofixation: Total ProteinIgGlgA=IgMKappaLambda • Immunofiksasie: Totale<br>proteinIgGlgA=IgMKappaLambda | 46.88                    | 466.90 | 31.25  | 311.30 |
| 4335 Cystine: quantitative • Sistien: kwantitatief   | 12.6                     | 125.50 | 8.4  | 83.70  |
| 4336 Dinitrophenal hydrazine test: ketoacids • Dinitrofenol-hidrasientoets vir ketosure                          | 2.25                     | 22.40  | 1.5  | 14.90  |
| 4337 Hydroxyproline: quantitative • Hidroksieprolien: kwantitatief   | 18.9                     | 188.20 | 12.6   | 125.50 |
| 4338 Hydroxyproline: qualitative • Hidroksieprolien: kwalitatief   | 6.75                     | 67.20  | 4.5  | 44.80  |
| <b>21.8 Biochemical tests: Faeces • Biochemiese toetse: Fekalieë</b>   |                          |        |  |        |
| 4339 Chloride • Chloried   | 2.59                     | 25.80  | 1.73   | 17.20  |
| 4343 Fat: qualitative • Vet: kwalitatief   | 3.15                     | 31.40  | 2.1  | 20.90  |
| 4345 Fat: quantitative • Vet: kwantitatief   | 22.05                    | 219.60 | 14.7   | 146.40 |
| 4347 pH • pH   | 0.9                      | 9.00   | 0.6  | 6.00   |
| 4351 Occult blood: chemical test • Okkulte bloed: chemiese toets   | 2.25                     | 22.40  | 1.5  | 14.90  |
| 4352 Occult blood (monoclonal antibodies) • Okkulte bloed (monoklonale antiliggamme)                             | 10                       | 99.60  | 6.67   | 66.40  |
| 4357 Potassium • Kalium  | 3.62                     | 36.10  | 2.41   | 24.00  |
| 4358 Sodium • Natrium  | 3.62                     | 36.10  | 2.41   | 24.00  |
| 4361 Stercobilin • Sterkobilien  | 2.25                     | 22.40  | 1.5  | 14.90  |
| 4363 Stercobilinogen: quantitative • Sterkobilinogeen: kwantitatief  | 6.75                     | 67.20  | 4.5  | 44.80  |
| 4365 Tryptic activity • Triptiese aktiwiteit   | 2.25                     | 22.40  | 1.5  | 14.90  |
| <b>21.9 Biochemical tests: Miscellaneous • Biochemiese toetse: Diverse</b>                                       |                          |        |  |        |
| 4371 Amylase in exudate • Amilase in eksudaat  | 5.18                     | 51.60  | 3.45   | 34.40  |
| 4374 Trace metals in biological fluid: Atomic absorption • Spoorelemente in biologiese<br>vog: atoomabsorpsie    | 18.13                    | 180.60 | 12.08  | 120.30 |
| 4375 Calcium in fluid: Spectrophotometric • Kalsium in vog: Spektrofotometries                                   | 3.62                     | 36.10  | 2.41   | 24.00  |
| 4376 Calcium in fluid: Atomic absorption • Kalsium in vog: Atoomabsorpsie  | 7.25                     | 72.20  | 4.83   | 48.10  |
| 4388 Gastric contents: Maximal stimulation • Maaginhoud: Maksimum stimulasietoets                                | 27                       | 268.90 | 18   | 179.30 |
| 4389 Gastric fluid: Total acid • Maagsap: Totale suur  | 2.25                     | 22.40  | 1.5  | 14.90  |
| 4391 Renal calculus: Chemistry • Niersteen: Chemiese ontleding   | 5.4                      | 53.80  | 3.6  | 35.90  |
| 4392 Renal calculus: Crystallography • Niersteen: Kristallografie  | 16.25                    | 161.90 | 10.8   | 107.60 |
| 4393 Saliva: Potassium • Speeksel: Kalium  | 3.62                     | 36.10  | 2.41   | 24.00  |
| 4394 Saliva: Sodium • Speeksel: Natrium  | 3.62                     | 36.10  | 2.41   | 24.00  |
| 4395 Sweat: Sodium • Sweet: Natrium  | 3.62                     | 36.10  | 2.41   | 24.00  |
| 4396 Sweat: Potassium • Sweet: Kalium  | 3.62                     | 36.10  | 2.41   | 24.00  |
| 4397 Sweat: Chloride • Sweet: Chloried   | 2.59                     | 25.80  | 1.73   | 17.20  |
| 4399 Sweat collection by iontophoresis • Sweetversameling deur iontofores  | 4.5                      | 44.80  | 3  | 29.90  |
| 4400 Tryptophane loading test • Triptofaanladingstoets   | 22.05                    | 219.60 | 14.7   | 146.40 |
| <b>21.10 Cerebrospinal fluid • Serebro spinale vog</b>   |                          |        |  |        |
| 4401 Cell count • Seltelling   | 3.45                     | 34.40  | 2.3  | 22.90  |
| 4407 Cell count. protein. glucose and chloride • Seltelling. proteïen. glukose en chloried                       | 7.65                     | 76.20  | 5.1  | 50.80  |
| 4409 Chloride • Chloried   | 2.59                     | 25.80  | 1.73   | 17.20  |
| 4415 Potassium • Kalium  | 3.62                     | 36.10  | 2.41   | 24.00  |
| 4416 Sodium • Natrium  | 3.62                     | 36.10  | 2.41   | 24.00  |
| 4417 Protein: Qualitative • Proteïen: Kwalitatief  | 0.9                      | 9.00   | 0.6  | 6.00   |
| 4419 Protein: Quantitative • Proteïen: Kwantitatief  | 3.11                     | 31.00  | 2.07   | 20.60  |

|  | Pathologist/<br>Patoloog |                          | Other specialists and<br>general practitioners/<br>Ander Spesialiste en<br>Huisartse |        |
|--|--------------------------|--------------------------|--|--------|
|  | U/E                      | R                        | U/E  | R      |
| 4421 Glucose • Glukose   | 3.62                     | 36.10                    | 2.41   | 24.00  |
| 4423 Urea • Ureum  | 3.62                     | 36.10                    | 2.41   | 24.00  |
| 4425 Protein electrophoresis • Proteïenelektroforese   | 12.6                     | 125.50                   | 8.4  | 83.70  |
| <b>21.12 Isotopes • Isotope</b>  |                          |                          |  |        |
| 4452 Bone-Specific Alk. Phosphatase • Been alkaliese fosfatase   | 20                       | 199.20                   | 13.33  | 132.80 |
| 4524 Free PSA • Vry PSA  | 14.49                    | 144.30                   | 9.66   | 96.20  |
| 4528 Ferritin • Ferritien  | 12.42                    | 123.70                   | 8.28   | 82.50  |
| <b>21.13 After hour service and travelling fees (applicable to pathologists only) • Buite normale werksure en reisgelde (slegs van toepassing op patoloë) + Miscellaneous/Diverse</b>  |                          |                          |  |        |
| 4544 Attendance in theatre • Teenwoordigheid in teater   | 27                       | 268.90                   |  | -      |
| 4547 After hour service: (Monday to Friday) 17:00 to 07:00. Saturday 13:00 to Monday 07:00 and public holidays • Diens buite normale werksure (Maandag tot Vrydag) 17:00 tot 07:00. Saterdag 13:00 tot Maandag 07:00 en openbare vakansiedae   | Tariff / Tarief<br>+ 50% | Tariff / Tarief<br>+ 50% |  |        |
| 4549 Minimum fee for after hour service • Minimumgelde vir diens buite normale werk-   | 6.3                      | 62.70                    |  | -      |
| 4551 Fees not detailed in the above Pathology Schedule (section 21 ) are obtainable from the National Pathology Group of the MASA. and will be based on the fee for a comparable service in the Tariff of fees • Gelde vir dienste nie vermeld in die voorafgaande Patologie skedule (afdeling 21 ). Is verkrygbaar van die Nasionale Patologiegroep van die MVSA. en sal baseer word op die gelde van 'n vergelykbare diens in die Tarief |                          | -                        |  | -      |
| <b>22. ANATOMICAL PATHOLOGY • ANATOMIESE PATOLOGIE</b>   |                          |                          |  |        |
| <b>Exfoliative cytology • Eksfoliatiewe sitologie</b>  |                          |                          |  |        |
| <i>Sputum and all body fluids • Sputum en alle liggaamsvloe</i>  |                          |                          |  |        |
| 4561 First unit • Eerste eenheid   | 13.4                     | 131.60                   | 8.9  | 87.40  |
| 4563 Each additional unit • Elke addisionele eenheid   | 7.8                      | 76.60                    | 5.2  | 51.10  |
| 4567 Histology per sample/specimen each • Histologie per monster, elk  | 20                       | 196.40                   | 13   | 127.70 |
| 4571 Histology per additional block each • Histologie per blok, elk  | 11.6                     | 113.90                   | 7.7  | 75.60  |
| 4575 Histology and frozen section in laboratory • Histologie en bevrore snit in laboratorium   | 22.7                     | 222.90                   | 15.1   | 148.30 |
| 4577 Histology and frozen section in theatre • Histologie en bevrore snit in operasiesaal  | 49                       | 481.20                   | 32.7   | 321.10 |
| 4578 Second and subsequent frozen sections, each • Tweede en daaropvolgende bevrore snitte, elk.   | 20                       | 196.40                   | 13.4   | 131.60 |
| 4579 Attendance in theatre—no frozen section performed • Teenwoordigheid in teater —sonder dat bevrore snit uitgevoer is   | 26.3                     | 258.30                   | 17.5   | 171.90 |
| 4582 Serial step sections (including 4567) • Seriesneë (Ingeslote 4567)  | 23.3                     | 228.80                   | 15.6   | 153.20 |
| 4584 Serial step sections per additional block each • Seriesneë, per bykomende blok  | 13.5                     | 132.60                   | 9  | 88.40  |
| 4587 Histology consultation • Histologie konsultasie   | 10.1                     | 99.20                    | 6.7  | 65.80  |
| 4589 Special stains • Spesiale kleuring  | 6.7                      | 65.80                    | 4.5  | 44.20  |
| 4591 Immuno-fluorescence/studies • Immuno-fluoresiën/studies   | 20.7                     | 203.30                   | 13.8   | 135.50 |
| 4593 Electron microscopy • Elektron-mikroskopiese ondersoek  | 94                       | 923.10                   | 63   | 618.70 |
| 4650 Autogenous vaccine • Outogene vaksien   | 8                        | 78.60                    | 5.33   | 52.30  |
| 4651 Entomological examination • Entomologiese ondersoek   | 13.9                     | 136.60                   | 8.67   | 85.10  |
| 4652 Rapid automated bacterial identification per organism • Geoutomatiseerde bakteriële identifikasie per organisme   | 15                       | 147.30                   | 10   | 98.20  |
| 4653 Rapid automated antibiotic susceptibility per organism • Vinnige geoutomatiseerde antibiotikum gevoeligheid per organisme   | 17                       | 166.90                   | 11.33  | 111.30 |
| 4654 Rapid automated MIC per organism per antibiotic • Vinnige geoutomatiseerde MIK per organisme per antibiotikum   | 17                       | 166.90                   | 11.33  | 111.30 |

**IV. TRAVELLING EXPENSES ● REISKOSTE  
REFER TO GENERAL RULE P ● VERWYS NA ALGEMENE REËL P**

**P. Travelling fees/Reisgelde :**

- a** Where, in cases of emergency, a practitioner was called out from his residence or rooms to a patient's home or the hospital, travelling fees can be charged according to section on travelling expenses (section IV) if he had to travel more than 16 kilometres in total/Waar 'n praktisyn in noodgevalle vanaf sy huis of kamers na 'n pasiënt se woning of 'n hospitaal uitgeroep word, kan reisgelde gehef word volgens die afdeling aangaande reiskoste (afdeling IV) indien hy meer as 16 kilometers in totaal moet reis.
- b** If more than one patient would be attended to during the course of a trip, the full travelling expenses must be divided between the relevant patients/Indien meer as een pasiënt tydens 'n reis aandag geniet, moet die volle reisgeld pro rata tussen die pasiënte verdeel word.
- c** A practitioner is not entitled to charge for any travelling expenses or travelling time to his rooms/n Praktisyn is nie geregtig om gelde te hef vir enige reiskoste of reistyd na sy kamers nie.
- d** Where a practitioner's residence would be more than 8 kilometres away from a hospital, no travelling fees may be charged for services rendered at such hospitals, except in cases of emergency (services not voluntarily scheduled)/Waar 'n praktisyn se woning meer as 8 kilometers vanaf 'n hospitaal geleë is, mag geen reisgelde gehef word vir dienste gelewer in sodanige hospitale nie, behalwe in noodgevalle (onwillekeurig geskeduleerde dienste).
- e** Where a practitioner conducts an itinerant practice, he is not entitled to charge fees for travelling expenses except in cases of emergency (services not voluntarily scheduled)/Waar 'n praktisyn 'n rondreispraktyk bedryf, is hy nie geregtig om reisgelde te hef nie, behalwe in noodgevalle (onwillekeurig geskeduleerde dienste).

When in cases of emergency (refer to general rule P), a doctor has to travel more than 16 kilometres in total to visit an employee, travelling costs can be charged and shall be calculated as follows ● Wanneer 'n praktisyn in noodgevalle (verwys na algemene reël P), meer as 16 kilometers in totaal moet reis om 'n werknemer te besoek, kan reiskoste gehef word en word dit soos volg bereken:

Consultation, visit or surgical fee ● Konsultasie, besoek of chirurgiese gelde: Plus:

- 5001** Cost of public transport and travelling time or item 5003 ● Koste van openbare vervoer en reistyd of item 5003.
- 5003** R5.00 per km for each kilometre in excess of 16 kilometres total travelled in own car: 19 km total = 3 x R5.00 = R15.00 (no travelling time) ● R5.00 per km vir elke kilometer verder as 16 kilometer in totaal. afgeleë in eie motor: 19 km totaal = 3 x R5.00 = R15.00 (geen reistyd).
- Travelling time (Only applicable when public transport is used) ● Reistyd (Slegs van toepassing wanneer van openbare vervoer gebruik gemaak word.)**
- 5005** Specialist 18,00 clinical procedure units (R 172.30) per hour or part thereof ● 18,00 kliniese prosedure eenhede (R172.30) per uur of deel daarvan vir 'n Spesialis.
- 5007** General Practitioner: 12,00 clinical procedure units (R114.80) per hour or part thereof ● Huisarts: 12,00 kliniese prosedure eenhede (R114.80) per uur of deel daarvan.
- 5009** After hours: Specialist: 27,00 clinical procedure units (R258.40) per hour or part thereof ● Na ure: Spesialis: 27,00 kliniese prosedure eenhede (R258.40) per uur of deel daarvan.
- 5011** After hours: General Practitioners: 18,00 clinical procedure units (R172.30) per hour or part thereof ● Na ure: Huisarts: 18,00 kliniese prosedure eenhede (R172.30) per uur of deel daarvan.
- 5013** Travelling fees are not payable to medical practitioners when they travel from a distance to assist at an operation on cases referred to surgeons by them ● Reisgelde is nie betaalbaar indien 'n mediese praktisyn 'n afstand reis om as assistent behulpsaam te wees by 'n operasie op 'n pasiënt deur homself na die chirurg verwys nie.
- 5015** Travelling expenses may be charged from the medical practitioner's residence for calls received at night or during weekends in cases where travelling fees are allowed (For distances of 8 kilometres or more from starting point) ● Reiskoste kan vir reise van die mediese praktisyn se woonhuis of in antwoord op oproepe ontvang gedurende die nag of naweke geëis word. in gevalle waar reisgeld gehef mag word. (Vir afstande van 8 kilometer of verder vanaf die beginpunt).

THE UNIT VALUES FOR THE VARIOUS GROUPS AND SECTIONS AS FROM 1 JANUARIE 2003  
ARE AS FOLLOWS :  
EENHEIDSWAARDES TEN OPSIGTE VAN DIE VERSKEIE GROEPE EN AFDELINGS SOOS VANAF  
1 JANUARIE 2003 :

|    | <b>Groups and Sections / Groepe en Afdelings</b> | <b>Unit Value / Eenheidswaarde</b> |
|----|--|------------------------------------|
| 1. | Consultation Services / Konsultasiedienste       | R 9.57                             |
| 2. | Clinical procedure / Kliniese prosedure          | R 9.57                             |
| 3. | Anaesthetics / Narkose                           | R 44.71                            |
| 4. | Radiology / Radiologie                           | R 10.01                            |
| 5. | Radiation Oncology / Stralingsonkologie          | R 9.45                             |
| 6. | Ultrasound / Ultraklank                          | R 9.62                             |
| 7. | Computed Tomography / Rekenaartomografie         | R 9.62                             |
| 8. | Clinical Pathology / Kliniese Patologie          | R 9.96                             |
| 9. | Anatomical Pathology / Anatomiese Patologie      | R 9.82                             |

**Note :** The Unit value and amounts published in the Gazette is **VAT Exclusive**.  
**Neem kennis :** Die Eenheidswaarde en bedrae gepubliseer in die Staatskoerant is **BTW Uitgesluit**.

CLAIM NUMBER:.....

**COMPENSATION FOR OCCUPATIONAL INJURIES AND DISEASES ACT, 1993**

(Previously Workmen's Compensation Act, 1941)

[Section 74(2) - Commissioner's Rules, Forms and Particulars - Annexure 20(1)]

**\*FIRST MEDICAL REPORT i.r.o AN ACCIDENT**

(\*Delete which is not applicable)

Surname of Employee:.....

First Names:.....

Address:..... Postal Code:.....

Name of Employer:.....

Address:..... Postal Code:.....

1. Date of Accident:.....

2. Date of your first consultation:.....

3. How did the alleged accident happen?.....

4. Full clinical description of injury(ies) (not symptoms, signs or syndromes):.....

.....

.....

.....

5. Describe briefly any pre-existing defect or disease:.....

.....

.....

6. X-Rays: Date:..... By whom:.....

(Attach report if available)

7. Surgical Operations or Reduction: Date:..... By whom:.....

Brief description:.....

.....

.....

.....

8. Aneasthetics: General:..... Duration:..... Local:..... By whom:.....

9. (a) Consultation Yes\No..... With whom:..... Date:.....

(b) Did you order physiotherapy? Yes\No..... Physiotherapist:.....

10 (a) Is employee unfit for work? Yes\No.....

(b) Possible date fit for: Light duty:..... Normal Duty:.....

I certify that I have by examination, satisfied myself that the injury(ies) of the employee is the result of the accident as described above.

Date (Important):..... Signature of Medical Practitioner/Chiropractor

Name (Printed):.....

Practice number:.....

Address:.....

N.B: This report must be handed to the injured employee or sent to the employer within 14 days from the date of the first consultation.

CLAIM NUMBER: .....

**COMPENSATION FOR OCCUPATIONAL INJURIES AND DISEASES ACT, 1993**

(Previously Workmen's Compensation Act, 1941)

[Section 74(2) - Commissioner's Rules, Forms and Particulars - Annexure 20(1)]

**\*FINAL/PROGRESS MEDICAL REPORT i.r.o AN ACCIDENT**

(\*Delete which is not applicable)

Surname of Employee: .....

First Names: .....

Address: .....

(BLOCK LETTERS)

Name of Employer: .....

Address: .....

Date of Accident: .....

1. Describe any operation(s)/Procedure(s)/Test(s) carried out and date(s):

.....  
 .....  
 .....

2. Prognosis and further treatment: .....

.....  
 .....

3. (a) From what date has the employee been fit for his or her normal work? .....

or

(b) On what date is he likely to be fit for his normal work? .....

4. Has the employee's condition been stabilised? .....

If so, describe in detail any present permanent anatomical defect and/or impairment of function as a result of the accident: (Loss of movement, if any, must be indicated in degrees at each specific joint.)

.....  
 .....

I certify that I have by examination, satisfied myself that the injury(ies)/condition of the employees is the result of the accident as described above.

**Date (Important):** .....

**Name (printed):** .....

**Practice Number:** .....

**Address:** .....

Signature of Medical Practitioner/Chiropractor

**N.B.** Progress reports must be submitted on a monthly basis to the Compensation Commissioner or Mutual Association or employer individually liable as the case may be until the employee's condition has become stabilised when a final report should be submitted.