

**NOTICE 732 OF 2003****DEPARTMENT OF PUBLIC WORKS****AGRÉMENT SOUTH AFRICA**

(Approval of new building products and systems)

Notice is hereby given that Agrément South Africa has, with effect from 26 February 2003, issued an Agrément certificate, details of which appear in the Schedule hereto.

**SCHEDULE****AGRÉMENT SOUTH AFRICA****AGRÉMENT CERTIFICATE No 2003/296**

**Name of product:** Gundle Gunplas UT 250 Undertile Membrane

**Certificate holder:** Gundle API (Pty) Ltd

**Description:** Gundle Gunplas UT 250 Undertile Membrane is manufactured by the certificate holder, from three layers of tri-extruded polyethylene film, which is 83 µm (micrometers) thick, the outer layers consisting of virgin polyethylene film that is UV stabilised and has a heat resistant additive. The finished thickness of the membrane is 250 µm. It is blue on one side and white on the other. In roofing installations, either colour may be used on top. The membrane is supplied in 30 m long by 6 m wide sheets that are folded double and despatched from the factory in 3 m wide rolls.

Gundle Gunplas UT 250 may be installed under all types of roof Tiles in a conventional manner in all areas of South Africa, to:

- reduce air movement between tiles by maintaining a balanced air pressure on both sides of the roof tiles,
- reduce the likelihood of tiles being dislodged by wind action,
- reduce ingress to the roof space of wind driven rain and dust.

This Agrément certificate contains detailed specifications can be accessed at <http://www.agrement.co.za>. Copies are obtainable from The Manager, Agrément South Africa, P O Box 395, Pretoria, 0001