

No. 1350


26 September 2003

THE SOUTH AFRICAN NATIONAL ROAD AGENCY LIMITED**DECLARATION OF EXISTING PROVINCIAL MAIN ROAD 439 BETWEEN HLUHLUWE AND MOZAMBIQUE BORDER AT THE FARAZELA BORDER POST, AS NATIONAL ROAD R22 SECTION 1 TO 5: DISTRICTS OF HLABISA, UMBOMBO AND NGWAVUMA.**


By virtue of Section 40(1) (a) of the South African National Road Agency Limited and National Road Act 1998 (Act No. 7 of 1998), I hereby declare (i) the section of Provincial Main Road 439 also known as R22 as declared by Administrative Notice 214 of 1997 and all other Administrative Notices which are relevant to this section of road, commencing from its junction with National Road N2 section 30 as declared by National Road declaration 236 of 1972 near Hluhluwe, proceeding in a general north-north easterly direction up to a point on the common boundary between portion 12 of Erf H108 No. 13419 and portion 19 of Erf H109 No. 14109, and (ii) the surveyed route between the common boundary of portion 12 of Erf H108 No. 13419 and portion 19 of Erf H109 No. 14109 to the Farazela border post at the Mozambique border as depicted on the subjoined plans P482/01 sheets 1 to 12, P483/01 sheets 1 to 13 and P484/01 sheets 1 to 16 to be a National Road.

(National Route R22 Hluhluwe to Mozambique Border)


J. Radtke
Act Minister of Transport



Suid-Afrikaanse Nasionale Padagentskap Bepark South African National Roads Agency Limited	Die figuur vertoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route	Vel. van 1 of 12 Sheet 1 of 12 PNo. 482/01
--	--	--	--



Val van Sheet 2 of 12	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R22 of National Route	Die figuur vertoon The figure shown	Suid-Afrikaanse Nasionale Padagentskap Beperk South African National Roads Agency Limited
P No. 482/01	Seksie 2 Section 2		




Suid-Afrikaanse Nasionale Padagentskap Beperk
South African National Roads Agency Limited

Die figuur vertoon
The figure shown

stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R22
of National Route

Vel van
Sheet 3 of 12
P.No. 482/01


Seksie 2
Section 2




Stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete
of National Route

Die figuur vertoon
The figure shown

Suid-Afrikaanse Nasionale Padagentskap Beperk
South African National Roads Agency Limited



Suid-Afrikaanse Nasionale Padagentskap Beperk South African National Roads Agency Limited	Die figuur vertoon The figure shown		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route	Vel Sheet P No.	van 5 of 12 482101	Seksie 2 Section
--	--	--	--	-----------------------	-----------------------------	---------------------




stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete
of National Route

Die figuur vertoon

Suid-Afrikaanse Nasionale Padagentskap Beperk
South African National Roads Agency Limited

Vel van 12
Sheet 6 of
P No. 482/01



Suid-Afrikaanse Nasionale Padagentskap Bepark
South African National Roads Agency Limited

Die figuur vertoon
The figure shown

stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete
of National Route

R22
Section 2

Vel 7 van
Sheet 12
P No. 482/01

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES**LINKERKANT / LEFT HAND SIDE**

	Y	X
CONSTANT	0,00 +3 000 000,00	
L 1	+67 293,52	+96 014,87
L 2	+67 490,64	+94 460,16
L 3	+67 495,37	+94 407,98
L 4	+67 495,76	+94 384,82
L 5	+67 496,25	+94 355,59
L 6	+67 488,32	+94 303,74
L 7	+67 435,13	+93 728,87
L 8	+67 429,49	+93 678,28
L 9	+67 421,75	+93 627,96
L 10	+67 411,93	+93 578,01
L 11	+67 303,84	+93 077,83
L 12	+67 295,26	+93 029,52
L 13	+67 290,51	+92 980,09
L 14	+67 289,68	+92 930,45
L 15	+67 307,23	+92 119,50
L 16	+67 310,11	+92 019,79
L 17	+67 315,26	+91 920,18
L 18	+67 322,67	+91 820,70
L 19	+67 368,87	+91 317,96
L 20	+67 370,63	+91 260,24
L 21	+67 366,42	+91 202,65
L 22	+67 356,29	+91 145,79
L 23	+67 340,36	+91 090,28
L 24	+67 318,81	+91 036,71
L 25	+67 291,85	+90 985,64
L 26	+67 259,77	+90 937,62
L 27	+67 222,92	+90 893,15
L 28	+67 181,68	+90 852,72
L 29	+67 136,50	+90 816,75
L 30	+67 087,86	+90 785,62
L 31	+67 036,26	+90 759,70
L 32	+65 572,15	+90 115,54
L 33	+65 444,82	+90 058,48
L 34	+65 318,81	+89 998,78
L 35	+65 192,97	+89 935,85
L 36	+63 621,75	+89 136,44
L 37	+63 486,16	+89 068,54
L 38	+63 040,32	+88 848,89
L 39	+63 006,94	+88 829,92
L 40	+62 976,03	+88 807,13

WG33°

REGTERKANT / RIGHT HAND SIDE

	Y	X
KONSTANT	0,00 +3 000 000,00	
R 1	+67 252,48	+96 020,57
R 2	+67 278,46	+95 815,64
R 3	+67 304,86	+95 607,46
R 4	+67 329,85	+95 410,34
R 5	+67 353,65	+95 222,63
R 6	+67 376,40	+95 043,19
R 7	+67 398,23	+94 870,99
R 8	+67 450,95	+94 455,13
R 9	+67 455,42	+94 405,85
R 10	+67 455,71	+94 388,89
R 11	+67 456,26	+94 356,37
R 12	+67 458,44	+94 306,50
R 13	+67 405,26	+93 731,63
R 14	+67 399,75	+93 682,24
R 15	+67 392,19	+93 633,12
R 16	+67 382,61	+93 584,35
R 17	+67 274,55	+93 084,76
R 18	+67 265,53	+93 033,55
R 19	+67 260,56	+92 981,79
R 20	+67 259,68	+92 929,80
R 21	+67 277,22	+92 118,85
R 22	+67 280,14	+92 018,54
R 23	+67 285,32	+91 918,33
R 24	+67 292,77	+91 818,25
R 25	+67 329,00	+91 314,70
R 26	+67 330,64	+91 261,10
R 27	+67 326,73	+91 207,62
R 28	+67 317,32	+91 154,83
R 29	+67 302,53	+91 103,28
R 30	+67 282,52	+91 053,53
R 31	+67 257,48	+91 006,11
R 32	+67 227,70	+90 961,52
R 33	+67 193,52	+90 920,29
R 34	+67 155,19	+90 882,69
R 35	+67 113,23	+90 849,29
R 36	+67 068,07	+90 820,38
R 37	+67 020,15	+90 796,31
R 38	+65 556,04	+90 152,15
R 39	+65 428,03	+90 094,79

Vel Sheet	8 of	12	P No. 482/01
--------------	---------	----	-----------------

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT / LEFT HAND SIDE

	Y	X
CONSTANT	0,00	+3 000 000,00
L 41	+62 948,03	+88 780,85
L 42	+62 923,33	+88 751,45
L 43	+62 774,07	+88 550,96
L 44	+62 746,36	+88 510,66
L 45	+62 721,82	+88 468,33
L 46	+62 700,62	+88 424,25
L 47	+62 491,32	+87 943,50
L 48	+62 469,35	+87 881,93
L 49	+62 454,14	+87 818,55
L 50	+62 452,08	+87 780,20
L 51	+62 455,58	+87 685,88
L 52	+62 467,92	+87 626,93
L 53	+62 499,83	+87 511,89
L 54	+62 614,54	+87 098,46
L 55	+62 638,78	+86 994,66
L 56	+62 653,63	+86 889,27
L 57	+62 659,24	+86 782,99
L 58	+62 655,52	+86 676,63
L 59	+62 587,40	+85 806,94
L 60	+62 586,11	+85 755,88
L 61	+62 590,27	+85 704,96
L 62	+62 599,83	+85 654,79
L 63	+62 823,10	+84 747,33
L 64	+62 835,85	+84 672,21
L 65	+62 837,47	+84 596,02
L 66	+62 827,94	+84 520,42
L 67	+62 807,46	+84 447,02
L 68	+62 776,45	+84 377,41
L 69	+62 432,71	+83 736,13
L 70	+62 405,95	+83 691,06
L 71	+62 375,36	+83 648,50
L 72	+62 341,18	+83 608,77
L 73	+61 826,75	+83 061,29
L 74	+61 795,18	+83 024,05
L 75	+61 767,54	+82 983,80
L 76	+61 744,14	+82 940,95
L 77	+61 031,73	+81 462,10
L 78	+60 994,13	+81 394,13
L 79	+60 949,12	+81 330,81
L 80	+60 768,16	+81 104,45

REGTERKANT / RIGHT HAND SIDE

	Y	X
KONSTANT	0,00	+3 000 000,00
R 40	+65 301,35	+90 034,77
R 41	+65 174,84	+89 971,51
R 42	+63 603,61	+89 172,09
R 43	+63 468,48	+89 104,41
R 44	+63 022,64	+88 884,77
R 45	+62 985,15	+88 863,46
R 46	+62 950,43	+88 837,87
R 47	+62 918,98	+88 808,36
R 48	+62 891,24	+88 775,34
R 49	+62 741,98	+88 574,85
R 50	+62 712,54	+88 532,02
R 51	+62 686,47	+88 487,06
R 52	+62 663,95	+88 440,22
R 53	+62 454,65	+87 959,47
R 54	+62 430,84	+87 892,77
R 55	+62 416,34	+87 823,45
R 56	+62 412,33	+87 804,13
R 57	+62 411,77	+87 753,87
R 58	+62 416,54	+87 684,78
R 59	+62 430,15	+87 614,33
R 60	+62 442,01	+87 571,73
R 61	+62 577,43	+87 085,94
R 62	+62 599,45	+86 987,35
R 63	+62 613,81	+86 885,42
R 64	+62 619,24	+86 782,63
R 65	+62 615,64	+86 679,75
R 66	+62 547,52	+85 810,07
R 67	+62 546,12	+85 754,74
R 68	+62 550,63	+85 699,59
R 69	+62 560,99	+85 645,23
R 70	+62 784,26	+84 737,77
R 71	+62 796,03	+84 668,43
R 72	+62 797,52	+84 598,10
R 73	+62 788,72	+84 528,32
R 74	+62 769,82	+84 460,56
R 75	+62 741,20	+84 396,31
R 76	+62 397,45	+83 755,03
R 77	+62 372,48	+83 712,96
R 78	+62 343,93	+83 673,24

Vel van
Sheet 9 of 12

P No.
482/01

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT / LEFT HAND SIDE

Y	X
CONSTANT 0,00	+3 000 000,00
L 81	+60 718,75 +81 029,06
L 82	+60 684,30 +80 945,77
L 83	+60 666,04 +80 857,51
L 84	+60 543,20 +79 745,63
L 85	+60 521,86 +79 634,06
L 86	+60 483,23 +79 527,23
L 87	+60 428,29 +79 427,82
L 88	+60 358,39 +79 338,27
L 89	+60 275,29 +79 260,84
L 90	+60 181,04 +79 197,44
L 91	+60 077,99 +79 149,65
L 92	+59 997,89 +79 119,98
L 93	+59 937,44 +79 093,55
L 94	+59 880,38 +79 060,43
L 95	+59 827,45 +79 021,03
L 96	+59 584,55 +78 817,82
L 97	+59 465,55 +78 699,52
L 98	+59 368,46 +78 562,66
L 99	+58 772,08 +77 547,53
L 100	+58 693,92 +77 433,08
L 101	+58 600,97 +77 330,29
L 102	+58 494,94 +77 241,05
L 103	+57 004,67 +76 150,75
L 104	+56 898,94 +76 056,34
L 105	+56 813,44 +75 943,27
L 106	+56 751,41 +75 815,82
L 107	+56 715,18 +75 678,77
L 108	+56 592,73 +74 925,47
L 109	+56 571,53 +74 840,79
L 110	+56 536,47 +74 760,85
L 111	+56 488,54 +74 687,90
L 112	+55 537,63 +73 476,18
L 113	+55 501,66 +73 435,01
L 114	+55 461,58 +73 397,84
L 115	+55 417,81 +73 365,08
L 116	+55 074,05 +73 135,01
L 117	+54 995,93 +73 069,71
L 118	+54 933,33 +72 989,41
L 119	+54 889,07 +72 897,71
L 120	+54 865,16 +72 798,74

REGTERKANT / RIGHT HAND SIDE

Y	X
KONSTANT 0,00	+3 000 000,00
R 79	+62 312,03 +83 636,16
R 80	+61 797,60 +83 088,68
R 81	+61 763,39 +83 048,34
R 82	+61 733,46 +83 004,73
R 83	+61 708,11 +82 958,31
R 84	+60 995,69 +81 479,47
R 85	+60 960,27 +81 415,43
R 86	+60 917,87 +81 355,78
R 87	+60 736,91 +81 129,42
R 88	+60 683,38 +81 047,75
R 89	+61 646,07 +80 957,52
R 90	+60 626,28 +80 861,90
R 91	+60 503,44 +79 750,02
R 92	+60 483,28 +79 644,65
R 93	+60 446,81 +79 543,76
R 94	+60 394,92 +79 449,86
R 95	+60 328,90 +79 365,30
R 96	+60 250,41 +79 292,16
R 97	+60 161,40 +79 232,28
R 98	+60 064,07 +79 187,15
R 99	+59 983,98 +79 157,49
R 100	+59 919,35 +79 129,23
R 101	+59 858,36 +79 093,82
R 102	+59 801,78 +79 051,71
R 103	+59 558,88 +78 848,50
R 104	+59 435,02 +78 725,37
R 105	+59 333,98 +78 582,92
R 106	+58 737,59 +77 567,79
R 107	+58 573,19 +77 359,08
R 108	+58 471,32 +77 273,33
R 109	+56 981,05 +76 183,04
R 110	+56 869,53 +76 083,45
R 111	+56 779,346 +75 964,19
R 112	+56 713,92 +75 829,75
R 113	+56 675,70 +75 685,19
R 114	+56 553,24 +74 931,89
R 115	+56 533,68 +74 853,72
R 116	+56 501,32 +74 779,93
R 117	+56 457,07 +74 712,60

Vel van
Sheet 10 of 12

P No.
482/01

PADRESERVE KOORDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT / LEFT HAND SIDE

Y	X
CONSTANT 0,00	+3 000 000,00
L 121	+54 862,66 +72 696,96
L122	+54 884,19 +72 434,65
L 123	+54 890,36 +72 317,54
L 124	+54 889,72 +72 200,26
L 125	+54 882,28 +72 083,23
L 126	+54 848,65 +71 721,12
L 127	+54 835,93 +77 645,42
L 128	+54 812,21 +71 572,41
L 129	+54 778,01 +71 503,69
L 130	+53 781,15 +69 824,59
L 131	+53 781,15 +69 824,59
L 131	+53 737,98 +69 759,97
L 132	+53 688,23 +69 700,37
L 133	+53 167,18 +69 139,61
L 134	+53 107,86 +69 066,13
L 135	+53 059,29 +68 985,14
L 136	+52 789,33 +68 454,58
L 137	+52 739,05 +68 324,03
L 138	+52 716,54 +68 185,96
L 139	+52 722,77 +68 046,20
L 140	+52 757,46 +67 910,68
L 141	+52 819,16 +67 785,13
L 142	+53 198,81 +67 179,22
L 143	+53 240,74 +67 100,24
L 144	+53 270,88 +67 016,05
L 145	+53 357,57 +66 704,59
L 146	+53 387,89 +66 616,44
L 147	+53 428,51 +66 532,54
L 148	+53 592,44 +66 240,12
L 149	+53 629,05 +66 173,96
L 150	+53 665,02 +66 107,41
L 151	+53 760,91 +65 927,58
L 152	+53 796,42 +65 856,68
L 153	+53 828,18 +65 784,03
L 154	+53 863,50 +65 696,97
L 155	+53 914,90 +65 581,25
L 156	+53 973,59 +65 469,07
L 157	+54 039,59 +65 352,29
L 158	+54 069,88 +65 289,01
L 159	+54 091,38 +65 222,22

REGTERKANT / RIGHT HAND SIDE

Y	X
KONSTANT 0,00	+3 000 000,00
R 118	+55 506,16 +73 500,88
R 119	+55 472,96 +73 462,87
R 120	+55 435,96 +73 428,56
R 121	+55 395,56 +73 398,32
R 122	+55 051,80 +73 168,25
R 123	+54 967,16 +73 097,51
R 124	+54 899,35 +73 010,52
R 125	+54 851,41 +72 911,18
R 126	+54 825,50 +72 803,96
R 127	+54 822,79 +72 693,69
R 128	+54 844,32 +72 431,39
R 129	+54 850,37 +72 316,60
R 130	+54 849,74 +72 201,64
R 131	+54 842,45 +72 086,93
R 132	+54 808,82 +71 724,81
R 133	+54 797,08 +71 654,93
R 134	+54 775,19 +71 587,54
R 135	+54 745,56 +71 527,42
R 136	+53 746,75 +69 845,01
R 137	+53 705,95 +69 783,93
R 138	+53 658,93 +69 727,59
R 139	+53 137,88 +69 166,84
R 140	+53 075,07 +69 089,04
R 141	+53 023,64 +69 003,28
R 142	+52 753,67 +68 472,72
R 143	+52 700,44 +68 334,49
R 144	+52 676,61 +68 188,30
R 145	+52 683,21 +68 040,32
R 146	+52 719,94 +67 896,83
R 147	+52 785,26 +67 763,89
R 148	+53 164,93 +67 157,97
R 149	+53 204,15 +67 084,08
R 150	+53 232,34 +67 005,32
R 151	+53 319,03 +66 693,86
R 152	+53 350,91 +66 601,19
R 153	+53 393,61 +66 512,99
R 154	+53 557,54 +66 220,57
R 155	+53 593,96 +66 154,77
R 156	+53 629,73 +66 088,57

Vel van
Sheet 11 of 12

P No.
482/01

PADRESERWE KOORDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT / LEFT HAND SIDE
Y X

CONSTANT 0,00 +3 000 000,00
 L 160 +54 103,69 +65 153,15
 L 161 +54 128,80 +64 923,29
 L 162 +54 140,22 +64 859,29
 L 163 +54 160,19 +64 797,41
 L 164 +54 188,34 +64 738,81
 L 165 +54 402,96 +64 360,03
 L 166 +54 500,68 +64 215,02
 L 167 +54 649,61 +64 086,83
 L 168 +54 756,89 +63 978,51
 L 169 +54 909,24 +63 892,67
 L 170 +55 073,01 +63 831,36
 L 171 +55 330,94 +63 757,00
 L 172 +55 420,68 +63 741,64
 L 173 +55 511,61 +63 746,47
 L 174 +55 599,22 +63 771,24
 L 175 +55 679,21 +63 814,74
 L 176 +55 835,82 +63 924,08
 L 177 +55 944,66 +63 983,33
 L 178 +56 063,87 +64 017,19
 L 179 +56 187,613 +64 024,01
 L 180 +56 309,82 +64 003,44
 L 181 +56 424,51 +63 956,50
 L 182 +56 526,07 +63 885,48
 L 183 +56 609,53 +63 793,87
 L 184 +56 670,79 +63 676,14
 L 185 +57 402,52 +61 984,91
 L 186 +57 431,21 +61 895,40
 L 187 +57 442,28 +61 802,07
 L 188 +57 435,32 +61 708,33
 L 189 +57 410,60 +61 617,65
 L 190 +57 383,49 +61 532,94
 L 191 +57 338,27 +61 407,42
 L 192 +57 328,48 +61 368,43
 L 193 +57 301,36 +61 293,17
 L 194 +57 284,04 +61 256,89
 L 1 +57 229,82 +61 106,36


WG33°

REGTERKANT / RIGHT HAND SIDE
Y X

KONSTANT 0,00 +3 000 000,00
 R 157 +53 725,62 +65 908,74
 R 158 +53 760,20 +65 839,70
 R 159 +53 791,13 +65 768,96
 R 160 +53 826,44 +65 681,90
 R 161 +53 878,88 +65 563,85
 R 162 +53 938,75 +65 449,40
 R 163 +54 004,75 +65 332,63
 R 164 +54 032,71 +65 274,21
 R 165 +54 052,56 +65 212,56
 R 166 +54 063,93 +65 148,80
 R 167 +54 089,03 +64 918,94
 R 168 +54 101,41 +64 849,60
 R 169 +54 123,05 +64 782,58
 R 170 +54 153,54 +64 719,09
 R 171 +54 368,16 +64 340,31
 R 172 +54 469,34 +64 190,17
 R 173 +54 592,48 +64 057,43
 R 174 +54 734,62 +63 945,28
 R 175 +54 892,36 +63 856,40
 R 176 +55 061,92 +63 792,93
 R 177 +55 319,86 +63 718,56
 R 178 +55 418,36 +63 701,71
 R 179 +55 518,15 +63 707,01
 R 180 +55 614,31 +63 734,20
 R 181 +55 702,10 +63 781,94
 R 182 +55 585,71 +63 891,28
 R 183 +55 959,78 +63 946,30
 R 184 +56 070,48 +63 977,74
 R 185 +56 185,38 +63 984,07
 R 186 +56 298,86 +63 964,97
 R 187 +56 405,36 +63 921,38
 R 188 +56 499,66 +63 855,44
 R 189 +56 577,16 +63 770,37
 R 190 +56 634,04 +63 670,34
 R 191 +57 365,77 +61 969,10
 R 192 +57 392,12 +61 886,90
 R 193 +57 402,29 +61 801,19
 R 194 +57 395,90 +61 715,10
 R 195 +57 373,20 +61 631,83
 R 196 +57 345,87 +61 546,50
 R 197 +57 293,87 +61 402,16
 R 198 +57 283,32 +61 384,70
 R 199 +57 256,20 +61 309,44
 R 200 +57 246,41 +61 270,45
 R 1 +57 181,64 +61 102,46

Vel van
Sheet 12 of 12

P No.
482/01




Suid-Afrikaanse Nasionale Padagentskap Beperk
South African National Roads Agency Limited

Die figuur vertoon


stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R22 Seksie 3
of National Route Section

Vel 1 van 16
Sheet of

P No. 484/01




Suid-Afrikaanse Nasionale Padagentskap Bepark South African National Roads Agency Limited	Die figuur vertoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R22 Seksie 3 of National Route Section	Val Sheet 2 of 16 P No. 48401
--	--	---	-------------------------------------




stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R22 Seksie 3
of National Route Section

Die figuur vertoon
The figure shown

Suid-Afrikaanse Nasionale Padagentskap Beperk
South African National Roads Agency Limited




Suid-Afrikaanse Nasionale Padagentskap Bepark South African National Roads Agency Limited	Die figuur vertoon The figure shown	stel die padreserve voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R22 Sektie 3 of National Route Section
Vel van Sheet 4 of 16 P 484/01	3	3





istiel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R22 Seksie 4
of National Route Section



PADRESERWE KOORDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT / LEFT HAND SIDE

Y X
CONSTANT 0,00 +2 900 000,00

L 193 +57 285,19 +160 993,19
L 194 +57 267,87 +160 956,91
L 1 +57 213,65 +160 806,38
L 2 +57 210,63 +160 786,21
L 3 +57 197,07 +160 748,58
L 4 +57 179,76 +160 712,30
L 5 +57 159,89 +160 657,16
L 6 +57 140,53 +160 599,77
L 7 +57 123,90 +160 542,96
L 8 +57 109,55 +160 485,52
L 9 +57 097,51 +160 427,57
L 10 +57 087,80 +160 369,17
L 11 +57 082,62 +160 330,05
L 12 +57 083,47 +160 290,34
L 13 +57 075,41 +160 251,45
L 14 +57 072,76 +160 192,32
L 15 +57 072,30 +160 152,85
L 16 +57 073,17 +160 104,99
L 17 +57 076,23 +160 015,47
L 18 +57 079,27 +159 954,26
L 19 +57 084,02 +159 895,05
L 20 +57 088,14 +159 855,99
L 21 +57 111,97 +159 649,65
L 22 +57 115,34 +159 616,69
L 23 +57 119,29 +159 555,86
L 24 +57 120,32 +159 494,92
L 25 +57 118,43 +159 433,99
L 26 +57 116,47 +159 404,65
L 27 +57 064,25 +158 738,92
L 28 +57 060,02 +158 695,12
L 29 +57 051,55 +158 634,72
L 30 +57 040,07 +158 574,82
L 31 +57 025,61 +158 515,56
L 32 +57 008,21 +158 457,11
L 33 +56 994,99 +158 418,65
L 34 +56 980,50 +158 380,64
L 35 +56 318,58 +156 728,30
L 36 +56 316,72 +156 707,51
L 37 +56 286,97 +156 633,24
L 38 +56 266,52 +156 598,34
L 39 +55 996,79 +155 925,02
L 40 +55 982,24 +155 892,05

REGTERKANT / RIGHT HAND SIDE

Y X
KONSTANT 0,00 +2 900 000,00

R 199 +57 240,03 +161 009,46
R 200 +57 230,24 +160 970,47
R 1 +57 176,01 +160 819,94
R 2 +57 165,47 +160 802,48
R 3 +57 151,92 +160 764,84
R 4 +57 135,34 +160 707,04
R 5 +57 122,26 +160 670,72
R 6 +57 102,38 +160 611,77
R 7 +57 085,30 +160 553,43
R 8 +57 070,56 +160 494,44
R 9 +57 058,19 +160 434,92
R 10 +57 048,22 +160 374,95
R 11 +57 040,65 +160 314,62
R 12 +57 035,50 +160 254,05
R 13 +57 032,77 +160 193,31
R 14 +57 032,30 +160 152,78
R 15 +57 033,19 +160 103,63
R 16 +57 036,25 +160 014,11
R 17 +57 039,35 +159 951,66
R 18 +57 044,20 +159 891,25
R 19 +57 048,41 +159 851,40
R 20 +57 072,23 +159 645,06
R 21 +57 075,50 +159 613,14
R 22 +57 079,33 +159 554,23
R 23 +57 080,32 +159 495,20
R 24 +57 078,49 +159 436,20
R 25 +57 076,59 +159 407,78
R 26 +57 024,37 +158 742,05
R 27 +57 020,28 +158 699,69
R 28 +57 012,09 +158 641,27
R 29 +57 000,98 +158 583,33
R 30 +56 987,00 +158 526,01
R 31 +56 970,17 +158 469,47
R 32 +56 957,38 +158 432,28
R 33 +56 943,37 +158 395,52
R 34 +55 959,66 +155 939,89
R 35 +55 946,23 +155 909,46
R 36 +55 918,11 +155 859,23
R 37 +55 896,11 +155 827,77
R 38 +55 880,17 +155 807,94
R 39 +53 792,34 +153 345,92
R 40 +53 762,88 +153 311,97

PADRESERWE KOORDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT / LEFT HAND SIDE

Y	X
CONSTANT 0,00 +2 900 000,00	
L 41 +55 951,78 +155 837,63	
L 42 +55 927,94 +155 803,55	
L 43 +55 910,68 +155 782,07	
L 44 +53 822,84 +153 320,05	
L 45 +53 792,79 +153 285,42	
L 46 +53 751,88 +153 240,71	
L 47 +53 709,65 +153 197,25	
L 48 +53 687,27 +153 175,24	
L 49 +53 120,47 +152 626,49	
L 50 +53 195,90 +152 594,36	
L 51 +53 081,53 +152 580,45	
L 52 +53 034,25 +152 543,02	
L 53 +51 723,86 +151 274,37	
L 54 +51 570,38 +151 125,79	
L 55 +51 539,15 +151 096,27	
L 56 +51 493,84 +151 055,91	
L 57 +51 447,18 +151 017,12	
L 58 +51 399,21 +150 979,95	
L 59 +51 349,99 +150 944,45	
L 60 +51 299,59 +150 910,65	
L 61 +51 271,23 +150 892,71	
L 62 +51 242,92 +150 875,17	
L 63 +51 216,15 +150 857,33	
L 64 +51 185,86 +150 833,74	
L 65 +51 157,55 +150 807,81	
L 66 +51 131,41 +150 779,70	
L 67 +51 107,59 +150 749,59	
L 68 +51 087,06 +150 718,99	
L 69 +51 018,59 +150 607,92	
L 70 +51 001,27 +150 581,07	
L 71 +50 977,39 +150 547,67	
L 72 +50 951,77 +150 515,58	
L 73 +50 924,47 +150 484,91	
L 74 +50 897,93 +150 458,00	
L 75 +47 845,20 +147 510,89	
L 76 +47 806,20 +147 464,90	
L 77 +47 620,33 +147 283,09	
L 78 +47 590,37 +147 256,54	
L 79 +47 557,42 +147 233,07	
L 80 +45 672,48 +145 413,35	
L 81 +45 590,32 +145 325,68	
L 82 +45 489,59 +145 228,45	

REGTERKANT / RIGHT HAND SIDE

Y	X
KONSTANT 0,00 +2 900 000,00	
R 41 +53 722,78 +153 268,15	
R 42 +53 681,39 +153 225,55	
R 43 +53 659,45 +153 203,98	
R 44 +53 092,64 +152 655,23	
R 45 +53 059,73 +152 631,72	
R 46 +53 030,99 +152 603,89	
R 47 +53 006,43 +152 571,76	
R 48 +52 575,35 +152 154,42	
R 49 +52 542,44 +152 130,91	
R 50 +52 513,70 +152 103,08	
R 51 +52 460,40 +152 043,13	
R 52 +51 653,07 +151 261,52	
R 53 51 542,56 +151 154,53	
R 54 +51 512,03 +151 125,68	
R 55 +51 467,75 +151 086,22	
R 56 +51 422,14 +151 048,31	
R 57 +51 375,25 +151 011,98	
R 58 +51 327,15 +150 977,28	
R 59 +51 277,89 +150 944,25	
R 60 +51 250,17 +150 926,72	
R 61 +51 221,86 +150 909,18	
R 62 +51 192,86 +150 889,85	
R 63 +51 160,05 +150 864,30	
R 64 +51 129,38 +150 836,21	
R 65 +51 101,05 +150 805,75	
R 66 +51 075,25 +150 773,13	
R 67 +51 053,01 +150 739,98	
R 68 +50 984,54 +150 628,91	
R 69 +50 968,12 +150 603,46	
R 70 +50 945,48 +150 571,79	
R 71 +50 921,19 +150 541,37	
R 72 +50 895,31 +150 512,29	
R 73 +50 870,15 +150 486,78	
R 74 +47 817,42 +147 539,67	
R 75 +47 723,44 +147 464,24	
R 76 +47 709,47 +147 449,91	
R 77 +47 644,75 +147 372,98	
R 78 +47 597,42 +147 335,62	
R 79 +47 583,03 +147 321,73	
R 80 +47 558,42 +147 289,63	
R 81 +45 025,98 +144 844,81	
R 82 +44 993,03 +144 821,34	

PADRESERWE KOORDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT / LEFT HAND SIDE

Y X
CONSTANT 0,00 +2 900 000,00

L 83	+45 456,65	+145 204,98
L 84	+45 413,48	+145 163,31
L 85	+45 388,87	+145 131,21
L 86	+45 360,09	+145 103,43
L 87	+45 312,76	+145 066,07
L 88	+45 024,98	+144 788,25
L 89	+45 014,76	+144 770,04
L 90	+44 928,43	+144 686,70
L 91	+44 909,87	+144 677,12
L 92	+44 306,48	+144 094,61
L 93	+41 675,06	+141 554,22
L 94	+41 646,17	+141 523,79
L 95	+41 622,16	+141 493,83
L 96	+41 600,63	+141 462,05
L 97	+41 581,70	+141 428,65
L 98	+41 565,50	+141 393,85
L 99	+41 548,76	+141 347,07
L 100	+41 543,02	+141 307,02
L 101	+41 526,53	+141 270,50
L 102	+41 475,99	+141 103,56
L 103	+41 483,63	+141 059,50
L 103a	+41 477,87	+141 040,34
L 104	+41 447,20	+141 007,79
L 104a	+41 440,91	+140 972,91
L 105	+41 425,60	+140 935,93
L 106	+41 384,12	+140 799,36
L 106a	+41 404,24	+140 760,66
L 106b	+41 395,60	+140 731,93
L 106c	+41 358,24	+140 711,83
L 107	+41 339,16	+140 642,52
L 107a	+41 330,93	+140 602,72
L 107b	+41 355,18	+140 579,08
L 108	+41 376,07	+140 583,07
L 109	+41 380,02	+140 553,48
L 110	+41 350,69	+140 547,36
L 111	+41 316,58	+140 510,31
L 112	+41 316,42	+140 339,01
L 113	+41 322,98	+140 280,59
L 114	+41 333,03	+140 222,66
L 115	+41 346,53	+140 165,44
L 116	+41 363,45	+140 109,14
L 117	+41 374,36	+140 078,16

REGTERKANT / RIGHT HAND SIDE

Y X
KONSTANT 0,00 +2 900 000,00

R 83	+44 935,48	+144 765,78
R 84	+44 896,48	+144 719,79
R 85	+44 363,42	+144 205,17
R 86	+41 647,27	+141 583,00
R 87	+41 615,98	+141 550,03
R 88	+41 589,97	+141 517,58
R 89	+41 566,64	+141 483,15
R 90	+41 546,14	+141 446,97
R 91	+41 528,59	+141 409,26
R 92	+41 510,45	+141 358,58
R 93	+41 497,39	+141 334,13
R 94	+41 491,21	+141 313,54
R 95	+41 487,81	+141 281,85
R 96	+41 437,79	+141 116,86
R 97	+41 407,01	+141 082,52
R 98	+41 401,26	+141 063,37
R 99	+41 408,90	+141 019,09
R 100	+41 339,12	+140 787,16
R 101	+41 320,26	+140 776,48
R 102	+41 315,93	+140 762,10
R 103	+41 325,73	+140 744,05
R 104	+41 300,31	+140 651,13
R 105	+41 287,75	+140 588,53
R 106	+41 253,75	+140 553,17
R 107	+41 249,92	+140 521,88
R 108	+41 276,62	+140 497,70
R 109	+41 276,55	+140 335,74
R 110	+41 283,38	+140 274,93
R 111	+41 293,84	+140 214,64
R 112	+41 307,90	+140 155,09
R 113	+41 325,50	+140 096,48
R 114	+41 336,85	+140 064,24
R 115	+41 708,09	+139 063,82
R 116	+42 327,14	+137 395,57
R 117	+42 331,96	+137 354,69
R 118	+42 361,93	+137 301,81
R 119	+42 466,29	+137 020,55
R 120	+42 481,54	+136 962,22
R 121	+42 479,22	+136 940,02
R 122	+42 508,04	+136 908,05
R 123	+42 535,87	+136 833,05
R 124	+42 538,16	+136 791,23

PADRESERWE KOORDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT / LEFT HAND SIDE

Y X
CONSTANT 0,00 +2 900 000,00

L 118 +41 501,85 +139 734,56
L 119 +41 521,39 +139 699,15
L 120 +41 549,23 +139 624,15
L 121 +41 571,43 +139 547,06
L 122 +41 732,90 +139 111,92
L 123 +42 357,68 +137 428,23
L 124 +42 378,25 +137 393,20
L 125 +42 384,18 +137 374,07
L 126 +42 385,51 +137 353,23
L 127 +42 441,17 +137 203,23
L 128 +42 480,63 +137 132,54
L 129 +42 538,58 +136 940,72
L 130 +42 698,62 +136 509,45
L 131 +42 719,85 +136 474,66
L 132 +42 726,99 +136 455,98
L 133 +42 740,36 +136 396,95
L 134 +42 964,43 +135 793,12
L 135 +42 982,77 +135 793,13
L 136 +43 747,18 +133 742,17
L 137 +43 725,48 +133 742,19
L 138 +44 257,19 +132 309,30
L 139 +44 278,61 +132 274,59
L 140 +44 287,44 +132 256,53
L 141 +44 298,94 +132 196,80
L 142 +44 384,99 +131 964,90
L 143 +44 401,31 +131 912,66
L 144 +44 409,98 +131 871,98
L 145 +44 429,77 +131 812,87
L 146 +44 426,16 +131 792,30
L 147 +44 436,82 +131 753,28
L 148 +44 435,81 +131 674,75
L 149 +44 440,47 +131 656,48
L 150 +44 452,88 +131 620,89
L 151 +44 467,11 +131 590,89
L 152 +44 488,32 +131 551,46
L 153 +44 522,02 +131 501,46
L 154 +44 545,14 +131 445,77
L 155 +44 584,77 +131 372,07
L 156 +44 611,00 +131 321,59
L 157 +44 637,37 +131 267,03
L 158 +44 662,09 +131 211,71
L 159 +44 685,14 +131 155,66

REGTERKANT / RIGHT HAND SIDE

Y X
KONSTANT 0,00 +2 900 000,00

R 125 +42 570,66 +136 739,29
R 126 +43 558,69 +134 076,70
R 127 +43 566,98 +134 037,11
R 128 +43 594,81 +133 962,11
R 129 +43 598,02 +133 941,97
R 130 +43 615,68 +133 905,86
R 131 +43 628,27 +133 889,19
R 132 +43 682,80 +133 742,23
R 133 +44 347,49 +131 950,98
R 134 +44 362,55 +131 902,76
R 135 +44 374,15 +131 840,39
R 136 +44 378,13 +131 806,76
R 137 +44 381,57 +131 726,60
R 138 +44 380,89 +131 684,76
R 139 +44 390,47 +131 642,19
R 140 +44 410,38 +131 603,29
R 141 +44 424,57 +131 586,29
R 142 +44 431,88 +131 571,95
R 143 +44 472,03 +131 497,29
R 144 +44 485,69 +131 459,22
R 145 +44 495,16 +131 441,60
R 146 +44 549,54 +131 353,13
R 147 +44 575,25 +131 303,65
R 148 +44 601,10 +131 250,17
R 149 +44 625,33 +131 195,94
R 150 +44 647,92 +131 141,01
R 151 +44 661,06 +131 106,71
R 152 +44 997,22 +130 204,40
R 153 +45 006,93 +130 143,98
R 154 +45 013,91 +130 125,24
R 155 +45 046,10 +130 073,20
R 156 +45 507,00 +128 836,07
R 157 +45 523,90 +128 797,56
R 158 +45 545,17 +128 761,05
R 159 +45 570,47 +128 727,19
R 160 +45 599,47 +128 696,44
R 161 +45 631,78 +128 669,20
R 162 +45 666,99 +128 645,82
R 163 +45 704,63 +128 626,61
R 164 +45 740,46 +128 613,00
R 165 +46 625,55 +128 328,41
R 166 +46 655,55 +128 317,13

PADRESERWE KOORDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT / LEFT HAND SIDE

Y X

CONSTANT 0,00 +2 900 000,00

L 160	+44 698,55	+131 120,67
L 161	+44 776,36	+130 911,80
L 162	+44 805,18	+130 858,51
L 163	+44 835,45	+130 784,41
L 164	+44 832,22	+130 761,87
L 165	+44 971,87	+130 387,03
L 166	+11 997,08	+130 353,74
L 167	+45 006,78	+130 293,33
L 168	+45 544,49	+128 850,04
L 169	+45 559,56	+128 815,69
L 170	+45 578,53	+128 783,12
L 171	+45 601,09	+128 752,93
L 172	+45 626,95	+128 725,50
L 173	+45 655,77	+128 701,21
L 174	+45 687,17	+128 680,36
L 175	+45 720,75	+128 663,22
L 176	+45 752,71	+128 651,08
L 177	+46 574,97	+128 386,69
L 178	+46 617,39	+128 687,94
L 179	+46 731,53	+128 330,41
L 180	+46 777,05	+128 284,70
L 181	+46 806,24	+128 254,14
L 182	+46 831,76	+128 220,45
L 183	+46 853,27	+128 184,07
L 184	+46 870,49	+128 145,47
L 185	+46 883,20	+128 105,17
L 186	+46 891,23	+128 063,67
L 187	+46 894,47	+128 021,54
L 188	+46 893,47	+127 980,35
L 189	+46 902,39	+127 919,95
L 190	+46 898,08	+127 699,94
L 191	+46 875,70	+127 540,71
L 192	+46 871,01	+127 424,66
L 193	+46 870,27	+127 374,73
L 194	+46 871,96	+127 214,66
L 195	+46 872,04	+127 181,52
L 196	+46 870,77	+127 120,94
L 197	+46 867,80	+127 062,41
L 197a	+46 853,51	+127 045,35
L 197b	+46 853,73	+127 033,69
L 198	+46 864,09	+127 013,96
L 199	+46 841,84	+126 761,19
L 200	+46 835,03	+126 700,52
L 201	+46 825,32	+126 640,34

REGTERKANT / RIGHT HAND SIDE

Y X

KONSTANT 0,00 +2 900 000,00

R 167	+46 689,24	+128 300,22
R 168	+46 720,77	+128 279,57
R 169	+46 749,75	+128 255,46
R 170	+46 775,79	+128 228,21
R 171	+46 798,55	+128 198,16
R 172	+46 817,73	+128 165,71
R 173	+46 833,09	+128 131,29
R 174	+46 844,42	+128 095,34
R 175	+46 851,58	+128 058,33
R 176	+46 846,48	+128 001,24
R 177	+46 839,79	+127 762,34
R 178	+46 825,60	+127 702,87
R 179	+46 824,72	+127 582,81
R 180	+46 834,12	+127 502,36
R 181	+46 831,05	+127 426,27
R 182	+46 830,27	+127 374,31
R 183	+46 831,96	+127 214,24
R 184	+46 832,04	+127 181,75
R 185	+46 830,80	+127 122,37
R 186	+46 827,78	+127 063,05
R 187	+46 824,44	+127 019,68
R 188	+46 802,00	+126 764,70
R 189	+46 795,40	+126 705,94
R 190	+46 786,00	+126 647,66
R 191	+46 773,77	+126 589,73
R 192	+46 718,66	+126 356,46
R 193	+46 709,67	+126 317,01
R 191	+46 697,42	+126 257,79
R 195	+46 686,60	+126 198,29
R 196	+46 680,04	+126 157,62
R 197	+46 532,95	+125 194,89
R 198	+46 522,83	+125 133,77
R 199	+46 371,89	+124 288,02
R 200	+46 364,62	+124 244,52
R 201	+46 356,18	+124 184,51
R 202	+46 351,60	+124 144,87
R 203	+46 240,94	+123 094,94
R 204	+46 236,99	+123 049,66
R 205	+46 234,57	+123 001,55
R 206	+46 220,33	+122 546,69
R 207	+46 219,02	+122 509,36
R 208	+46 216,35	+122 449,66

Vel van
Sheet 13 of 16

P 484/01

PADRESERVE KOORDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT / LEFT HAND SIDE

Y	X
CONSTANT 0,00	+2 900 000,00
L 202	+46 812,70 +125 580,53
L 203	+46 757,59 +127 347,27
L 204	+46 748,74 +126 308,44
L 205	+46 736,69 +126 250,16
L 206	+46 726,03 +126 191,60
L 207	+46 719,58 +126 151,57
L 208	+46 572,49 +125 188,85
L 209	+46 562,20 +125 126,74
L 210	+46 411,27 +124 280,99
L 211	+46 404,14 +124 238,35
L 212	+46 395,87 +124 179,54
L 213	+46 391,38 +124 140,68
L 214	+46 280,72 +123 090,75
L 215	+46 276,89 +123 046,89
L 216	+46 274,55 +123 000,30
L 217	+46 260,31 +122 545,43
L 218	+46 258,99 +122 507,81
L 219	+46 256,29 +122 447,63
L 220	+46 252,87 +122 387,48
L 221	+46 249,13 +122 332,70
L 222	+46 217,12 +121 899,38
L 223	+46 214,75 +121 868,54
L 224	+46 209,58 +121 808,52
L 225	+46 203,69 +121 748,57
L 226	+46 197,09 +121 688,70
L 227	+46 189,76 +121 628,90
L 228	+46 181,77 +121 569,53
L 229	+45 933,79 +119 807,59
L 230	+45 925,68 +119 747,35
L 231	+45 918,43 +119 688,04
L 232	+45 911,89 +119 628,63
L 233	+45 906,07 +119 569,16
L 234	+45 900,96 +119 509,62
L 235	+45 897,74 +119 466,96
L 236	+45 808,73 +118 145,61
L 237	+45 801,20 +118 113,09
L 238	+45 796,90 +118 067,04
L 239	+45 757,24 +117 680,86
L 240	+45 752,33 +117 635,04
L 241	+45 745,26 +117 575,21
L 242	+45 737,48 +117 515,48
L 243	+45 728,99 +117 455,84

REGTERKANT / RIGHT HAND SIDE

Y	X
KONSTANT 0,00	+2 900 000,00
R 209	+46 212,95 +122 389,99
R 210	+46 209,24 +122 335,65
R 211	+46 177,23 +121 902,33
R 212	+46 174,88 +121 871,73
R 213	+46 169,75 +121 812,19
R 214	+46 163,91 +121 752,72
R 215	+46 157,36 +121 693,32
R 216	+46 150,09 +121 634,01
R 217	+46 142,16 +121 575,10
R 218	+45 894,18 +119 813,17
R 219	+45 886,01 +119 752,44
R 220	+45 878,70 +119 692,65
R 221	+45 872,11 +119 632,77
R 222	+45 866,24 +119 572,82
R 223	+45 861,09 +119 512,80
R 224	+45 857,84 +119 469,79
R 225	+45 763,83 +118 148,45
R 226	+45 761,34 +118 116,45
R 227	+45 757,11 +118 071,12
R 228	+45 717,45 +117 684,95
R 229	+45 712,57 +117 639,49
R 230	+45 705,57 +117 580,14
R 231	+45 697,85 +117 520,88
R 232	+45 689,42 +117 461,72
R 233	+45 680,29 +117 402,66
R 234	+45 670,44 +117 343,72
R 235	+45 663,48 +117 304,49
R 236	+45 657,72 +117 273,30
R 237	+45 624,27 +117 095,42
R 238	+45 615,80 +117 048,78
R 239	+45 605,88 +116 989,28
R 240	+45 596,90 +116 929,63
R 241	+45 588,89 +116 869,85
R 242	+45 581,83 +116 809,94
R 243	+45 577,65 +116 769,95
R 244	+45 573,00 +116 719,41
R 245	+45 464,48 +115 448,48
R 246	+45 461,49 +115 414,78
R 247	+45 455,65 +115 355,31
R 248	+45 449,09 +115 295,91
R 249	+45 441,82 +115 236,60
R 250	+45 438,84 +115 177,37

PADRESERWE KOORDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT / LEFT HAND SIDE

Y X
CONSTANT 0,00 +2 900 000,00

L 286 +44 645,39 +105 078,57
L 287 +44 646,99 +105 018,83
L 288 +44 649,30 +104 959,11
L 289 +44 650,63 +104 931,09
L 290 +44 664,87 +104 648,66
L 291 +44 666,06 +104 619,26
L 292 +44 666,73 +104 558,46
L 293 +44 666,02 +104 523,66
L 294 +44 625,35 +103 249,15
L 295 +44 623,21 +103 198,30
L 296 +44 619,33 +103 137,95
L 297 +44 616,21 +103 100,67
L 298 +44 448,91 +101 266,15
L 299 +44 443,59 +101 205,75
L 300 +44 438,69 +101 146,07
L 301 +44 434,15 +101 086,37
L 302 +44 429,97 +101 026,63
L 303 +44 426,15 +100 966,87
L 304 +44 422,68 +100 907,09
L 305 +44 419,58 +100 847,29
L 306 +44 416,83 +100 787,48
L 307 +44 414,45 +100 727,65
L 308 +44 412,62 +100 674,32
L 309 +44 385,91 +99 827,12
L 310 +44 383,69 +99 768,01
L 311 +44 380,58 +99 705,20
L 312 +44 211,80 +96 685,48
L 313 +44 240,07 +96 653,81


L 1 +44 287,76 +96 611,01
L 2 +43 480,66 +96 657,37

REGTERKANT / RIGHT HAND SIDE

Y X
KONSTANT 0,00 +2 900 000,00

R 293 +44 379,63 +100 849,25
R 294 +44 376,87 +100 789,19
R 295 +44 374,47 +100 729,12
R 296 +44 372,64 +100 675,58
R 297 +44 345,93 +99 828,38
R 298 +44 343,73 +99 769,74
R 299 +44 340,64 +99 707,43
R 300 +44 171,86 +96 687,78
R 301 +44 140,24 +96 659,55

R 1 +44 289,99 +96 650,94
R 2 +43 482,96 +96 697,31



Suid-Afrikaanse Nasionale Padagentskap Bepark South African National Roads Agency Limited	Die figuur vertoon The figure shown	 stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R22 Sekse 5 of National Route Section	Vel 1 van 13 Sheet of P 483/01
--	--	--	--------------------------------------





ist die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R22 Seksie 5
of National Route Section

Die figur vertoon


Suid-Afrikaanse Nasionale Padagentskap Bepark
South African National Roads Agency Limited



ststel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R22 Seksie 5
of National Route Section

Die figuur vertoon

Suid-Afrikaanse Nasionale Padagentskap Beperk
South African National Roads Agency Limited



Suid-Afrikaanse Nasionale Pedagogieskap Bepoort
South African National Roads Agency Limited

Die figur vertoon

stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R22 Seksie 5
of National Route Section

Vel 5 van 13
Sheet of

P 483/01

PADRESERWE KOORDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT / LEFT HAND SIDE

Y X
CONSTANT 0,00 +2 900 000,00

L 1 +44 287,76 +96 611,01
L 1A +44 137,92 +96 619,65
L 1B +44 166,20 +96 687,98
L 1C +44 206,13 +96 585,59
L 1D +44 237,81 +96 613,87
L 313 +44 240,07 +96 653,81
L 2 +43 480,66 +96 657,37
L 3 +43 369,13 +96 660,98
L 4 +43 250,23 +96 658,68
L 5 +43 131,62 +96 650,05
L 6 +43 013,65 +96 635,11
L 7 +42 896,64 +96 613,89
L 8 +42 780,92 +96 586,48
L 9 +42 666,83 +96 552,93
L 10 +42 572,36 +96 520,03
L 11 +39 612,70 +95 414,35
L 12 +39 502,81 +95 369,93
L 13 +39 395,08 +95 319,56
L 14 +39 290,19 +95 263,52
L 15 +39 205,74 +95 212,97
L 16 +37 742,97 +94 292,84
L 17 +37 514,71 +94 144,87
L 18 +37 285,68 +93 987,29
L 19 +36 371,22 +93 339,11
L 20 +36 273,49 +93 268,95
L 21 +36 177,05 +93 197,95
L 22 +36 081,47 +93 125,79
L 23 +35 986,76 +93 052,49
L 24 +35 900,38 +92 984,02
L 25 +34 217,66 +91 635,18
L 26 +34 131,18 +91 563,53
L 27 +34 041,89 +91 484,40
L 28 +33 955,36 +91 402,26
L 29 +33 905,41 +91 352,18
L 30 +33 506,70 +90 944,21
L 31 +33 420,99 +90 861,01
L 32 +33 329,79 +90 781,41
L 33 +33 234,47 +90 706,78
L 34 +33 135,32 +90 637,34
L 35 +33 032,60 +90 573,29
L 36 +32 936,16 +90 519,77
L 37 +32 870,34 +90 485,31

REGTERKANT / RIGHT HAND SIDE

Y X
KONSTANT 0,00 +2 900 000,00

R 1 +44 289,99 +96 650,94
R 301 +44 140,24 +96 659,55
R 2 +43 482,96 +96 697,31
R 3 +43 369,42 +96 700,98
R 4 +43 248,39 +96 698,64
R 5 +43 127,66 +96 689,85
R 6 +43 007,57 +96 674,64
R 7 +42 888,45 +96 653,05
R 8 +42 770,66 +96 625,14
R 9 +42 654,53 +96 590,99
R 10 +42 558,36 +96 557,50
R 11 +39 598,70 +95 451,82
R 12 +39 486,84 +95 406,60
R 13 +39 377,18 +95 355,33
R 14 +39 270,41 +95 298,29
R 15 +39 184,45 +95 246,83
R 16 +37 721,67 +94 326,70
R 17 +37 492,49 +94 178,13
R 18 +37 262,55 +94 019,92
R 19 +36 348,09 +93 371,75
R 20 +36 249,96 +93 301,30
R 21 +36 153,14 +93 230,01
R 22 +36 057,18 +93 157,57
R 23 +35 962,09 +93 083,97
R 24 +35 875,36 +93 015,23
R 25 +34 192,65 +91 666,39
R 26 +34 105,17 +91 593,92
R 27 +34 014,85 +91 513,88
R 28 +33 927,32 +91 430,79
R 29 +33 876,81 +91 380,14
R 30 +33 478,10 +90 972,17
R 31 +33 393,89 +90 890,43
R 32 +33 304,30 +90 812,23
R 33 +33 210,66 +90 738,92
R 34 +33 113,25 +90 670,71
R 35 +33 012,35 +90 607,79
R 36 +32 917,61 +90 555,21
R 37 +32 851,79 +90 520,75
R 38 +32 695,14 +90 440,49
R 39 +32 533,83 +90 361,43
R 40 +32 371,12 +90 285,29
R 41 +32 249,12 +90 230,52

Vel van
Sheet 6 of 13

P483/01

PADRESERWE KOORDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT / LEFT HAND SIDE			Lo33°	REGTERKANT / RIGHT HAND SIDE		
Y		X		Y		X
CONSTANT	0,00	+2 900 000,00		KONSTANT	0,00	+2 900 000,00
L 38	+32 713,06	+90 404,73		R 42	+31 724,54	+89 999,22
L 39	+32 551,11	+90 325,36		R 43	+31 566,83	+89 928,05
L 40	+32 387,75	+90 248,91		R 44	+31 403,77	+89 850,97
L 41	+32 265,25	+90 193,92		R 45	+31 275,65	+89 787,87
L 42	+31 740,68	+89 962,62		R 46	+30 040,93	+89 168,72
L 43	+31 583,59	+89 891,73		R 47	+29 936,69	+89 119,77
L 44	+31 421,19	+89 814,96		R 48	+29 826,54	+89 074,95
L 45	+31 293,58	+89 752,11		R 49	+29 714,16	+89 036,06
L 46	+30 058,86	+89 132,96		R 50	+29 599,86	+89 003,21
L 47	+29 952,75	+89 083,14		R 51	+29 473,64	+88 974,44
L 48	+29 840,62	+89 037,51		R 52	+28 663,84	+88 814,42
L 49	+29 726,23	+88 997,92		R 53	+28 541,94	+88 786,83
L 50	+29 609,88	+88 964,49		R 54	+28 425,50	+88 753,74
L 51	+29 481,39	+88 935,20		R 55	+28 310,98	+88 714,50
L 52	+28 671,59	+88 775,18		R 56	+28 198,72	+88 669,21
L 53	+28 551,84	+88 748,07		R 57	+28 089,04	+88 617,99
L 54	+28 437,45	+88 715,57		R 58	+28 008,65	+88 575,78
L 55	+28 324,95	+88 677,02		R 59	+27 921,04	+88 524,95
L 56	+28 214,67	+88 632,52		R 60	+27 559,06	+88 303,95
L 57	+28 106,92	+88 582,21		R 61	+27 469,56	+88 246,39
L 58	+28 027,95	+88 540,75		R 62	+27 371,16	+88 175,89
L 59	+27 941,88	+88 490,81		R 63	+27 276,65	+88 100,24
L 60	+27 579,90	+88 269,81		R 64	+27 208,49	+88 040,26
L 61	+27 491,98	+88 213,26		R 65	+27 139,14	+87 973,98
L 62	+27 395,31	+88 144,01		R 66	+26 245,64	+87 083,10
L 63	+27 302,47	+88 069,69		R 67	+26 207,66	+87 049,06
L 64	+27 235,51	+88 010,77		R 68	+26 160,73	+87 015,72
L 65	+27 167,38	+87 945,65		R 69	+26 110,14	+86 988,24
L 66	+26 273,89	+87 054,78		R 70	+26 056,63	+86 967,02
L 67	+26 232,73	+87 017,89		R 71	+25 991,51	+86 950,56
L 68	+26 181,89	+86 981,78		R 72	+25 953,05	+86 938,58
L 69	+26 127,09	+86 952,01		R 73	+25 660,26	+86 886,04
L 70	+26 069,12	+86 929,02		R 74	+25 636,97	+86 880,76
L 71	+25 998,58	+86 911,19		R 75	+25 606,88	+86 870,54
L 72	+25 958,34	+86 909,05		R 76	+25 578,23	+86 856,78
L 73	+25 665,56	+86 856,51		R 77	+25 551,43	+86 839,69
L 74	+25 644,90	+86 851,83		R 78	+25 526,88	+86 819,52
L 75	+25 618,22	+86 842,76		R 79	+25 504,91	+86 796,55
L 76	+25 592,81	+86 830,56		R 80	+25 480,19	+86 762,15
L 77	+25 569,05	+86 815,41		R 81	+25 467,41	+86 738,30
L 78	+25 547,27	+86 797,52		R 82	+25 424,29	+86 646,93
L 79	+25 527,80	+86 777,15		R 83	+25 418,65	+86 636,25

PADRESERWE KOORDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT / LEFT HAND SIDE

Y	X
CONSTANT 0,00 +2 900 000,00	
L 80 +25 505,88 +86 746,65	
L 81 +25 494,54 +86 725,50	
L 82 +25 451,42 +86 634,12	
L 83 +25 444,53 +86 621,07	
L 84 +25 432,17 +86 602,89	
L 85 +25 417,51 +86 586,52	
L 86 +25 400,79 +86 572,24	
L 87 +25 382,33 +86 560,30	
L 88 +25 352,39 +86 547,36	
L 89 +24 433,26 +86 253,89	
L 90 +24 391,93 +86 238,58	
L 91 +24 339,81 +86 212,76	
L 92 +24 291,15 +86 180,89	
L 93 +24 246,67 +86 143,42	
L 94 +24 206,98 +86 100,89	
L 95 +24 172,68 +86 053,92	
L 96 +24 153,04 +86 020,47	
L 97 +24 139,43 +85 992,95	
L 98 +24 027,70 +85 747,70	
L 99 +24 001,80 +85 694,11	
L 100 +23 972,93 +85 640,73	
L 101 +23 941,99 +85 589,32	
L 102 +23 897,52 +85 519,10	
L 103 +23 879,35 +85 487,65	
L 104 +23 862,90 +85 452,64	
L 105 +23 849,54 +85 416,33	
L 106 +23 840,81 +85 385,09	
L 107 +23 824,03 +85 315,34	
L 108 +23 810,55 +85 261,96	
L 109 +23 794,39 +85 203,79	
L 110 +23 784,21 +85 169,72	
L 111 +23 763,55 +85 102,44	
L 112 +23 748,23 +85 050,69	
L 113 +23 732,49 +84 993,13	
L 114 +23 723,69 +84 958,53	
L 115 +23 687,09 +84 810,67	
L 116 +23 677,57 +84 778,85	
L 117 +23 661,32 +84 740,35	
L 118 +23 640,52 +84 704,10	
L 119 +23 616,23 +84 671,49	
L 120 +23 569,59 +84 616,04	
L 121 +23 552,52 +84 594,32	

REGTERKANT / RIGHT HAND SIDE

Y	X
KONSTANT 0,00 +2 900 000,00	
R 84 +25 408,54 +86 621,37	
R 85 +25 396,54 +86 607,98	
R 86 +25 382,87 +86 596,29	
R 87 +25 367,76 +86 586,53	
R 88 +25 343,26 +86 575,94	
R 89 +24 424,14 +86 282,46	
R 90 +24 380,24 +86 266,22	
R 91 +24 324,90 +86 238,80	
R 92 +24 273,24 +86 204,95	
R 93 +24 226,00 +86 165,16	
R 94 +24 183,86 +86 120,00	
R 95 +24 147,43 +86 070,13	
R 96 +24 126,58 +86 034,61	
R 97 +24 112,13 +86 005,38	
R 98 +24 000,40 +85 760,14	
R 99 +23 975,10 +85 707,77	
R 100 +23 946,88 +85 655,61	
R 101 +23 916,65 +85 605,37	
R 102 +23 872,17 +85 535,15	
R 103 +23 852,78 +85 501,58	
R 104 +23 835,22 +85 464,21	
R 105 +23 820,96 +85 425,46	
R 106 +23 811,64 +85 392,10	
R 107 +23 794,86 +85 322,36	
R 108 +23 781,55 +85 269,63	
R 109 +23 765,59 +85 212,18	
R 110 +23 755,53 +85 178,53	
R 111 +23 734,87 +85 111,25	
R 112 +23 719,38 +85 058,91	
R 113 +23 703,47 +85 000,72	
R 114 +23 694,57 +84 965,74	
R 115 +23 657,97 +84 817,88	
R 116 +23 649,28 +84 788,83	
R 117 +23 634,44 +84 753,67	
R 118 +23 615,45 +84 720,57	
R 119 +23 593,27 +84 690,80	
R 120 +23 546,63 +84 635,35	
R 121 +23 528,33 +84 612,06	
R 122 +23 505,44 +84 577,59	
R 123 +23 485,85 +84 541,14	
R 124 +23 469,00 +84 501,03	
R 125 +23 435,22 +84 408,16	

PADRESERWE KOORDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT / LEFT HAND SIDE			Lo33°	REGTERKANT / RIGHT HAND SIDE		
Y		X		Y		X
CONSTANT	0,00 +2 900 000,00			KONSTANT	0,00 +2 900 000,00	
L 122	+23 531,18	+84 562,17		R 126	+23 414,69	+84 352,94
L 123	+23 512,91	+84 528,18		R 127	+23 393,06	+84 297,21
L 124	+23 497,19	+84 490,78		R 128	+23 381,52	+84 268,40
L 125	+23 463,41	+84 397,90		R 129	+23 355,37	+84 203,84
L 126	+23 442,74	+84 342,29		R 130	+23 332,71	+84 149,49
L 127	+23 420,95	+84 286,15		R 131	+23 308,60	+84 094,89
L 128	+23 409,33	+84 257,14		R 132	+23 295,39	+84 066,21
L 129	+23 383,18	+84 192,57		R 133	+23 265,79	+84 002,88
L 130	+23 360,27	+84 137,66		R 134	+23 236,49	+83 928,23
L 131	+23 335,91	+84 082,48		R 135	+23 217,68	+83 854,95
L 132	+23 322,57	+84 053,51		R 136	+23 202,59	+83 777,16
L 133	+23 292,97	+83 990,18		R 137	+23 192,32	+83 732,52
L 134	+23 265,05	+83 919,05		R 138	+23 174,73	+83 676,56
L 135	+23 247,13	+83 849,23		R 139	+23 158,44	+83 635,98
L 136	+23 232,04	+83 771,44		R 140	+23 093,49	+83 488,35
L 137	+23 221,31	+83 724,79		R 141	+23 080,61	+83 455,62
L 138	+23 202,92	+83 666,31		R 142	+23 068,81	+83 415,96
L 139	+23 185,90	+83 623,90		R 143	+23 060,76	+83 375,37
L 140	+23 120,95	+83 476,27		R 144	+23 056,74	+83 337,99
L 141	+23 108,93	+83 445,75		R 145	+23 048,81	+83 215,94
L 142	+23 097,94	+83 408,76		R 146	+23 045,20	+83 175,47
L 143	+23 090,42	+83 370,91		R 147	+23 036,51	+83 117,17
L 144	+23 086,68	+83 336,05		R 148	+23 026,40	+83 070,03
L 145	+23 078,74	+83 213,99		R 149	+23 009,55	+83 001,13
L 146	+23 075,00	+83 172,09		R 150	+22 994,18	+82 921,14
L 147	+23 066,01	+83 111,72		R 151	+22 987,25	+82 848,41
L 148	+23 055,54	+83 062,91		R 152	+22 978,09	+82 665,91
L 149	+23 038,69	+82 994,01		R 153	+22 973,75	+82 622,06
L 150	+23 023,89	+82 916,96		R 154	+22 961,60	+82 565,30
L 151	+23 017,22	+82 846,91		R 155	+22 947,94	+82 524,36
L 152	+23 008,05	+82 664,40		R 156	+22 878,46	+82 345,00
L 153	+23 003,43	+82 617,67		R 157	+22 853,50	+82 275,59
L 154	+22 990,48	+82 557,16		R 158	+22 830,70	+82 200,96
L 155	+22 975,91	+82 513,52		R 159	+22 796,10	+82 076,26
L 156	+22 906,43	+82 334,16		R 160	+22 789,16	+82 055,77
L 157	+22 881,96	+82 266,11		R 161	+22 781,44	+82 038,89
L 158	+22 859,61	+82 192,93		R 162	+22 772,14	+82 022,82
L 159	+22 825,00	+82 068,24		R 163	+22 761,35	+82 007,71
L 160	+22 817,00	+82 044,59		R 164	+22 749,18	+81 993,69
L 161	+22 808,09	+82 025,11		R 165	+22 735,73	+81 980,89
L 162	+22 797,36	+82 006,57		R 166	+22 721,13	+81 969,43
L 163	+22 784,92	+81 989,14		R 167	+22 705,50	+81 959,41

PADRESERWE KOORDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT / LEFT HAND SIDE			Lo33°	REGTERKANT / RIGHT HAND SIDE		
Y		X		Y		X
CONSTANT	0,00	+2 900 000,00		KONSTANT	0,00	+2 900 000,00
L 164	+22 770,87	+81 972,96		R 168	+22 688,99	+81 950,93
L 165	+22 755,35	+81 958,20		R 169	+22 670,55	+81 943,64
L 166	+22 738,50	+81 944,98		R 170	+22 156,31	+81 770,08
L 167	+22 720,47	+81 933,42		R 171	+22 121,51	+81 756,32
L 168	+22 701,42	+81 923,62		R 172	+22 084,63	+81 736,87
L 169	+22 680,15	+81 915,22		R 173	+22 050,21	+81 713,35
L 170	+22 165,90	+81 741,66		R 174	+22 018,70	+81 686,05
L 171	+22 133,96	+81 729,02		R 175	+21 990,50	+81 655,34
L 172	+22 100,12	+81 711,18		R 176	+21 965,99	+81 621,62
L 173	+22 068,52	+81 689,59		R 177	+21 945,48	+81 585,32
L 174	+22 039,60	+81 664,54		R 178	+21 929,25	+81 546,91
L 175	+22 013,72	+81 636,35		R 179	+21 918,31	+81 510,27
L 176	+21 991,22	+81 605,40		R 180	+21 773,59	+80 913,52
L 177	+21 972,41	+81 572,08		R 181	+21 760,20	+80 867,55
L 178	+21 957,51	+81 536,83		R 182	+21 738,32	+80 813,51
L 179	+21 947,46	+81 503,20		R 183	+21 717,55	+80 773,89
L 180	+21 802,75	+80 906,45		R 184	+21 672,61	+80 696,38
L 181	+21 788,59	+80 857,85		R 185	+21 651,99	+80 654,98
L 182	+21 765,46	+80 800,72		R 186	+21 638,03	+80 615,70
L 183	+21 743,50	+80 758,84		R 187	+21 628,63	+80 575,08
L 184	+21 698,56	+80 681,34		R 188	+21 623,93	+80 533,65
L 185	+21 679,64	+80 643,34		R 189	+21 624,77	+80 481,30
L 186	+21 666,82	+80 607,28		R 190	+21 649,73	+80 197,63
L 187	+21 658,20	+80 570,00		R 191	+21 656,10	+80 132,66
L 188	+21 653,89	+80 531,98		R 192	+21 666,46	+80 047,41
L 189	+21 654,65	+80 483,93		R 193	+21 713,35	+79 700,11
L 190	+21 679,61	+80 200,25		R 194	+21 720,49	+79 637,09
L 191	+21 685,92	+80 135,89		R 195	+21 724,73	+79 577,85
L 192	+21 696,19	+80 051,43		R 196	+21 726,60	+79 518,48
L 193	+21 743,08	+79 704,13		R 197	+21 726,09	+79 459,09
L 194	+21 750,36	+79 639,84		R 198	+21 724,85	+79 427,29
L 195	+21 754,69	+79 579,39		R 199	+21 697,27	+78 875,68
L 196	+21 756,60	+79 518,83		R 200	+21 693,96	+78 800,01
L 197	+21 756,08	+79 458,23		R 201	+21 691,63	+78 725,38
L 198	+21 754,81	+79 425,79		R 202	+21 687,15	+78 546,13
L 199	+21 727,23	+78 874,18		R 203	+21 687,74	+78 478,92
L 200	+21 723,94	+78 798,89		R 204	+21 692,19	+78 418,17
L 201	+21 721,62	+78 724,63		R 205	+21 697,36	+78 376,93
L 202	+21 717,14	+78 545,38		R 206	+21 716,05	+78 249,47
L 203	+21 717,71	+78 480,19		R 207	+21 721,43	+78 200,62
L 204	+21 722,03	+78 421,28		R 208	+21 723,24	+78 141,95
L 205	+21 727,04	+78 381,28		R 209	+21 721,37	+78 098,88

PADRESERWE KOORDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT / LEFT HAND SIDE

Y	X
CONSTANT 0,00 +2 900 000,00	
L 206 +21 745,73 +78 253,82	
L 207 +21 751,35 +78 202,83	
L 208 +21 753,24 +78 141,59	
L 209 +21 751,29 +78 096,63	
L 210 +21 741,38 +77 964,53	
L 211 +21 734,53 +77 900,49	
L 212 +21 724,33 +77 840,46	
L 213 +21 710,55 +77 781,15	
L 214 +21 699,39 +77 742,11	
L 215 +21 666,45 +77 634,97	
L 216 +21 654,59 +77 589,85	
L 217 +21 645,05 +77 532,21	
L 218 +21 641,89 +77 490,08	
L 219 +21 630,19 +77 178,23	
L 220 +21 626,06 +77 132,32	
L 221 +21 618,26 +77 091,66	
L 222 +21 606,69 +77 051,92	
L 223 +21 591,42 +77 013,44	
L 224 +21 570,08 +76 972,19	
L 225 +21 269,50 +76 459,46	
L 226 +21 230,58 +76 389,46	
L 227 +21 199,79 +76 328,10	
L 228 +21 142,48 +76 208,09	
L 229 +21 108,33 +76 137,97	
L 230 +21 075,43 +76 072,92	
L 231 +20 956,18 +75 841,37	
L 232 +20 930,96 +75 799,54	
L 233 +20 905,18 +75 766,78	
L 234 +20 875,84 +75 737,17	
L 235 +20 843,30 +75 711,09	
L 236 +20 816,99 +75 694,20	
L 237 +20 788,96 +75 679,11	
L 238 +20 184,25 +75 390,36	
L 239 +20 137,63 +75 370,57	
L 240 +20 078,87 +75 352,15	
L 241 +20 037,11 +75 343,11	
L 242 +20 004,20 +75 337,26	
L 243 +19 942,38 +75 323,06	
L 244 +19 886,80 +75 304,51	
L 245 +19 833,16 +75 280,92	
L 246 +19 781,93 +75 252,49	
L 247 +19 746,86 +75 229,22	

REGTERKANT / RIGHT HAND SIDE

Y	X
KONSTANT 0,00 +2 900 000,00	
R 210 +21 711,47 +77 966,77	
R 211 +21 704,82 +77 904,63	
R 212 +21 694,92 +77 846,37	
R 213 +21 681,54 +77 788,81	
R 214 +21 670,72 +77 750,93	
R 215 +21 637,77 +77 643,79	
R 216 +21 625,28 +77 596,27	
R 217 +21 615,24 +77 535,57	
R 218 +21 611,91 +77 491,21	
R 219 +21 600,22 +77 179,35	
R 220 +21 596,36 +77 136,57	
R 221 +21 589,10 +77 098,69	
R 222 +21 578,31 +77 061,65	
R 223 +21 564,09 +77 025,80	
R 224 +21 544,20 +76 987,36	
R 225 +21 243,62 +76 474,64	
R 226 +21 204,03 +76 403,44	
R 227 +21 172,72 +76 341,03	
R 228 +21 115,41 +76 221,02	
R 229 +21 081,46 +76 151,32	
R 230 +21 048,76 +76 086,66	
R 231 +20 929,51 +75 855,10	
R 232 +20 906,37 +75 816,72	
R 233 +20 882,70 +75 786,64	
R 234 +20 855,77 +75 759,47	
R 235 +20 825,91 +75 735,54	
R 236 +20 801,76 +75 720,03	
R 237 +20 776,03 +75 706,18	
R 238 +20 171,32 +75 417,43	
R 239 +20 127,13 +75 398,67	
R 240 +20 071,44 +75 381,21	
R 241 +20 031,86 +75 372,65	
R 242 +19 998,95 +75 366,80	
R 243 +19 934,21 +75 351,92	
R 244 +19 876,00 +75 332,50	
R 245 +19 819,83 +75 307,80	
R 246 +19 766,17 +75 278,02	
R 247 +19 729,45 +75 253,65	
R 248 +19 614,95 +75 172,07	
R 249 +19 568,89 +75 141,17	
R 250 +19 517,99 +75 111,16	
R 251 +19 465,38 +75 084,25	

PADRESERWE KOORDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT / LEFT HAND SIDE

Y	X
CONSTANT 0,00 +2 900 000,00	
L 248 +19 632,36 +75 147,64	
L 249 +19 584,89 +75 115,80	
L 250 +19 532,44 +75 084,87	
L 251 +19 478,23 +75 057,14	
L 252 +19 441,21 +75 040,49	
L 253 +19 398,73 +75 023,51	
L 254 +19 022,72 +74 882,98	
L 255 +18 975,39 +74 862,08	
L 256 +18 925,61 +74 832,29	
L 257 +18 894,33 +74 808,58	
L 258 +18 788,21 +74 720,52	
L 259 +18 759,21 +74 693,40	
L 260 +18 734,49 +74 664,19	
L 261 +18 713,26 +74 632,35	
L 262 +18 695,81 +74 598,30	
L 263 +18 682,34 +74 562,48	
L 264 +18 673,05 +74 525,36	
L 265 +18 668,06 +74 487,43	
L 266 +18 668,18 +74 436,42	
L 267 +18 699,20 +74 042,48	
L 268 +18 700,93 +73 989,65	
L 269 +18 696,81 +73 928,21	
L 270 +18 690,28 +73 886,96	
L 271 +18 643,75 +73 649,04	
L 272 +18 634,39 +73 611,74	
L 273 +18 619,87 +73 572,66	
L 274 +18 600,99 +73 535,49	
L 275 +18 578,00 +73 500,71	
L 276 +18 551,18 +73 468,79	
L 277 +18 520,91 +73 440,13	
L 278 +18 487,56 +73 415,11	
L 279 +18 451,57 +73 394,05	
L 280 +18 425,16 +73 381,86	
L 281 +18 035,67 +73 220,60	
L 282 +17 950,62 +73 187,62	
L 283 +17 855,07 +73 155,72	
L 284 +17 758,04 +73 128,63	
L 285 +17 694,68 +73 113,72	
L 286 +17 271,93 +73 021,42	
L 287 +17 232,65 +73 010,29	
L 288 +17 197,32 +72 995,60	
L 289 +17 163,89 +72 976,98	

REGTERKANT / RIGHT HAND SIDE

Y	X
KONSTANT 0,00 +2 900 000,00	
R 252 +19 429,45 +75 068,09	
R 253 +19 388,23 +75 051,61	
R 254 +19 012,21 +74 911,08	
R 255 +18 961,69 +74 888,77	
R 256 +18 908,57 +74 856,98	
R 257 +18 875,17 +74 831,67	
R 258 +18 769,05 +74 743,60	
R 259 +18 737,46 +74 714,05	
R 260 +18 710,52 +74 682,23	
R 261 +18 687,40 +74 647,54	
R 262 +18 668,37 +74 610,44	
R 263 +18 653,70 +74 571,42	
R 264 +18 643,58 +74 530,97	
R 265 +18 638,14 +74 489,64	
R 266 +18 638,27 +74 434,07	
R 267 +18 669,29 +74 040,12	
R 268 +18 670,93 +73 990,05	
R 269 +18 667,02 +73 931,82	
R 270 +18 660,84 +73 892,72	
R 271 +18 614,31 +73 654,80	
R 272 +18 605,72 +73 620,57	
R 273 +18 592,39 +73 584,70	
R 274 +18 575,06 +73 550,58	
R 275 +18 553,96 +73 518,66	
R 276 +18 529,35 +73 489,36	
R 277 +18 501,56 +73 463,06	
R 278 +18 470,95 +73 440,09	
R 279 +18 437,93 +73 420,77	
R 280 +18 413,69 +73 409,58	
R 281 +18 024,19 +73 248,32	
R 282 +17 940,41 +73 215,83	
R 283 +17 846,28 +73 184,40	
R 284 +17 750,70 +73 157,72	
R 285 +17 688,28 +73 143,03	
R 286 +17 265,53 +73 050,73	
R 287 +17 222,73 +73 038,61	
R 288 +17 184,23 +73 022,60	
R 289 +17 147,81 +73 002,31	
R 290 +17 113,95 +72 977,99	
R 291 +17 083,07 +72 949,98	
R 292 +17 055,59 +72 918,62	
R 293 +17 031,87 +72 884,34	

PADRESERWE KOORDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT / LEFT HAND SIDE

	Y	X
CONSTANT	0,00 +2 900 000,00	
L 290	+17 132,80	+72 954,66
L 291	+17 104,47	+72 928,95
L 292	+17 079,25	+72 900,17
L 293	+17 059,43	+72 868,96
L 295	+17 025,35	+72 799,38
L 296	+17 017,64	+72 771,74
L 297	+17 011,80	+72 741,79
L 298	+16 940,35	+72 244,76

REGTERKANT / RIGHT HAND SIDE

	Y	X
KONSTANT	0,00 +2 900 000,00	
R 294	+17 012,21	+72 847,57
R 295	+16 996,87	+72 808,81
R 296	+16 988,47	+72 778,69
R 297	+16 982,10	+72 746,06
R 298	+16 910,12	+72 245,35