

**NOTICE 756 OF 2004**  
**DEPARTMENT OF PUBLIC WORKS**  
**AGRÉMENT SOUTH AFRICA**  
(Approval of new building products and systems)

Notice is hereby given that Agrément South Africa has, with effect from 26 November 2003, issued an Agrément certificate, details of which appear in the Schedule hereto.

**SCHEDULE**

**AGRÉMENT SOUTH AFRICA**  
**AGRÉMENT CERTIFICATE No 2003/302**

- Name of product:** CMA Roofing System
- Certificate holder:** Concrete Manufacturers Association
- Description:** The CMA Roofing System comprises:
- Prefabricated nail-plate (fink) timber roof trusses:
    - with a maximum ceiling tie length of 6 600 mm (measured on the underside of the tie)
    - with a roof pitch of 26 degrees
    - manufactured from 76 mm timber members (Grade 5 timber) joined together using 1 mm thick galvanised steel connector plates
    - that are erected, braced and anchored in accordance with good building practice
  - 38 mm x 38 mm SA pine tiling battens (Grade 5 timber) fixed to the trusses at not more than 345 mm centres
  - Roof covering of concrete roof tiles (not exceeding 48, 10 kg/m<sup>2</sup> after installation and measured on the slope of the roof).

The system utilises only concrete roof tiles that are manufactured by bona fide members of the Roof Tile Division of the Concrete Manufacturers Association (CMA)

This Agrément certificate contains detailed specifications and can be accessed at <http://www.agrement.co.za>. Copies are obtainable from The Manager, Agrément South Africa, P O Box 395, Pretoria, 0001