

**NOTICE 2396 OF 2004****DEPARTMENT OF PUBLIC WORKS  
AGRÉMENT SOUTH AFRICA**

(Approval of innovative construction products and systems)

Notice is hereby given that Agrément South Africa has, with effect from 19 April 2004, issued an Agrément certificate, details of which appear in the schedule hereto.

**SCHEDULE**

Agrément Certificate 2004/304

**Name of product:** Lafarge Roofing Undertile Membrane  
**Certificate holder:** Lafarge Roofing (Pty) Ltd  
**Description:** The Lafarge Roofing Undertile Membrane is suitable for installation under all types of roof tiles in a conventional manner in all areas of South Africa, to:

- reduce air movement between tiles, since the membrane can contribute to maintaining a balanced air pressure on both sides of the roof tiles
- reduce ingress to the roof space of wind-driven rain and dust.

The undertile membrane is manufactured from two layers of cross-woven, spunbonded virgin polypropylene coloured blue and charcoal. The two spunbond layers are heat-bonded together with an interlayer of polymer. The spunbond layers are UV stabilised. The membrane has a weight of 100 g/m<sup>2</sup> and is supplied in rolls 30 m long and 1,5 m wide.

This certificate and Agrément South Africa's assessment apply only to the Lafarge Roofing Undertile Membrane that is:

- manufactured by Spunchem Africa (Pty) Ltd
- installed in accordance with the certificate holder's installation brochure and as described and illustrated in this certificate, and where the terms and conditions of certification are complied with.

The Agrément certificate contains detailed information on the product and can be accessed at <http://www.agrement.co.za>

Copies are obtainable from: The Manager  
Agrément South Africa  
P O Box 395  
0001 PRETORIA