

**DEPARTMENT OF HEALTH  
DEPARTEMENT VAN GESONDHEID**

**No. R. 1047**

**20 October 2006**

**FOODSTUFFS, COSMETICS AND DISINFECTANTS ACT, 1972 (ACT NO. 54 OF 1972)**

**REGULATIONS GOVERNING THE MAXIMUM LIMITS FOR PESTICIDE RESIDUES  
THAT MAY BE PRESENT IN FOODSTUFFS: AMENDMENT**

The Minister of Health has, in terms of section 15(1) of the Foodstuffs, Cosmetics and Disinfectants Act, 1972 (Act No. 54 of 1972), made the regulations in the Schedule.

**SCHEDULE**

1. In these regulations, **the Regulations**, means the regulations published under Government Notice No. R. 246 of 11 February 1994, as corrected by Government Notice No. R. 1448 of 26 August 1994 and amended by Government Notice No. R. 494 of 8 June 2001, Government Notice No. R. 525 of 3 May 2002 and Government Notice No. R. 247 of 24 March 2005.

**Amendment of regulation I of the Regulations**

2. Regulation 1 of the Regulations is hereby amended by -
  - (1) the insertion of the following definitions in the correct alphabetical order:
    - “peaches only” means peaches only and excludes nectarines; and
    - “peas (whole)” means the unshelled peas.

## Amendment of the Annex to the Regulations

3. The Annex to the Regulations is hereby amended by -

(1) the insertion of the following particulars in the correct alphabetical order:

<b>Chemical Substance</b>	<b>II Foodstuff</b>	<b>III MRL (mg/kg)</b>
Abamectin.....	Plums.....	0,01
Acetamiprid.....	Barley, wheat, oats.....	0,05
	Canola.....	0,02
Alpha-cypermethrin (alpha-cypermethrin, sum of isomers).....	Macadamia nuts, sugar cane.....	0,05
Azoxystrobin.....	Broccoli, cauliflower.....	0,20
	Brussels sprouts.....	0,05
	Cabbage.....	0,01
	Mangoes.....	0,10
	Tomatoes.....	0,50
Benthiavalicarb-isopropyl (sum of benthiavalicarb-isopropyl and its stereo isomer KIF-2305-L).....	Potatoes.....	0,01 <sup>1</sup>
Beta-cyfluthrin.....	Macadamia nuts.....	0,02
Bifenthrin.,.....	Mealies (green).....	0,05 <sup>1</sup>
Boscalid (boscalid).....	Grapes.....	5,00
Carbendazim.....	Oats.....	0,10
Cyhalothrin.....	Beans (green), beans (dry), sorghum, wheat.....	0,20
	Cotton seed, cruciferae, groundnuts, potatoes, tomatoes.....	0,05
	Macadamia nuts, mealies (green), onions, peas.....	0,01
Dichlorophen.....	Tomatoes.....	0,50
Diflubenzuron.....	Potatoes.....	0,01
Dimethomorph.....	Potatoes.....	0,01
Dimethyl didecyl ammonium chloride.....	Avocados, cucurbits.....	2,00
	Citrus.....	0,20
	Mangoes.....	5,00
Diquat.....	Potatoes.....	0,05
Emamectin (sum of the metabolites emamectin B <sub>1a</sub> MF and FA; emamectin B <sub>1a</sub> and B <sub>1b</sub> benzoate and emamectin delta 8,9-Z		

<sup>1</sup> Limit of Detection

I Chemical Substance	II Foodstuff	III MRL (mg/kg)
isomer).....	Tomatoes.....	0,01
Epoxiconazole.....	Mealies (green).....	0,01
Ethoprophos .....	Potatoes.....	0,01
Fipronil.....	Broccoli.....	0,05
	Cabbage, cauliflower.....	0,01
Fluroxypy <sup>2</sup> .....	Fat, meat, milk.....	0,10
	Kidney.....	0,50
Flusilazole.....	Mealies (green).....	0,01
Flutriafol.....	Soy Beans.....	0,10
Folpet.....	Tomatoes.....	0,50
Furfural .....	Carrots, potatoes.....	1,00
	Lettuce. ....	0,50
	Onions.....	5,00
	Sugar cane.....	2,00
Glyphosate.....	Maize.....	2,00
Guazatine.....	Tomatoes.....	2,50
Indoxacarb .....	Beans, peaches, peas (whole).....	0,20
	Broccoli, brussels sprouts .....	1,00
	Cauliflower.....	0,05
	Potatoes.....	0,01
Iprodione.....	Apricots.....	5,00
Kresoxim-methyl.....	Cucurbits, mangoes.....	0,01
Lufenuron.....	Cabbage.....	0,10
Metalaxyl-m.....	Broccoli.....	0,02
	Brussels sprouts, cauliflower.....	0,10
	Cabbage.....	0,05
Methyl-parathion.....	Coffee.....	0,05
Novaluron.....	Apples, pears, cotton seed.....	0,05
	Peaches (canned), tomatoes.....	0,01
Propiconazole.....	Mealies (green).....	0,02
Propyzamide.....	Apples, grapes, pears.....	0,10
	Apricots, cherries, peaches, plums..	0,02
	Canola.....	0,05
Pyraclostrobin.....	Grapes.....	0,50
Quinoxifen.....	Cucurbits.....	0,50
Spinosad .....	Apricots, cabbage, cucurbits, guavas, mangoes, olives, pears, plums.....	0,01
	Nectarines only.....	0,50
	Peaches only, peas, beans.....	0,05
Spirodiclofen (spirodiclofen).....	Citrus.....	0,01
Spiroxamine.....	Barley, wheat' .....	0,05

2 Should fluroxypy treated fields be grazed or the straw used as fodder, fluroxypy could be present in organs of the cattle.

I <b>Chemical Substance</b>	II <b>Foodstuff</b>	III <b>MRL (mg/kg)</b>
Tau-fluvalinate .....	Canola.....	0,05
Tebuconazole.....	Soy Beans.....	0,50
Thiacloprid .....	Peaches.....	0,10
Triadimenol .....	Soy Beans.....	0,50
Trichlopyr .....	Citrus.....	0,10
Trifloxystrobin.....	Mea lies (green).....	0,05
	Pears.....	0,10
	Potatoes.....	0,02
Zoxamide .....	Grapes.....	2,00

Epoxiconazole = Afr Epoksikonasool

**DR ME TSHABALALA-MSIMANG**  
**MINISTER OF HEALTH**