

NOTICE 238 OF 2007**DEPARTMENT OF PUBLIC WORKS****AGREEMENT SOUTH AFRICA**

(Approval of innovative construction products and systems)

Notice is hereby given that Agreement South Africa has, with effect from 29 November 2006, issued an Agreement certificate, details of which appear in the schedule hereto.

SCHEDULE

Agreement Certificate No 20061326

Name of product: "Nam-Tex" White Roofing Undertile Membrane

Certificate holder: Nampak L & CP

Description:

The "Nam-Tex" White Roofing Undertile Membrane is manufactured from two outer layers of non-woven, UV- stabilised, spunbonded polypropylene. The two outer layers of spunbond material are laminated together using a blend of polypropylene, low density polyethylene, and UV stabiliser. The membrane has a weight of 107 g/m² and a thickness of 0,34 mm. It is supplied in rolls 30 m long and 1,5 m wide.

"Nam-Tex" White Roofing Undertile Membrane may be installed in all residential buildings with timber roof construction under all clay and cement roof tiles in a conventional manner in all areas of South Africa, to:

- reduce air movement between tiles, since the membrane can contribute to maintaining a balanced air pressure on both sides of the roof tiles
- reduce ingress to the roof space of wind-driven rain and dust.

The Agreement certificate contains detailed information on the product and can be accessed at <http://www.agreement.co.za>

Copies are obtainable from: The Manager
Agreement South Africa
P O Box 395
0001 PRETORIA