

NOTICE 240 OF 2007**DEPARTMENT OF PUBLIC WORKS****AGRÉMENT SOUTH AFRICA**

(Approval of innovative construction products and systems)

Notice is hereby given that Agrément South Africa has, with effect from 29 November 2006, issued an Agrément certificate, details of which appear in the schedule hereto.

SCHEDULE

Agreement Certificate No 2006/327

Name of product: Rhinowall Walling System

Certificate holder: BPB Gypsum (Pty) Ltd

Description:

The Rhinowall Walling System consists of 15 mm thick Firestop Rhinowall Gypsum plasterboard and 15 mm thick Rhino Moisture Resistant board (MR board). The boards are fixed to 0,5 mm x 58 mm or 102 mm galvanised steel lipped-channel Donn framing with studs at maximum 600 mm centres.

Wall frames comprise galvanized channel base rails, studs and top rails which are fixed to the underside of the ceiling. Once erected, wall frames are clad both sides with 15 mm thick Firestop Gypsum plasterboard. The cavities can be insulated or left uninsulated.

The Rhinowall is fixed onto the frame using 25 mm drywall screws at 220 mm maximum centres. The joints between the boards are sealed with Rhinoglide or flush plastered with Rhinolite.

The Agrément certificate contains detailed information on the product and can be accessed at <http://www.agrement.co.za>

Copies are obtainable from: The Manager
Agreement South Africa
P O Box 395
0001 **PRETORIA**