

NOTICE 662 OF 2007**DEPARTMENT OF PUBLIC WORKS
AGREMENT SOUTH AFRICA**

(Approval of innovative construction products and systems)

Notice is hereby given that Agreement South Africa has, with effect from 29 March 2007, issued an Agreement certificate, details of which appear in the schedule hereto.

SCHEDULE

Agreement Certificate No 2007/333

Name of product: Spunsalation Roofing Radiant Barrier

Certificate holder: Lafarge Roofing (Pty) Ltd SA

Description:

The top layer of Spunsalation Roofing Radiant Barrier is manufactured from green pigmented ultraviolet light resistant and non-toxic flame retardant polypropylene non-woven spunbond. The layers are laminated via a homogenous polyolefin film web to the aluminium vacuum metallised biaxially oriented polypropylene (BOPP) film bottom layer. The membrane has a weight of 188 g/m² and a thickness of between 0,520 mm to 0,535 mm. It is supplied in rolls 30 m long and 1,5 m wide.

Spunsalation Roofing Radiant Barrier is suitable for installation in all tiled-roof buildings with timber roof construction. It was not evaluated for metal roof construction and side-wall cladding. It can be used in all regions of South Africa when used in the conventional manner to:

- reduce air movement between tiles, since the membrane can contribute to maintaining a balanced air pressure on both sides of the roof tiles
- reduce ingress to the roof space of wind-driven rain and dust.

The Agreement certificate contains detailed information on the product and can be accessed at <http://www.agreement.co.za>

Copies are obtainable from: The Manager
Agreement South Africa
P O Box 395
0001 **PRETORIA**