
**GOVERNMENT NOTICE
GOEWERMENTSKENNISGEWING**

**DEPARTMENT OF TRANSPORT
DEPARTEMENT VAN VERVOER**

No. 740

17 August 2007

**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY LIMITED**

Registration No: 98/09584/06

DECLARATION AMENDMENT OF NATIONAL ROAD N1 SECTION 28X


AMENDMENT OF DECLARATION No. 24 OF 1988


By virtue of section 40 (1)(b) of the South African National Roads Agency Limited and the National Roads Act, 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 24 of 1998, by substituting the description, with the subjoined sheets 1 to 31 of Plan P604/06.


(National Road N1 Section 28X: Polokwane – Louis Trichardt)



MINISTER OF TRANSPORT




Die Suid Afrikaanse Nasionale Padogenskop Beperk The South African National Roads Agency Limited	Die figuur getoon The figure shown		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route	N1	Seksie Section	28X	Vel Sheet	2	van of	31	Plan P604/06
---	---------------------------------------	--	---	----	-------------------	-----	--------------	---	-----------	----	-----------------



Die Suid Afrikaanse Nasionale Padagentskap Beperk The South African National Roads Agency Limited	Die figuur getoon The figure shown 	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N1 of National Route N1 Seksie 28X Section	Vel Sheet 3 van of 31 Plan P604/06
---	---	---	--

D.O.G.A



Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown



steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N1
of National Route N1

N1

Seksie


Section

28X

Vel
Sheet 4 van 31

Plan
P604/06

D.O.9.A



Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown



stelt die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete
of National Route

N1


Seksie
Section

28X

Vel
Sheet 5 van of 31

Plan
P604/06

D.O.9.A




Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown



steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete
of National Route N1
Seksie
Section 28X

Vel
Sheet 6 van 31
Plan
P604/06



Die figuur getoon

The figure shown




steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N1 Seksie
of National Route Section

Vel
Sheet 8 van
of 31

Plan	P604/06
------	---------

D.0.9.A



Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown



'steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete
of National Route

N1


Seksie
Section


28X

Vel
Sheet 9 van 31

Plan
P604/06

D.O.9.A





Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown




steldie podreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N1
of National Route N1

Seksie
Section

28X

Vel
Sheet 13 of 31
Plan
P604/06

D.O.9.A



Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited


Die figuur getoon
The figure shown



ste die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N1 Seksie 28X
of National Route Section

Vel
Sheet 14 van 31
Plan P604/06

D.O.9.A



Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown



steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete
of National Route

N1


Seksie
Section

28X

Vel
Sheet 15 van 31

Plan P604/06

D.O.9.A



Die Suid Afrikaanse Nasionale Padogenskap Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown




steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete
of National Route N1
Seksie
Section 28X

Vel
Sheet 16 van of 31


Plan P604/06

D.O.9.A



Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown




steld die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete of National Route
N1
Seksie
Section

28X

Vel
Sheet 17 of 31

Plan P604/06

D.O.9.A



Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited


Die figuur getoon
The figure shown



steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete
of National Route N1
Seksie
Section 28X


Vel
Sheet 18 van 31
Plan P604/06

D.O.9.A



Die Suid Afrikaanse Nasionale Padagentskap Beperk The South African National Roads Agency Limited	Die figuur getoon The figure shown 	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N1 of National Route N1 Seksie 28X	Vel Sheet 19 of 31 Plan P604/06
---	---	--	---

D.O.9.A



Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown



steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete
of National Route N1 Seksie
Section 28X

Vel
Sheet 20 van
of 31
Plan
P604/06

D.O.9.A

PADRESERWE KOÖRDINATE				/	ROAD RESERVE CO-ORDINATES			
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE			
	Y	X	WG 29°			Y	X	
L1	-49 969.19	2 636 504.91			R1	-49 977.41	2 636 583.81	
L2	-49 983.67	2 636 478.32			R2	-49 985.91	2 636 559.19	
L3	-50 128.41	2 636 222.87			R3	-50 082.89	2 636 382.97	
L4	-50 151.79	2 636 182.11			R4	-50 106.64	2 636 341.34	
L5	-50 290.55	2 635 942.48			R5	-50 172.03	2 636 226.97	
L6	-50 452.87	2 635 662.24			R6	-50 189.82	2 636 195.83	
L7	-50 614.95	2 635 381.87			R7	-50 277.12	2 636 044.96	
L8	-50 637.92	2 635 341.73			R8	-50 368.07	2 635 887.60	
L9	-50 776.12	2 635 102.45			R9	-50 463.44	2 635 722.95	
L10	-50 888.46	2 634 909.02			R10	-50 563.47	2 635 549.68	
L11	-50 953.28	2 634 796.75			R11	-50 669.51	2 635 366.54	
L12	-51 093.89	2 634 553.29			R12	-50 782.45	2 635 171.46	
L13	-51 101.12	2 634 541.40			R13	-50 892.68	2 634 981.18	
L14	-51 112.58	2 634 521.53			R14	-50 924.60	2 634 971.73	
L15	-51 196.32	2 634 376.89			R15	-50 925.24	2 634 953.95	
L16	-51 293.89	2 634 216.96			R16	-50 932.40	2 634 912.54	
L17	-51 332.49	2 634 160.66			R17	-51 148.95	2 634 538.17	
L18	-51 379.19	2 634 093.13			R18	-51 191.56	2 634 464.16	
L19	-51 383.67	2 634 086.51			R19	-51 229.30	2 634 399.70	
L20	-51 445.68	2 634 004.66			R20	-51 254.61	2 634 359.09	
L21	-51 500.34	2 633 936.73			R21	-51 335.83	2 634 228.76	
L22	-51 620.13	2 633 802.59			R22	-51 363.54	2 634 185.48	
L23	-51 639.99	2 633 778.96			R23	-51 369.34	2 634 171.31	
L24	-51 743.65	2 633 672.04			R24	-51 476.68	2 634 029.76	
L25	-51 970.70	2 633 434.85			R25	-51 516.59	2 633 979.97	
L26	-52 180.95	2 633 215.16			R26	-51 531.12	2 633 962.24	
L27	-52 283.00	2 633 108.58			R27	-51 654.74	2 633 822.28	
L28	-52 412.41	2 632 973.10			R28	-51 772.50	2 633 699.51	
L29	-52 696.49	2 632 676.58			R29	-51 974.42	2 633 487.97	
L30	-52 980.08	2 632 379.54			R30	-52 002.89	2 633 458.15	
L31	-53 151.63	2 632 200.70			R31	-52 212.65	2 633 239.52	
L32	-53 154.18	2 632 198.03			R32	-52 313.93	2 633 133.14	
L33	-53 363.47	2 631 979.78			R33	-52 567.37	2 632 868.97	
L34	-53 488.19	2 631 848.66			R34	-52 816.13	2 632 608.37	
L35	-53 746.92	2 631 578.62			R35	-53 124.90	2 632 285.71	
L36	-53 861.04	2 631 458.96			R36	-53 377.01	2 632 022.99	
L37	-54 233.39	2 631 070.44			R37	-53 564.98	2 631 825.94	
L38	-54 615.33	2 630 670.90			R38	-53 777.03	2 631 604.10	
L39	-55 511.50	2 629 735.02			R39	-53 872.85	2 631 504.75	
L40	-55 529.45	2 629 701.62			R40	-54 243.59	2 631 116.58	
L41	-55 550.03	2 629 679.54			R41	-54 521.21	2 630 826.76	
L42	-55 589.75	2 629 652.59			R42	-54 894.32	2 630 437.39	
L43	-55 779.53	2 629 455.12			R43	-55 168.25	2 630 151.71	
L44	-56 045.65	2 629 181.31			R44	-55 542.22	2 629 759.89	
L45	-56 095.24	2 629 129.42			R45	-55 636.72	2 629 662.07	
L46	-56 288.86	2 628 922.92			R46	-55 643.43	2 629 640.06	
L47	-56 441.37	2 628 763.92			R47	-55 672.63	2 629 638.39	
L48	-56 786.79	2 628 403.00			R48	-55 725.05	2 629 583.79	
L49	-56 920.23	2 628 266.15			R49	-55 770.65	2 629 535.93	
L50	-56 961.93	2 628 219.92			R50	-55 779.20	2 629 527.13	
L51	-57 187.01	2 627 985.21			R51	-55 803.51	2 629 487.50	
					Vel	21	Van	31
					Sheet		of	
					P604/06			

PADRESERWE KOÖRDINATE				/	ROAD RESERVE CO-ORDINATES			
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE			
	Y	X	WG 29°			Y	X	
L52	-57 271.27	2 627 897.17			R52	-55 824.06	2 629 466.25	
L53	-57 279.67	2 627 888.34			R53	-56 069.22	2 629 210.00	
L54	-57 435.87	2 627 726.57			R54	-57 109.45	2 628 123.28	
L55	-57 511.15	2 627 646.78			R55	-57 467.07	2 627 749.75	
L56	-57 511.67	2 627 647.25			R56	-58 153.93	2 627 032.02	
L57	-57 518.37	2 627 640.24			R57	-58 286.80	2 626 893.36	
L58	-57 517.86	2 627 639.79			R58	-58 828.14	2 626 327.56	
L59	-57 760.44	2 627 385.83			R59	-59 313.50	2 625 820.52	
L60	-58 123.86	2 627 006.66			R60	-59 330.10	2 625 826.10	
L61	-58 612.51	2 626 496.31			R61	-59 347.30	2 625 808.10	
L62	-59 247.65	2 625 831.73			R62	-59 341.10	2 625 791.67	
L63	-59 425.63	2 625 647.70			R63	-59 437.71	2 625 690.49	
L64	-59 547.40	2 625 518.61			R64	-59 451.83	2 625 676.17	
L65	-59 672.10	2 625 388.35			R65	-59 700.59	2 625 416.20	
L66	-59 796.46	2 625 258.19			R66	-59 824.98	2 625 286.24	
L67	-59 887.15	2 625 163.04			R67	-59 914.83	2 625 192.01	
L68	-59 950.85	2 625 088.30			R68	-59 981.41	2 625 113.31	
L69	-60 053.53	2 624 941.52			R69	-60 028.54	2 625 050.84	
L70	-60 114.34	2 624 827.40			R70	-60 124.53	2 624 898.93	
L71	-60 210.56	2 624 618.73			R71	-60 199.29	2 624 742.68	
L72	-60 384.36	2 624 223.78			R72	-60 229.61	2 624 674.24	
L73	-60 591.96	2 623 753.21			R73	-60 271.65	2 624 578.21	
L74	-60 665.59	2 623 586.06			R74	-60 346.84	2 624 408.74	
L75	-60 708.55	2 623 488.10			R75	-60 410.83	2 624 262.46	
L76	-60 767.76	2 623 335.75			R76	-60 587.37	2 623 861.94	
L77	-60 771.56	2 623 334.64			R77	-60 619.11	2 623 789.21	
L78	-60 773.62	2 623 329.95			R78	-60 682.84	2 623 644.99	
L79	-60 771.60	2 623 325.05			R79	-60 755.19	2 623 480.10	
L80	-60 793.69	2 623 246.67			R80	-60 818.25	2 623 307.79	
L81	-60 816.84	2 623 142.17			R81	-60 841.04	2 623 221.01	
L82	-60 849.37	2 622 930.06			R82	-60 872.50	2 623 044.47	
L83	-60 886.32	2 622 683.16			R83	-60 897.60	2 622 874.47	
L84	-60 899.94	2 622 591.19			R84	-60 928.60	2 622 667.31	
L85	-60 986.71	2 622 005.73			R85	-60 959.12	2 622 462.87	
L86	-61 011.30	2 621 840.84			R86	-61 001.01	2 622 180.63	
L87	-61 016.08	2 621 806.12			R87	-61 053.85	2 621 821.71	
L88	-61 059.28	2 621 506.46			R88	-61 075.26	2 621 675.47	
L89	-61 049.51	2 621 464.65			R89	-61 098.67	2 621 510.08	
L90	-61 059.25	2 621 402.22			R90	-61 148.69	2 621 142.49	
L91	-61 074.15	2 621 374.40			R91	-61 170.60	2 621 087.93	
L92	-61 105.32	2 621 167.15			R92	-61 180.67	2 621 012.90	
L93	-61 152.58	2 620 811.51			R93	-61 172.05	2 620 950.81	
L94	-61 178.28	2 620 618.11			R94	-61 217.55	2 620 618.45	
L95	-61 193.40	2 620 504.28			R95	-61 225.23	2 620 567.23	
L96	-61 207.46	2 620 393.84			R96	-61 247.23	2 620 396.74	
L97	-61 210.90	2 620 369.96			R97	-61 275.69	2 620 219.18	
L98	-61 237.35	2 620 211.08			R98	-61 259.09	2 620 399.06	
L99	-61 255.69	2 620 123.49			R99	-61 258.61	2 620 478.30	
L100	-61 269.22	2 620 059.91			R100	-61 265.57	2 620 557.17	
L101	-61 314.62	2 619 887.10			R101	-61 285.73	2 620 509.71	
L102	-61 329.08	2 619 838.94			R102	-61 294.92	2 620 367.74	
					Vel	22	Van	31
					Sheet		of	P604/06

PADRESERWE KOÖRDINATE				/	ROAD RESERVE CO-ORDINATES			
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE			
	Y	X	WG	29°		Y	X	
L103	-61 335.29	2 619 817.54			R103	-61 330.13	2 620 227.87	
L104	-61 342.41	2 619 793.49			R104	-61 336.83	2 620 185.96	
L105	-61 369.53	2 619 713.96			R105	-61 298.74	2 620 115.83	
L106	-61 432.13	2 619 547.24			R106	-61 352.34	2 619 898.95	
L107	-61 454.66	2 619 492.59			R107	-61 389.64	2 619 781.60	
L108	-61 505.17	2 619 379.19			R108	-61 407.22	2 619 727.01	
L109	-61 585.33	2 619 218.34			R109	-61 469.59	2 619 560.64	
L110	-61 611.71	2 619 178.45			R110	-61 500.46	2 619 486.64	
L111	-61 673.69	2 619 061.70			R111	-61 541.02	2 619 396.05	
L112	-61 740.51	2 618 953.67			R112	-61 592.89	2 619 289.41	
L113	-61 928.70	2 618 666.63			R113	-61 644.41	2 619 191.95	
L114	-62 038.14	2 618 500.74			R114	-61 707.07	2 619 082.67	
L115	-62 136.00	2 618 352.52			R115	-61 736.33	2 619 032.84	
L116	-62 234.94	2 618 201.54			R116	-61 774.10	2 618 974.82	
L117	-62 334.01	2 618 051.39			R117	-61 872.50	2 618 824.77	
L118	-62 530.38	2 617 752.61			R118	-61 959.21	2 618 693.12	
L119	-62 717.66	2 617 467.44			R119	-62 070.54	2 618 524.22	
L120	-63 620.11	2 616 096.35			R120	-62 136.73	2 618 423.49	
L121	-63 638.11	2 616 052.01			R121	-62 195.67	2 618 342.42	
L122	-63 655.05	2 616 029.10			R122	-62 239.50	2 618 275.75	
L123	-63 680.64	2 616 004.39			R123	-62 301.36	2 618 173.21	
L124	-64 092.34	2 615 378.89			R124	-62 367.48	2 618 072.54	
L125	-64 576.32	2 614 643.58			R125	-62 433.35	2 617 972.17	
L126	-64 699.64	2 614 457.15			R126	-62 565.14	2 617 772.30	
L127	-64 731.02	2 614 409.02			R127	-62 752.71	2 617 487.31	
L128	-64 896.18	2 614 158.01			R128	-62 895.18	2 617 271.10	
L129	-65 093.90	2 613 857.84			R129	-63 181.08	2 616 836.39	
L130	-65 221.92	2 613 663.43			R130	-63 378.69	2 616 536.64	
L131	-65 239.93	2 613 635.82			R131	-63 587.69	2 616 219.25	
L132	-65 260.25	2 613 604.79			R132	-63 785.94	2 615 917.51	
L133	-65 533.84	2 613 188.86			R133	-63 852.10	2 615 816.88	
L134	-65 607.58	2 613 077.09			R134	-64 039.66	2 615 531.55	
L135	-65 829.23	2 612 740.43			R135	-64 129.46	2 615 395.54	
L136	-65 929.60	2 612 587.98			R136	-64 379.45	2 615 015.69	
L137	-66 127.31	2 612 287.89			R137	-64 625.97	2 614 640.77	
L138	-66 325.04	2 611 987.03			R138	-64 733.23	2 614 477.76	
L139	-66 410.34	2 611 857.25			R139	-64 754.64	2 614 445.68	
L140	-66 600.23	2 611 568.60			R140	-64 830.34	2 614 330.60	
L141	-66 620.96	2 611 510.75			R141	-65 028.44	2 614 029.41	
L142	-66 681.37	2 611 418.23			R142	-65 286.56	2 613 636.44	
L143	-66 726.27	2 611 376.76			R143	-65 370.88	2 613 508.96	
L144	-66 765.09	2 611 318.05			R144	-65 567.45	2 613 210.53	
L145	-66 769.54	2 611 296.77			R145	-65 639.03	2 613 101.46	
L146	-66 867.95	2 611 147.78			R146	-65 754.79	2 612 925.83	
L147	-66 967.91	2 610 996.54			R147	-65 875.57	2 612 741.70	
L148	-66 989.97	2 610 963.02			R148	-65 964.57	2 612 606.57	
L149	-66 995.67	2 610 918.69			R149	-66 162.39	2 612 306.49	
L150	-67 020.38	2 610 888.67			R150	-66 456.74	2 611 859.73	
L151	-67 039.79	2 610 900.62			R151	-66 545.81	2 611 723.67	
L152	-67 237.57	2 610 599.99			R152	-66 714.30	2 611 467.81	
L153	-67 304.13	2 610 499.14			R153	-66 776.92	2 611 372.91	
					Vel 23	Van 31	P604/06	
					Sheet	of		

PADRESERWE KOÖRDINATE				/	ROAD RESERVE CO-ORDINATES			
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE			
	Y	X	WG 29°			Y	X	
L154	-67 469.21	2 610 249.11		R154	-66 789.13	2 611 363.06		
L155	-67 666.65	2 609 948.43		R155	-66 890.40	2 611 209.51		
L156	-67 864.70	2 609 647.84		R156	-67 027.87	2 610 999.77		
L157	-67 947.47	2 609 521.67		R157	-67 099.72	2 610 891.02		
L158	-68 051.72	2 609 363.70		R158	-67 165.38	2 610 791.67		
L159	-68 095.66	2 609 296.69		R159	-67 172.04	2 610 771.88		
L160	-68 261.03	2 609 046.12		R160	-67 337.09	2 610 521.24		
L161	-68 411.24	2 608 816.77		R161	-67 502.02	2 610 271.25		
L162	-68 541.48	2 608 618.30		R162	-67 667.08	2 610 020.28		
L163	-68 733.69	2 608 328.09		R163	-67 799.03	2 609 819.92		
L164	-68 931.35	2 608 027.06		R164	-67 996.86	2 609 518.98		
L165	-69 030.47	2 607 876.95		R165	-68 116.79	2 609 337.00		
L166	-69 118.45	2 607 743.53		R166	-68 175.67	2 609 283.64		
L167	-69 217.02	2 607 592.62		R167	-68 230.21	2 609 200.70		
L168	-69 315.87	2 607 442.12		R168	-68 255.26	2 609 126.57		
L169	-69 514.05	2 607 141.68		R169	-68 381.77	2 608 934.09		
L170	-69 713.40	2 606 841.71		R170	-68 563.35	2 608 658.38		
L171	-69 901.53	2 606 558.76		R171	-68 727.33	2 608 409.05		
L172	-70 111.96	2 606 242.18		R172	-68 865.58	2 608 199.29		
L173	-70 311.35	2 605 942.54		R173	-69 063.36	2 607 898.67		
L174	-70 510.73	2 605 642.93		R174	-69 250.32	2 607 614.64		
L175	-70 578.69	2 605 542.38		R175	-69 448.39	2 607 313.69		
L176	-70 991.41	2 604 919.23		R176	-69 547.42	2 607 163.41		
L177	-71 033.53	2 604 857.08		R177	-69 646.95	2 607 013.49		
L178	-71 075.61	2 604 794.31		R178	-69 852.56	2 606 699.70		
L179	-71 186.43	2 604 626.95		R179	-70 045.69	2 606 414.02		
L180	-71 286.28	2 604 476.74		R180	-70 244.81	2 606 114.60		
L181	-71 385.83	2 604 327.38		R181	-70 444.57	2 605 814.30		
L182	-71 488.43	2 604 172.89		R182	-70 643.60	2 605 514.90		
L183	-71 550.69	2 604 070.39		R183	-70 743.40	2 605 365.20		
L184	-71 604.61	2 603 963.34		R184	-71 029.88	2 604 934.44		
L185	-71 647.25	2 603 869.43		R185	-71 051.02	2 604 901.64		
L186	-71 681.53	2 603 793.35		R186	-71 084.53	2 604 851.90		
L187	-71 767.90	2 603 602.34		R187	-71 136.36	2 604 774.03		
L188	-71 777.13	2 603 581.17		R188	-71 319.37	2 604 499.13		
L189	-71 848.12	2 603 424.16		R189	-71 413.52	2 604 357.60		
L190	-71 917.51	2 603 270.92		R190	-71 459.60	2 604 315.49		
L191	-71 957.99	2 603 186.04		R191	-71 497.90	2 604 257.86		
L192	-72 002.15	2 603 102.92		R192	-71 509.55	2 604 213.40		
L193	-72 092.54	2 602 941.15		R193	-71 584.76	2 604 090.75		
L194	-72 146.64	2 602 859.60		R194	-71 640.89	2 603 979.62		
L195	-72 180.64	2 602 784.02		R195	-71 686.73	2 603 878.30		
L196	-72 239.37	2 602 679.44		R196	-71 735.28	2 603 770.80		
L197	-72 326.99	2 602 522.58		R197	-71 810.08	2 603 605.76		
L198	-72 429.98	2 602 338.24		R198	-71 885.13	2 603 440.99		
L199	-72 437.92	2 602 293.73		R199	-71 933.58	2 603 399.19		
L200	-72 450.29	2 602 271.62		R200	-71 966.80	2 603 344.50		
L201	-72 486.29	2 602 237.56		R201	-71 954.47	2 603 287.42		
L202	-72 571.12	2 602 085.77		R202	-71 994.13	2 603 204.14		
L203	-72 658.93	2 601 928.81		R203	-72 037.33	2 603 122.44		
L204	-72 746.62	2 601 771.76		R204	-72 127.87	2 602 960.56		
					Vel 24	Van 31	P604/06	
					Sheet	of		

PADRESERWE KOÖRDINATE				/	ROAD RESERVE CO-ORDINATES			
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE			
	Y	X	WG 29°			Y	X	
L205	-72 834.62	2 601 614.15			R205	-72 215.15	2 602 804.69	
L206	-72 922.34	2 601 457.50			R206	-72 302.66	2 602 647.76	
L207	-72 958.37	2 601 392.93			R207	-72 323.55	2 602 610.78	
L208	-73 010.11	2 601 300.13			R208	-72 400.96	2 602 471.99	
L209	-73 097.97	2 601 143.26			R209	-72 469.23	2 602 349.95	
L210	-73 135.95	2 601 075.13			R210	-72 556.77	2 602 198.66	
L211	-73 175.92	2 600 999.99			R211	-72 660.64	2 602 013.17	
L212	-73 212.08	2 600 924.21			R212	-72 812.68	2 601 740.86	
L213	-73 290.92	2 600 749.76			R213	-72 962.14	2 601 473.69	
L214	-73 356.23	2 600 604.86			R214	-72 997.94	2 601 409.31	
L215	-73 399.60	2 600 508.95			R215	-73 112.41	2 601 204.45	
L216	-73 425.02	2 600 452.20			R216	-73 206.95	2 601 034.24	
L217	-73 421.58	2 600 447.70			R217	-73 333.30	2 600 754.38	
L218	-73 434.11	2 600 423.15			R218	-73 447.99	2 600 508.96	
L219	-73 438.42	2 600 422.90			R219	-73 477.29	2 600 471.19	
L220	-73 449.61	2 600 397.77			R220	-73 502.05	2 600 415.14	
L221	-73 465.76	2 600 362.49			R221	-73 505.44	2 600 407.99	
L222	-73 522.66	2 600 237.05			R222	-73 509.62	2 600 362.38	
L223	-73 553.35	2 600 168.69			R223	-73 564.98	2 600 239.80	
L224	-73 585.03	2 600 098.78			R224	-73 627.53	2 600 101.00	
L225	-73 608.26	2 600 045.85			R225	-73 670.72	2 599 998.30	
L226	-73 630.77	2 599 990.76			R226	-73 714.98	2 599 878.00	
L227	-73 652.97	2 599 932.19			R227	-73 796.05	2 599 652.56	
L228	-73 712.95	2 599 765.72			R228	-73 870.18	2 599 446.55	
L229	-73 733.11	2 599 709.63			R229	-73 899.61	2 599 409.32	
L230	-73 753.43	2 599 653.00			R230	-73 907.98	2 599 385.78	
L231	-73 779.02	2 599 582.40			R231	-73 909.01	2 599 338.45	
L232	-73 794.26	2 599 539.93			R232	-73 967.07	2 599 177.03	
L233	-73 830.22	2 599 440.02			R233	-74 058.44	2 598 923.11	
L234	-73 832.76	2 599 432.96			R234	-74 152.55	2 598 661.99	
L235	-73 831.92	2 599 385.40			R235	-74 241.52	2 598 415.30	
L236	-73 843.63	2 599 380.01			R236	-74 391.01	2 598 003.71	
L237	-73 846.18	2 599 371.92			R237	-74 441.00	2 597 865.30	
L238	-73 842.15	2 599 362.18			R238	-74 576.54	2 597 489.19	
L239	-73 871.63	2 599 324.69			R239	-74 607.88	2 597 447.07	
L240	-73 932.22	2 599 156.68			R240	-74 655.21	2 597 443.96	
L241	-74 026.37	2 598 895.00			R241	-74 693.91	2 597 454.09	
L242	-74 143.11	2 598 570.83			R242	-74 701.50	2 597 425.07	
L243	-74 264.45	2 598 231.32			R243	-74 667.65	2 597 416.20	
L244	-74 366.16	2 597 948.24			R244	-74 627.91	2 597 390.30	
L245	-74 456.33	2 597 698.35			R245	-74 629.69	2 597 343.63	
L246	-74 522.31	2 597 493.59			R246	-74 652.08	2 597 281.13	
L247	-74 528.07	2 597 439.87			R247	-74 762.60	2 596 975.41	
L248	-74 480.82	2 597 434.72			R248	-74 816.49	2 596 831.23	
L249	-74 466.11	2 597 437.63			R249	-75 029.36	2 596 262.02	
L250	-74 460.29	2 597 408.20			R250	-75 225.04	2 595 735.32	
L251	-74 512.33	2 597 397.91			R251	-75 312.84	2 595 497.00	
L252	-74 552.55	2 597 371.95			R252	-75 419.93	2 595 208.47	
L253	-74 582.90	2 597 332.00			R253	-75 508.74	2 594 968.91	
L254	-74 602.47	2 597 291.19			R254	-75 554.94	2 594 840.76	
L255	-74 615.38	2 597 257.12			R255	-75 560.86	2 594 832.23	
					Vel 25	Van 31	P604/06	
					Sheet	of		

PADRESERWE KOÖRDINATE				/	ROAD RESERVE CO-ORDINATES			
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE			
	Y	X	WG 29°			Y	X	
L256	-74 668.48	2 597 112.04			R256	-75 595.51	2 594 734.70	
L257	-74 721.65	2 596 966.86			R257	-75 601.99	2 594 717.33	
L258	-74 825.30	2 596 683.65			R258	-75 644.46	2 594 603.54	
L259	-75 034.07	2 596 113.58			R259	-75 693.13	2 594 472.24	
L260	-75 241.26	2 595 548.14			R260	-75 746.26	2 594 328.81	
L261	-75 402.66	2 595 108.13			R261	-75 784.22	2 594 237.28	
L262	-75 478.96	2 594 899.79			R262	-75 829.35	2 594 135.40	
L263	-75 492.13	2 594 851.19			R263	-75 885.71	2 594 022.23	
L264	-75 572.89	2 594 663.07			R264	-75 947.60	2 593 916.73	
L265	-75 591.75	2 594 619.14			R265	-76 042.20	2 593 758.94	
L266	-75 613.89	2 594 572.81			R266	-76 186.97	2 593 503.12	
L267	-75 674.15	2 594 410.31			R267	-76 229.78	2 593 411.29	
L268	-75 723.12	2 594 278.33			R268	-76 321.33	2 593 163.47	
L269	-75 744.50	2 594 220.82			R269	-76 343.46	2 593 056.70	
L270	-75 791.31	2 594 117.45			R270	-76 362.98	2 592 933.20	
L271	-75 848.63	2 594 002.50			R271	-76 384.04	2 592 780.28	
L272	-75 907.99	2 593 897.12			R272	-76 412.36	2 592 615.98	
L273	-75 934.66	2 593 825.54			R273	-76 432.53	2 592 513.01	
L274	-75 897.86	2 593 793.84			R274	-76 456.71	2 592 415.59	
L275	-75 865.54	2 593 780.41			R275	-76 483.74	2 592 321.01	
L276	-75 878.20	2 593 749.94			R276	-76 518.64	2 592 216.63	
L277	-75 956.15	2 593 768.45			R277	-76 651.33	2 591 849.35	
L278	-75 964.72	2 593 773.61			R278	-76 671.65	2 591 792.19	
L279	-76 000.76	2 593 742.77			R279	-76 723.46	2 591 662.61	
L280	-76 095.96	2 593 584.46			R280	-76 786.22	2 591 472.04	
L281	-76 148.63	2 593 483.66			R281	-76 818.04	2 591 378.80	
L282	-76 192.08	2 593 387.07			R282	-76 944.62	2 591 020.58	
L283	-76 225.77	2 593 302.63			R283	-77 023.24	2 590 814.61	
L284	-76 248.32	2 593 219.41			R284	-77 120.87	2 590 529.83	
L285	-76 277.07	2 593 059.98			R285	-77 299.23	2 590 034.92	
L286	-76 310.02	2 592 916.04			R286	-77 382.06	2 589 815.81	
L287	-76 306.98	2 592 859.61			R287	-77 439.40	2 589 665.97	
L288	-76 291.82	2 592 861.96			R288	-77 509.46	2 589 458.30	
L289	-76 309.74	2 592 814.38			R289	-77 650.56	2 589 057.00	
L290	-76 321.88	2 592 796.99			R290	-77 811.81	2 588 610.92	
L291	-76 339.66	2 592 774.28			R291	-77 873.31	2 588 440.87	
L292	-76 372.62	2 592 608.84			R292	-78 130.83	2 587 728.44	
L293	-76 394.68	2 592 503.71			R293	-78 298.74	2 587 265.14	
L294	-76 417.90	2 592 405.79			R294	-78 466.28	2 586 799.45	
L295	-76 445.91	2 592 308.96			R295	-78 543.83	2 586 578.23	
L296	-76 463.88	2 592 251.84			R296	-78 617.82	2 586 368.27	
L297	-76 479.12	2 592 202.74			R297	-78 645.88	2 586 287.94	
L298	-76 560.20	2 591 968.89			R298	-78 688.33	2 586 183.43	
L299	-77 409.66	2 589 627.30			R299	-78 739.47	2 586 082.82	
L300	-77 671.93	2 588 904.68			R300	-78 797.74	2 585 986.92	
L301	-77 716.85	2 588 765.14			R301	-78 863.07	2 585 894.83	
L302	-77 766.96	2 588 619.91			R302	-79 046.55	2 585 660.38	
L303	-77 817.56	2 588 479.20			R303	-79 087.68	2 585 636.13	
L304	-77 868.74	2 588 336.37			R304	-79 141.54	2 585 567.32	
L305	-77 963.33	2 588 067.16			R305	-79 255.73	2 585 468.38	
L306	-78 074.45	2 587 783.03			R306	-79 330.86	2 585 372.56	
					Vel	26	Van	31
					Sheet		of	
								P604/06

PADRESERWE KOÖRDINATE				/	ROAD RESERVE CO-ORDINATES			
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE			
	Y	X	WG 29°			Y	X	
L307	-78 253.19	2 587 285.13		R307	-79 523.92	2 585 051.06		
L308	-78 427.58	2 586 798.29		R308	-79 638.81	2 584 904.96		
L309	-78 616.89	2 586 272.73		R309	-79 694.36	2 584 834.14		
L310	-78 660.61	2 586 166.86		R310	-79 911.21	2 584 558.03		
L311	-78 700.27	2 586 087.11		R311	-80 060.99	2 584 397.40		
L312	-78 773.19	2 585 965.15		R312	-80 108.33	2 584 398.20		
L313	-78 815.58	2 585 904.08		R313	-80 254.41	2 584 449.54		
L314	-79 017.11	2 585 645.71		R314	-80 271.16	2 584 416.34		
L315	-79 135.75	2 585 448.64		R315	-80 106.52	2 584 342.90		
L316	-79 127.99	2 585 388.23		R316	-80 123.38	2 584 298.39		
L317	-79 211.32	2 585 282.24		R317	-80 139.50	2 584 277.81		
L318	-79 269.81	2 585 277.52		R318	-80 236.45	2 584 153.86		
L319	-79 380.55	2 585 183.15		R319	-80 458.58	2 583 868.80		
L320	-79 598.29	2 584 903.97		R320	-80 788.90	2 583 448.93		
L321	-79 653.84	2 584 833.15		R321	-81 088.49	2 583 066.22		
L322	-79 872.47	2 584 555.51		R322	-81 283.67	2 582 816.07		
L323	-79 945.25	2 584 456.73		R323	-81 446.72	2 582 605.91		
L324	-79 976.50	2 584 411.90		R324	-81 607.23	2 582 399.31		
L325	-79 994.48	2 584 365.97		R325	-81 827.19	2 582 117.22		
L326	-79 960.52	2 584 332.88		R326	-81 906.62	2 582 015.12		
L327	-79 901.84	2 584 305.50		R327	-81 966.44	2 581 907.37		
L328	-79 852.94	2 584 289.00		R328	-82 019.54	2 581 808.31		
L329	-79 805.23	2 584 281.52		R329	-82 063.90	2 581 722.56		
L330	-79 859.11	2 584 259.84		R330	-82 082.76	2 581 685.62		
L331	-79 919.20	2 584 280.25		R331	-82 125.17	2 581 571.47		
L332	-79 986.75	2 584 312.18		R332	-82 147.78	2 581 496.09		
L333	-80 033.91	2 584 317.53		R333	-82 177.91	2 581 395.81		
L334	-80 071.95	2 584 290.09		R334	-82 179.21	2 581 381.10		
L335	-80 081.56	2 584 278.08		R335	-82 196.59	2 581 298.67		
L336	-80 102.07	2 584 252.73		R336	-82 208.71	2 581 221.82		
L337	-80 488.87	2 583 759.55		R337	-82 214.92	2 581 180.91		
L338	-80 673.76	2 583 523.96		R338	-82 216.50	2 581 136.06		
L339	-80 777.84	2 583 391.48		R339	-82 222.55	2 581 004.38		
L340	-81 056.27	2 583 036.38		R340	-82 236.08	2 580 784.56		
L341	-81 284.41	2 582 745.41		R341	-82 249.94	2 580 586.85		
L342	-81 747.50	2 582 154.89		R342	-82 267.14	2 580 360.66		
L343	-81 898.76	2 581 958.66		R343	-82 276.86	2 580 258.21		
L344	-81 974.21	2 581 831.12		R344	-82 287.65	2 580 145.75		
L345	-82 006.35	2 581 756.73		R345	-82 304.45	2 580 101.07		
L346	-82 012.13	2 581 709.95		R346	-82 368.85	2 580 077.57		
L347	-81 986.59	2 581 670.36		R347	-82 364.68	2 580 064.09		
L348	-81 995.93	2 581 637.72		R348	-82 304.49	2 580 075.30		
L349	-82 038.54	2 581 652.10		R349	-82 295.08	2 580 028.39		
L350	-82 067.71	2 581 614.16		R350	-82 312.20	2 579 780.52		
L351	-82 132.29	2 581 376.34		R351	-82 344.42	2 579 541.70		
L352	-82 139.79	2 581 348.61		R352	-82 391.11	2 579 345.69		
L353	-82 153.95	2 581 250.89		R353	-82 452.30	2 579 154.00		
L354	-82 163.27	2 581 157.74		R354	-82 540.68	2 578 944.09		
L355	-82 170.11	2 581 100.34		R355	-82 598.51	2 578 838.04		
L356	-82 174.39	2 581 065.63		R356	-82 636.05	2 578 769.19		
L357	-82 196.66	2 580 840.21		R357	-82 683.91	2 578 695.30		
				Vel	27	Van	31	P604/06
				Sheet		of		

PADRESERWE KOÖRDINATE				/	ROAD RESERVE CO-ORDINATES			
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE			
	Y	X	WG 29°			Y	X	
L358	-82 210.54	2 580 688.02		R358	-82 778.29	2 578 538.18		
L359	-82 223.49	2 580 530.69		R359	-82 856.99	2 578 415.23		
L360	-82 231.63	2 580 398.96		R360	-83 007.88	2 578 177.77		
L361	-82 235.77	2 580 314.44		R361	-83 165.78	2 577 928.46		
L362	-82 238.69	2 580 259.33		R362	-83 407.79	2 577 546.94		
L363	-82 242.72	2 580 169.18		R363	-83 663.41	2 577 143.80		
L364	-82 231.49	2 580 122.11		R364	-83 858.84	2 576 835.65		
L365	-82 184.67	2 580 131.32		R365	-83 893.32	2 576 780.99		
L366	-82 139.30	2 580 128.35		R366	-84 081.37	2 576 484.81		
L367	-82 234.64	2 580 095.38		R367	-84 186.32	2 576 319.51		
L368	-82 255.07	2 580 049.44		R368	-84 221.50	2 576 271.55		
L369	-82 263.23	2 579 999.04		R369	-84 236.42	2 576 248.14		
L370	-82 267.90	2 579 937.89		R370	-84 277.16	2 576 183.86		
L371	-82 274.92	2 579 805.28		R371	-84 314.26	2 576 117.67		
L372	-82 282.66	2 579 715.38		R372	-84 378.84	2 576 015.97		
L373	-82 294.35	2 579 626.02		R373	-84 427.97	2 575 946.32		
L374	-82 309.00	2 579 541.11		R374	-84 478.50	2 575 866.29		
L375	-82 357.37	2 579 345.26		R375	-84 518.18	2 575 796.33		
L376	-82 399.14	2 579 211.33		R376	-84 624.69	2 575 628.42		
L377	-82 462.10	2 579 043.60		R377	-84 693.07	2 575 528.97		
L378	-82 508.67	2 578 938.49		R378	-84 749.23	2 575 432.97		
L379	-82 563.60	2 578 836.45		R379	-84 783.34	2 575 379.49		
L380	-82 605.68	2 578 761.98		R380	-84 878.95	2 575 229.24		
L381	-82 621.70	2 578 733.36		R381	-84 969.80	2 575 086.40		
L382	-82 658.58	2 578 667.52		R382	-84 989.95	2 575 049.98		
L383	-82 841.13	2 578 379.50		R383	-85 252.17	2 574 580.39		
L384	-83 020.08	2 578 097.60		R384	-85 483.37	2 574 157.97		
L385	-83 237.19	2 577 755.32		R385	-85 536.89	2 574 063.57		
L386	-83 392.61	2 577 510.43		R386	-85 570.05	2 574 030.08		
L387	-83 635.13	2 577 128.34		R387	-85 714.24	2 574 084.98		
L388	-83 831.71	2 576 818.08		R388	-85 729.91	2 574 048.40		
L389	-83 869.56	2 576 758.82		R389	-85 605.68	2 573 970.43		
L390	-84 092.13	2 576 408.26		R390	-85 614.77	2 573 923.88		
L391	-84 105.51	2 576 387.26		R391	-85 734.15	2 573 710.83		
L392	-84 154.16	2 576 304.58		R392	-85 959.59	2 573 306.68		
L393	-84 750.74	2 575 364.37		R393	-86 138.75	2 572 991.15		
L394	-84 937.96	2 575 063.87		R394	-86 286.85	2 572 726.28		
L395	-85 113.62	2 574 754.72		R395	-86 402.08	2 572 519.82		
L396	-85 225.70	2 574 542.19		R396	-86 490.04	2 572 362.47		
L397	-85 266.35	2 574 473.41		R397	-86 647.25	2 572 081.77		
L398	-85 410.58	2 574 215.36		R398	-86 740.91	2 571 911.22		
L399	-85 439.51	2 574 162.92		R399	-86 867.79	2 571 680.20		
L400	-85 583.81	2 573 909.83		R400	-86 900.39	2 571 622.06		
L401	-85 660.36	2 573 776.90		R401	-87 098.93	2 571 270.85		
L402	-85 740.30	2 573 633.18		R402	-87 225.47	2 571 050.66		
L403	-85 923.98	2 573 304.40		R403	-87 346.28	2 570 847.71		
L404	-86 099.33	2 572 990.65		R404	-87 416.49	2 570 703.36		
L405	-86 249.84	2 572 708.91		R405	-87 472.92	2 570 598.25		
L406	-86 323.22	2 572 589.98		R406	-87 732.80	2 570 128.85		
L407	-86 458.76	2 572 344.91		R407	-88 009.46	2 569 632.34		
L408	-86 496.71	2 572 274.27		R408	-88 068.43	2 569 508.94		
				Vel	28	Van	31	P604/06
				Sheet		of		

PADRESERWE KOÖRDINATE				/	ROAD RESERVE CO-ORDINATES			
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE			
	Y	X	WG 29°			Y	X	
L409	-86 547.25	2 572 188.05		R409	-88 116.50	2 569 398.34		
L410	-86 651.72	2 572 001.26		R410	-88 160.82	2 569 286.00		
L411	-86 760.31	2 571 807.53		R411	-88 171.73	2 569 252.87		
L412	-86 822.32	2 571 695.72		R412	-88 363.64	2 568 645.10		
L413	-87 035.14	2 571 315.23		R413	-88 466.89	2 568 319.27		
L414	-87 191.21	2 571 035.77		R414	-88 584.64	2 567 946.59		
L415	-87 312.98	2 570 811.74		R415	-88 693.75	2 567 601.32		
L416	-87 387.06	2 570 687.00		R416	-88 734.84	2 567 470.59		
L417	-87 511.17	2 570 465.25		R417	-88 799.38	2 567 267.79		
L418	-87 562.56	2 570 373.19		R418	-88 825.18	2 567 187.54		
L419	-87 673.02	2 570 174.65		R419	-88 960.64	2 566 753.68		
L420	-87 844.78	2 569 865.91		R420	-89 055.03	2 566 453.24		
L421	-87 932.68	2 569 707.51		R421	-89 130.26	2 566 213.74		
L422	-88 021.63	2 569 536.03		R422	-89 150.63	2 566 147.91		
L423	-88 080.13	2 569 405.29		R423	-89 172.42	2 566 091.68		
L424	-88 134.07	2 569 267.28		R424	-89 237.07	2 565 886.78		
L425	-88 243.89	2 568 930.50		R425	-89 249.64	2 565 833.71		
L426	-88 342.25	2 568 617.73		R426	-89 296.68	2 565 685.37		
L427	-88 438.84	2 568 310.41		R427	-89 326.65	2 565 591.31		
L428	-88 474.41	2 568 203.29		R428	-89 442.65	2 565 220.88		
L429	-88 557.87	2 567 931.48		R429	-89 508.84	2 565 010.21		
L430	-88 578.56	2 567 865.21		R430	-89 676.43	2 564 475.64		
L431	-88 638.33	2 567 673.99		R431	-89 678.44	2 564 470.34		
L432	-88 666.43	2 567 584.58		R432	-89 735.15	2 564 289.48		
L433	-88 724.35	2 567 399.26		R433	-89 896.89	2 563 772.73		
L434	-88 873.35	2 566 926.14		R434	-89 933.83	2 563 657.02		
L435	-89 021.96	2 566 451.76		R435	-90 025.05	2 563 371.36		
L436	-89 091.73	2 566 231.63		R436	-90 085.70	2 563 177.53		
L437	-89 121.18	2 566 138.13		R437	-90 112.75	2 563 090.74		
L438	-89 134.36	2 566 080.04		R438	-90 183.59	2 562 862.16		
L439	-89 133.71	2 566 030.45		R439	-90 268.23	2 562 592.73		
L440	-89 028.27	2 566 011.48		R440	-90 347.23	2 562 342.30		
L441	-89 029.45	2 565 981.80		R441	-90 422.96	2 562 100.51		
L442	-89 157.53	2 565 971.36		R442	-90 498.17	2 561 861.57		
L443	-89 178.30	2 565 939.46		R443	-90 537.72	2 561 736.17		
L444	-89 285.03	2 565 600.30		R444	-90 587.59	2 561 576.64		
L445	-89 379.48	2 565 314.12		R445	-90 637.10	2 561 423.59		
L446	-89 410.19	2 565 206.89		R446	-90 662.57	2 561 341.75		
L447	-89 480.38	2 564 993.89		R447	-90 666.26	2 561 327.63		
L448	-89 505.86	2 564 901.64		R448	-90 729.63	2 561 128.00		
L449	-89 555.31	2 564 744.03		R449	-90 808.31	2 560 876.13		
L450	-89 604.53	2 564 587.74		R450	-90 825.47	2 560 821.56		
L451	-89 645.43	2 564 457.30		R451	-90 919.70	2 560 520.35		
L452	-89 796.12	2 563 974.44		R452	-90 980.04	2 560 330.54		
L453	-89 898.84	2 563 648.07		R453	-91 026.73	2 560 181.57		
L454	-89 915.70	2 563 595.37		R454	-91 169.22	2 559 729.59		
L455	-89 949.30	2 563 488.20		R455	-91 316.05	2 559 261.68		
L456	-90 050.11	2 563 167.68		R456	-91 451.03	2 558 832.12		
L457	-90 130.69	2 562 922.03		R457	-91 520.23	2 558 610.58		
L458	-90 632.08	2 561 330.07		R458	-91 597.20	2 558 367.69		
L459	-90 774.33	2 560 872.81		R459	-91 619.90	2 558 347.26		
				Vel	29	Van	31	P604/06
				Sheet		of		

PADRESERWE KOÖRDINATE				/	ROAD RESERVE CO-ORDINATES			
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE			
	Y	X	WG 29°			Y	X	
L460	-90 886.83	2 560 511.16		R460	-91 624.55	2 558 332.55		
L461	-90 987.59	2 560 187.21		R461	-91 627.09	2 558 323.41		
L462	-91 108.58	2 559 807.11		R462	-91 632.67	2 558 303.32		
L463	-91 167.55	2 559 625.86		R463	-91 632.57	2 558 254.05		
L464	-91 208.65	2 559 495.17		R464	-91 648.61	2 558 202.27		
L465	-91 251.74	2 559 357.57		R465	-91 702.26	2 558 033.83		
L466	-91 313.87	2 559 161.19		R466	-91 784.57	2 557 772.06		
L467	-91 467.20	2 558 673.37		R467	-91 835.52	2 557 610.00		
L468	-91 517.16	2 558 501.67		R468	-91 929.47	2 557 310.16		
L469	-91 528.50	2 558 465.07		R469	-91 938.93	2 557 280.21		
L470	-91 577.17	2 558 309.08		R470	-91 988.19	2 557 123.00		
L471	-91 603.55	2 558 226.44		R471	-92 032.14	2 556 983.53		
L472	-91 649.04	2 558 096.63		R472	-92 151.45	2 556 603.06		
L473	-91 706.93	2 557 911.74		R473	-92 208.05	2 556 423.68		
L474	-91 804.63	2 557 601.22		R474	-92 267.41	2 556 233.90		
L475	-91 898.83	2 557 302.51		R475	-92 291.52	2 556 157.46		
L476	-91 998.77	2 556 985.58		R476	-92 425.84	2 555 727.82		
L477	-92 071.31	2 556 737.22		R477	-92 496.51	2 555 503.58		
L478	-92 139.81	2 556 520.02		R478	-92 585.84	2 555 218.72		
L479	-92 191.64	2 556 354.51		R479	-92 607.83	2 555 151.64		
L480	-92 278.00	2 556 080.84		R480	-92 652.73	2 555 009.76		
L481	-92 351.65	2 555 845.77		R481	-92 677.23	2 554 932.31		
L482	-92 414.50	2 555 644.84		R482	-92 701.63	2 554 855.14		
L483	-92 496.13	2 555 401.23		R483	-92 736.01	2 554 746.29		
L484	-92 491.60	2 555 400.21		R484	-92 877.07	2 554 300.17		
L485	-92 532.55	2 555 288.20		R485	-92 981.83	2 553 966.34		
L486	-92 576.69	2 555 144.66		R486	-93 103.42	2 553 580.03		
L487	-92 620.68	2 555 005.35		R487	-93 130.23	2 553 539.08		
L488	-92 645.68	2 554 925.81		R488	-93 151.05	2 553 472.62		
L489	-92 670.35	2 554 847.09		R489	-93 151.59	2 553 425.72		
L490	-92 704.26	2 554 739.31		R490	-93 204.71	2 553 258.06		
L491	-92 779.88	2 554 502.17		R491	-93 233.29	2 553 165.31		
L492	-92 775.72	2 554 495.70		R492	-93 309.05	2 552 922.84		
L493	-92 824.50	2 554 340.61		R493	-93 320.86	2 552 875.56		
L494	-92 829.33	2 554 342.08		R494	-93 405.68	2 552 607.55		
L495	-92 861.54	2 554 239.39		R495	-93 430.99	2 552 582.47		
L496	-92 944.10	2 553 976.76		R496	-93 437.65	2 552 561.79		
L497	-92 974.53	2 553 880.12		R1X	-49 969.78	2 636 579.36		
L498	-93 047.76	2 553 630.25		R1Y	-50 000.59	2 636 523.14		
L499	-93 063.74	2 553 572.43						
L500	-93 063.08	2 553 526.97						
L501	-93 016.36	2 553 518.73						
L502	-92 971.07	2 553 525.23						
L503	-92 927.39	2 553 530.67						
L504	-92 887.51	2 553 533.52						
L505	-92 851.75	2 553 532.99						
L506	-92 833.80	2 553 532.72						
L507	-92 834.81	2 553 506.29						
L508	-92 885.72	2 553 503.83						
L509	-92 923.46	2 553 500.67						
L510	-92 961.35	2 553 496.57						
					Vel 30	Van 31	P604/06	
					Sheet	of		

PADRESERWE KOÖRDINATE				/ ROAD RESERVE CO-ORDINATES	
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE	
	Y	X	WG	29°	
L511	-93 041.55	2 553	484.89		
L512	-93 083.91	2 553	463.30		
L513	-93 112.46	2 553	424.47		
L514	-93 121.05	2 553	397.93		
L515	-93 157.93	2 553	303.22		
L516	-93 201.36	2 553	162.26		
L517	-93 228.93	2 553	074.99		
L518	-93 297.51	2 552	841.96		
L519	-93 335.77	2 552	714.53		
L520	-93 379.72	2 552	575.12		
L194X	-72 158.16	2 602	836.45		

Vel 31
Sheet

Van 31
of

P604/06