
**GOVERNMENT NOTICE
GOEWERMENTSKENNISGEWING**

**DEPARTMENT OF TRANSPORT
DEPARTEMENT VAN VERVOER**

No. 744

24 August 2007

**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY LIMITED**

Registration No: 98/09584/06

DECLARATION AMENDMENT OF NATIONAL ROAD N1 SECTION 18


AMENDMENT OF DECLARATION NO'S. 2914 OF 1992 AND 85 OF 1975 .

By virtue of section 40 (1)(b) of the South African National Roads Agency Limited and the National Roads Act, 1998 (Act No. 7 of 1998), I hereby amend the following declarations by substituting **(I)** Declaration 2914 of 1992 sheets 2 and 3A of Plan No. P220/86 and **(II)** the whole of Declaration No. 85 of 1975, with the subjoined sheets 1 to 20 of Plan No. P600/06.

(National Road N1 Section 18: Nooitgedacht – Vaal River)




MINISTER OF TRANSPORT





STAATSKOERANT, 24 AUGUSTUS 2007


No. 30193 5


Die Suid Afrikaanse Nasionale Padagentskap Beperk The South African National Roads Agency Limited	Die figuur getoon The figure shown 	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route N1 Seksie 18	Vel Sheet 1 van 20 of Plan P600/06
--	--	---	---


D.O.9.A



Die Suid Afrikaanse Nasionale Padagentskap Beperk The South African National Roads Agency Limited	Die figuur getoon The figure shown		steldie podreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N1 Seksie 18 of National Route	Vel Sheet 2 of 20 Plan P600/06
---	--	--	---	--




Die Suid Afrikaanse Nasionale Padagentskap Beperk The South African National Roads Agency Limited	Die figuur getoon The figure shown 	steldie podreserwa voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route N1 Seksie Section 18	Vel Sheet 3 van of 20 Plan P600/06
---	---	---	--



Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown



steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N1
of National Route N1

Seksie


Section

18

Vel
Sheet 4 van
of 20

Plan P600/06

D.O.9.A



Die Suid Afrikaanse Nasionale Padogentskop Beperk
The South African National Roads Agency Limited


Die figuur getoon
The figure shown



steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N1 Seksie
of National Route Section 18

Vel
Sheet 5 van 20
Plan P600/06

D.O.9.A



Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited


Die figuur getoon
The figure shown




stelde padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N1 Seksie 18
of National Route

Vel Sheet 6 van 20
Plan P600/06

D.O.9.A



D.O.9.A



Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited


Die figuur getoon
The figure shown




steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N1 Seksie 18
of National Route Section

Vel
Sheet 8 van 20

Plan P600/06



D.0.9.A



Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited


Die figuur getoon
The figure shown



steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N1 Seksie 18
of National Route Section


Vel Sheet	10	van of	20
Plan	P600/06		


D.O.9.A




Die Suid Afrikaanse Nasionale Padagentskap Beperk The South African National Roads Agency Limited	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N1 of National Route Section 18	Vel Sheet 11 van of 20 Plan P600/06
--	---------------------------------------	---	--

D.O.9.A




Die Suid Afrikaanse Nasionale Padagentskop Beperk The South African National Roads Agency Limited	Die figuur getoon The figure shown 	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route N1 Seksie 18	Vel Sheet 12 van 20 Plan P600/06
--	--	---	--



Die Suid Afrikaanse Nasionale Podogentskap Beperk The South African National Roads Agency Limited	Die figuur getoon The figure shown 	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N1 of National Route N1 Seksie 18 Section 18	Vel Sheet 13 van of 20 Plan P600/06
---	--	--	---

D.O.9.A



Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown



steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
von Nasionale Roete N1
of National Route N1


Seksie 18
Section

Vel Sheet 14 van 20
Plan P600/06

D.O.9.A

STAATSKOERANT, 24 AUGUSTUS 2007

No. 30193 19



Die Suid Afrikaanse Nasionale Padagentskap Beperk The South African National Roads Agency Limited	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion von Nasionale Roete N1 of National Route N1 Seksie 18	Vel Sheet 15 van of 20 Plan P600/06
--	---	--	---

D.O.9.A

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°		Y	X
L1	-37 222.28	3 034 538.06		R1	-37 293.06	3 034 575.75
L2	-37 437.41	3 034 192.08		R2	-37 390.87	3 034 418.44
L3	-37 599.51	3 033 931.38		R3	-37 691.11	3 033 935.57
L4	-38 203.85	3 032 959.43		R4	-38 276.53	3 032 994.58
L5	-38 617.82	3 032 292.96		R5	-38 704.48	3 032 306.30
L6	-39 012.19	3 031 659.25		R6	-38 940.00	3 031 926.84
L7	-39 084.01	3 031 545.41		R7	-39 101.53	3 031 668.22
L8	-39 373.11	3 031 088.42		R8	-39 151.85	3 031 587.68
L9	-39 566.14	3 030 784.98		R9	-39 440.26	3 031 131.70
L10	-40 278.35	3 029 666.44		R10	-39 996.84	3 030 257.65
L11	-41 168.66	3 028 268.14		R11	-41 251.91	3 028 286.40
L12	-41 751.45	3 027 353.01		R12	-41 693.47	3 027 593.01
L13	-42 298.35	3 026 493.29		R13	-42 346.79	3 026 566.77
L14	-42 997.57	3 025 395.92		R14	-43 052.71	3 025 458.08
L15	-43 291.43	3 024 934.23		R15	-43 353.75	3 024 985.46
L16	-43 532.15	3 024 555.78		R16	-43 596.28	3 024 604.33
L17	-43 574.21	3 024 468.01		R17	-43 654.06	3 024 519.31
L18	-43 646.61	3 024 352.62		R18	-43 727.59	3 024 404.29
L19	-43 741.71	3 024 227.48		R19	-43 796.35	3 024 290.84
L20	-43 963.55	3 023 878.50		R20	-43 921.69	3 024 093.57
L21	-44 321.83	3 023 315.99		R21	-44 402.90	3 023 337.64
L22	-44 595.52	3 022 883.19		R22	-44 676.70	3 022 916.62
L23	-44 711.44	3 022 703.73		R23	-44 778.80	3 022 747.28
L24	-44 940.86	3 022 343.87		R24	-45 042.40	3 022 333.46
L25	-45 226.15	3 021 895.59		R25	-45 226.61	3 022 044.20
L26	-45 274.58	3 021 819.53		R26	-45 367.34	3 021 823.14
L27	-45 453.51	3 021 538.70		R27	-46 383.46	3 020 226.34
L28	-45 464.15	3 021 536.71		R28	-46 545.33	3 019 994.92
L29	-45 583.94	3 021 353.41		R29	-46 669.85	3 019 857.44
L30	-45 578.94	3 021 342.23		R30	-46 796.54	3 019 751.42
L31	-45 882.64	3 020 864.03		R31	-46 822.10	3 019 747.29
L32	-46 075.01	3 020 562.17		R32	-46 841.11	3 019 706.39
L33	-46 340.13	3 020 143.05		R33	-46 831.10	3 019 685.46
L34	-46 373.55	3 020 085.32		R34	-46 864.47	3 019 538.68
L35	-46 458.56	3 019 937.81		R35	-46 925.82	3 019 391.01
L36	-46 523.47	3 019 754.80		R36	-47 007.91	3 019 254.00
L37	-46 554.61	3 019 643.54		R37	-47 088.32	3 019 119.80
L38	-46 544.22	3 019 622.31		R38	-47 473.50	3 018 514.83
L39	-46 563.24	3 019 580.59		R39	-47 974.12	3 017 728.75
L40	-46 588.58	3 019 576.97		R40	-48 526.04	3 016 862.11
L41	-46 708.97	3 019 483.11		R41	-48 619.05	3 016 695.88
L42	-46 824.52	3 019 361.40		R42	-48 697.22	3 016 536.14
L43	-46 906.81	3 019 242.10		R43	-48 768.73	3 016 390.21
L44	-47 020.73	3 019 076.95		R44	-48 816.35	3 016 251.38
L45	-47 437.51	3 018 421.80		R45	-48 875.70	3 016 082.77
L46	-47 888.58	3 017 713.33		R46	-48 887.65	3 016 043.52
L47	-48 305.20	3 017 058.95		R47	-48 927.52	3 015 909.95
L48	-48 400.97	3 016 906.43		R48	-48 982.02	3 015 692.08
L49	-48 491.64	3 016 752.17		R49	-49 022.14	3 015 518.04
L50	-48 575.63	3 016 593.07		R50	-49 291.55	3 012 798.59
L51	-48 649.85	3 016 429.70		R51	-49 529.79	3 010 393.50
				Vel 17	Van 20	P600/06
				Sheet	of	

PADRESERWE KOÖRDINATE					/ ROAD RESERVE CO-ORDINATES				
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG	27°		Y	X		
L52	-48 720.55	3 016 264.97			R52	-49 573.00	3 010 124.82		
L53	-48 781.73	3 016 096.22			R53	-49 600.99	3 009 947.00		
L54	-48 816.39	3 015 985.15			R54	-49 606.14	3 009 926.70		
L55	-48 861.89	3 015 811.73			R55	-49 611.06	3 009 907.48		
L56	-48 907.49	3 015 637.79			R56	-49 673.99	3 009 661.77		
L57	-48 941.18	3 015 461.52			R57	-49 693.73	3 009 584.71		
L58	-48 964.99	3 015 283.39			R58	-49 731.01	3 009 468.25		
L59	-49 215.53	3 012 754.36			R59	-49 775.88	3 009 332.84		
L60	-49 485.63	3 010 027.62			R60	-49 786.68	3 009 300.25		
L61	-49 519.03	3 009 877.89			R61	-49 799.31	3 009 262.13		
L62	-49 551.56	3 009 731.43			R62	-49 850.43	3 009 107.86		
L63	-49 602.89	3 009 558.93			R63	-49 869.07	3 009 051.59		
L64	-49 617.08	3 009 512.44			R64	-50 013.83	3 008 832.05		
L65	-49 639.33	3 009 439.63			R65	-50 022.09	3 008 819.82		
L66	-49 661.91	3 009 365.58			R66	-50 044.31	3 008 786.76		
L67	-49 715.15	3 009 191.04			R67	-50 066.32	3 008 781.81		
L68	-49 725.43	3 009 157.31			R68	-50 244.52	3 008 841.56		
L69	-49 727.11	3 009 151.80			R69	-50 306.27	3 008 870.68		
L70	-49 742.35	3 009 101.73			R70	-50 318.96	3 008 840.78		
L71	-49 767.32	3 009 019.70			R71	-50 256.48	3 008 811.62		
L72	-49 770.32	3 008 731.91			R72	-50 079.12	3 008 728.38		
L73	-49 770.64	3 008 683.95			R73	-50 073.74	3 008 704.05		
L74	-49 764.69	3 008 659.85			R74	-50 075.38	3 008 656.18		
L75	-49 626.59	3 008 598.65			R75	-50 087.16	3 008 346.67		
L76	-49 643.13	3 008 557.81			R76	-50 201.94	3 007 942.37		
L77	-49 772.20	3 008 605.25			R77	-50 519.62	3 006 927.39		
L78	-49 805.30	3 008 599.66			R78	-50 912.05	3 005 672.65		
L79	-49 825.99	3 008 567.94			R79	-51 211.86	3 004 713.51		
L80	-49 989.48	3 008 316.79			R80	-51 564.11	3 003 586.72		
L81	-50 125.46	3 007 919.32			R81	-51 848.11	3 002 678.81		
L82	-50 426.15	3 006 957.99			R82	-52 364.37	3 001 028.63		
L83	-50 446.04	3 006 894.39			R83	-52 594.48	3 000 292.29		
L84	-50 842.19	3 005 626.40			R84	-52 774.81	2 999 716.13		
L85	-51 181.44	3 004 541.86			R85	-52 920.56	2 999 249.90		
L86	-51 567.21	3 003 308.32			R86	-53 416.23	2 997 665.97		
L87	-51 751.07	3 002 720.73			R87	-53 441.92	2 997 582.66		
L88	-52 224.39	3 001 206.93			R88	-53 650.84	2 996 914.56		
L89	-52 514.63	3 000 279.60			R89	-53 683.44	2 996 822.69		
L90	-52 694.13	2 999 705.61			R90	-53 716.34	2 996 716.81		
L91	-52 863.64	2 999 163.37			R91	-53 779.01	2 996 504.48		
L92	-53 334.84	2 997 656.50			R92	-53 801.69	2 996 432.05		
L93	-53 392.06	2 997 473.51			R93	-53 866.43	2 996 254.16		
L94	-53 569.83	2 996 905.01			R94	-53 897.41	2 996 169.36		
L95	-53 599.35	2 996 797.65			R95	-53 976.25	2 995 982.36		
L96	-53 615.38	2 996 744.85			R96	-54 072.72	2 995 825.76		
L97	-53 704.69	2 996 473.92			R97	-54 211.23	2 995 885.63		
L98	-53 738.44	2 996 366.36			R98	-54 210.77	2 995 846.99		
L99	-53 768.93	2 996 248.15			R99	-54 099.50	2 995 761.23		
L100	-53 830.95	2 995 959.29			R100	-54 125.35	2 995 500.05		
L101	-53 861.73	2 995 696.63			R101	-54 206.97	2 995 204.44		
L102	-53 667.91	2 995 545.17			R102	-54 257.61	2 995 041.13		
					Vel 18 Sheet Van 20 of P600/06				

PADRESERWE KOÖRDINATE				/	ROAD RESERVE CO-ORDINATES			
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE			
	Y	X	WG	27°		Y	X	
L103	-53 481.79	2 995 391.37			R103	-54 327.31	2 994 750.97	
L104	-53 687.24	2 995 515.26			R104	-54 603.67	2 993 867.58	
L105	-53 892.21	2 995 620.27			R105	-54 770.79	2 993 333.34	
L106	-53 975.67	2 995 496.67			R106	-54 929.21	2 992 826.85	
L107	-54 078.78	2 995 336.88			R107	-55 160.44	2 992 087.22	
L108	-54 113.25	2 995 152.15			R108	-55 546.35	2 990 853.69	
L109	-54 188.09	2 994 914.61			R109	-55 661.21	2 990 486.57	
L110	-54 281.42	2 994 629.58			R110	-56 004.04	2 989 390.70	
L111	-54 537.50	2 993 809.41			R111	-56 476.19	2 987 879.83	
L112	-54 658.53	2 993 423.95			R112	-56 531.81	2 987 709.64	
L113	-54 807.95	2 992 946.45			R113	-56 588.21	2 987 551.56	
L114	-55 120.89	2 991 945.69			R114	-56 606.03	2 987 503.64	
L115	-55 500.47	2 990 732.39			R115	-56 670.51	2 987 338.16	
L116	-55 541.85	2 990 600.13			R116	-56 747.91	2 987 155.06	
L117	-55 958.50	2 989 268.32			R117	-56 805.21	2 987 028.46	
L118	-56 399.81	2 987 855.96			R118	-57 463.91	2 985 608.36	
L119	-56 455.01	2 987 684.66			R119	-58 277.80	2 983 853.61	
L120	-56 485.31	2 987 599.76			R120	-58 307.50	2 983 801.33	
L121	-56 522.71	2 987 495.26			R121	-58 677.24	2 983 004.91	
L122	-56 595.71	2 987 307.86			R122	-58 699.39	2 982 944.67	
L123	-56 674.11	2 987 122.56			R123	-59 454.01	2 981 318.12	
L124	-56 732.61	2 986 994.76			R124	-59 925.88	2 980 301.04	
L125	-57 408.71	2 985 537.16			R125	-60 329.64	2 979 430.78	
L126	-58 205.17	2 983 820.02			R126	-61 053.33	2 977 871.06	
L127	-58 226.01	2 983 763.49			R127	-61 113.26	2 977 738.14	
L128	-58 595.30	2 982 966.91			R128	-61 154.34	2 977 668.19	
L129	-58 626.01	2 982 912.79			R129	-61 193.52	2 977 574.48	
L130	-59 396.10	2 981 252.88			R130	-61 201.22	2 977 555.22	
L131	-59 712.93	2 980 569.98			R131	-61 230.94	2 977 480.83	
L132	-59 800.89	2 980 379.98			R132	-61 269.01	2 977 371.70	
L133	-60 321.98	2 979 257.00			R133	-61 310.16	2 977 253.69	
L134	-60 980.72	2 977 837.37			R134	-61 388.93	2 977 026.76	
L135	-61 039.99	2 977 705.95			R135	-61 403.89	2 976 968.50	
L136	-61 062.71	2 977 628.87			R136	-61 600.40	2 976 401.50	
L137	-61 097.73	2 977 541.66			R137	-61 621.49	2 976 356.25	
L138	-61 225.73	2 977 222.88			R138	-61 655.78	2 976 257.69	
L139	-61 304.29	2 976 996.27			R139	-61 734.29	2 976 032.01	
L140	-61 328.69	2 976 941.29			R140	-61 841.01	2 975 722.87	
L141	-61 525.04	2 976 374.29			R141	-61 855.87	2 975 664.53	
L142	-61 537.91	2 976 324.42			R142	-61 905.54	2 975 521.25	
L143	-61 540.09	2 976 316.02			R143	-61 919.18	2 975 482.04	
L144	-61 654.83	2 975 984.59			R144	-62 160.96	2 974 785.20	
L145	-61 715.06	2 975 801.15			R145	-62 163.89	2 974 776.34	
L146	-61 756.22	2 975 692.62			R146	-62 188.22	2 974 721.18	
L147	-61 780.68	2 975 637.48			R147	-62 391.23	2 974 135.46	
L148	-61 826.25	2 975 505.92			R148	-62 406.74	2 974 075.58	
L149	-61 839.13	2 975 468.56			R149	-62 429.33	2 974 010.63	
L150	-61 961.95	2 975 114.33			R150	-62 543.73	2 973 680.45	
L151	-62 001.46	2 974 985.82			R151	-62 568.13	2 973 625.31	
L152	-62 047.79	2 974 869.21			R152	-62 718.92	2 973 190.82	
L153	-62 068.07	2 974 820.25			R153	-62 733.83	2 973 132.50	
				Vel	19	Van	20	P600/06
				Sheet		of		

PADRESERWE KOÖRDINATE				/	ROAD RESERVE CO-ORDINATES			
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE			
	Y	X	WG 27°			Y	X	
L154	-62 084.81	2 974 760.23			R154	-63 107.16	2 972 055.67	
L155	-62 103.29	2 974 691.82			R155	-63 238.58	2 971 678.05	
L156	-62 306.60	2 974 105.15			R156	-63 374.12	2 971 312.02	
L157	-62 331.45	2 974 048.58			R157	-63 484.29	2 971 139.97	
L158	-62 359.25	2 973 968.56			R158	-63 558.11	2 971 062.69	
L159	-62 468.42	2 973 653.24			R159	-63 575.61	2 971 044.37	
L160	-62 483.47	2 973 594.93			R160	-63 912.21	2 971 039.29	
L161	-62 633.90	2 973 161.33			R161	-63 944.87	2 971 039.76	
L162	-62 651.36	2 973 121.54			R162	-63 945.94	2 971 001.39	
L163	-62 665.52	2 973 085.04			R163	-63 566.43	2 970 988.05	
L164	-63 011.19	2 972 087.93			R164	-63 594.95	2 970 732.29	
L165	-63 046.78	2 971 970.35			R165	-63 646.65	2 970 514.52	
L166	-63 013.74	2 971 958.90			R166	-63 656.40	2 970 484.91	
L167	-63 078.52	2 971 771.65			R167	-63 773.87	2 970 146.13	
L168	-63 105.04	2 971 694.67			R168	-63 779.50	2 970 114.57	
L169	-63 043.93	2 971 673.67			R169	-64 344.95	2 968 483.44	
L170	-63 077.37	2 971 577.00			R170	-64 347.14	2 968 477.30	
L171	-63 176.44	2 971 610.97			R171	-64 377.59	2 968 389.33	
L172	-63 208.76	2 971 516.83			R172	-64 390.52	2 968 357.18	
L173	-63 277.07	2 971 283.18			R173	-64 396.32	2 968 342.74	
L174	-63 298.61	2 971 148.19			R174	-64 451.62	2 968 191.06	
L175	-63 302.64	2 971 037.74			R175	-64 481.67	2 968 090.44	
L176	-63 162.63	2 971 034.29			R176	-64 498.43	2 968 040.65	
L177	-63 089.33	2 971 045.20			R177	-64 717.81	2 967 407.78	
L178	-63 011.53	2 971 055.88			R178	-65 179.76	2 966 075.15	
L179	-63 004.56	2 971 020.70			R179	-65 602.80	2 964 854.48	
L180	-63 042.25	2 971 009.56			R180	-65 774.84	2 964 358.45	
L181	-63 129.68	2 970 995.27			R181	-66 239.09	2 963 019.21	
L182	-63 185.37	2 970 986.17			R182	-66 343.53	2 962 717.93	
L183	-63 265.81	2 970 987.58			L205	-66 236.07	2 962 732.29	
L184	-63 322.81	2 970 968.44						
L185	-63 357.36	2 970 888.52						
L186	-63 475.07	2 970 713.34						
L187	-63 569.12	2 970 452.43						
L188	-63 685.42	2 970 129.55						
L189	-63 708.75	2 970 074.34						
L190	-64 296.57	2 968 377.93						
L191	-64 317.32	2 968 302.50						
L192	-64 359.09	2 968 181.47						
L193	-64 405.47	2 968 063.88						
L194	-64 430.77	2 967 991.45						
L195	-64 645.32	2 967 371.55						
L196	-64 668.90	2 967 303.42						
L197	-65 094.18	2 966 080.11						
L198	-65 103.12	2 966 054.27						
L199	-65 684.48	2 964 374.43						
L200	-65 700.14	2 964 329.27						
L201	-65 773.01	2 964 119.17						
L202	-65 812.89	2 964 004.18						
L203	-66 174.95	2 962 959.52						
L204	-66 204.67	2 962 873.48						
					Vel 20	Van 20	P600/06	
					Sheet	of		