

**NOTICE 1724 OF 2007****DEPARTMENT OF PUBLIC WORKS  
AGRÉMENT SOUTH AFRICA**

(Approval of innovative construction products and systems)

Notice is hereby given that Agrément South Africa has, with effect from 4 July 2007, issued an Agrément certificate, details of which appear in the schedule hereto.

**SCHEDULE**

Agrément Certificate No 2005/313 (Amended July 2007)

**Name of product:** Techfin System

**Certificate holder:** Technical Finishes (Pty) Ltd

**Description:** The Techfin System is a three coat application comprising a base coat of skimplaster and two finishing coats of either Glutone wall coating or an alkali resistant exterior quality acrylic emulsion paint for use in all regions of South Africa on the following sound, suitably prepared external and internal wall surfaces.

- Cast-in-situ concrete or precast concrete
- concrete bricks and hollow concrete blocks
- sand cement plaster
- sand cement bagged finishes
- the above surfaces previously painted with PVA paint

Skimplaster is a cement based and fibre-reinforced wall rendering. It is packaged in 25 kg moisture resistant paper sacks. It is mixed on site with potable water in accordance with the instructions set out in the certificate holder's data sheets. The Skimplaster mix is applied with a steel trowel to a nominal thickness of 3 mm.

Glutone is an Agrément-certificate ready-to-use lime-based two-coat wall coating. It is available in eleven different colors. It is packaged in 5-and 20-litre plastic buckets. It is thoroughly stirred on site before application and at regular intervals to prevent settlement. It is applied in predominantly horizontal strokes, using a 20 cm block brush.

The alkali resistant exterior quality acrylic emulsion paint is commercially available and applied in accordance with the manufacturers' instructions.

The amendment covers the use of acrylic emulsion paint as an alternative to Glutone.

The Agrément certificate contains detailed information on the product and can be accessed at <http://www.agrement.co.za>

Copies are obtainable from: The Manager  
Agrément South Africa  
P O Box 395  
0001 PRETORIA