
**GOVERNMENT NOTICE
GOEWERMENTSKENNISGEWING**

**DEPARTMENT OF TRANSPORT
DEPARTEMENT VAN VERVOER**

No. 1355

17 December 2008

**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY LIMITED**


Registration No: 98/09584/06

DECLARATION AMENDMENT OF NATIONAL ROAD N9 SECTION 7


AMENDMENT OF DECLARATION No. 2136 OF 1992

By virtue of section 40 (1)(b) of the South African National Roads Agency Limited and the National Roads Act, 1998 (Act No. 7 of 1998), I hereby amend declaration No. 2136 of 1992, Schedule A paragraph (5), by substituting the descriptive wording from "at the Middelburg South Interchange" up to "near the town of Colesberg", with the subjoined sheets 1 to 29 of Plan No. P651/08.


(National Road N9 Section 7: Middelburg – Colesberg)




MINISTER OF TRANSPORT




Suid-Afrikaanse Padagentskap Bpk. South African National Roads Agency Ltd.	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route N9 Section 7	Vel Sheet 1 of 29 P P651/08
---	---------------------------------------	--	---




Die Suid Afrikaanse Nasionale Padagentskap Beperk The South African National Roads Agency Limited	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N9 of National Route	Vel Sheet 2 of 29
		7	Plan P651/08




Die Suid Afrikaanse Nasionale Padogenitskop Beperk The South African National Roads Agency Limited	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route	Vel Sheet 3 of 29 Plan P651/08
	N9 Seksie Section	7	




Die Suid Afrikaanse Nasionale Podogentskop Beperk The South African National Roads Agency Limited	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N9 of National Route Section	Vel 4 van 29 Sheet 4 of 29 Plan P651/08
--	---------------------------------------	--	---



Die Suid Afrikaanse Nasionale Podagentskap Beperk The South African National Roads Agency Limited	Die figuur getoon The figure shown		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N9 of National Route	Vel Sheet 5 of 29
			7	Plan P651/08



Die Suid Afrikaanse Nasionale Padagentskap Beperk The South African National Roads Agency Limited	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N9 of National Route
Vel Sheet 6 of 29	Plan 7	Plan P651/08




steldie padreserwe voor van 'n gedeelte
 represents the road reserve of a portion
 van Nasionale Roete N9 Sektie
 of National Route Section



Die figuur getoon
 The figure shown

Die Suid Afrikaanse Nasionale Padagentskop Beperk
 The South African National Roads Agency Limited

Vel
 Sheet 7 of 29
 Plan P651/08




Die figuur getoon

steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N9 Seksie
of National Route Section


Vel
Sheet 8 of 29

Plan P651/08



Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited


Die figuur getoon




steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N9 Seksie
of National Route Section

Vel
Sheet 9 of 29


Plan P651/08





Die Suid Afrikaanse Nasionale Padagentskap Beperk The South African National Roads Agency Limited	Die figuur getoon The figure shown		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion von Nasionale Roete N9 of National Route Seksie 7 Section	Vel 11 of 29 Sheet Plan P651/08
--	---------------------------------------	---	---	---------------------------------------




Die Suid Afrikaanse Nasionale Podogentskap Bepark The South African National Roads Agency Limited	Die figuur getoon The figure shown	ste die podreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N9 of National Route 7	Vel Sheet 13 of 29 Plan P651/08
--	---------------------------------------	--	---------------------------------------




Die Suid Afrikaanse Nasionale Padagentskap Beperk The South African National Roads Agency Limited	Die figuur getoon The figure shown  steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N9 of National Route	Vel 15 van 29 Sheet of Plan P651/08
--	--	--




Die Suid Afrikaanse Nasionale Padagentskap Bepoerk The South African National Roads Agency Limited	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N9 of National Route Section
Vel Sheet 16 of 29	7	Plan P651/08



Die Suid Afrikaanse Nasionale Padogenskap Beperk The South African National Roads Agency Limited	Die figuur getoon The figure shown	steldie podreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N9 of National Route	Vel Sheet 17 of 29	Plan P651/08
---	---------------------------------------	--	--------------------------	-----------------



Die Suid Afrikaanse Nasionale Padagentskap Beperk The South African National Roads Agency Limited	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N9 of National Route	Vel Sheet 19 of 29
		Plan P651/08	Plan P651/08

	COLESBERG  NATIONAL ROAD N1/11X DECLARATION PLAN NO. P571/06	x +3 401 000 x +3 400 500 x +3 401 000 x +3 401 500 x +3 402 000 Y -8 000 Y -8 500 Y -8 000 Y -8 500	(41)

Vel
Sheet 21 of 29
P P651/08

stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N9
of National Route Section 7



Die figuur getoon
The figure shown

Suid-Afrikaanse Padagentskap Bpk.
South African National Roads Agency Ltd.

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES											
LINKERKANT/LEFT HAND SIDE						REGTERKANT/RIGHT HAND SIDE					
WG 25°						X					
AL1	-1	696.121	3	488	281.096	AR1	-1	932.302	3	488	356.822
AL2	-1	710.366	3	488	253.582	AR2	-1	894.268	3	488	263.313
AL3	-1	747.516	3	488	184.672	AR3	-1	870.118	3	488	201.032
AL4	-1	798.998	3	488	066.713	AR4	-1	849.429	3	488	033.222
AL5	-1	836.838	3	487	929.401	AR5	-1	846.049	3	488	032.522
AL6	-1	898.818	3	487	695.697	AR6	-1	870.469	3	487	938.401
AL7	-1	948.527	3	487	504.935	AR7	-1	927.878	3	487	712.408
AL8	-1	990.737	3	487	337.302	AR8	-1	970.938	3	487	543.705
AL9	-2	046.196	3	487	118.859	AR9	-2	021.577	3	487	344.192
AL10	-2	083.276	3	486	980.817	AR10	-2	087.162	3	487	095.228
AL11	-2	098.445	3	486	916.776	AR11	-2	130.742	3	486	927.178
AL12	-2	105.145	3	486	879.525	AR12	-2	142.993	3	486	805.637
AL13	-2	109.425	3	486	834.515	AR13	-2	136.563	3	486	702.697
AL14	-2	109.105	3	486	786.874	AR14	-2	127.473	3	486	666.256
AL15	-2	105.484	3	486	743.223	AR15	-2	086.863	3	486	537.110
AL16	-2	099.894	3	486	705.613	AR16	-2	032.002	3	486	435.140
AL17	-2	069.263	3	486	592.422	AR17	-1	873.758	3	486	157.507
AL18	-2	023.192	3	486	489.090	AR18	-1	809.329	3	486	041.265
AL19	-1	913.869	3	486	296.378	AR19	-1	705.042	3	485	853.111
AL20	-1	787.586	3	486	075.616	AR20	-1	693.755	3	485	832.746
AL21	-1	769.912	3	486	045.889	AR21	-1	584.152	3	485	651.561
AL22	-1	669.184	3	485	876.474	AR22	-1	534.843	3	485	566.754
AL23	-1	657.069	3	485	855.218	R1	-1	457.460	3	485	431.500
AL24	-1	596.921	3	485	742.737	R2	-1	216.100	3	485	010.310
AL25	-1	582.262	3	485	716.228	R3	-1	153.910	3	484	902.170
AL26	-1	573.607	3	485	700.233	R4	-1	123.500	3	484	846.160
AL27	-1	546.121	3	485	648.956	R5	-1	096.950	3	484	791.250
AL28	-1	491.425	3	485	557.352	R6	-1	072.920	3	484	735.300
AL29	-1	471.011	3	485	523.164	R7	-1	051.350	3	484	678.260
AL30	-1	413.450	3	485	420.623	R8	-1	032.510	3	484	620.360
L1	-1	395.070	3	485	389.830	R9	-1	016.210	3	484	561.700
L2	-	989.360	3	484	682.310	R10	-1	002.660	3	484	502.380
L3	-	963.530	3	484	629.210	R11	-	997.280	3	484	472.470
L4	-	943.600	3	484	573.910	R12	-1	012.680	3	484	437.980
L5	-	929.280	3	484	517.120	R13	-1	003.100	3	484	424.220
L6	-	868.280	3	484	357.490	R14	-	987.230	3	484	419.570
L7	-	930.510	3	484	025.860	R15	-	973.110	3	484	279.380
L8	-	981.320	3	483	777.920	R16	-	975.790	3	484	148.350
L9	-1	029.290	3	483	540.220	R17	-	991.360	3	484	017.580
L10	-1	083.910	3	483	352.120	R18	-1	046.810	3	483	739.390
L11	-1	160.990	3	483	179.390	R19	-1	034.550	3	483	713.180
L12	-1	247.030	3	483	057.900	R20	-1	084.220	3	483	475.090
L13	-1	339.810	3	482	980.010	R21	-1	145.390	3	483	300.200
L14	-1	531.670	3	482	819.520	R22	-1	200.610	3	483	193.730
L15	-1	562.700	3	482	794.310	R23	-1	301.290	3	483	059.080
L16	-1	610.650	3	482	756.410	R24	-1	372.220	3	483	004.830
L17	-1	651.570	3	482	709.660	R25	-1	566.060	3	482	846.350
L18	-1	728.630	3	482	562.630	R26	-1	672.060	3	482	736.090
L19	-1	763.680	3	482	424.510	R27	-1	745.230	3	482	609.040
L20	-1	803.110	3	482	035.800	R28	-1	779.240	3	482	488.270
L21	-1	805.840	3	482	006.370	R29	-1	800.840	3	482	370.850
						Vel	22	Van	29	P651/08	
						Sheet		of			

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
WG 25°					X				
L22	-1	834.030	3	481 726.690	R30	-1	832.710	3	482 040.300
L23	-1	844.660	3	481 459.580	R31	-1	891.130	3	481 470.190
L24	-1	850.490	3	481 445.550	R32	-1	921.600	3	481 172.450
L25	-1	915.120	3	480 915.120	R33	-1	955.570	3	480 840.050
L26	-1	946.260	3	480 602.630	R34	-1	988.570	3	480 508.390
L27	-1	996.830	3	480 094.240	R35	-2	040.440	3	479 982.770
L28	-2	038.350	3	479 675.890	R36	-2	082.610	3	479 553.640
L29	-2	084.640	3	479 208.540	R37	-2	357.920	3	479 529.350
L30	-2	116.010	3	478 892.880	R38	-2	356.280	3	479 499.130
L31	-2	180.800	3	478 458.080	R39	-2	085.790	3	479 522.880
L32	-2	225.420	3	478 158.870	R40	-2	117.260	3	479 200.120
L33	-2	306.200	3	477 617.410	R41	-2	147.060	3	478 899.170
L34	-2	351.090	3	477 317.860	R42	-2	192.070	3	478 597.420
L35	-2	382.100	3	477 109.240	R43	-2	238.610	3	478 284.710
L36	-2	439.400	3	476 723.350	R44	-2	283.090	3	477 987.280
L37	-2	439.450	3	476 723.050	R45	-2	332.520	3	477 654.980
L38	-2	480.480	3	476 444.500	R45X	-2	469.650	3	476 733.490
L39	-2	540.690	3	476 033.580	R46	-2	469.650	3	476 733.490
L40	-2	527.970	3	476 017.040	R47	-2	518.370	3	476 405.920
L41	-2	528.960	3	476 012.650	R48	-2	553.750	3	476 168.550
L42	-2	545.310	3	476 001.960	R49	-2	602.680	3	475 837.370
L43	-2	586.670	3	475 722.000	R50	-2	677.270	3	475 336.110
L44	-2	628.010	3	475 445.260	R51	-2	697.160	3	475 195.720
L45	-2	689.270	3	475 033.480	R52	-2	720.270	3	475 041.920
L46	-2	689.580	3	475 031.400	R53	-2	720.550	3	475 040.080
L47	-2	706.500	3	474 922.650	R54	-2	750.390	3	474 841.210
L48	-2	734.630	3	474 741.880	R55	-2	751.280	3	474 836.110
L49	-2	772.480	3	474 560.810	R56	-2	768.880	3	474 734.750
L50	-2	896.790	3	474 086.670	R57	-2	802.380	3	474 573.920
L51	-3	043.540	3	473 528.850	R58	-2	905.690	3	474 178.260
L52	-3	083.510	3	473 406.660	R59	-3	033.200	3	473 693.610
L53	-3	147.960	3	473 240.390	R60	-3	074.960	3	473 535.070
L54	-3	234.100	3	473 164.430	R61	-3	098.110	3	473 465.860
L55	-3	272.510	3	473 106.920	R62	-3	112.480	3	473 424.810
L56	-3	285.220	3	473 086.640	R63	-3	116.490	3	473 414.530
L57	-3	322.280	3	473 026.320	R64	-3	153.120	3	473 349.390
L58	-3	331.780	3	473 001.670	R65	-3	298.390	3	473 136.200
L59	-3	341.570	3	472 973.690	R66	-3	307.710	3	473 122.430
L60	-3	352.540	3	472 897.540	R67	-3	372.280	3	473 027.040
L61	-3	354.430	3	472 884.400	R68	-3	394.280	3	472 939.910
L62	-3	350.110	3	472 844.450	R69	-3	384.160	3	472 850.530
L63	-3	332.450	3	472 778.870	R70	-3	371.270	3	472 803.530
L64	-3	299.100	3	472 719.550	R71	-3	362.520	3	472 771.600
L65	-3	251.460	3	472 668.730	R72	-3	324.730	3	472 701.850
L66	-3	192.620	3	472 630.550	R73	-3	268.390	3	472 641.870
L67	-3	125.200	3	472 605.840	R74	-3	246.860	3	472 627.550
L68	-2	847.870	3	472 566.350	R75	-3	255.410	3	472 616.420
L69	-2	819.180	3	472 562.190	R76	-3	250.800	3	472 611.200
L70	-2	744.930	3	472 546.000	R77	-3	240.900	3	472 623.470
L71	-2	645.010	3	472 515.070	R78	-3	211.410	3	472 603.860
L72	-2	569.340	3	472 483.310	R79	-3	114.830	3	472 577.290
					Vel 23 Van 29 Sheet of P651/08				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES											
LINKERKANT/LEFT HAND SIDE						REGTERKANT/RIGHT HAND SIDE					
WG 25°						X					
L73	-2	480.780	3	472	434.160	R80	-2	917.140	3	472	547.880
L74	-2	378.790	3	472	366.720	R81	-2	893.380	3	472	548.260
L75	-2	297.570	3	472	284.220	R82	-2	857.320	3	472	541.700
L76	-2	266.520	3	472	248.850	R83	-2	752.660	3	472	520.460
L77	-2	259.850	3	472	240.160	R84	-2	748.190	3	472	519.280
L78	-2	206.740	3	472	170.920	R85	-2	657.630	3	472	489.360
L79	-2	197.820	3	472	159.060	R86	-2	582.670	3	472	457.560
L80	-2	136.240	3	472	056.080	R87	-2	483.400	3	472	398.060
L81	-2	125.690	3	472	036.950	R88	-2	397.370	3	472	339.600
L82	-1	985.720	3	471	793.130	R89	-2	293.220	3	472	232.060
L83	-1	811.800	3	471	490.680	R90	-2	293.150	3	472	231.960
L84	-1	641.090	3	471	193.630	R91	-2	231.410	3	472	150.460
L85	-1	580.000	3	471	087.330	R92	-2	222.880	3	472	136.790
L86	-1	453.490	3	470	909.080	R93	-2	166.340	3	472	059.780
L87	-1	341.190	3	470	794.930	R94	-2	162.090	3	472	026.110
L88	-1	186.520	3	470	675.390	R95	-2	153.030	3	472	021.460
L89	-1	048.620	3	470	603.440	R96	-2	015.030	3	471	782.250
L90	-	666.420	3	470	397.440	R97	-1	845.290	3	471	486.690
L91	-	426.960	3	470	254.810	R98	-1	672.880	3	471	185.190
L92	-	304.930	3	470	174.370	R99	-1	609.430	3	471	074.230
L93	-	177.860	3	470	083.960	R100	-1	490.990	3	470	905.510
L94	-53.960	3	469	990.210	R101	-1	344.520	3	470	757.130	
L95	30.840	3	469	919.890	R102	-1	234.310	3	470	671.660	
L96	57.840	3	469	897.590	R103	-1	129.290	3	470	612.480	
L97	64.220	3	469	893.280	R104	-1	094.730	3	470	593.010	
L98	122.410	3	469	844.740	R105	-1	029.970	3	470	557.620	
L99	333.000	3	469	652.150	R106	-	740.480	3	470	403.950	
L100	650.970	3	469	344.080	R107	-	454.270	3	470	236.010	
L101	1 029.070	3	468	976.770	R108	-	248.410	3	470	097.020	
L102	1 128.260	3	468	880.480	R109	-69.240	3	469	963.400		
L103	1 282.900	3	468	730.350	R110	40.990	3	469	876.270		
L104	1 618.570	3	468	403.460	R111	263.390	3	469	676.590		
L105	1 687.630	3	468	335.780	R112	629.550	3	469	320.900		
L106	1 713.080	3	468	310.370	R113	968.410	3	468	991.860		
L107	1 876.810	3	468	150.690	R114	1 101.220	3	468	862.730		
L108	2 164.650	3	467	870.490	R115	1 101.570	3	468	862.390		
L109	2 658.410	3	467	390.980	R116	1 507.690	3	468	467.700		
L110	2 849.010	3	467	203.180	R117	1 586.770	3	468	391.080		
L111	3 058.980	3	466	972.590	R118	1 617.440	3	468	343.420		
L112	3 237.320	3	466	754.520	R119	1 667.310	3	468	313.510		
L113	3 241.640	3	466	749.210	R120	2 049.160	3	467	940.450		
L114	3 433.210	3	466	513.680	R121	2 396.080	3	467	602.390		
L115	3 764.750	3	466	105.180	R122	2 634.960	3	467	370.020		
L116	3 926.240	3	465	906.670	R123	2 843.330	3	467	169.080		
L117	4 113.190	3	465	676.460	R124	3 004.180	3	466	993.110		
L118	4 283.630	3	465	467.290	R125	3 176.710	3	466	788.490		
L119	4 360.570	3	465	356.280	R126	3 222.230	3	466	730.190		
L120	4 430.530	3	465	239.310	R127	3 336.190	3	466	584.240		
L121	4 506.110	3	465	076.240	R128	3 304.390	3	466	558.690		
L122	4 556.870	3	464	927.010	R129	3 316.740	3	466	542.890		
L123	4 589.470	3	464	784.520	R130	3 348.660	3	466	567.980		
						Vel	24	Van	29	P651/08	
						Sheet		of			

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
WG 25°					X				
L124	4	600.450	3	464 702.090	R131	3	544.190	3	466 326.890
L125	4	606.530	3	464 639.580	R132	3	728.710	3	466 099.860
L126	4	578.410	3	464 402.140	R133	3	897.260	3	465 894.330
L127	4	561.070	3	464 255.750	R134	4	195.460	3	465 530.600
L128	4	587.260	3	464 083.510	R135	4	321.930	3	465 359.660
L129	4	587.980	3	464 082.440	R136	4	400.480	3	465 229.090
L130	4	599.720	3	464 065.080	R137	4	452.450	3	465 121.080
L131	4	608.510	3	463 919.340	R138	4	517.360	3	464 963.380
L132	4	613.450	3	463 883.670	R139	4	557.600	3	464 801.260
L133	4	655.200	3	463 785.720	R140	4	572.550	3	464 601.400
L134	4	675.890	3	463 735.890	R141	4	521.270	3	464 298.230
L135	4	689.450	3	463 696.150	R142	4	517.850	3	464 190.290
L136	4	689.500	3	463 695.990	R143	4	532.850	3	464 099.530
L137	4	695.510	3	463 674.550	R144	4	533.090	3	464 098.460
L138	4	708.410	3	463 594.940	R145	4	548.470	3	464 029.430
L139	4	711.160	3	463 528.810	R146	4	557.860	3	464 017.580
L140	4	627.450	3	463 357.430	R147	4	567.270	3	463 985.280
L141	4	605.920	3	463 337.130	R148	4	567.190	3	463 969.070
L142	4	604.160	3	463 334.420	R149	4	610.550	3	463 781.070
L143	4	511.650	3	463 191.850	R150	4	612.890	3	463 691.020
L144	4	527.610	3	463 035.950	R151	4	629.510	3	463 622.090
L145	4	572.780	3	462 966.690	R152	4	634.980	3	463 599.400
L146	4	825.110	3	462 812.130	R153	4	658.440	3	463 587.970
L147	5	020.710	3	462 702.790	R154	4	662.470	3	463 527.310
L148	5	198.360	3	462 566.140	R155	4	645.910	3	463 468.030
L149	5	270.550	3	462 501.460	R156	4	587.630	3	463 437.630
L150	5	309.730	3	462 461.210	R157	4	574.720	3	463 374.330
L151	5	362.070	3	462 392.080	R158	4	519.040	3	463 309.080
L152	5	395.840	3	462 334.260	R159	4	482.850	3	463 228.430
L153	5	506.580	3	462 119.000	R160	4	480.250	3	463 222.620
L154	5	637.080	3	461 865.040	R161	4	469.310	3	463 169.120
L155	5	767.960	3	461 610.240	R162	4	481.860	3	463 060.400
L156	5	796.300	3	461 538.000	R163	4	502.980	3	463 008.850
L157	5	816.160	3	461 463.300	R164	4	540.850	3	462 952.990
L158	5	825.890	3	461 382.910	R165	4	598.570	3	462 902.620
L159	5	824.920	3	461 297.890	R166	4	696.850	3	462 846.410
L160	5	816.460	3	461 232.100	R167	4	999.720	3	462 680.190
L161	5	818.360	3	461 221.980	R168	5	225.710	3	462 506.020
L162	5	767.060	3	461 078.020	R169	5	314.820	3	462 407.500
L163	5	703.380	3	460 969.930	R170	5	338.670	3	462 375.320
L164	5	692.320	3	460 951.150	R171	5	440.830	3	462 178.170
L165	5	524.830	3	460 671.340	R172	5	543.320	3	461 979.690
L166	5	469.970	3	460 579.160	R173	5	657.180	3	461 757.720
L167	5	359.390	3	460 379.900	R174	5	736.100	3	461 605.400
L168	5	346.610	3	460 295.520	R175	5	765.680	3	461 530.110
L169	5	351.180	3	460 277.690	R176	5	785.030	3	461 453.150
L170	5	395.500	3	460 139.260	R177	5	793.960	3	461 385.350
L171	5	534.640	3	460 021.400	R178	5	795.040	3	461 308.400
L172	5	589.070	3	459 980.840	R179	5	777.940	3	461 194.280
L173	5	586.310	3	459 968.570	R180	5	737.860	3	461 090.940
L174	5	670.740	3	459 814.850	R181	5	678.760	3	460 991.040
					Vel	25	Van	29	P651/08
					Sheet		of		

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
WG 25°					X				
L175	5	669.990	3	459 811.610	R182	5	666.610	3	460 970.510
L176	5	653.790	3	459 741.600	R183	5	500.460	3	460 691.790
L177	5	643.760	3	459 612.970	R184	5	370.010	3	460 474.010
L178	5	634.540	3	459 499.530	R185	5	329.230	3	460 390.480
L179	5	628.848	3	459 432.491	R186	5	317.810	3	460 332.360
L180	5	613.760	3	459 244.540	R187	5	305.640	3	460 335.310
L181	5	534.360	3	458 266.430	R188	5	296.710	3	460 326.700
L182	5	533.830	3	458 265.380	R189	5	313.020	3	460 297.580
L183	5	487.600	3	458 078.200	R190	5	336.950	3	460 197.370
L184	5	473.120	3	458 017.320	R191	5	366.260	3	460 129.300
L185	5	389.480	3	457 683.820	R192	5	406.490	3	460 076.470
L186	5	291.290	3	457 294.720	R193	5	463.440	3	460 049.140
L187	5	262.380	3	457 179.430	R194	5	490.550	3	460 032.110
L188	5	193.040	3	457 091.660	R195	5	531.110	3	459 999.360
L189	5	014.450	3	456 381.870	R196	5	574.900	3	459 953.330
L190	4	975.110	3	456 383.540	R197	5	596.250	3	459 917.280
L191	4	949.010	3	456 318.770	R198	5	619.800	3	459 858.780
L192	4	984.210	3	455 796.530	R199	5	628.900	3	459 802.550
L193	4	838.060	3	455 636.730	R200	5	612.550	3	459 641.000
L194	4	774.390	3	455 543.530	R201	5	597.898	3	459 440.291
L195	4	754.520	3	455 505.300	R202	5	578.787	3	459 203.638
L196	4	717.270	3	455 402.860	R203	5	561.357	3	458 989.855
L197	4	558.370	3	454 946.220	R204	5	538.857	3	458 703.182
L198	4	433.630	3	454 598.760	R205	5	530.957	3	458 644.181
L199	4	346.240	3	454 346.720	R206	5	519.637	3	458 578.041
L200	4	238.550	3	454 037.800	R207	5	497.907	3	458 483.720
L201	4	140.170	3	453 754.580	R208	5	474.827	3	458 396.859
L202	4	083.890	3	453 591.270	R209	5	421.542	3	458 196.067
L203	3	940.300	3	453 178.880	R210	5	415.030	3	458 172.070
L204	3	901.180	3	453 074.750	R211	5	301.910	3	457 749.200
L205	3	891.030	3	453 036.850	R212	5	183.930	3	457 307.540
L206	3	620.970	3	452 248.080	R213	5	069.710	3	456 879.580
L207	3	606.130	3	452 196.580	R214	4	967.350	3	456 497.720
L208	3	583.990	3	452 144.990	R215	4	943.030	3	456 406.990
L209	3	555.860	3	452 018.940	R216	4	889.990	3	456 209.120
L210	3	550.400	3	452 008.650	R217	4	771.010	3	455 764.390
L211	3	520.130	3	451 804.990	R218	4	656.640	3	455 339.230
L212	3	517.930	3	451 779.300	R219	4	622.700	3	455 232.150
L213	3	508.890	3	451 674.050	R220	4	574.660	3	455 099.880
L214	3	507.210	3	451 646.030	R221	4	537.190	3	454 989.150
L215	3	509.200	3	451 361.680	R222	4	536.520	3	454 990.330
L216	3	511.550	3	451 215.230	R223	3	591.250	3	452 259.000
L217	3	517.590	3	450 682.840	R224	3	532.540	3	452 042.450
L218	3	519.090	3	450 339.070	R225	3	491.310	3	451 828.830
L219	3	519.570	3	450 288.330	R226	3	488.270	3	451 805.110
L220	3	522.510	3	449 978.930	R227	3	476.730	3	451 662.680
L221	3	534.780	3	448 811.710	R228	3	476.070	3	451 490.580
L222	3	538.880	3	448 474.380	R229	3	478.690	3	451 198.320
L223	3	552.520	3	447 123.520	R230	3	484.660	3	450 671.460
L224	3	570.810	3	446 872.810	R231	3	488.390	3	450 265.580
L225	3	597.580	3	446 725.700	R232	3	507.230	3	448 454.070
					Vel 26 Van 29 P651/08 Sheet of				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
WG 25°					X				
L226	3	650.690	3	446 538.450	R233	3	521.470	3	447 131.440
L227	3	703.760	3	446 388.930	R234	3	528.860	3	446 943.810
L228	3	808.430	3	446 094.230	R235	3	566.790	3	446 721.340
L229	3	858.540	3	445 917.240	R236	3	621.210	3	446 530.130
L230	3	890.700	3	445 738.290	R237	3	700.310	3	446 307.250
L231	3	926.110	3	445 519.710	R238	3	720.780	3	446 253.680
L232	4	077.610	3	444 568.570	R239	3	696.190	3	446 233.460
L233	4	364.740	3	442 773.850	R240	3	730.080	3	446 140.590
L234	4	389.290	3	442 586.490	R241	3	748.430	3	446 139.420
L235	4	404.260	3	442 342.600	R242	3	781.200	3	446 086.880
L236	4	398.410	3	442 084.150	R243	3	827.920	3	445 911.800
L237	4	384.160	3	441 916.600	R244	3	860.530	3	445 732.050
L238	4	349.150	3	441 703.320	R245	4	040.390	3	444 603.700
L239	4	284.190	3	441 440.480	R246	4	333.770	3	442 768.950
L240	4	225.020	3	441 262.270	R247	4	358.260	3	442 582.080
L241	4	133.760	3	441 040.930	R248	4	372.810	3	442 341.970
L242	4	071.680	3	440 909.840	R249	4	368.660	3	442 102.120
L243	3	866.370	3	440 475.430	R250	4	353.070	3	441 921.180
L244	3	759.850	3	440 250.250	R251	4	318.030	3	441 708.120
L245	3	614.590	3	439 943.190	R252	4	254.490	3	441 450.020
L246	3	537.640	3	439 775.780	R253	4	195.330	3	441 272.580
L247	3	479.400	3	439 606.710	R254	4	101.060	3	441 045.760
L248	3	435.080	3	439 372.540	R255	3	729.910	3	440 260.560
L249	3	425.290	3	439 163.560	R256	3	585.800	3	439 955.070
L250	3	429.170	3	438 941.170	R257	3	508.500	3	439 787.540
L251	3	423.730	3	438 726.110	R258	3	433.620	3	439 545.490
L252	3	419.000	3	438 600.820	R259	3	403.760	3	439 376.370
L253	3	388.430	3	438 399.030	R260	3	394.200	3	439 162.370
L254	3	305.980	3	438 180.530	R261	3	393.510	3	438 978.790
L255	3	282.300	3	438 136.180	R262	3	392.620	3	438 798.600
L256	3	256.170	3	438 087.810	R263	3	389.220	3	438 603.060
L257	3	226.890	3	438 042.280	R264	3	367.100	3	438 460.130
L258	3	156.800	3	437 933.500	R265	3	336.570	3	438 345.260
L259	2	648.110	3	437 168.820	R266	3	271.410	3	438 177.440
L260	2	468.410	3	436 885.180	R267	3	184.680	3	438 031.230
L261	2	310.630	3	436 604.570	R268	2	603.710	3	437 158.310
L262	2	137.100	3	436 245.670	R269	2	441.460	3	436 901.790
L263	2	024.510	3	435 972.720	R270	2	283.020	3	436 619.800
L264	1	970.420	3	435 828.630	R271	2	109.150	3	436 259.830
L265	1	593.630	3	434 759.130	R272	2	002.620	3	436 003.570
L266	1	234.950	3	433 743.200	R273	1	938.230	3	435 831.340
L267	1	212.790	3	433 680.430	R274	1	762.360	3	435 332.360
L268	1	016.050	3	433 121.640	R275	1	555.520	3	434 745.690
L269		725.820	3	432 299.830	R276	1	345.980	3	434 151.360
L270		609.210	3	431 969.340	R277	1	227.500	3	433 816.080
L271		515.510	3	431 703.990	R278	1	180.950	3	433 684.320
L272		448.560	3	431 517.260	R279	1	084.920	3	433 410.840
L273		389.600	3	431 375.660	R280		869.320	3	432 801.150
L274		305.870	3	431 206.200	R281		654.100	3	432 190.510
L275		260.480	3	431 129.720	R282		490.840	3	431 727.000
L276	-	194.330	3	430 368.530	R283		418.700	3	431 527.050
					Vel 27 Van 29 P651/08 Sheet of				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES							
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE			
WG 25°				X			
L277	-	893.290	3 429 197.060	R284	361.720	3 431 389.950	
L278	-1	430.960	3 428 295.070	R285	279.340	3 431 222.640	
L279	-1	726.630	3 427 799.060	R286	226.610	3 431 133.560	
L280	-2	555.420	3 426 408.900	R287	-	534.060	3 429 859.960
L281	-2	775.240	3 426 036.780	R288	-1	458.790	3 428 309.360
L282	-2	853.710	3 425 886.650	R289	-1	469.570	3 428 291.280
L283	-2	934.280	3 425 705.850	R290	-2	666.040	3 426 284.730
L284	-2	994.470	3 425 549.250	R291	-2	807.180	3 426 044.210
L285	-3	050.320	3 425 372.320	R292	-2	874.600	3 425 916.950
L286	-3	036.420	3 425 282.380	R293	-2	961.080	3 425 723.120
L287	-3	015.940	3 425 246.760	R294	-3	026.020	3 425 552.500
L288	-3	066.360	3 425 237.500	R295	-3	083.980	3 425 369.490
L289	-3	097.350	3 425 216.400	R296	-3	140.620	3 425 315.000
L290	-3	457.160	3 424 025.520	R297	-3	171.090	3 425 081.360
L291	-4	318.390	3 421 172.650	R298	-3	267.560	3 424 760.230
L292	-4	340.000	3 421 090.210	R299	-3	487.720	3 424 031.660
L293	-4	360.680	3 421 008.130	R300	-4	347.900	3 421 181.720
L294	-4	429.150	3 420 801.840	R301	-4	405.440	3 421 015.780
L295	-4	459.990	3 420 703.480	R302	-4	435.490	3 420 918.480
L296	-4	559.310	3 420 374.330	R303	-4	511.210	3 420 645.350
L297	-4	595.100	3 420 255.740	R304	-4	573.320	3 420 440.450
L298	-4	726.070	3 419 820.730	R305	-4	591.830	3 420 379.320
L299	-4	810.800	3 419 541.390	R306	-4	644.780	3 420 204.460
L300	-4	980.720	3 418 978.580	R307	-4	958.930	3 419 163.180
L301	-5	043.520	3 418 745.250	R308	-5	021.120	3 418 952.730
L302	-5	199.900	3 418 153.600	R309	-5	055.480	3 418 823.840
L303	-5	301.040	3 417 768.810	R310	-5	094.290	3 418 765.940
L304	-5	316.160	3 417 720.960	R311	-5	135.990	3 418 516.990
L305	-5	396.100	3 417 483.560	R312	-5	337.160	3 417 756.490
L306	-5	581.560	3 416 934.410	R313	-5	430.630	3 417 481.180
L307	-5	745.990	3 416 447.080	R314	-5	613.070	3 416 939.810
L308	-6	320.210	3 414 747.780	R315	-5	870.780	3 416 176.390
L309	-6	628.020	3 413 838.820	R316	-6	385.960	3 414 651.150
L310	-6	672.810	3 413 666.920	R317	-6	662.100	3 413 833.930
L311	-6	686.650	3 413 520.680	R318	-6	709.460	3 413 723.510
L312	-6	770.460	3 413 229.100	R319	-6	774.910	3 413 623.340
L313	-6	954.290	3 412 406.570	R320	-6	743.360	3 413 586.650
L314	-7	117.930	3 411 672.070	R321	-6	806.250	3 413 305.870
L315	-7	154.050	3 411 511.650	R322	-6	853.480	3 413 092.720
L316	-7	202.570	3 411 279.120	R323	-6	869.040	3 413 022.500
L317	-7	215.190	3 411 208.430	R324	-6	927.370	3 412 764.520
L318	-7	237.790	3 411 082.840	R325	-6	933.110	3 412 739.160
L319	-7	330.860	3 410 466.050	R326	-6	995.650	3 412 454.730
L320	-7	407.110	3 409 957.240	R327	-7	013.480	3 412 379.770
L321	-7	566.860	3 408 894.540	R328	-7	051.020	3 412 235.820
L322	-7	664.170	3 408 244.100	R329	-7	077.950	3 412 089.720
L323	-7	762.810	3 407 586.600	R330	-7	144.990	3 411 785.370
L324	-7	928.090	3 406 487.900	R331	-7	173.100	3 411 676.460
L325	-8	059.020	3 405 619.570	R332	-7	209.130	3 411 513.680
L326	-8	110.790	3 405 275.240	R333	-7	259.100	3 411 253.030
L327	-8	132.560	3 405 132.050	R334	-7	307.290	3 410 974.440
				Vel	28	Van	29
				Sheet		of	P651/08

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES											
LINKERKANT/LEFT HAND SIDE						REGTERKANT/RIGHT HAND SIDE					
WG 25°						X					
L328	-8	148.580	3	404	963.780	R335	-7	334.690	3	410	787.820
L329	-8	158.160	3	404	614.030	R336	-7	365.640	3	410	582.300
L330	-8	165.380	3	404	334.290	R337	-7	393.240	3	410	404.430
L331	-8	167.180	3	404	084.250	R338	-7	458.970	3	409	966.570
L332	-8	171.610	3	403	508.030	R339	-7	532.060	3	409	474.110
L333	-8	175.570	3	403	041.180	R340	-7	611.590	3	408	942.970
L334	-8	179.560	3	402	511.100	R341	-7	660.440	3	408	621.280
L335	-8	183.790	3	402	061.150	R342	-7	763.660	3	407	935.790
L336	-8	186.320	3	401	738.520	R343	-7	858.900	3	407	300.800
						R344	-7	939.830	3	406	765.720
						R345	-8	024.850	3	406	193.590
						R346	-8	112.620	3	405	629.110
						R347	-8	160.850	3	405	286.790
						R348	-8	172.660	3	405	200.360
						R349	-8	196.840	3	404	979.730
						R350	-8	201.010	3	404	940.820
						R351	-8	213.220	3	404	700.510
						R352	-8	229.620	3	404	239.780
						R353	-8	223.320	3	404	083.900
						R354	-8	224.930	3	403	473.250
						R355	-8	231.490	3	402	747.550
						R356	-8	231.840	3	402	241.450
						R357	-8	229.310	3	402	076.720
						R358	-8	228.880	3	402	048.720
						R359	-8	223.820	3	401	886.480
						R360	-8	223.720	3	401	705.370