

GOVERNMENT NOTICE**DEPARTMENT OF TRANSPORT****No. 194****2 March 2009****THE SOUTH AFRICAN NATIONAL ROADS
AGENCY LIMITED**


Registration No: 98/09584/06

DECLARATION AMENDMENT OF NATIONAL ROAD N8 SECTION 9**AMENDMENT OF DECLARATION NO. 1322 OF 1989**

By virtue of section 40 (1)(b) of the South African National Roads Agency Limited and the National Roads Act, 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 1322 of 1989 by substituting Paragraph 7 and the descriptive section of paragraph 9 from Petrusburg up to the Free State/Northern Cape Provincial Border, with the subjoined sheets 1 to 22 of Plan No. P684/08.

(National Road N8 Section 9: Alexanderfontein – Petrusburg)


MINISTER OF TRANSPORT



Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown




stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete
of National Route

N8


Seksie
Section

9

Vel
Sheet 1 von 22
Plan P684/08




Die Suid Afrikaanse Nasionale Padagentskaf Beperk The South African National Roads Agency Limited	Die figuur getoon The figure shown		stel die padreservé voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N8 Seksie of National Route N8 Section	Vel Sheet 2 van 22 Plan P684/08
--	---------------------------------------	---	---	------------------------------------




Die Suid Afrikaanse Nasionale Padagentskaf Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown




stel die padreservé voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N8 Seksie
of National Route Section 9

Vel
Sheet 3 van 22
Plan P684/08



Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown




stel die padreservé voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete
of National Route

N8


Seksie
Section

9

Vel
Sheet 4 von 22
Plan P684/08



Die Suid Afrikaanse Nasionale Padagentskap Beperk The South African National Roads Agency Limited	Die figuur getoon The figure shown		stel die padreservé voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N8 Seksie of National Route N8 Section	Vel Sheet 5 van 22 Plan P684/08
--	---------------------------------------	---	---	------------------------------------




Die Suid Afrikaanse Nasionale Padagentskaf Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown




stel die padreservé voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N8 Seksie 9
of National Route

Vel Sheet 6 van 22
Plan P684/08




Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown



stel die padreservé voor van 'n gedeelte van Nasionale Roete N8 voor
represents the road reserve of a portion of National Route N8

Vel Sheet 7 van 22
Plan P684/08




Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown




stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N8 Seksie
of National Route Section

Vel Sheet 8 van 22
Plan P684/08




Die Suid Afrikaanse Nasionale Padagentskaps Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown



stel die padreservé voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N8
of National Route N8
Seksie
Section 9

Vel
Sheet 9 von 22
Pion P684/08




Die Suid Afrikaanse Nasionale Padagentskaps Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown




stel die padreservé voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N8 Seksie
of National Route N8 Section 9

Vel
Sheet 10 van
of 22
Plan P684/08




Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown




stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N8 Seksie
of National Route N8 Section 9

Vel Sheet 11 van 22
Plan P684/08



Die Suid Afrikaanse Nasionale Padagentskaf Beperk
The South African National Roads Agency Limited


Die figuur getoon
The figure shown





stel die padreservé voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N8
of National Route

Vel Sheet 12	van	22
Plan P684/08		

9



Die Suid Afrikaanse Nasionale Padagentskap Beperk The South African National Roads Agency Limited	Die figuur getoon The figure shown		stel die padreservé voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route N8	Seksie Section 9	Vel Sheet 13 van of 22
					Plan P684/08




Die Suid-Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown



Stel die padreservé voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N8 Seksie
of National Route 9 Plan P684/08

Vel Sheet 14	van 22
Plan P684/08	



Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown




stel die padreservé voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete
of National Route

N8

Seksie
Section

9

Vel
Sheet 15 von 22
Plan P684/08



Die Suid Afrikaanse Nasionale Padagentskap Beperk The South African National Roads Agency Limited	Die figuur getoon The figure shown		stel die padreservé voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N8 Seksie of National Route N8 Section	Vel Sheet 16 van 22 Plan P684/08
--	---------------------------------------	--	---	-------------------------------------

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES					
LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 25°	Y	X
L1	22 800.560	3 184 801.350	R1	22 819.730	3 184 802.980
L2	22 749.770	3 184 824.710	R2	22 705.630	3 185 002.570
L3	22 662.450	3 184 977.310	R3	22 646.830	3 185 089.080
L4	22 588.100	3 185 083.730	R4	22 578.050	3 185 165.860
L5	22 516.790	3 185 155.050	R5	22 482.880	3 185 241.340
L6	22 454.780	3 185 199.440	R6	22 406.960	3 185 281.300
L7	22 386.560	3 185 235.530	R7	22 330.370	3 185 310.590
L8	22 313.880	3 185 263.280	R8	21 987.020	3 185 420.980
L9	21 971.670	3 185 373.360	R9	21 875.340	3 185 460.500
L10	21 857.060	3 185 413.980	R10	21 766.770	3 185 507.490
L11	21 745.400	3 185 462.310	R11	21 661.550	3 185 561.690
L12	21 637.090	3 185 517.920	R12	21 560.290	3 185 622.740
L13	21 532.990	3 185 580.760	R13	21 370.740	3 185 764.460
L14	21 338.590	3 185 726.010	R14	21 283.580	3 185 844.390
L15	21 248.420	3 185 808.640	R15	21 201.710	3 185 930.820
L16	21 165.290	3 185 896.640	R16	21 187.740	3 185 946.960
L17	21 124.700	3 185 942.580	R17	21 058.000	3 186 095.760
L18	21 019.960	3 186 063.450	R18	20 881.480	3 186 311.930
L19	20 842.190	3 186 280.970	R19	20 235.500	3 187 152.260
L20	20 196.120	3 187 121.400	R20	20 158.740	3 187 246.410
L21	20 121.340	3 187 213.380	R21	20 074.490	3 187 334.710
L22	20 039.790	3 187 298.710	R22	19 983.710	3 187 416.250
L23	19 951.690	3 187 377.310	R23	19 886.650	3 187 489.460
L24	19 857.610	3 187 448.610	R24	19 783.670	3 187 555.150
L25	19 758.250	3 187 512.140	R25	19 676.220	3 187 612.410
L26	19 653.570	3 187 567.600	R26	19 536.260	3 187 680.270
L27	19 614.510	3 187 586.680	R27	18 992.350	3 187 945.020
L28	19 540.730	3 187 622.570	R28	18 366.530	3 188 249.400
L29	19 020.460	3 187 875.640	R29	17 534.980	3 188 653.700
L30	18 344.590	3 188 204.410	R30	17 395.150	3 188 712.580
L31	17 513.960	3 188 608.400	R31	17 253.230	3 188 760.930
L32	17 377.470	3 188 665.840	R32	16 307.310	3 189 023.940
L33	17 236.970	3 188 712.930	R33	16 205.350	3 189 059.550
L34	16 292.740	3 188 976.220	R34	16 107.290	3 189 103.820
L35	16 186.880	3 189 013.060	R35	16 059.710	3 189 130.710
L36	16 084.460	3 189 059.250	R36	16 013.510	3 189 156.970
L37	16 015.830	3 189 098.170	R37	15 925.050	3 189 218.390
L38	15 986.810	3 189 114.580	R38	15 842.460	3 189 287.850
L39	15 894.520	3 189 178.690	R39	15 766.030	3 189 364.520
L40	15 808.550	3 189 250.960	R40	14 309.270	3 190 965.060
L41	15 729.730	3 189 330.210	R41	14 208.660	3 191 080.920
L42	14 272.060	3 190 931.870	R42	14 139.170	3 191 176.400
L43	14 168.660	3 191 051.570	R43	14 077.760	3 191 277.170
L44	14 098.010	3 191 148.650	R44	14 047.460	3 191 336.700
L45	14 034.000	3 191 252.770	R45	14 024.370	3 191 382.490
L46	13 979.810	3 191 359.860	R46	13 979.690	3 191 492.190
L47	13 932.850	3 191 474.110	R47	13 283.440	3 193 457.110
L48	13 918.910	3 191 514.950	R48	13 243.290	3 193 555.580
L49	13 239.850	3 193 428.700	R49	13 191.220	3 193 665.380
L50	13 197.500	3 193 535.630	R50	13 127.530	3 193 780.630
L51	13 146.780	3 193 642.620	R51	13 062.200	3 193 883.100
Vel Sheet	17	Van of	22	P684/08	

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES					
	LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE	
	Y	X	WG 25°	Y	X
L52	13 084.630	3 193 755.010	R52	13 003.020	3 193 965.050
L53	13 020.740	3 193 854.910	R53	11 851.040	3 195 482.940
L54	12 962.740	3 193 935.240	R54	11 701.400	3 195 680.260
L55	11 828.330	3 195 430.180	R55	11 598.480	3 195 804.650
L56	11 752.110	3 195 530.620	R56	11 489.150	3 195 923.400
L57	11 662.000	3 195 649.440	R57	10 499.410	3 196 901.390
L58	11 560.680	3 195 771.920	R58	10 581.130	3 196 996.450
L59	11 453.470	3 195 888.290	R59	10 568.450	3 197 005.950
L60	10 468.280	3 196 861.600	R60	10 487.900	3 196 912.630
L61	10 409.440	3 196 792.610	R61	9 589.270	3 197 800.280
L62	10 400.860	3 196 802.850	R62	9 517.450	3 197 871.220
L63	10 457.220	3 196 872.530	R63	9 423.340	3 197 948.980
L64	9 554.340	3 197 764.610	R64	9 323.760	3 198 019.470
L65	9 483.320	3 197 833.460	R65	9 218.720	3 198 081.170
L66	9 393.000	3 197 909.110	R66	9 118.530	3 198 131.460
L67	9 296.590	3 197 977.500	R67	9 037.450	3 198 165.260
L68	9 212.330	3 198 028.330	R68	9 030.990	3 198 167.950
L69	9 098.150	3 198 085.840	R69	9 030.530	3 198 158.660
L70	9 074.600	3 198 095.810	R70	6 232.720	3 199 325.230
L71	9 028.370	3 198 115.000	R71	6 233.760	3 199 323.400
L72	9 028.830	3 198 124.410	R72	6 195.790	3 199 340.750
L73	6 252.090	3 199 282.740	R73	3 744.710	3 200 367.840
L74	3 715.610	3 200 335.280	R74	3 730.530	3 200 370.340
L75	3 500.100	3 200 432.080	R75	3 731.790	3 200 373.300
L76	3 450.070	3 200 451.270	R76	3 660.000	3 200 398.380
L77	3 413.120	3 200 466.760	R77	3 438.640	3 200 490.760
L78	3 362.500	3 200 488.470	R78	3 333.350	3 200 537.790
L79	3 240.510	3 200 546.310	R79	3 293.550	3 200 556.620
L80	3 105.800	3 200 617.950	R80	3 126.750	3 200 644.640
L81	3 005.180	3 200 679.600	R81	2 948.420	3 200 753.820
L82	2 931.570	3 200 726.590	R82	2 866.580	3 200 810.040
L83	2 847.880	3 200 783.980	R83	2 754.820	3 200 894.150
L84	2 734.010	3 200 869.470	R84	2 661.760	3 200 969.710
L85	2 645.760	3 200 942.020	R85	2 544.310	3 201 075.530
L86	2 523.480	3 201 051.250	R86	2 331.750	3 201 286.500
L87	2 308.760	3 201 264.320	R87	2 230.450	3 201 387.870
L88	1 474.470	3 202 098.510	R88	1 482.150	3 202 135.100
L89	1 250.170	3 202 322.150	R89	1 270.620	3 202 346.670
L90	1 035.320	3 202 536.440	R90	1 058.370	3 202 558.560
L91	755.720	3 202 815.650	R91	778.940	3 202 837.680
L92	646.280	3 202 921.600	R92	689.020	3 202 925.330
L93	534.150	3 203 023.820	R93	600.630	3 203 007.340
L94	506.720	3 203 047.610	R94	525.820	3 203 073.750
L95	398.910	3 203 139.280	R95	478.520	3 203 114.370
L96	334.500	3 203 189.900	R96	417.440	3 203 165.380
L97	259.570	3 203 248.400	R97	355.890	3 203 215.070
L98	213.360	3 203 284.540	R98	314.330	3 203 248.910
L99	96.050	3 203 369.130	R99	265.580	3 203 285.170
L100	21.650	3 203 420.600	R100	231.200	3 203 311.120
L101	-14.650	3 203 440.050	R101	145.040	3 203 373.700
L102	- 103.800	3 203 492.930	R102	60.860	3 203 431.570

Vel Sheet	18	Van of	22	P684/08
--------------	----	-----------	----	---------

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 25°		Y	X
L103	- 186.750	3 203	549.080	R103	14.090	3 203 471.690
L104	- 267.930	3 203	601.660	R104	- 82.590	3 203 533.840
L105	-1 632.190	3 204	410.980	R105	- 186.240	3 203 595.410
L106	-2 520.390	3 204	937.890	R106	- 256.680	3 203 632.710
L107	-2 765.560	3 205	083.640	R107	- 600.890	3 203 836.580
L108	-2 951.340	3 205	197.010	R108	- 944.890	3 204 040.700
L109	-3 091.610	3 205	287.390	R109	-1 288.850	3 204 244.700
L110	-3 110.430	3 205	299.460	R110	-1 629.350	3 204 446.740
L111	-3 349.880	3 205	471.070	R111	-1 873.830	3 204 591.740
L112	-3 473.190	3 205	562.770	R112	-2 149.160	3 204 754.870
L113	-3 510.990	3 205	595.800	R113	-2 501.930	3 204 964.220
L114	-3 643.850	3 205	703.180	R114	-2 748.820	3 205 110.640
L115	-3 948.020	3 205	947.980	R115	-2 922.920	3 205 216.510
L116	-4 241.080	3 206	185.550	R116	-3 089.470	3 205 324.850
L117	-4 542.150	3 206	425.500	R117	-3 326.650	3 205 493.220
L118	-4 840.430	3 206	665.670	R118	-3 620.430	3 205 724.930
L119	-5 116.450	3 206	887.600	R119	-3 932.140	3 205 976.010
L120	-5 320.300	3 207	051.420	R120	-4 245.920	3 206 228.360
L121	-5 417.060	3 207	129.520	R121	-4 526.190	3 206 453.570
L122	-5 609.570	3 207	284.750	R122	-4 549.850	3 206 473.310
L123	-5 783.990	3 207	413.460	R123	-4 853.680	3 206 717.900
L124	-5 897.120	3 207	510.380	R124	-5 095.570	3 206 912.370
L125	-5 944.890	3 207	554.080	R125	-5 196.800	3 206 994.570
L126	-6 077.630	3 207	660.870	R126	-5 397.490	3 207 155.700
L127	-6 280.900	3 207	823.690	R127	-5 596.860	3 207 315.710
L128	-6 406.890	3 207	923.850	R128	-5 768.220	3 207 453.500
L129	-6 505.680	3 207	997.100	R129	-5 834.070	3 207 513.380
L130	-6 673.880	3 208	105.690	R130	-6 144.060	3 207 758.840
L131	-6 739.860	3 208	143.720	R131	-6 264.050	3 207 852.320
L132	-6 954.050	3 208	249.740	R132	-6 390.660	3 207 952.890
L133	-6 961.390	3 208	253.020	R133	-6 486.140	3 208 023.320
L134	-7 188.900	3 208	320.470	R134	-6 640.930	3 208 124.140
L135	-7 280.650	3 208	341.900	R135	-6 757.290	3 208 189.800
L136	-7 336.820	3 208	355.790	R136	-6 850.930	3 208 237.920
L137	-7 426.710	3 208	378.120	R137	-6 941.090	3 208 279.190
L138	-7 629.650	3 208	432.810	R138	-6 980.480	3 208 297.290
L139	-7 708.550	3 208	453.530	R139	-7 073.140	3 208 334.330
L140	-7 776.740	3 208	465.460	R140	-7 193.160	3 208 377.500
L141	-7 836.720	3 208	476.220	R141	-7 280.900	3 208 418.630
L142	-7 877.480	3 208	483.540	R142	-7 304.560	3 208 426.500
L143	-7 916.250	3 208	489.660	R143	-7 379.550	3 208 435.280
L144	-8 112.510	3 208	516.970	R144	-7 452.460	3 208 447.970
L145	-8 149.570	3 208	522.100	R145	-7 519.060	3 208 461.980
L146	-8 546.780	3 208	577.250	R146	-7 626.910	3 208 481.100
L147	-8 920.090	3 208	630.110	R147	-7 784.280	3 208 507.260
L148	-9 403.730	3 208	695.540	R148	-7 861.930	3 208 515.260
L149	-9 502.180	3 208	709.180	R149	-7 883.790	3 208 517.630
L150	-9 744.220	3 208	745.210	R150	-7 903.920	3 208 519.930
L151	-9 770.800	3 208	750.540	R151	-8 135.860	3 208 551.780
L152	-10 082.400	3 208	792.530	R152	-8 174.100	3 208 557.030
L153	-10 314.310	3 208	823.860	R153	-8 506.770	3 208 604.260
				Vel Sheet	19 of	22 P684/08

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
	LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 25°		Y	X
L154	-10 666.730	3 208 873.160	R154	-8 512.520	3 208 618.080	
L155	-10 777.710	3 208 888.850	R155	-8 537.850	3 208 620.410	
L156	-10 941.660	3 208 913.270	R156	-8 546.830	3 208 609.830	
L157	-11 122.570	3 208 952.270	R157	-8 923.370	3 208 662.530	
L158	-11 219.850	3 208 977.940	R158	-9 398.240	3 208 729.840	
L159	-11 311.570	3 209 008.130	R159	-9 496.060	3 208 743.630	
L160	-11 403.690	3 209 040.680	R160	-9 752.190	3 208 777.840	
L161	-11 503.590	3 209 079.160	R161	-10 076.770	3 208 823.300	
L162	-11 592.500	3 209 118.380	R162	-10 207.440	3 208 841.630	
L163	-11 690.850	3 209 165.290	R163	-10 309.760	3 208 855.840	
L164	-11 780.580	3 209 211.430	R164	-10 631.200	3 208 900.480	
L165	-11 867.140	3 209 261.660	R165	-10 752.270	3 208 917.320	
L166	-11 993.970	3 209 342.990	R166	-10 798.220	3 208 923.870	
L167	-12 103.950	3 209 421.950	R167	-10 935.570	3 208 944.170	
L168	-12 195.230	3 209 494.100	R168	-11 003.170	3 208 959.320	
L169	-12 287.120	3 209 574.160	R169	-11 041.860	3 208 969.730	
L170	-12 439.660	3 209 717.310	R170	-11 204.650	3 209 007.410	
L171	-12 464.890	3 209 740.950	R171	-11 301.700	3 209 037.620	
L172	-12 710.100	3 209 973.120	R172	-11 396.850	3 209 071.160	
L173	-12 894.020	3 210 147.460	R173	-11 491.280	3 209 107.720	
L174	-13 012.550	3 210 259.790	R174	-11 583.610	3 209 148.390	
L175	-13 303.450	3 210 535.090	R175	-11 674.770	3 209 191.930	
L176	-13 587.330	3 210 804.100	R176	-11 749.040	3 209 231.430	
L177	-13 878.540	3 211 079.220	R177	-11 849.190	3 209 288.210	
L178	-14 100.450	3 211 289.420	R178	-11 945.440	3 209 348.510	
L179	-14 347.630	3 211 524.410	R179	-12 042.260	3 209 415.800	
L180	-14 640.300	3 211 801.120	R180	-12 112.320	3 209 468.330	
L181	-15 090.540	3 212 227.210	R181	-12 172.590	3 209 516.860	
L182	-15 380.930	3 212 501.820	R182	-12 268.700	3 209 599.850	
L183	-15 679.900	3 212 784.210	R183	-12 395.980	3 209 719.740	
L184	-16 354.880	3 213 422.150	R184	-12 467.170	3 209 787.460	
L185	-16 803.300	3 213 845.440	R185	-12 588.310	3 209 902.060	
L186	-16 959.210	3 213 992.490	R186	-12 871.880	3 210 170.770	
L187	-17 524.460	3 214 529.840	R187	-12 996.140	3 210 288.560	
L188	-17 673.980	3 214 665.590	R188	-13 280.470	3 210 557.520	
L189	-17 859.250	3 214 812.140	R189	-13 566.080	3 210 827.980	
L190	-17 879.830	3 214 828.310	R190	-13 856.620	3 211 102.520	
L191	-18 009.080	3 214 927.200	R191	-14 079.480	3 211 313.600	
L192	-18 147.330	3 215 022.200	R192	-14 315.580	3 211 536.560	
L193	-18 343.690	3 215 148.190	R193	-16 933.560	3 214 014.670	
L194	-18 543.360	3 215 274.620	R194	-17 393.330	3 214 450.340	
L195	-18 756.910	3 215 409.080	R195	-17 580.450	3 214 623.840	
L196	-18 973.400	3 215 546.240	R196	-17 691.690	3 214 720.480	
L197	-19 151.020	3 215 657.720	R197	-17 760.460	3 214 776.680	
L198	-19 346.790	3 215 781.000	R198	-17 765.230	3 214 780.730	
L199	-19 584.080	3 215 930.530	R199	-17 794.900	3 214 804.930	
L200	-19 983.640	3 216 182.690	R200	-17 923.950	3 214 904.740	
L201	-20 327.370	3 216 399.800	R201	-17 988.270	3 214 951.700	
L202	-20 363.380	3 216 422.420	R202	-18 127.250	3 215 048.050	
L203	-20 610.130	3 216 577.940	R203	-18 142.600	3 215 058.050	
L204	-20 700.230	3 216 614.660	R204	-18 327.220	3 215 176.690	

Vel Sheet	20	Van of	22	P684/08
--------------	----	-----------	----	---------

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES					
	LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE	
	Y	X	WG 25°	Y	X
L205	-20 811.880	3 216 697.240	R205	-18 543.080	3 215 312.310
L206	-20 934.070	3 216 770.100	R206	-18 684.570	3 215 401.810
L207	-21 205.350	3 216 953.770	R207	-19 008.840	3 215 605.870
L208	-21 513.710	3 217 147.520	R208	-19 122.590	3 215 677.630
L209	-21 545.680	3 217 167.720	R209	-19 341.150	3 215 815.490
L210	-22 139.120	3 217 542.600	R210	-19 522.440	3 215 929.640
L211	-22 799.290	3 217 958.580	R211	-19 984.000	3 216 220.700
L212	-23 131.980	3 218 168.590	R212	-20 311.660	3 216 427.530
L213	-23 745.900	3 218 555.650	R213	-20 337.770	3 216 445.070
L214	-24 234.310	3 218 865.590	R214	-20 726.560	3 216 694.830
L215	-24 407.240	3 218 974.290	R215	-20 904.130	3 216 807.570
L216	-24 616.700	3 219 104.750	R216	-21 219.700	3 217 000.100
L217	-24 882.090	3 219 272.180	R217	-21 472.640	3 217 159.840
L218	-25 252.010	3 219 505.420	R218	-21 475.630	3 217 161.780
L219	-25 656.580	3 219 760.540	R219	-21 755.120	3 217 337.560
L220	-25 896.980	3 219 912.100	R220	-22 084.470	3 217 545.780
L221	-26 085.780	3 220 031.260	R221	-22 744.460	3 217 962.190
L222	-26 397.730	3 220 228.130	R222	-23 073.930	3 218 169.950
L223	-26 632.100	3 220 376.040	R223	-23 405.690	3 218 379.200
L224	-26 969.860	3 220 589.310	R224	-23 746.640	3 218 594.130
L225	-26 984.020	3 220 598.470	R225	-23 935.490	3 218 713.210
L226	-27 067.660	3 220 650.720	R226	-24 171.630	3 218 862.110
L227	-27 200.830	3 220 734.330	R227	-24 828.320	3 219 276.270
L228	-27 375.620	3 220 839.370	R228	-25 157.480	3 219 484.010
L229	-27 560.720	3 220 938.830	R229	-25 489.750	3 219 693.750
L230	-27 818.430	3 221 059.290	R230	-25 815.120	3 219 898.660
L231	-28 002.880	3 221 133.400	R231	-25 981.620	3 220 003.560
L232	-28 067.240	3 221 157.040	R232	-26 203.220	3 220 143.380
L233	-28 095.710	3 221 167.090	R233	-26 530.590	3 220 350.090
L234	-28 125.050	3 221 178.330	R234	-26 857.240	3 220 555.880
L235	-28 301.010	3 221 232.420	R235	-26 862.520	3 220 563.640
L236	-28 442.280	3 221 275.050	R236	-26 896.480	3 220 584.540
L237	-28 674.290	3 221 330.250	R237	-26 916.280	3 220 592.860
L238	-28 871.400	3 221 366.840	R238	-26 976.010	3 220 631.130
L239	-29 065.170	3 221 394.020	R239	-27 023.220	3 220 660.990
L240	-29 165.120	3 221 405.090	R240	-27 169.550	3 220 753.350
L241	-29 284.500	3 221 417.270	R241	-27 369.910	3 220 873.970
L242	-29 577.170	3 221 444.670	R242	-27 530.600	3 220 960.660
L243	-29 671.910	3 221 455.770	R243	-27 709.330	3 221 046.900
L244	-30 266.870	3 221 520.610	R244	-27 905.220	3 221 130.670
L245	-30 563.260	3 221 551.610	R245	-27 989.620	3 221 163.850
L246	-30 836.220	3 221 580.230	R246	-28 057.580	3 221 188.740
L247	-31 220.140	3 221 620.580	R247	-28 082.010	3 221 199.330
L248	-31 603.170	3 221 660.660	R248	-28 213.600	3 221 243.150
L249	-32 324.480	3 221 735.860	R249	-28 385.920	3 221 294.750
L250	-32 623.330	3 221 767.130	R250	-28 492.500	3 221 324.310
L251	-32 709.770	3 221 776.830	R251	-28 614.430	3 221 350.330
L252	-32 950.390	3 221 802.240	R252	-28 794.460	3 221 386.330
L253	-33 104.060	3 221 813.460	R253	-29 065.410	3 221 426.640
L254	-33 191.390	3 221 827.310	R254	-29 163.580	3 221 437.060
L255	-33 293.030	3 221 838.210	R255	-29 555.260	3 221 479.320

Vel Sheet	21	Van of	22	P684/08
--------------	----	-----------	----	---------

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES							
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE			
	Y	X	WG 25°		Y	X	
L256	-33 379.840	3 221 847.280	R256	-29 578.960	3 221 482.560		
L257	-33 494.870	3 221 856.100	R257	-29 718.770	3 221 505.010		
L258	-33 629.500	3 221 869.720	R258	-29 846.570	3 221 516.800		
L259	-33 837.760	3 221 891.480	R259	-29 940.240	3 221 518.790		
L260	-33 922.920	3 221 900.190	R260	-30 051.460	3 221 530.230		
L261	-33 939.610	3 221 900.810	R261	-30 265.070	3 221 552.490		
L262	-34 088.300	3 221 918.230	R262	-30 513.310	3 221 578.690		
L263	-34 165.300	3 221 929.630	R263	-30 832.310	3 221 612.190		
L264	-34 620.800	3 221 977.160	R264	-31 216.570	3 221 652.190		
L265	-34 625.400	3 221 977.670	R265	-31 464.170	3 221 678.170		
L266	-34 907.470	3 222 007.510	R266	-31 704.680	3 221 703.480		
L267	-35 139.640	3 222 031.830	R267	-32 320.690	3 221 768.330		
L268	-35 257.100	3 222 044.030	R268	-32 642.580	3 221 803.520		
L269	-35 611.200	3 222 081.220	R269	-32 704.830	3 221 808.590		
L270	-35 932.840	3 222 115.770	R270	-33 003.450	3 221 839.960		
L271	-35 942.380	3 222 116.790	R271	-33 301.930	3 221 871.060		
L272	-36 011.600	3 222 125.450	R272	-33 674.850	3 221 910.500		
L273	-36 094.740	3 222 135.840	R273	-33 766.970	3 221 925.770		
L274	-36 188.360	3 222 148.780	R274	-33 885.720	3 221 934.580		
L275	-36 288.180	3 222 163.390	R275	-33 914.280	3 221 944.850		
L276	-36 340.030	3 222 168.140	R276	-33 997.660	3 221 948.270		
L277	-36 418.080	3 222 181.560	R277	-34 335.910	3 221 979.760		
L278	-36 464.380	3 222 188.550	R278	-34 616.840	3 222 009.030		
L279	-36 565.300	3 222 202.970	R279	-34 621.110	3 222 009.390		
L280	-36 789.560	3 222 235.100	R280	-34 901.670	3 222 039.000		
L281	-37 251.790	3 222 301.310	R281	-35 262.280	3 222 076.460		
L282	-37 284.120	3 222 305.890	R282	-35 506.790	3 222 102.370		
L283	-37 843.580	3 222 386.060	R283	-35 622.210	3 222 114.580		
L284	-38 346.360	3 222 458.120	R284	-35 807.960	3 222 133.940		
L285	-38 762.730	3 222 517.650	R285	-35 954.150	3 222 149.100		
L286	-38 958.610	3 222 545.710	R286	-36 095.720	3 222 168.330		
L287	-39 178.240	3 222 577.150	R287	-36 126.730	3 222 172.660		
L288	-39 303.910	3 222 595.060	R288	-36 184.300	3 222 180.620		
L289	-39 632.200	3 222 638.100	R289	-36 339.290	3 222 202.640		
L290	-39 675.490	3 222 629.540	R290	-36 447.040	3 222 218.150		
L291	-39 704.650	3 222 633.500	R291	-36 540.870	3 222 231.740		
L292	-39 716.010	3 222 651.190	R292	-36 785.080	3 222 266.670		
			R293	-37 269.850	3 222 336.100		
			R294	-37 289.850	3 222 338.920		
			R295	-37 794.720	3 222 411.210		
			R296	-38 342.350	3 222 489.910		
			R297	-38 758.080	3 222 549.380		
			R298	-38 953.470	3 222 577.150		
			R299	-39 233.230	3 222 617.390		
			R300	-39 567.690	3 222 665.280		
			R301	-39 628.480	3 222 678.240		
			R302	-39 660.710	3 222 697.810		
			R303	-39 693.390	3 222 708.390		
			R304	-39 707.690	3 222 688.370		
				Vel Sheet	22 of	22	P684/08