

NOTICE 437 OF 2009**DEPARTMENT OF PUBLIC WORKS
AGRÉMENT SOUTH AFRICA****(Approval of innovative construction products and systems)**

Notice is hereby given that Agrément South Africa has, with effect from 25 March 2009, issued an Agrément certificate, details of which appear in the schedule hereto.

SCHEDULE

Agrément Certificate No 2009/357

Name of product: Gundle USB Co-Extruded Surface-Bed Membrane

Certificate holder: Gundle API (Pty) Ltd

Description: The Gundle USB Co-Extruded surface-bed membrane is co-extruded and consists of a 57 micron thick top layer of green low density polyolefin, a 57 micron thick middle layer of black low density polyolefin and a 57 micron thick carbon black filled low density polyolefin bottom layer. The finished thickness of the nominal membrane is 170µm and is supplied in 30 m long x 3 m, 4m and 6 m wide sheets. The membrane is manufactured from recycled material.

Gundle USB Co-Extruded surface-bed membrane is suitable for installation as an under surface- bed membrane to prevent rising damp entering the concrete. It can be use in all regions of South Africa.

The Agrément certificate contains detailed information on the product and can be accessed at <http://www.agrement.co.za>

Copies are obtainable from: The Manager
Agrément South Africa
P O Box 395
0001 PRETORIA