

NOTICE 438 OF 2009**DEPARTMENT OF PUBLIC WORKS
AGRÉMENT SOUTH AFRICA****(Approval of innovative construction products and systems)**

Notice is hereby given that Agrément South Africa has, with effect from 11 February 2009, issued an Agrément certificate, details of which appear in the schedule hereto.

SCHEDULE

Agrément Certificate No 2009/353

Name of product: Spunsalation 5 Roofing Radiant Barrier

Certificate holder: Monier Roofing (Pty) Ltd SA

Description:

The Spunsalation 5 Roofing Radiant Barrier is manufactured from pigmented ultraviolet light-resistant, non-toxic flame retardant, green non-woven polypropylene spunbond membrane laminated by means of homogenous polyolefin film web to both sides of the aluminium vacuum metallised biaxially oriented polypropylene (BOPP) layer. The membrane has a weight of 251 g/m² and a thickness of between 0, 51 mm to 0, 53 mm. It is supplied in rolls 30 m long and 1, 5 m wide.

Spunsalation 5 Roofing Radiant Barrier is suitable for installation in housing and industrial buildings used in conjunction with timber and steel roof construction with concrete roof tiles or galvanised sheet steel cladding and for use in conjunction with side claddings. It can be used in all regions of South Africa when used in the conventional manner to:

- reduce air movement between tiles, since the membrane can contribute to maintaining a balanced air pressure on both sides of the roof tiles
- reduce ingress to the roof space of wind-driven rain and dust.

The Agrément certificate contains detailed information on the product and can be accessed at <http://www.agrement.co.za>

Copies are obtainable from: The Manager
Agrément South Africa
P O Box 395
0001 PRETORIA