

NOTICE 211 OF 2010**DEPARTMENT OF PUBLIC WORKS
AGRÉMENT SOUTH AFRICA**

(Approval of innovative construction products and systems)

Notice is hereby given that Agrément South Africa has, with effect from 13 May 2009, issued an Agrément certificate, details of which appear in the schedule hereto.

SCHEDULE

Agrément Certificate No 2009/361

Name of product: Nampak L & CP

Certificate holder: "Nam-Tex" Blue Roofing Undertile Membrane

Description: The "Nam-Tex" Blue Roofing Undertile Membrane is manufactured from two outer layers of non-woven, UV- stabilised, spunbonded polypropylene. The two outer layers of spunbond material are laminated together using a blend of polypropylene, low density polyethylene and UV stabiliser. The membrane has a weight of 137 g/m² and a thickness of 0, 40 mm. It is supplied in rolls 30 m long and 1, 5 m wide.

The "Nam-Tex" Blue Roofing Undertile Membrane is suitable for installation in all tiled-roof buildings with timber roof construction having a pitch of less than 60 degree.

The Agrément certificate contains detailed information on the product and can be accessed at <http://www.agrement.co.za>

Copies are obtainable from: The Manager
Agrément South Africa
P O Box 395
0001 **PRETORIA**