

**NOTICE 213 OF 2010****DEPARTMENT OF PUBLIC WORKS  
AGRÉMENT SOUTH AFRICA**

(Approval of innovative construction products and systems)

Notice is hereby given that Agrément South Africa has, with effect from 21 October 2009, issued an Agrément certificate, details of which appear in the schedule hereto.

**SCHEDULE**

Agrément Certificate No 2007/332(Amended October 2009)

**Name of product:** Gundle API (Pty) Ltd

**Certificate holder:** Gundle UT Woven Tile Underlay Membrane

**Description:** The Gundle UT Woven Tile Underlay is manufactured from a laminate of spunbonded material and virgin polyethylene and is available as a black or white membrane. The spunbond layers are UV-stabilised. The membrane has a nominal mass of 142 g/m<sup>2</sup> and the thickness vary between 0,305 mm to 0,335 mm. It is supplied in rolls of 30 m, 40 m long and 1, 25 m wide.

Gundle UT Woven Tile Underlay is suitable for installation in all tiled-roof buildings with timber roof construction having a pitch of less than 60 degree. It was not evaluated for metal roof construction and side-wall cladding. It can be used in all regions of South Africa when used in the conventional manner to:

- reduce air movement between tiles, since the membrane can contribute to maintaining a balanced air pressure on both sides of the roof tiles
- reduce ingress to the roof space of wind-driven rain and dust.

The Agrément certificate contains detailed information on the product and can be accessed at <http://www.agrement.co.za>

Copies are obtainable from: The Manager  
Agrément South Africa  
P O Box 395  
0001 PRETORIA