

ANTHROPOSOPHY

SCHEDULE 0

APPROVED NAME	Synonym/ Abbreviation Code/ Pin Yin Name for Plant	COMMON NAME	Lowest potency permitted for Anthroposophical and Homoeopathic substances	Upper potency - Label warning to appear between lowest potency and upper potency	Upper allowable Potency
Glechoma hederacea	Glechoma		3	1	30
Glonoinum			3	6	30
Glucogenum			10		30
Gnaphallium leontopodium	Leontopodium alpinum		2		30
Gneis			3		30
Granat	Garnet, Sodium silycate natural		15	2	30
Granite			3		30
Granulocytes			5	6	30
Graphite			1		30
Gratiola officinalis	Gratiola		2	4	30
Gummi cerasi			4		30
Gyrus cinguli			5		30
Haematite			3		30
Halite			3		30
Hamamelis virginiana			0		30
Harpagophytum procumbens			3	3	30
Hedera helix			2	4	30
Helianthus tuberosus	Helianthus		12		30
Heliotrope			4		30
Helleborus foetidus			3	3	30
Helleborus niger			1	3	30
Hepar - Magnesium			4	7	30

ANTHROPOSOPHY						
SCHEDULE 0						
APPROVED NAME	Synonym/ Abbreviation Code/ Pin Yin Name for Plant	COMMON NAME	Lowest potency permitted for Anthroposophical and Homoeopathic substances	Upper potency - Label warning to appear between lowest potency and upper potency	Upper allowable Potency	
Hepar - Stannum			4	7	30	
Hepar Bovis			3	8	30	
Hepar piscis			3	8	30	
Hepar sulphuris			3		30	
Heurnia			3	3	30	
Hippocampus			5		30	
Hippophae rhamnoides			1		30	
Hirudo medicinalis			5	4	30	
Horn silver			5	6	30	
Humulus lupulus			0	1	30	
Hyazinth	Zirconium Silicate Natural		6	6	30	
Hydrastis canadensis			0	4	30	
Hyoscyamus niger			0	4	30	
Hypericum Auro cultum			2	3	30	
Hypericum perforatum			0	3	30	
Hypophysis			3	8	30	
Hypothalamus			5	6	30	
Hyssopus officinalis			Ext		30	
Ileum			4		30	
Imperatoria ostruthium			0		30	
Iodum			4	7	30	
Iris Bovis			4	4	30	

ANTHROPOSOPHY					
SCHEDULE 0					
APPROVED NAME	Synonym/ Abbreviation Code/ Pin Yin Name for Plant	COMMON NAME	Lowest potency permitted for Anthroposophical and Homoeopathic substances	Upper potency - Label warning to appear between lowest potency and upper potency	Upper allowable Potency
Iris germanica			0	4	30
Iris pseudachorus			P	4	30
Iris versicolor			3	1	30
Jasper			6		30
Jecoris oleum	Fish Liver Oil		10 % P	8	30
Jejunum			5		30
Juglans regia			0	1	30
Juniperus communis			10 % P	2	30
Juniperus sabina	Sabina		3	4	30
Kalanchoe diagremonitana	Bryophyllum		P		30
Kalanchoe pinnata	Bryophyllum		5 %		30
Kalium aceticum			2	4	30
Kalium aceticum comp			2	4	30
Kalium arsenicosum			4	6	30
Kalium bichromicum			4	7	30
Kalium carbonicum			2	2	30
Kalium carbonicum e cinere Fagi			0,001 %	2	30
Kalium chloratum comp			2		30
Kalium iodatum			2	4	30
Kalium muriaticum			2	6	30
Kalium nitricum			2	6	30
Kalium phosphoricum			2		30

ANTHROPOSOPHY					
SCHEDULE 0					
APPROVED NAME	Synonym/ Abbreviation Code/ Pin Yin Name for Plant	COMMON NAME	Lowest potency permitted for Anthroposophical and Homoeopathic substances	Upper potency - Label warning to appear between lowest potency and upper potency	Upper allowable Potency
Kalium sulphuratum			P	3	30
Kalium sulphuricum			2		30
Kalium sulphuricum comp			3		30
Kalmia latifolia			1	6	30
Kaolinite			100 %		30
Keratinum Equi.			3		30
Kieserite			2	3	30
Krameria triandra			P	4	30
Labdanum	Ratanhia		Ext	6	30
Labyrinthus			5		30
Lac papaveris somniferi			6	6	30
Lac taraxaci			10		30
Lac Vaccae			30	3	30
Lachesis muta			6	8	30
Lactose			100 %		30
Lamina quadrigemina			4		30
Lamina quadrigemina Stibio tractica			4		30
Lanium album			3		30
Lapis albus			3		30
Lapis cancri			2	2	30
Lapis Cancric praeparatus			2		30
Lapis Cancric / Flint			15	2	30

ANTHROPOSOPHY

SCHEDULE 0

APPROVED NAME	Synonym/ Abbreviation Code/ Pin Yin Name for Plant	COMMON NAME	Lowest potency permitted for Anthroposophical and Homoeopathic substances	Upper potency - Label warning to appear between lowest potency and upper potency	Upper allowable Potency
Lapis seclilis			3		30
Lappa major			5 % P	1	30
Larynx			4		30
Lathyrus sativus			2	4	30
Laurus nobilis	Laurus		2		30
Lava			3	3	30
Lavandula angustifolia			1 % P		30
Ledum palustre			2		30
Lens cristallina			5	8	30
Lens cristallina Columbae			4	8	30
Lens cristallina embryonalis			4	8	30
Leonurus cardiaca			0	1	30
Levico			2	4	30
Levisticum officinale			20 % P		30
Lien			4	8	30
Ligamentum latum uteri			5		30
Ligamentum longitudinale anterius posterius			5		30
Ligamentum vocale			5		30
Lilium candidum			6		30
Lilium tigrinum			2		30
Lingua	Tongue		5	8	30

ANTHROPOSOPHY					
SCHEDULE 0					
APPROVED NAME	Synonym/ Abbreviation Code/ Pin Yin Name for Plant	COMMON NAME	Lowest potency permitted for Anthroposophical and Homoeopathic substances	Upper potency - Label warning to appear between lowest potency and upper potency	Upper allowable Potency
<i>Linum usitatissimum</i>	Lini		P		30
<i>Liquor cerebrosppinalis</i>			5		30
<i>Lisea cubeba</i>			6		30
<i>Lithium carbonicum</i>			3	4	30
<i>Lithops</i>			3	3	30
<i>Lobaria pulmonaria</i>	Sticta		P		30
<i>Lobelia inflata</i>			4	4	30
<i>Lobus frontalis</i>			5		30
<i>Lobus occipitalis</i>			5		30
<i>Lobus parietalis</i>			5		30
<i>Lobus temporalis</i>			5		30
<i>Lycopodium clavatum</i>	Lycopodium		2	3	30
<i>Lycopus virginicus</i>			0		30
<i>Lycosa fasciventris</i>	Tarantula		4	8	30
<i>Lycosa hispanica</i>	Tarantula		4		30
<i>Lycosa tarantula</i>	Tarantula		4		30
<i>Lymphocytes</i>			5	6	30
<i>Lysimachia nummularia</i>			5 % P		30
<i>Magnesite</i>			1		30
<i>Magnesium chloratum</i>			3		30
<i>Magnesium hydroxydatum</i>			4		30
<i>Magnesium metallicum</i>			1	3	30

ANTHROPOSOPHY					
SCHEDULE 0					
APPROVED NAME	Synonym/ Abbreviation Code/ Pin Yin Name for Plant	COMMON NAME	Lowest potency permitted for Anthroposophical and Homoeopathic substances	Upper potency - Label warning to appear between lowest potency and upper potency	Upper allowable Potency
Magnesium phosphoricum			3		30
Magnesium phosphoricum acidum			3		30
Magnesium phosphoricum cum cinere avenae			1 % P		30
Magnesium sulphuricum			2		30
Malachite			P	3	30
Maltum			P		30
Malva arborea			1		30
Malva sylvestris	Malva		0		30
Mamma			4		30
Mamma (dextra)			4		30
Mamma (sinistra)			4		30
Mandibula (feti)			5		30
Mandragora			0	4	30
Marmor			3		30
Marmota bobak sibirica	Marmota		15%		30
Marmota camtschatica	Marmota		0		30
Marmota fat	Marmota		0		30
Marmota marmota marmota	Marmota		0		30
Marrubium album			P	1	30
Marsdenia cundurango	Condurango		10 % P		30
Marum verum			1		30

ANTHROPOSOPHY					
SCHEDULE 0					
APPROVED NAME	Synonym/ Abbreviation Code/ Pin Yin Name for Plant	COMMON NAME	Lowest potency permitted for Anthroposophical and Homoeopathic substances	Upper potency - Label warning to appear between lowest potency and upper potency	Upper allowable Potency
Matricaria chamomilla		Chamomile	10 % P	1	30
Maxilla (feti)			5		30
Medulla oblongata			4		30
Medulla oblongata Stibio tractata			6		30
Medulla oblongata (ventriculus quartus)			5		30
Medulla Ossium			3		30
Medulla spinalis			3		30
Medulla spinalis Stibio tractata			4		30
Medulla spinalis (cervicales)			5		30
Medulla spinalis (lumbalis)			5		30
Medulla spinalis (sacralis)			5		30
Medulla spinalis (thoracica)			5		30
Mel			P		30
Melaleuca leucadendra	Cajeputum		Ext	4	30
Melilotus officinalis			2	3	30
Melissa Cupro culta			2		30
Melissa indicum			Ext		30
Melissa officinalis	Melissa		P		30
Membrana labyrinthi ethmoidalis			5		30
Membrana Sinus frontalis			4		30
Membrana Sinus maxillaris			5		30
Membrana Sinus sphenoidalis			5		30

ANTHROPOSOPHY

SCHEDULE 0

APPROVED NAME	Synonym/ Abbreviation Code/ Pin Yin Name for Plant	COMMON NAME	Lowest potency permitted for Anthroposophical and Homoeopathic substances	Upper potency - Label warning to appear between lowest potency and upper potency	Upper allowable Potency
Membrana Sinuum paranasalium			4		30
Membrana synovialis			5		30
Meniscus			3	4	30
Mentha piperita			P		30
Mephitis putorius			5	6	30
Mercurialis perennis	Mercurialis		P	4	30
Mercurius auratus			6	8	30
Mercurius biiodatus			4	8	30
Mercurius cyanatus			3	8	30
Mercurius dulcis			3	8	30
Mercurius solubilis Hahnemanni			3	8	30
Mercurius sublimatus corrosivus			4	8	30
Mercurius sulphuratus ruber			5	4	30
Mercurius sulphuricus			P	8	30
Mercurius vivus			P	8	30
Mercurius vivus naturalis			4	8	30
Mesencephalon			5		30
Mesenchym			4		30
Methane			2		30
Methyl salicylate			1%	1	30
Mezereum			3	6	30
Minium			3	8	30

ANTHROPOSOPHY						
SCHEDULE 0						
APPROVED NAME	Synonym/ Abbreviation Code/ Pin Yin Name for Plant	COMMON NAME	Lowest potency permitted for Anthroposophical and Homoeopathic substances	Upper potency - Label warning to appear between lowest potency and upper potency	Upper allowable Potency	
Murex brandaris	Murex		6	6	30	
Murex cornutus	Murex		0		30	
Murex trunculus	Murex		0		30	
Musculi glutaei			5		30	
Musculus buccinator et musc. masseter			8		30	
Musculus deltoides			5		30	
Musculus deltoideus-komplex			5		30	
Musculus ilipsoas			5		30	
Musculus occipitofrontalis et venter frontalis			8		30	
Musculus orbicularis oris			8		30	
Musculus pectoralis-komplex			5		30	
Musculus rectus abdominis			5		30	
Musculus sacrospinalis			5		30	
Musculus soleus-komplex			5		30	
Musculus sternocleidomastoideus			5		30	
Mygale avicularis			4	8	30	
Myocardium			5	8	30	
Myosin			3		30	
Myristica sebifera			3		30	
Myroxylon balsamum	Balsamum peruvianum		Ext	6	30	
Myrrha comp			6	5	30	

ANTHROPOSOPHY					
SCHEDULE 0					
APPROVED NAME	Synonym/ Abbreviation Code/ Pin Yin Name for Plant	COMMON NAME	Lowest potency permitted for Anthroposophical and Homoeopathic substances	Upper potency - Label warning to appear between lowest potency and upper potency	Upper allowable Potency
Myrrha comp / Belladonna			6	5	30
Myrrha comp / Lamina			6	5	30
Naja tripudians			10	8	30
Nasturtium aquaticum	Nasturtium		5 % P		30
Nasturtium Mercurio cultum			2		30
Nasturtium officinale	Nasturtium		0		30
Natrium carbonicum			10 %		30
Natrium muriaticum			13,5 %		30
Natrium phosphoricum			9		30
Natrium silicicum			1	2	30
Natrium sulphuricum			3		30
Neoffia			3		30
Nerium oleander	Oleander		0	4	30
Nervi intercostales			5		30
Nervus abducens			5		30
Nervus accessorius			5		30
Nervus acusticus			6		30
Nervus acusticus Stibio tractatus			6		30
Nervus et ductus cochlearis			5		30
Nervus facialis			5		30
Nervus femoralis			5		30
Nervus glosso-pharyngeus			5		30

ANTHROPOSOPHY					
SCHEDULE 0					
APPROVED NAME	Synonym/ Abbreviation Code/ Pin Yin Name for Plant	COMMON NAME	Lowest potency permitted for Anthroposophical and Homoeopathic substances	Upper potency - Label warning to appear between lowest potency and upper potency	Upper allowable Potency
Nervus hypoglossus			5		30
Nervus ischiadicus			4		30
Nervus laryngeus recurrens			5		30
Nervus laryngeus superior			5		30
Nervus medianus			5		30
Nervus oculomotorius			5		30
Nervus ophthalmicus			5		30
Nervus opticus			5		30
Nervus peronaeus			5		30
Nervus phrenicus			6		30
Nervus pudendus			5		30
Nervus radialis			5		30
Nervus splanchnicus major			5		30
Nervus splanchnicus minor			5		30
Nervus statoacusticus			5		30
Nervus tibialis			5		30
Nervus trigeminus			5		30
Nervus trochlearis			5		30
Nervus ulnaris			5		30
Nervus vagus			5		30
Nervus vagus, pars cervicales			5		30
Nervus vagus, pars thoracica			5		30

ANTHROPOPHY					
SCHEDULE 0					
APPROVED NAME	Synonym/ Abbreviation Code/ Pin Yin Name for Plant	COMMON NAME	Lowest potency permitted for Anthroposophical and Homoeopathic substances	Upper potency - Label warning to appear between lowest potency and upper potency	Upper allowable Potency
Neurohypophysis			4	6	30
Nicotiana tabacum	Tabacum		2	3	30
Nodi lymphatici			4		30
Nontronite			3		30
Nucleus pulposus			5	7	30
Nucleus ruber			5	7	30
Nux moschata			2 % P	4	30
Nux vomica			0	3	30
Ocimum basilicum	Basilicum		10 % P		30
Oesophagus			5		30
Olibanum fumatum	Olibanum		2		30
Oliveite			5	6	30
Omentum majus			5		30
Ononis spinosa			2		30
Onopordum acanthium	Onopordon		P		30
Onyx			6		30
Opal			8		30
Orchis			7		30
Origanum majorana	Majorana		0		30
Orthoclase			3		30
Ossa			3		30
Ossicula auditus			5		30

ANTHROPOSOPHY					
SCHEDULE 0					
APPROVED NAME	Synonym/ Abbreviation Code/ Pin Yin Name for Plant	COMMON NAME	Lowest potency permitted for Anthroposophical and Homoeopathic substances	Upper potency - Label warning to appear between lowest potency and upper potency	Upper allowable Potency
Ovarium			1	8	30
Ovarium (dextrum)			5	8	30
Ovarium (sinistrum)			5	8	30
Oxalis acetosella	Oxalis		P	1	30
Paeonia officinalis	Paeonia		1		30
Pallasite			6		30
Panax ginseng	Ginseng		0	1	30
Pancreas			1	8	30
Pandanus utilis	Pandanus		2	6	30
Papaver rhoeas			2	2	30
Papaver somniferum			3	24	30
Papillae duodeni			5	8	30
Parametrium			5		30
Parametrium (dextrum)			5		30
Parametrium (sinistrum)			5		30
Paris quadrifolia			5		30
Parmelia Ach.	Parmelia		2	3	30
Pars fetalis			10		30
Pars intermedia (hypophysis)			5	8	30
Pars pallida			5	8	30
Pars uterina (placenta)			6		30
Passiflora caerulea	Passiflora		5	8	30
			P	1	30

ANTHROPOSOPHY

SCHEDULE 0

APPROVED NAME	Synonym/ Abbreviation Code/ Pin Yin Name for Plant	COMMON NAME	Lowest potency permitted for Anthroposophical and Homoeopathic substances	Upper potency - Label warning to appear between lowest potency and upper potency	Upper allowable Potency
Passiflora incarnata	Passiflora		0		30
Patella			5		30
Pel talpae			3		30
Pelargonium species	Geranium		0,4 % P		30
Pelvis renalis			5		30
Pelvis Renis (et Ureter)			6		30
Penis			5		30
Pericardium			5		30
Periodontium			5		30
Periosteum			5		30
Peritoneum			5		30
Petasites hybridus	Petasites		0		30
Petroleum			2	7	30
Petroselinum crispum	Petroselinum		2	4	30
Pharmacolite			4	6	30
Pharynx			5		30
Pharynx, pars laryngea			5		30
Pharynx, pars nasalis			5		30
Pharynx, pars oralis			5		30
Phosphorochalcite			6		30
Phosphorus			P	5	30
Phyllitis scolopendrium	Scolopendrium		0		30

ANTHROPOSOPHY						
SCHEDULE 0						
APPROVED NAME	Synonym/ Abbreviation Code/ Pin Yin Name for Plant	COMMON NAME	Lowest potency permitted for Anthroposophical and Homoeopathic substances	Upper potency - Label warning to appear between lowest potency and upper potency	Upper allowable Potency	
<i>Phyllostachys viridiglaucescens</i>	Bambusa		0		30	
<i>Phytolacca americana</i>	Phytolacca		0	4	30	
<i>Phytolacca decandra</i>	Phytolacca		0	2	30	
<i>Pia mater encephali</i>			5		30	
<i>Picea abies</i>	Picea		0		30	
<i>Pilocarpus jaborandi</i>	Jaborandi, Pilocarpus microphyllus		2	3	30	
<i>Pimpinella anisum</i>			P	4	30	
<i>Pinus laricionis</i>			20 % P	4	30	
<i>Pinus palustris</i>			20 % P	4	30	
<i>Pinus pinaster</i>			20 % P	4	30	
<i>Pinus pumilionis</i>			20 % P	4	30	
<i>Pinus sylvestris</i>			20 % P	4	30	
<i>Piper nigrum</i>	Piper		0,1 % P	4	30	
<i>Piscis</i>			12		30	
<i>Placenta</i>			5	8	30	
<i>Placenta (bovis)</i>			4	8	30	
<i>Placenta (hominis)</i>			5	8	30	
<i>Plantago lanceolata</i>	Plantago		0		30	
<i>Platinum chloratum</i>			5	6	30	
<i>Platinum metallicum</i>			6	8	30	
<i>Platinum naturale</i>			8	8	30	

ANTHROPOSOPHY					
SCHEDULE 0					
APPROVED NAME	Synonym/ Abbreviation Code/ Pin Yin Name for Plant	COMMON NAME	Lowest potency permitted for Anthroposophical and Homoeopathic substances	Upper potency - Label warning to appear between lowest potency and upper potency	Upper allowable Potency
Pleura			5	8	30
Pleura pulmonalis			6	8	30
Plexus aorticus abdominalis			5		30
Plexus aorticus thoracicus			5		30
Plexus brachialis			5		30
Plexus brachialis Stibio tractatus			6		30
Plexus cardiacus			5		30
Plexus coeliacus			5		30
Plexus coronarius cordis			5		30
Plexus gastricus			5		30
Plexus gastricus (anterior)			5		30
Plexus gastricus (posterior)			5		30
Plexus gastricus (superior)			5		30
Plexus hepaticus			5		30
Plexus iliaci			5		30
Plexus lumbalis			5		30
Plexus mesentericus inferior			5		30
Plexus mesentericus superior			5		30
Plexus oesophageus			5		30
Plexus pelvinus			5		30
Plexus pharyngeus			5		30
Plexus pulmonalis			5		30

ANTHROPOSOPHY					
SCHEDULE 0					
APPROVED NAME	Synonym/ Abbreviation Code/ Pin Yin Name for Plant	COMMON NAME	Lowest potency permitted for Anthroposophical and Homoeopathic substances	Upper potency - Label warning to appear between lowest potency and upper potency	Upper allowable Potency
Plexus rectalis			5		30
Plexus renalis			5		30
Plexus sacralis			5		30
Plexus suprarenalis			5		30
Plexus uterovaginalis			5		30
Plexus venosus prostaticus			5		30
Plumbum aceticum			4	8	30
Plumbum chloratum			3	8	30
Plumbum iodatum			Ext	8	30
Plumbum mellitum			6	8	30
Plumbum metallicum			3	8	30
Plumbum naturale			3	8	30
Plumbum silicicum			6	8	30
Podophyllum peltatum			4	8	30
Polygala amara			2		30
Polygala senega	Senega		1	4	30
Polygonatum			Ext		30
Polypodium			0		30
Pons			5		30
Populus tremula			1	1	30
Portio vaginalis			5		30
Potentilla anserina			2		30

ANTHROPOSOPHY					
SCHEDULE 0					
APPROVED NAME	Synonym/ Abbreviation Code/ Pin Yin Name for Plant	COMMON NAME	Lowest potency permitted for Anthroposophical and Homoeopathic substances	Upper potency - Label warning to appear between lowest potency and upper potency	Upper allowable Potency
Potentilla erecta	Tormentilla		0		30
Potentilla tormentilla	Tormentilla		0		30
Primula Auro culta			2	8	30
Primula farinosa			3		30
Primula officinalis	Primula		P	8	30
Primula veris	Primula		0		30
Processus mastoideus			5		30
Prostata			4		30
Prostata, lobus medius			4		30
Prunus laurocerasus	Laurocerasus		4		30
Prunus spinosa			12 %	4	30
Pteridium aquilinum			P	1	30
Pudendum feminum			1	3	30
Pulmo			4		30
Pulmo dexter			4		30
Pulmo sinister			4		30
Pulpa dentis			4		30
Pulsatilla pratensis	Pulsatilla		5		30
Pulsatilla vulgaris	Pulsatilla		2	4	30
Pylorus			0		30
Pyrrargyrite			5		30
Pyrite			4	4	30
			2		30

ANTHROPOSOPHY					
SCHEDULE 0					
APPROVED NAME	Synonym/ Abbreviation Code/ Pin Yin Name for Plant	COMMON NAME	Lowest potency permitted for Anthroposophical and Homoeopathic substances	Upper potency - Label warning to appear between lowest potency and upper potency	Upper allowable Potency
Pyrogenium			10	24	30
Pyrolucite			3	8	30
Pyromorphite			8	8	30
Pyrus malus			4	2	30
Quartz			50 %		30
Quassia amara			0	1	30
Quercus petraea	Quercus		0	1	30
Quercus robur	Quercus		0		30
Radiatio optica			5		30
Radix mesenterii			5		30
Ranunculus bulbosus			2	3	30
Raphanus sativus			2	2	30
Rauwolfia serpentina	Rauwolfia		0	6	30
Realgar			4	6	30
Rectum			4		30
Regio substantiae nigrae			5		30
Ren			3	8	30
Ren (dexter)			3	8	30
Ren (sinister)			3	8	30
Renes, regio pyelorenalis			5	8	30
Resina bryoniae			3		30
Resina Laricis			2	4	30