
GOVERNMENT NOTICE

DEPARTMENT OF TRANSPORT

No. 906

15 October 2010

THE SOUTH AFRICAN NATIONAL ROADS AGENCY LIMITED


Registration No: 98/09584/06

DECLARATION AMENDMENT OF NATIONAL ROAD N14 SECTION 4


AMENDMENT OF DECLARATION NO. 629 OF 2005

By virtue of section 40(1)(b) of the South African National Roads Agency Limited and the National Roads Act, 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 629 of 2005, by substituting the descriptive section of the route from Keimoes up to Upington, with the subjoined sheets 1 to 10 of Plan No. P765/09.


(National Road N14 Section 4: Keimoes – Upington)




MINISTER OF TRANSPORT




Die Suid Afrikaanse Nasionale Podogentskap Beperk	Die figuur getoon		steldie podreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N14 of National Route	Vel Sheet	1 of	10
The South African National Roads Agency Limited	The figure shown			4	Plan	P765/09




Die Suid Afrikaanse Nasionale Padagentskap Beperk The South African National Roads Agency Limited	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N14 of National Route	Vel Sheet 2 of 10 Plan P765/09
--	---------------------------------------	---	--------------------------------------



Die Suid Afrikaanse Nasionale Padagentskap Beperk	Die figuur getoon		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion	Vel Sheet	3 of	10
The South African National Roads Agency Limited	The figure shown			4	Plan	P765/09



Die Suid Afrikaanse Nasionale Padagentskap Beperk	Die figuur getoon		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N14 of National Route	Vel Sheet	4 of	10
The South African National Raads Agency Limited	The figure shown			4	Plan	P765/09



Die Suid Afrikaanse Nasionale Padagentskap Beperk The South African National Roads Agency Limited	Die figuur getoon The figure shown	stelde padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N14 of National Route	4	Vel Sheet 5 of 10	Plan P765/09
--	---------------------------------------	--	---	----------------------	--------------

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 21°			Y	X		
L1	1 872.590	3 177 331.120		R1	1 857.280	3 177 333.740			
L2	1 874.270	3 177 325.870		R2	1 850.410	3 177 297.560			
L3	1 877.870	3 177 321.210		R2X	1 849.670	3 177 291.090			
L4	1 877.190	3 177 301.900		R3	1 842.030	3 177 272.590			
L5	1 869.550	3 177 298.840		R4	1 832.530	3 177 256.400			
L6	1 864.730	3 177 292.840		R5	1 803.290	3 177 220.510			
L7	1 855.710	3 177 268.380		R6	1 790.080	3 177 203.060			
L8	1 845.690	3 177 250.580		R7	1 778.590	3 177 183.720			
L9	1 829.820	3 177 228.940		R8	1 769.050	3 177 152.190			
L10	1 801.810	3 177 194.080		R9	1 755.290	3 177 043.660			
L11	1 793.300	3 177 179.790		R10	1 750.940	3 177 009.410			
L12	1 783.880	3 177 158.150		R11	1 727.640	3 176 825.720			
L13	1 776.300	3 177 133.480		R12	1 716.430	3 176 795.640			
L14	1 761.260	3 177 014.690		R13	1 710.940	3 176 758.970			
L15	1 761.800	3 177 012.090		R14	1 702.440	3 176 722.180			
L16	1 760.910	3 177 011.870		R15	1 678.050	3 176 558.640			
L17	1 736.980	3 176 822.840		R16	1 674.030	3 176 514.670			
L18	1 726.060	3 176 714.720		R17	1 611.390	3 175 996.880			
L19	1 734.490	3 176 710.240		R18	1 560.840	3 175 609.200			
L20	1 737.850	3 176 708.460		R19	1 546.330	3 175 528.480			
L21	1 722.520	3 176 583.080		R20	1 532.410	3 175 466.630			
L22	1 719.770	3 176 550.200		R21	1 527.570	3 175 447.490			
L23	1 693.000	3 176 385.470		R22	1 511.380	3 175 390.710			
L24	1 683.150	3 176 315.670		R23	1 483.930	3 175 309.650			
L25	1 614.010	3 175 775.580		R24	1 453.600	3 175 233.610			
L26	1 596.730	3 175 639.830		R25	1 436.620	3 175 196.210			
L27	1 573.820	3 175 505.740		R26	1 417.070	3 175 156.140			
L28	1 546.650	3 175 399.590		R27	1 383.040	3 175 091.700			
L29	1 517.730	3 175 311.960		R28	1 324.020	3 174 995.890			
L30	1 511.070	3 175 292.820		R29	1 288.170	3 174 944.730			
L31	1 505.330	3 175 278.960		R30	1 264.160	3 174 912.590			
L32	1 469.880	3 175 193.490		R31	1 243.120	3 174 885.660			
L33	1 411.610	3 175 078.460		R32	1 150.190	3 174 771.820			
L34	1 354.260	3 174 984.450		R33	197.220	3 173 600.000			
L35	1 289.390	3 174 894.890		R34	165.830	3 173 614.660			
L36	1 165.500	3 174 741.120		R35	158.220	3 173 605.680			
L37	137.860	3 173 477.250		R36	177.730	3 173 576.080			
L38	49.990	3 173 384.290		R37	126.770	3 173 513.310			
L39	-31.270	3 173 310.170		R38	65.990	3 173 445.670			
L40	-87.920	3 173 264.300		R39	-13.990	3 173 366.830			
L41	-3 267.270	3 170 866.340		R40	-55.570	3 173 330.490			
L42	-3 332.190	3 170 817.170		R41	-126.920	3 173 273.630			
L43	-3 410.310	3 170 758.540		R42	-169.190	3 173 242.030			
L44	-3 499.710	3 170 691.090		R43	-2 720.530	3 171 318.130			
L45	-3 589.310	3 170 623.660		R44	-2 752.110	3 171 334.960			
L46	-3 834.620	3 170 438.430		R45	-2 763.080	3 171 328.200			
L47	-3 904.590	3 170 386.610		R46	-2 746.990	3 171 298.040			
L48	-3 987.400	3 170 322.650		R47	-3 282.570	3 170 893.920			
L49	-4 076.670	3 170 255.280		R48	-3 348.070	3 170 844.630			
L50	-4 147.540	3 170 203.030		R49	-3 426.800	3 170 785.550			
L51	-4 378.670	3 170 040.120		R50	-3 516.660	3 170 718.060			
					Vel	7	Van	10	P765/09
					Sheet		of		

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 21°		Y		X	
L52	-4 524.220	3	169	937.960	R51	-3 606.620	3	170	650.270
L53	-5 407.770	3	169	315.340	R52	-3 728.650	3	170	557.500
L54	-6 541.340	3	168	516.740	R53	-3 847.830	3	170	468.230
L55	-6 815.680	3	168	322.770	R54	-3 920.600	3	170	413.370
L56	-6 889.040	3	168	271.430	R55	-4 006.930	3	170	347.930
L57	-6 964.860	3	168	216.020	R56	-4 115.460	3	170	265.620
L58	-7 034.670	3	168	157.160	R57	-4 401.840	3	170	063.440
L59	-7 101.010	3	168	093.900	R58	-4 421.270	3	170	061.980
L60	-7 164.860	3	168	025.470	R59	-4 425.950	3	170	058.080
L61	-7 293.280	3	167	875.070	R60	-4 429.560	3	170	043.970
L62	-7 566.990	3	167	554.470	R61	-4 548.720	3	169	959.840
L63	-7 745.640	3	167	344.730	R62	-5 424.010	3	169	342.150
L64	-7 918.490	3	167	141.750	R63	-6 556.660	3	168	544.060
L65	-7 914.150	3	167	131.590	R64	-6 834.830	3	168	351.990
L66	-7 917.070	3	167	128.230	R64X	-6 834.520	3	168	351.520
L67	-7 929.140	3	167	129.170	R65	-6 906.990	3	168	297.630
L68	-8 870.740	3	166	025.540	R66	-7 026.240	3	168	203.450
L69	-8 914.460	3	165	974.390	R67	-7 049.270	3	168	184.310
L70	-8 968.250	3	165	913.840	R68	-7 116.810	3	168	122.810
L71	-9 012.040	3	165	867.140	R69	-7 178.900	3	168	057.050
L72	-9 067.260	3	165	810.610	R70	-7 299.040	3	167	916.600
L73	-9 123.970	3	165	755.510	R71	-7 315.580	3	167	917.600
L74	-9 183.900	3	165	700.490	R72	-7 327.860	3	167	898.870
L75	-9 249.020	3	165	643.420	R73	-7 326.100	3	167	885.660
L76	-9 299.980	3	165	600.890	R74	-7 632.150	3	167	526.790
L77	-9 776.140	3	165	232.620	R75	-7 937.170	3	167	169.010
L78	-9 782.820	3	165	228.740	R76	-7 948.020	3	167	172.010
L79	-9 906.250	3	165	134.220	R77	-7 950.670	3	167	168.430
L80	-10 549.420	3	164	639.670	R78	-7 947.850	3	167	156.470
L81	-10 550.280	3	164	639.070	R79	-8 889.580	3	166	051.590
L82	-10 547.760	3	164	635.720	R80	-8 942.620	3	165	989.860
L83	-10 752.240	3	164	472.570	R81	-8 956.080	3	165	974.620
L84	-11 001.110	3	164	270.210	R82	-9 009.730	3	165	915.540
L85	-11 074.010	3	164	197.050	R83	-9 036.240	3	165	887.360
L86	-11 116.100	3	164	141.730	R84	-9 063.710	3	165	859.000
L87	-11 132.800	3	164	121.480	R85	-9 077.260	3	165	845.280
L88	-11 148.520	3	164	090.840	R86	-9 104.630	3	165	818.270
L89	-11 275.250	3	163	952.590	R87	-9 145.980	3	165	778.330
L90	-11 326.160	3	163	895.970	R88	-9 202.920	3	165	725.830
L91	-11 328.570	3	163	892.590	R89	-9 217.060	3	165	713.140
L92	-11 340.670	3	163	878.050	R90	-9 231.180	3	165	700.670
L93	-11 470.850	3	163	723.030	R91	-9 306.680	3	165	636.150
L94	-11 473.140	3	163	725.520	R92	-9 430.480	3	165	539.460
L95	-12 883.480	3	162	019.180	R93	-9 794.290	3	165	259.880
L96	-13 181.840	3	161	657.790	R93X	-9 794.090	3	165	259.320
L97	-13 285.700	3	161	532.240	R94	-9 938.210	3	165	149.040
L98	-13 360.510	3	161	441.940	R95	-10 569.220	3	164	664.120
L99	-13 934.220	3	160	746.960	R96	-10 863.220	3	164	438.210
L100	-13 955.350	3	160	719.360	R97	-10 972.740	3	164	351.660
L101	-13 998.100	3	160	660.770	R98	-11 135.100	3	164	205.710
L102	-14 056.820	3	160	568.500	R99	-11 303.680	3	163	991.600
					Vel 8 Van 10 P765/09 Sheet of				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES											
LINKERKANT/LEFT HAND SIDE						REGTERKANT/RIGHT HAND SIDE					
	Y		X	WG 21°		Y		X			
L103	-14	330.390	3	160	080.130	R100	-11	368.530	3	163	908.990
L104	-14	306.490	3	160	053.430	R101	-11	439.120	3	163	819.300
L105	-14	414.740	3	159	920.710	R102	-11	470.500	3	163	783.140
L106	-14	417.750	3	159	923.990	R103	-11	474.390	3	163	774.530
L107	-14	707.900	3	159	405.620	R104	-11	494.260	3	163	749.060
L108	-16	079.420	3	156	956.410	R105	-11	494.250	3	163	748.480
L109	-16	321.200	3	156	522.410	R106	-12	903.600	3	162	043.750
L110	-16	402.840	3	156	375.510	R107	-13	166.710	3	161	725.170
L111	-16	749.230	3	155	752.250	R108	-13	201.970	3	161	682.790
L112	-16	799.880	3	155	661.290	R109	-13	210.630	3	161	681.000
L113	-17	000.460	3	155	301.810	R110	-13	216.650	3	161	673.300
L114	-17	066.570	3	155	183.570	R111	-13	234.190	3	161	651.640
L115	-17	161.950	3	155	021.950	R112	-13	241.010	3	161	650.990
L116	-17	274.900	3	154	819.230	R113	-13	248.270	3	161	626.690
L117	-17	295.130	3	154	781.010	R114	-13	315.290	3	161	545.440
L118	-17	326.340	3	154	701.290	R115	-13	357.660	3	161	493.980
L119	-17	352.410	3	154	613.880	R116	-13	377.790	3	161	493.520
L120	-17	416.100	3	154	374.930	R117	-13	385.320	3	161	484.440
L121	-17	479.430	3	154	138.190	R118	-13	383.490	3	161	469.640
L122	-17	497.790	3	154	068.890	R119	-13	382.760	3	161	463.490
L123	-17	498.370	3	154	069.010	R120	-13	999.550	3	160	718.640
L124	-17	947.160	3	152	392.890	R121	-14	080.910	3	160	589.380
L125	-17	968.070	3	152	323.210	R122	-14	428.250	3	159	968.690
L126	-18	009.920	3	152	222.820	R123	-15	058.790	3	158	842.950
L127	-18	063.680	3	152	127.750	R124	-15	348.230	3	158	325.420
L128	-18	128.070	3	152	039.480	R125	-15	686.040	3	157	722.380
L129	-18	199.380	3	151	962.820	R126	-15	695.270	3	157	720.910
L130	-18	193.070	3	151	947.370	R127	-15	696.190	3	157	718.640
L131	-18	198.300	3	151	942.740	R128	-15	707.670	3	157	696.180
L132	-18	199.920	3	151	944.540	R129	-15	705.350	3	157	687.890
L133	-18	214.110	3	151	948.810	R130	-15	983.113	3	157	192.058
L134	-18	336.440	3	151	830.810	R131	-16	000.870	3	157	179.290
L135	-18	466.990	3	151	705.330	R132	-16	036.220	3	157	154.590
L136	-18	729.970	3	151	451.850	R133	-16	097.340	3	157	045.640
L137	-18	777.160	3	151	407.550	R134	-16	098.530	3	157	025.860
L138	-18	867.650	3	151	333.700	R135	-16	101.240	3	156	981.190
L139	-18	910.620	3	151	304.400	R136	-16	346.150	3	156	544.770
L140	-18	957.840	3	151	276.630	R137	-16	351.220	3	156	548.270
L141	-19	022.250	3	151	244.410	R138	-16	354.800	3	156	544.650
L142	-19	184.580	3	151	175.030	R139	-16	788.770	3	155	759.960
L143	-19	273.180	3	151	145.010	R140	-16	867.120	3	155	618.180
L144	-19	285.930	3	151	141.350	R141	-16	879.690	3	155	618.370
L145	-19	358.300	3	151	122.990	R142	-16	882.350	3	155	612.100
L146	-19	454.740	3	151	108.370	R143	-16	875.030	3	155	603.710
L147	-19	537.260	3	151	103.430	R144	-17	033.630	3	155	317.340
L148	-20	069.100	3	151	116.240	R145	-17	188.720	3	155	037.760
L149	-20	097.120	3	151	113.640	R146	-17	292.290	3	154	853.490
						R147	-17	338.420	3	154	758.570
						R148	-17	352.170	3	154	717.170
						R149	-17	377.690	3	154	642.220
						R150	-17	412.890	3	154	507.990
						Vel	9	Van	10	P765/09	
						Sheet		of			

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES					
LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
Y	X	WG 21°	Y	X	
			R151	-17 504.340	3 154 167.500
			R152	-17 820.520	3 152 986.030
			R153	-17 830.470	3 152 980.950
			R154	-17 832.540	3 152 976.940
			R155	-17 825.550	3 152 967.390
			R156	-17 973.180	3 152 415.760
			R157	-17 993.530	3 152 345.650
			R158	-18 033.690	3 152 245.340
			R159	-18 086.300	3 152 151.070
			R160	-18 150.710	3 152 061.550
			R161	-18 229.580	3 151 976.450
			R162	-18 794.530	3 151 433.770
			R163	-18 873.270	3 151 368.380
			R164	-18 890.660	3 151 356.070
			R165	-18 970.480	3 151 305.320
			R166	-19 031.780	3 151 274.410
			R167	-19 197.130	3 151 206.850
			R168	-19 365.140	3 151 156.550
			R169	-19 539.270	3 151 136.920
			R170	-19 996.860	3 151 151.720
			R171	-20 101.340	3 151 143.840

Vel 10

Sheet of

Van 10

P765/09