
GOVERNMENT NOTICE

DEPARTMENT OF TRANSPORT

No. 922

25 October 2010

THE SOUTH AFRICAN NATIONAL ROADS AGENCY LIMITED

Registration No: 98/09584/06

DECLARATION AMENDMENT OF NATIONAL ROAD R35 SECTION 1

AMENDMENT OF DECLARATION No. 175 OF 2007


By virtue of section 40(1)(b) of the South African National Roads Agency Limited and the National Roads Act, 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 175 of 2007, by substituting Annexure paragraphs (II) and (III), with the subjoined sheets 1 to 18 of Plan No. P771/09.

(National Road R35 Section 1: Amersfoort – N17)


MINISTER OF TRANSPORT

(Acting Minister)

35/09/2010



steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R35 Seksie
of National Route Section




Die figuur getoon


Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited

Vel Sheet 1 van 18 of

Plan P771/09



Die Suid Afrikaanse Nasionale Padagentskap Beperk The South African National Roads Agency Limited	Die figuur getoon The figure shown	stelde padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Raete R35 of National Route	Vel Sheet 2 of 18 Plan P771/09
--	---------------------------------------	--	--------------------------------------




Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited

Die figuur getoon

steldie padreserwe voor van 'n gedeelte
represents the rood reserve of a portion
van Nasionale Roete R35 Seksie
of National Route Section

Vel Sheet 3 of 18
Plan P771/09




Die Suid Afrikaanse Nasionale Podagentskap Beperk
The South African National Roads Agency Limited

Die figuur getoon

stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R35 Seksie
of National Route Section

Vel 4 van 18
Sheet of

Plan P771/09



steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R35 Seksie
of National Route Section




Die figuur getoon
The figure shown


Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited

Vel
Sheet 5 of 18


Plan P771/09



Die Suid Afrikaanse Nasionale Padagentskop Beperk The South African National Roads Agency Limited	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R35 Sektie 1 of National Route R35 Section 1
Vel Sheet 6 of 18	Plan P771/09	



steldie podreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R35
of National Route




Die figuur getoon
The figure shown


Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited


Vel
Sheet 7 of 18

Plan P771/09



Die Suid Afrikaanse Nasionale Padagentskap Beperk The South African National Roads Agency Limited	Die figuur getoon The figure shown	ste die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R35 of National Route	Vel Sheet 8 van 18 Plan P771/09
--	---------------------------------------	---	---------------------------------------






steldie podreserwe voor van 'n gedeelte
represents the rood reserve of a portion
van Nasionale Roete R35 Seksie
of National Route Section

Die figuur getoon

Die Suid Afrikaanse Nasionale Pedagogieskop Beperk
The South African National Roads Agency Limited

Vel 10 van 18
Sheet of

P771/09



Die Suid Afrikaanse Nasionale Padagentskap Beperk The South African National Roads Agency Limited	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of o portion van Nasionale Roete R35 Seksie of National Route Section	Vel Sheet 11 of 18	Plan P771/09	1
--	---------------------------------------	--	-----------------------	--------------	---

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 29°		Y		X	
L1	-84 782.610	2 989	370.690		R1	-84 770.860	2 989	335.590	
L2	-84 466.230	2 989	476.800		R2	-84 767.700	2 989	341.940	
L3	-84 366.280	2 989	507.710		R3	-84 649.180	2 989	381.670	
L4	-84 291.650	2 989	525.070		R4	-84 647.330	2 989	376.150	
L5	-84 208.190	2 989	536.090		R5	-84 427.240	2 989	449.960	
L6	-84 098.630	2 989	539.590		R6	-84 354.370	2 989	471.980	
L7	-84 008.330	2 989	533.060		R7	-84 282.240	2 989	488.340	
L8	-83 917.570	2 989	517.330		R8	-84 192.610	2 989	499.690	
L9	-83 818.820	2 989	487.080		R9	-84 105.770	2 989	502.390	
L10	-83 712.680	2 989	447.470		R10	-84 015.790	2 989	495.940	
L11	-83 466.170	2 989	311.440		R11	-83 927.890	2 989	480.880	
L12	-83 155.030	2 989	127.330		R12	-83 870.910	2 989	465.060	
L13	-83 011.740	2 989	043.520		R13	-83 841.550	2 989	457.080	
L14	-82 475.090	2 988	729.630		R14	-83 757.670	2 989	424.270	
L15	-82 396.140	2 988	671.700		R15	-83 674.840	2 989	381.610	
L16	-82 347.810	2 988	629.640		R16	-83 519.810	2 989	292.040	
L17	-82 289.910	2 988	571.240		R17	-83 226.900	2 989	122.370	
L18	-81 984.920	2 988	231.620		R18	-83 150.380	2 989	078.100	
L19	-81 786.740	2 988	014.540		R19	-83 017.040	2 989	000.880	
L19X	-81 308.810	2 987	479.980		R20	-82 735.230	2 988	837.670	
L19Y	-80 950.560	2 987	081.400		R21	-82 533.530	2 988	720.430	
L19Z	-80 838.610	2 986	956.730		R22	-82 478.770	2 988	685.750	
L20	-80 647.460	2 986	744.110		R23	-82 420.440	2 988	642.720	
L21	-80 466.460	2 986	542.780		R24	-82 375.250	2 988	603.720	
L22	-80 284.560	2 986	340.800		R25	-82 316.780	2 988	544.520	
L23	-80 180.550	2 986	225.310		R26	-82 012.250	2 988	206.470	
L24	-79 847.810	2 985	854.770		R27	-81 648.420	2 987	800.700	
L25	-79 773.350	2 985	771.850		R28	-81 335.720	2 987	454.160	
L26	-79 434.130	2 985	395.160		R29	-80 977.850	2 987	055.200	
L27	-79 123.490	2 985	048.690		R30	-80 866.680	2 986	930.780	
L28	-78 931.880	2 984	835.900		R31	-80 836.510	2 986	886.390	
L29	-78 799.880	2 984	689.320		R32	-80 740.490	2 986	774.980	
L30	-78 749.670	2 984	633.560		R33	-80 572.140	2 986	579.670	
L31	-78 428.120	2 984	276.750		R34	-80 487.500	2 986	487.330	
L32	-78 072.280	2 983	880.580		R35	-80 397.670	2 986	384.540	
L33	-77 765.560	2 983	539.680		R36	-80 269.830	2 986	250.550	
L34	-77 462.840	2 983	202.670		R37	-80 177.240	2 986	153.520	
L35	-77 396.430	2 983	128.730		R38	-80 150.700	2 986	132.860	
L36	-77 107.520	2 982	807.660		R39	-80 126.100	2 986	108.380	
L37	-76 751.410	2 982	411.690		R40	-79 886.600	2 985	841.930	
L38	-76 411.580	2 982	033.900		R41	-79 798.840	2 985	744.290	
L39	-76 186.220	2 981	783.530		R42	-79 462.190	2 985	370.280	
L40	-76 112.280	2 981	701.380		R43	-79 452.430	2 985	359.440	
L41	-76 072.160	2 981	659.160		R44	-79 151.740	2 985	024.930	
L42	-76 027.560	2 981	618.680		R45	-78 954.610	2 984	805.720	
L43	-75 959.320	2 981	565.800		R46	-78 777.680	2 984	608.970	
L44	-75 909.810	2 981	533.630		R47	-78 458.340	2 984	253.700	
L45	-75 854.220	2 981	502.870		R48	-78 100.650	2 983	856.550	
L46	-75 787.940	2 981	471.380		R49	-77 800.600	2 983	522.390	
L47	-75 716.970	2 981	446.420		R50	-77 526.150	2 983	217.200	
L48	-75 680.840	2 981	435.500		R51	-77 429.270	2 983	109.470	
					Vel 12 Sheet Van 18 of P771/09				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 29°		Y		X	
L49	-75 566.690	2	981	408.700	R52	-77 132.550	2	982	779.530
L50	-75 119.150	2	981	306.340	R53	-76 774.930	2	982	381.720
L51	-75 078.460	2	981	297.040	R54	-76 751.840	2	982	356.040
L52	-74 602.990	2	981	187.290	R55	-76 439.240	2	982	008.390
L53	-74 586.000	2	981	183.370	R56	-76 202.940	2	981	745.550
L54	-74 093.970	2	981	069.660	R57	-76 140.470	2	981	676.060
L55	-74 050.360	2	981	059.720	R58	-76 098.560	2	981	632.160
L56	-73 615.310	2	980	960.620	R59	-76 055.490	2	981	593.330
L57	-73 124.010	2	980	847.550	R60	-75 978.520	2	981	533.120
L58	-73 029.020	2	980	825.770	R61	-75 926.060	2	981	499.440
L59	-72 989.640	2	980	815.350	R62	-75 871.620	2	981	469.100
L60	-72 929.150	2	980	796.060	R63	-75 727.940	2	981	410.220
L61	-72 870.720	2	980	771.910	R64	-75 668.110	2	981	393.510
L62	-72 814.930	2	980	742.880	R65	-75 578.770	2	981	372.830
L63	-72 762.390	2	980	710.480	R66	-75 163.370	2	981	277.070
L64	-72 720.700	2	980	678.480	R67	-75 132.980	2	981	267.610
L65	-72 659.820	2	980	627.230	R68	-75 050.200	2	981	241.840
L66	-72 575.690	2	980	546.110	R69	-74 835.900	2	981	202.380
L67	-72 349.080	2	980	328.820	R70	-74 614.880	2	981	151.240
L68	-72 210.150	2	980	195.600	R71	-74 596.240	2	981	146.930
L69	-71 849.050	2	979	848.940	R72	-74 110.100	2	981	035.470
L70	-71 491.860	2	979	504.690	R73	-74 061.150	2	981	024.170
L71	-71 243.300	2	979	265.720	R74	-73 618.170	2	980	922.600
L72	-71 127.030	2	979	153.940	R75	-73 128.260	2	980	809.990
L73	-70 915.330	2	978	952.460	R76	-73 034.500	2	980	788.240
L74	-70 821.020	2	978	850.070	R77	-72 996.160	2	980	778.500
L75	-70 766.600	2	978	770.400	R78	-72 939.850	2	980	759.780
L76	-70 723.330	2	978	686.420	R79	-72 885.000	2	980	736.730
L77	-70 691.700	2	978	601.260	R80	-72 832.260	2	980	709.390
L78	-70 664.770	2	978	478.860	R81	-72 781.770	2	980	677.820
L79	-70 658.570	2	978	417.890	R82	-72 738.000	2	980	645.020
L80	-70 658.290	2	978	323.530	R83	-72 689.570	2	980	603.610
L81	-70 666.040	2	978	078.520	R84	-72 606.880	2	980	524.480
L82	-70 669.490	2	977	971.160	R85	-72 240.290	2	980	172.200
L83	-70 682.550	2	977	564.350	R86	-71 874.950	2	979	821.960
L84	-70 697.360	2	977	110.250	R87	-71 516.830	2	979	478.070
L85	-70 713.300	2	976	612.300	R88	-71 254.970	2	979	226.450
L86	-70 715.270	2	976	547.560	R89	-71 154.210	2	979	129.630
L87	-70 717.500	2	976	474.330	R90	-71 021.260	2	979	001.730
L88	-70 717.340	2	976	407.440	R91	-70 919.150	2	978	903.260
L89	-70 712.670	2	976	346.640	R92	-70 850.600	2	978	826.900
L90	-70 705.710	2	976	294.240	R93	-70 800.330	2	978	753.350
L91	-70 685.060	2	976	204.620	R94	-70 759.490	2	978	674.340
L92	-70 607.450	2	975	965.880	R95	-70 727.870	2	978	589.560
L93	-70 449.850	2	975	491.760	R96	-70 715.570	2	978	537.580
L94	-70 295.150	2	975	024.310	R97	-70 702.050	2	978	473.770
L95	-70 138.480	2	974	550.080	R98	-70 696.400	2	978	415.620
L96	-70 023.630	2	974	204.700	R99	-70 696.130	2	978	326.180
L97	-69 980.660	2	974	075.470	R100	-70 703.200	2	978	097.020
L98	-69 823.550	2	973	601.260	R101	-70 703.750	2	978	079.270
L99	-69 768.860	2	973	436.410	R102	-70 705.940	2	978	011.910
					Vel 13 Van 18 P771/09 Sheet of				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES											
LINKERKANT/LEFT HAND SIDE						REGTERKANT/RIGHT HAND SIDE					
	Y		X	WG 29°		Y		X			
L100	-69 666.620	2	973	128.200	R103	-70 720.430	2	977	564.700		
L101	-69 509.280	2	972	653.720	R104	-70 734.840	2	977	113.100		
L102	-69 350.840	2	972	175.680	R105	-70 750.950	2	976	613.070		
L103	-69 341.140	2	972	146.730	R106	-70 753.040	2	976	547.690		
L104	-69 305.950	2	972	005.170	R107	-70 755.350	2	976	475.490		
L105	-69 296.020	2	971	878.970	R108	-70 755.000	2	976	406.200		
L106	-69 303.980	2	971	817.170	R109	-70 750.170	2	976	344.480		
L107	-69 305.120	2	971	807.370	R110	-70 741.700	2	976	282.650		
L108	-69 312.730	2	971	741.970	R111	-70 720.660	2	976	191.710		
L109	-69 372.110	2	971	233.730	R112	-70 642.560	2	975	953.760		
L110	-69 420.590	2	970	814.040	R113	-70 484.880	2	975	478.850		
L111	-69 423.940	2	970	754.550	R114	-70 330.680	2	975	012.290		
L112	-69 428.120	2	970	718.760	R115	-70 174.430	2	974	540.790		
L113	-69 445.510	2	970	569.930	R116	-70 059.340	2	974	193.720		
L114	-69 453.710	2	970	475.710	R117	-70 016.100	2	974	063.350		
L115	-69 453.330	2	970	392.850	R118	-69 859.200	2	973	590.390		
L116	-69 444.260	2	970	305.930	R119	-69 712.340	2	973	146.740		
L117	-69 426.910	2	970	251.010	R120	-69 702.070	2	973	115.730		
L118	-69 404.290	2	970	197.750	R121	-69 544.020	2	972	638.890		
L119	-69 376.870	2	970	147.060	R122	-69 385.660	2	972	160.930		
L120	-69 346.620	2	970	101.830	R123	-69 376.910	2	972	134.240		
L121	-69 303.100	2	970	050.620	R124	-69 340.610	2	971	999.550		
L122	-69 219.100	2	969	965.530	R125	-69 339.730	2	971	921.210		
L123	-68 487.800	2	969	241.270	R126	-69 339.250	2	971	877.630		
L124	-68 349.990	2	969	106.220	R127	-69 343.200	2	971	812.230		
L125	-68 019.770	2	968	779.200	R128	-69 351.980	2	971	733.620		
L126	-67 673.580	2	968	436.670	R129	-69 409.450	2	971	238.480		
L127	-67 311.470	2	968	078.300	R130	-69 461.630	2	970	789.590		
L128	-67 135.440	2	967	905.440	R131	-69 486.880	2	970	574.560		
L129	-67 044.880	2	967	820.290	R132	-69 495.400	2	970	444.080		
L130	-67 024.380	2	967	809.570	R133	-69 488.820	2	970	363.800		
L131	-66 930.250	2	967	728.840	R134	-69 484.700	2	970	326.870		
L132	-66 788.860	2	967	614.560	R135	-69 483.620	2	970	317.770		
L133	-66 780.810	2	967	600.360	R136	-69 461.800	2	970	236.120		
L134	-66 665.470	2	967	509.850	R137	-69 447.730	2	970	203.020		
L135	-66 265.270	2	967	196.770	R138	-69 437.450	2	970	179.700		
L136	-66 095.550	2	967	063.720	R139	-69 410.740	2	970	130.510		
L137	-65 872.080	2	966	888.530	R140	-69 379.170	2	970	083.720		
L138	-65 585.230	2	966	663.920	R141	-69 326.620	2	970	024.160		
L139	-65 477.470	2	966	579.540	R142	-69 268.990	2	969	962.140		
L140	-65 083.840	2	966	271.760	R143	-68 731.070	2	969	430.240		
L141	-64 822.960	2	966	067.610	R144	-68 514.980	2	969	216.580		
L142	-64 690.500	2	965	963.960	R145	-68 376.870	2	969	080.030		
L143	-64 311.820	2	965	667.660	R146	-68 076.950	2	968	783.060		
L144	-64 213.620	2	965	590.650	R147	-68 067.900	2	968	777.550		
L145	-63 264.860	2	964	848.240	R148	-68 041.060	2	968	752.480		
L146	-62 647.470	2	964	363.930	R149	-68 031.560	2	968	738.570		
L147	-62 596.470	2	964	313.100	R150	-67 700.330	2	968	410.300		
L148	-62 557.700	2	964	264.730	R151	-67 680.100	2	968	390.290		
L149	-62 522.110	2	964	211.540	R152	-67 376.310	2	968	089.860		
L150	-62 492.190	2	964	156.050	R153	-67 337.530	2	968	051.510		
						Vel 14	Van 18	P771/09			
						Sheet	of				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 29°		Y		X	
L151	-62 467.150	2	964	146.150	R154	-67 186.230	2	967	901.070
L152	-62 458.010	2	964	120.630	R155	-67 042.580	2	967	765.770
L153	-62 440.540	2	963	978.620	R156	-67 036.580	2	967	771.880
L154	-62 424.300	2	963	860.570	R157	-66 943.750	2	967	689.150
L155	-62 354.730	2	963	364.960	R158	-66 875.390	2	967	637.420
L156	-62 285.210	2	962	869.580	R159	-66 880.950	2	967	630.840
L157	-62 263.580	2	962	713.210	R160	-66 688.790	2	967	480.390
L158	-62 216.780	2	962	374.970	R161	-66 294.880	2	967	172.240
L159	-62 171.270	2	962	050.170	R162	-66 101.100	2	967	020.510
L160	-62 147.340	2	961	879.440	R163	-65 893.790	2	966	858.170
L161	-62 078.050	2	961	384.780	R164	-65 662.860	2	966	677.430
L162	-62 041.230	2	961	120.000	R165	-65 499.390	2	966	549.480
L163	-62 020.310	2	960	969.520	R166	-65 104.930	2	966	240.660
L164	-61 969.590	2	960	672.050	R167	-64 823.820	2	966	020.690
L165	-61 967.480	2	960	661.620	R168	-64 711.940	2	965	933.140
L166	-61 940.650	2	960	507.050	R169	-64 333.930	2	965	637.230
L167	-61 900.400	2	960	279.930	R170	-63 940.710	2	965	329.730
L168	-61 842.790	2	959	993.300	R171	-63 816.310	2	965	231.300
L169	-61 823.770	2	959	898.030	R172	-63 416.460	2	964	919.270
L170	-61 764.910	2	959	603.160	R173	-63 255.970	2	964	793.350
L171	-61 712.700	2	959	343.440	R174	-63 016.960	2	964	605.850
L172	-61 710.140	2	959	322.740	R175	-62 667.060	2	964	329.660
L173	-61 533.170	2	959	037.230	R176	-62 604.690	2	964	264.080
L174	-61 370.680	2	957	892.220	R177	-62 570.880	2	964	217.880
L175	-61 221.330	2	957	644.490	R178	-62 540.920	2	964	167.520
L176	-61 198.880	2	957	607.090	R179	-62 518.690	2	964	122.910
L177	-61 141.680	2	957	493.100	R180	-62 496.910	2	964	059.980
L178	-61 130.600	2	957	471.740	R181	-62 486.210	2	964	016.860
L179	-61 082.060	2	957	367.960	R182	-62 478.250	2	963	974.390
L180	-61 032.930	2	957	262.420	R183	-62 464.380	2	963	879.050
L181	-61 000.140	2	957	179.060	R184	-62 392.180	2	963	364.040
L182	-60 972.880	2	957	084.250	R185	-62 322.410	2	962	866.280
L183	-60 954.670	2	956	989.230	R186	-62 296.140	2	962	676.750
L184	-60 909.960	2	956	725.510	R187	-62 253.780	2	962	371.130
L185	-60 873.760	2	956	512.670	R188	-62 209.500	2	962	052.610
L186	-60 861.860	2	956	453.100	R189	-62 184.960	2	961	876.080
L187	-60 845.700	2	956	386.010	R190	-62 115.800	2	961	380.410
L188	-60 832.490	2	956	337.390	R191	-62 066.200	2	961	026.830
L189	-60 762.530	2	956	123.500	R192	-62 055.470	2	960	944.920
L190	-60 743.030	2	956	063.880	R193	-62 052.440	2	960	924.080
L191	-60 608.920	2	955	657.050	R194	-62 023.380	2	960	741.150
L192	-60 590.180	2	955	600.210	R195	-62 001.290	2	960	621.430
L193	-60 434.410	2	955	125.730	R196	-61 964.370	2	960	424.420
L194	-60 361.870	2	954	905.450	R197	-61 878.940	2	959	984.740
L195	-60 307.540	2	954	740.500	R198	-61 860.280	2	959	891.590
L196	-60 268.050	2	954	631.650	R199	-61 808.750	2	959	634.280
L197	-60 235.930	2	954	563.120	R200	-61 753.230	2	959	375.390
L198	-60 226.470	2	954	546.600	R201	-61 743.240	2	959	324.500
L199	-60 202.450	2	954	504.660	R202	-61 726.200	2	959	312.790
L200	-59 928.420	2	954	086.250	R203	-61 615.250	2	959	133.790
L201	-59 655.070	2	953	668.580	R204	-61 602.110	2	959	104.740
					Vel 15 Van 18 P771/09 Sheet of				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 29°		Y		X	
L202	-59 383.940	2	953	256.470	R205	-61 607.550	2	959	024.120
L203	-59 091.740	2	952	812.450	R206	-61 403.320	2	957	871.990
L204	-59 034.570	2	952	725.310	R207	-61 254.890	2	957	626.410
L205	-58 860.440	2	952	459.910	R208	-61 232.480	2	957	587.960
L206	-58 812.230	2	952	386.440	R209	-61 179.530	2	957	484.980
L207	-58 661.160	2	952	157.190	R210	-61 162.860	2	957	450.080
L208	-58 554.900	2	951	980.880	R211	-61 118.160	2	957	356.330
L209	-58 530.970	2	951	936.570	R212	-61 066.450	2	957	245.220
L210	-58 372.980	2	951	650.260	R213	-61 041.820	2	957	181.830
L211	-58 066.350	2	951	092.880	R214	-61 024.890	2	957	129.840
L212	-58 018.860	2	951	013.150	R215	-61 009.750	2	957	077.100
L213	-57 952.480	2	950	909.860	R216	-60 986.940	2	956	954.680
L214	-57 781.170	2	950	656.670	R217	-60 950.890	2	956	740.700
L215	-57 666.080	2	950	486.570	R218	-60 910.580	2	956	505.580
L216	-57 384.940	2	950	070.990	R219	-60 898.980	2	956	446.350
L217	-57 029.870	2	949	547.000	R220	-60 884.860	2	956	385.560
L218	-56 951.980	2	949	422.760	R221	-60 867.890	2	956	325.900
L219	-56 902.930	2	949	333.750	R222	-60 778.540	2	956	050.610
L220	-56 744.540	2	949	019.360	R223	-60 765.280	2	956	009.830
L221	-56 694.400	2	948	919.830	R224	-60 736.950	2	955	922.750
L222	-56 495.930	2	948	524.950	R225	-60 727.070	2	955	895.660
L223	-56 449.930	2	948	433.430	R226	-60 648.240	2	955	656.580
L224	-56 302.540	2	948	140.260	R227	-60 630.360	2	955	602.360
L225	-56 224.880	2	947	985.780	R228	-60 469.980	2	955	113.090
L226	-56 128.190	2	947	793.350	R229	-60 398.870	2	954	897.590
L227	-56 001.150	2	947	540.490	R230	-60 389.290	2	954	868.530
L228	-55 905.960	2	947	351.550	R231	-60 343.920	2	954	731.040
L229	-55 892.200	2	947	320.700	R232	-60 263.150	2	954	533.870
L230	-55 662.260	2	946	869.480	R233	-60 256.630	2	954	521.980
L231	-55 450.450	2	946	451.600	R234	-60 232.850	2	954	478.610
L232	-55 216.830	2	945	990.440	R235	-59 961.820	2	954	067.380
L233	-54 992.960	2	945	547.500	R236	-59 685.500	2	953	646.200
L234	-54 903.560	2	945	371.360	R237	-59 431.980	2	953	262.330
L235	-54 880.250	2	945	325.410	R238	-59 407.010	2	953	224.520
L236	-54 755.790	2	945	080.170	R239	-59 110.120	2	952	772.360
L237	-54 530.620	2	944	635.430	R240	-58 882.950	2	952	427.060
L238	-54 487.290	2	944	549.920	R241	-58 842.440	2	952	365.480
L239	-54 431.990	2	944	440.770	R242	-58 691.520	2	952	135.260
L240	-54 393.220	2	944	364.250	R243	-58 628.390	2	952	035.930
L241	-54 304.130	2	944	188.420	R244	-58 590.210	2	951	967.580
L242	-54 161.320	2	943	905.770	R245	-58 566.010	2	951	913.300
L243	-54 078.720	2	943	742.300	R246	-58 400.000	2	951	606.130
L244	-53 839.560	2	943	270.410	R247	-58 102.430	2	951	080.780
L245	-53 758.220	2	943	107.850	R248	-58 051.040	2	950	993.870
L246	-53 739.120	2	943	068.980	R249	-57 985.180	2	950	891.100
L247	-53 658.590	2	942	873.440	R250	-57 827.110	2	950	656.950
L248	-53 588.840	2	942	698.460	R251	-56 994.820	2	949	416.860
L249	-53 466.920	2	942	380.960	R252	-56 928.180	2	949	299.430
L250	-53 344.090	2	942	060.320	R253	-56 786.110	2	949	017.830
L251	-53 232.840	2	941	770.220	R254	-56 715.410	2	948	877.690
L252	-53 194.150	2	941	669.340	R255	-56 540.240	2	948	529.430
					Vel 16 Van 18 P771/09 Sheet of				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 29°		Y		X	
L253	-53 165.500	2	941	594.650	R256	-56 481.880	2	948	413.420
L254	-52 999.750	2	941	161.940	R257	-56 346.320	2	948	143.930
L255	-52 930.840	2	940	989.570	R258	-56 258.420	2	947	969.190
L256	-52 909.080	2	940	951.630	R259	-56 171.700	2	947	796.670
L256X	-52 897.680	2	940	932.260	R260	-56 033.640	2	947	522.010
L257	-52 856.750	2	940	862.690	R261	-55 930.810	2	947	317.180
L258	-52 705.960	2	940	606.480	R262	-55 921.400	2	947	298.180
L259	-52 668.640	2	940	544.220	R263	-55 695.050	2	946	851.560
L260	-52 662.550	2	940	543.610	R264	-55 474.110	2	946	415.370
L261	-52 634.020	2	940	497.550	R265	-55 436.480	2	946	341.080
L262	-52 622.440	2	940	464.800	R266	-55 251.130	2	945	975.120
L263	-52 527.510	2	940	304.560	R267	-55 027.200	2	945	533.220
L264	-52 368.060	2	940	035.410	R268	-54 934.330	2	945	350.390
L265	-52 097.180	2	939	576.470	R269	-54 873.810	2	945	231.230
L266	-51 868.840	2	939	126.610	R270	-54 788.050	2	945	062.400
L267	-51 810.090	2	939	009.690	R271	-54 563.020	2	944	617.540
L268	-51 596.970	2	938	585.530	R272	-54 516.930	2	944	526.760
L269	-51 418.230	2	938	229.190	R273	-54 336.700	2	944	171.740
L270	-51 325.860	2	938	044.900	R274	-54 201.580	2	943	903.520
L271	-51 194.010	2	937	781.850	R275	-54 105.500	2	943	712.790
L272	-50 970.190	2	937	334.890	R276	-53 876.200	2	943	259.530
L273	-50 796.070	2	936	990.050	R277	-53 792.340	2	943	097.520
L274	-50 571.540	2	936	541.240	R278	-53 772.970	2	943	056.850
L275	-50 373.390	2	936	140.660	R279	-53 690.860	2	942	856.700
L276	-50 365.140	2	936	121.370	R280	-53 619.540	2	942	674.120
L277	-50 344.900	2	936	069.330	R281	-53 500.670	2	942	364.310
L278	-50 163.930	2	935	602.700	R282	-53 377.770	2	942	043.830
L279	-50 050.790	2	935	310.380	R283	-53 267.340	2	941	755.720
L280	-49 834.060	2	934	749.960	R284	-53 219.060	2	941	629.770
L281	-49 777.140	2	934	602.890	R285	-53 199.210	2	941	577.980
L282	-49 727.540	2	934	473.400	R286	-53 034.900	2	941	148.780
L283	-49 599.420	2	934	138.860	R287	-52 979.950	2	941	003.810
L284	-49 466.960	2	933	795.460	R288	-52 952.750	2	940	959.210
L285	-49 287.210	2	933	327.810	R289	-52 906.470	2	940	878.880
L286	-49 225.670	2	933	168.780	R290	-52 804.550	2	940	702.070
L287	-49 222.260	2	933	162.150	R291	-52 733.130	2	940	578.180
L288	-49 203.660	2	933	126.060	R292	-52 657.680	2	940	451.770
L289	-49 155.820	2	932	984.910	R293	-52 572.030	2	940	306.890
L290	-48 975.910	2	932	517.970	R294	-52 389.040	2	939	997.320
L291	-48 795.810	2	932	051.070	R295	-52 136.540	2	939	569.730
L292	-48 762.700	2	931	962.900	R296	-52 093.300	2	939	490.260
L293	-48 724.920	2	931	859.270	R297	-51 901.770	2	939	109.130
L294	-48 555.110	2	931	389.010	R298	-51 802.130	2	938	910.120
L295	-48 385.570	2	930	918.620	R299	-51 642.200	2	938	590.770
L296	-48 363.200	2	930	856.620	R300	-51 443.860	2	938	196.360
L297	-48 219.470	2	930	458.080	R301	-51 369.830	2	938	049.980
L298	-48 046.400	2	929	977.900	R302	-51 226.660	2	937	763.470
L299	-47 935.280	2	929	671.420	R303	-51 002.340	2	937	316.300
L300	-47 890.000	2	929	546.520	R304	-50 765.770	2	936	845.080
L301	-47 870.710	2	929	486.660	R305	-50 604.770	2	936	523.540
L302	-47 873.000	2	929	443.560	R306	-50 425.350	2	936	164.700
					Vel 17 Van 18 P771/09 Sheet of				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 29°		Y		X	
L303	-47 885.780	2	929 392.260		R307	-50 403.990	2	936 119.250	
					R308	-49 876.780	2	934 753.670	
					R309	-49 769.350	2	934 475.410	
					R310	-49 246.530	2	933 121.200	
					R311	-49 191.270	2	932 972.900	
					R312	-49 011.520	2	932 505.890	
					R313	-48 831.360	2	932 038.990	
					R314	-48 798.170	2	931 950.800	
					R315	-48 760.210	2	931 846.530	
					R316	-48 590.370	2	931 376.250	
					R317	-48 420.820	2	930 905.880	
					R318	-48 405.100	2	930 862.270	
					R319	-48 251.220	2	930 435.510	
					R320	-48 081.700	2	929 965.140	
					R321	-48 002.170	2	929 738.990	
					R322	-47 946.560	2	929 590.610	
					R323	-47 925.250	2	929 533.740	
					R324	-47 908.520	2	929 481.740	
					R325	-47 910.220	2	929 449.780	
					R326	-47 922.060	2	929 412.250	