
GOVERNMENT NOTICE

DEPARTMENT OF TRANSPORT

No. 956

26 October 2010

THE SOUTH AFRICAN NATIONAL ROADS AGENCY LIMITED

Registration No: 98/09584/06


DECLARATION AMENDMENT OF NATIONAL ROAD R27 SECTION 11

AMENDMENT OF DECLARATION No. 285 OF 2006


By virtue of section 40(1)(b) of the South African National Roads Agency Limited and the National Roads Act, 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 285 of 2006, by substituting the descriptive section of the route from Kenhardt up to Keimoes, with the subjoined sheets 1 to 18 of Plan No. P766/09.

(National Road R27 Section 11: Kenhardt – Keimoes)



MINISTER OF TRANSPORT




Die Suid Afrikaanse Nasionale Podagentskap Beperk	Die figuur getoon		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R27 Seksie 11 of National Route of Section	Vel Sheet 1 of 18
The South African National Roads Agency Limited	The figure shown			Plan P766/09




Die Suid Afrikaanse Nasionale Padagentskap Beperk The South African National Roads Agency Limited	Die figuur getoon The figure shown	
stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Raete R27 Sektie of National Route Section	11	Vel Sheet 3 of 18 Plan P766/09




Die Suid Afrikaanse Nasionale Padogenskap Beperk The South African National Roads Agency Limited	Die figuur getoon The figure shown		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R27 of National Route	11	Plan P766/09
			stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R27 of National Route	11	Plan P766/09




Die Suid Afrikaanse Nasionale Padagentskap Beperk The South African National Roads Agency Limited	Die figuur getoon The figure shown	steldie padreserwe, voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R27 of National Route	Vel Sheet 5 of 18
Plan P766/09	11	Seksie Section	




Die Suid Afrikaanse Nasionale Padagentskap Beperk The South African National Roads Agency Limited	Die figuur getoon The figure shown		steldie podreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R27 of National Route	Vel Sheet 6 of 18 Plan P766/09
--	---------------------------------------	---	---	--------------------------------------




Die Suid Afrikaanse Nasionale Padagentskap Beperk The South African National Roads Agency Limited	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R27 of National Route	Vel Sheet 7 of 18	Plan P766/09
--	---------------------------------------	---	-------------------------	-----------------




Die Suid Afrikaanse Nasionale Padagentskap Beperk The South African National Roads Agency Limited	Die figuur getoon The figure shown		steldie podreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Raete R27 of National Route	Vel Sheet 8 of 18
			11 Seksie Section	Plan P766/09




Die Suid Afrikaanse Nasionale Podogentskop Beperk	Die figuur getoon		steldie podreserwe, voor van 'n gedeelte represents the raad reserve of a portion van Nasionale Roete R27 Sektie of National Route	Vel Sheet 9 of 18
The South African National Roads Agency Limited	The figure shown		11	Plan P766/09



Die Suid Afrikaanse Nasionale Padagentskap Beperk The South African National Roads Agency Limited	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R27 of National Route	Vel Sheet 10 of 18 Plan P766/09
--	---------------------------------------	---	---



Die Suid Afrikaanse Nasionale Padagentskap Beperk The South African National Roads Agency Limited	Die figuur getoon The figure shown	stelt die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R27 Seksie 11 of National Route Section	Vel Sheet 11 of 18 Plan P766/09
--	---------------------------------------	---	--



Die Suid Afrikaanse Nasionale Padagentskap Beperk The South African National Roads Agency Limited	Die figuur getoon The figure shown	stelt die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R27 Seksie 11 of National Route	Vel Sheet	van 13	of 18
			Plan	P766/09	

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 21°		Y		X	
L1	-14 827.200	3	247	531.940	R1	-14 847.610	3	247	536.890
L2	-14 848.700	3	247	443.550	R2	-14 870.610	3	247	442.010
L3	-14 855.130	3	247	355.260	R3	-14 876.560	3	247	350.110
L4	-14 852.370	3	247	355.930	R4	-14 899.440	3	247	344.600
L5	-14 851.560	3	247	285.410	R5	-14 887.510	3	247	274.060
L6	-14 850.550	3	247	217.400	R6	-14 883.240	3	247	248.540
L7	-14 846.420	3	246	968.550	R7	-14 887.120	3	247	170.960
L8	-14 860.170	3	246	807.710	R8	-14 913.420	3	246	653.390
L9	-14 861.880	3	246	792.680	R9	-14 953.150	3	245	912.110
L10	-14 866.710	3	246	642.830	R10	-14 954.770	3	245	870.380
L11	-14 882.600	3	246	328.290	R11	-14 989.950	3	245	603.310
L12	-14 889.460	3	246	196.360	R12	-15 061.020	3	245	059.230
L13	-14 901.370	3	245	915.110	R13	-15 099.150	3	244	768.680
L14	-14 922.100	3	245	872.370	R14	-15 157.510	3	244	318.750
L15	-14 974.000	3	245	483.620	R15	-15 203.550	3	243	967.190
L16	-14 961.790	3	245	454.710	R16	-15 271.750	3	243	442.810
L17	-15 279.560	3	243	018.760	R17	-15 575.570	3	241	116.980
L18	-15 338.570	3	242	567.930	R18	-15 644.670	3	240	586.850
L19	-15 628.510	3	240	345.840	R19	-15 684.410	3	240	282.650
L20	-15 701.230	3	239	790.970	R20	-16 029.580	3	237	637.540
L21	-15 755.450	3	239	373.120	R21	-16 064.050	3	237	371.960
L22	-15 821.830	3	238	863.360	R22	-16 086.580	3	237	201.480
L23	-15 982.370	3	237	627.900	R23	-16 142.770	3	236	770.970
L24	-16 044.700	3	237	151.350	R24	-16 176.940	3	236	509.580
L25	-16 095.380	3	236	768.070	R25	-16 183.520	3	236	457.070
L26	-16 132.940	3	236	481.020	R26	-16 212.720	3	236	193.870
L27	-16 159.790	3	236	271.260	R27	-16 212.110	3	236	002.300
L28	-16 170.120	3	236	187.660	R28	-15 922.980	3	229	585.500
L29	-16 160.130	3	235	913.510	R29	-15 898.950	3	229	038.910
L30	-16 141.200	3	235	477.290	R30	-15 737.580	3	225	445.690
L31	-16 031.330	3	233	033.330	R31	-15 719.210	3	225	038.510
L32	-16 008.720	3	232	534.830	R32	-15 673.410	3	224	018.390
L33	-15 874.170	3	229	537.170	R33	-15 651.320	3	223	537.050
L34	-15 793.780	3	227	748.210	R34	-15 647.570	3	223	485.600
L35	-15 748.140	3	226	736.050	R35	-15 646.520	3	223	472.500
L36	-15 726.440	3	226	252.050	R36	-15 639.680	3	223	394.730
L37	-15 712.760	3	225	949.190	R37	-15 638.450	3	223	381.800
L38	-15 690.010	3	225	439.690	R38	-15 635.760	3	223	355.800
L39	-15 626.300	3	224	023.820	R39	-15 623.130	3	223	243.380
L40	-15 604.180	3	223	539.800	R40	-15 592.030	3	222	998.590
L41	-15 600.090	3	223	481.770	R41	-15 476.740	3	222	088.820
L42	-15 591.920	3	223	389.370	R42	-15 416.780	3	221	615.310
L43	-15 585.310	3	223	322.010	R43	-15 046.740	3	218	700.620
L44	-15 545.670	3	223	007.060	R44	-14 998.740	3	218	321.340
L45	-15 485.240	3	222	530.790	R45	-14 952.930	3	217	961.820
L46	-15 437.920	3	222	159.040	R46	-14 917.230	3	217	680.120
L47	-15 433.200	3	222	120.590	R47	-14 740.480	3	216	286.900
L48	-15 369.570	3	221	621.200	R48	-14 678.940	3	215	802.940
L49	-15 307.840	3	221	134.440	R49	-14 523.950	3	214	581.020
L50	-15 248.460	3	220	664.910	R50	-14 505.670	3	214	438.420
L51	-15 113.060	3	219	598.470	R51	-14 486.840	3	214	323.130
					Vel	14	Van	18	P766/09
					Sheet		of		

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 21°		Y		X	
L52	-15 060.580	3	219	185.210	R52	-14 453.470	3	214	174.870
L53	-15 000.670	3	218	712.330	R53	-14 446.700	3	214	148.280
L54	-14 857.750	3	217	585.420	R54	-14 443.070	3	214	135.100
L55	-14 815.260	3	217	252.040	R55	-14 434.070	3	214	105.990
L56	-14 756.670	3	216	790.040	R56	-14 425.330	3	214	076.930
L57	-14 693.350	3	216	291.600	R57	-14 408.810	3	214	023.580
L58	-14 630.170	3	215	792.810	R58	-14 400.580	3	213	999.500
L59	-14 565.980	3	215	287.400	R59	-14 387.420	3	213	962.600
L60	-14 542.810	3	215	104.910	R60	-14 364.360	3	213	901.990
L61	-14 476.570	3	214	582.020	R61	-14 344.870	3	213	854.140
L62	-14 453.500	3	214	398.290	R62	-14 247.830	3	213	637.510
L63	-14 409.880	3	214	192.280	R63	-14 166.590	3	213	456.560
L64	-14 393.110	3	214	131.600	R64	-13 216.780	3	211	345.450
L65	-14 378.960	3	214	081.770	R65	-11 006.690	3	206	434.320
L66	-14 345.120	3	213	984.390	R66	-10 502.080	3	205	312.660
L67	-14 308.080	3	213	888.920	R67	-10 481.200	3	205	266.120
L68	-14 291.540	3	213	850.150	R68	-10 402.010	3	205	090.370
L69	-14 201.530	3	213	649.700	R69	-10 334.630	3	204	940.460
L70	-14 122.550	3	213	474.200	R70	-10 311.950	3	204	890.260
L71	-13 772.900	3	212	696.820	R71	-10 300.500	3	204	865.260
L72	-13 587.050	3	212	283.280	R72	-10 288.930	3	204	840.340
L73	-13 385.130	3	211	834.310	R73	-10 277.380	3	204	815.880
L74	-13 173.500	3	211	364.410	R74	-10 259.190	3	204	778.080
L75	-12 765.840	3	210	458.730	R75	-10 234.930	3	204	729.000
L76	-12 566.670	3	210	015.750	R76	-10 209.950	3	204	680.120
L77	-12 169.220	3	209	133.080	R77	-10 197.400	3	204	655.630
L78	-11 946.530	3	208	637.700	R78	-10 178.100	3	204	619.300
L79	-11 785.120	3	208	279.240	R79	-10 158.470	3	204	583.130
L80	-11 240.020	3	207	067.710	R80	-10 065.540	3	204	416.350
L81	-10 961.920	3	206	449.590	R81	-9 783.610	3	203	913.580
L82	-10 556.360	3	205	548.670	R82	-9 366.280	3	203	168.630
L83	-10 418.040	3	205	241.010	R83	-9 353.490	3	203	146.060
L84	-10 257.860	3	204	884.790	R84	-9 335.650	3	203	114.230
L85	-10 234.230	3	204	835.080	R85	-9 315.240	3	203	077.250
L86	-10 210.160	3	204	785.280	R86	-9 242.920	3	202	948.080
L87	-10 160.440	3	204	686.770	R87	-8 290.320	3	201	247.650
L88	-10 141.130	3	204	650.090	R88	-6 091.560	3	197	322.870
L89	-10 121.390	3	204	613.840	R89	-5 751.930	3	196	716.260
L90	-10 088.150	3	204	553.800	R90	-5 728.720	3	196	675.290
L91	-10 021.390	3	204	434.140	R91	-5 488.730	3	196	246.290
L92	-9 740.260	3	203	932.780	R92	-5 243.940	3	195	809.850
L93	-9 517.910	3	203	535.870	R93	-4 474.600	3	194	436.500
L94	-9 323.700	3	203	189.450	R94	-4 409.890	3	194	320.540
L95	-9 233.950	3	203	029.130	R95	-4 391.170	3	194	285.530
L96	-9 246.030	3	203	007.490	R96	-4 366.930	3	194	239.200
L97	-9 239.050	3	202	995.660	R97	-4 343.960	3	194	192.400
L98	-9 222.880	3	202	970.090	R98	-4 310.710	3	194	121.280
L99	-9 203.930	3	202	974.990	R99	-4 274.380	3	194	037.770
L100	-9 098.450	3	202	786.910	R100	-4 244.770	3	193	964.030
L101	-8 232.730	3	201	241.760	R101	-4 235.270	3	193	939.360
L102	-6 519.710	3	198	183.630	R102	-4 217.110	3	193	889.350
					Vel	15	Van	18	P766/09
					Sheet		of		

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 21°		Y		X	
L103	-6 051.000	3	197	347.370	R103	-4 206.940	3	193	859.630
L104	-5 746.860	3	196	804.400	R104	-4 181.530	3	193	783.360
L105	-5 703.450	3	196	726.950	R105	-4 172.910	3	193	756.420
L106	-4 385.960	3	194	374.410	R106	-4 146.260	3	193	665.010
L107	-4 298.220	3	194	206.620	R107	-4 129.080	3	193	599.220
L108	-4 259.980	3	194	124.460	R108	-4 104.970	3	193	493.040
L109	-4 239.460	3	194	076.860	R109	-3 908.280	3	192	513.470
L110	-4 200.540	3	193	981.070	R110	-3 713.190	3	191	540.540
L111	-4 177.750	3	193	920.100	R111	-3 608.890	3	191	021.760
L112	-4 156.930	3	193	858.500	R112	-3 452.920	3	190	244.790
L113	-4 131.000	3	193	780.830	R113	-3 390.710	3	189	935.500
L114	-4 104.280	3	193	689.740	R114	-3 266.500	3	189	315.790
L115	-4 087.020	3	193	624.130	R115	-3 192.540	3	188	947.110
L116	-4 059.410	3	193	505.210	R116	-3 168.400	3	188	826.130
L117	-3 997.130	3	193	197.780	R117	-3 157.350	3	188	772.670
L118	-3 332.650	3	189	885.000	R118	-3 145.450	3	188	719.630
L119	-3 219.020	3	189	320.330	R119	-3 132.550	3	188	666.280
L120	-3 144.940	3	188	951.560	R120	-3 103.900	3	188	560.830
L121	-3 123.250	3	188	875.470	R121	-3 096.110	3	188	534.400
L122	-3 121.020	3	188	802.420	R122	-3 076.880	3	188	472.360
L123	-3 117.700	3	188	789.580	R123	-3 016.970	3	188	304.090
L124	-3 100.120	3	188	726.380	R124	-2 985.100	3	188	223.240
L125	-3 089.710	3	188	686.870	R125	-2 991.710	3	188	220.080
L126	-3 078.930	3	188	647.340	R126	-2 934.950	3	188	078.390
L127	-3 052.990	3	188	555.530	R127	-2 885.280	3	187	954.410
L128	-3 023.920	3	188	463.270	R128	-2 767.500	3	187	666.570
L129	-2 985.150	3	188	352.960	R129	-2 672.460	3	187	450.510
L130	-2 940.490	3	188	239.620	R130	-2 528.860	3	187	171.570
L131	-2 957.360	3	188	233.350	R131	-2 348.490	3	186	866.220
L132	-2 878.430	3	188	043.520	R132	-2 308.910	3	186	802.150
L133	-2 876.380	3	188	038.600	R133	-2 130.850	3	186	510.900
L134	-2 854.500	3	187	994.960	R134	-1 819.940	3	185	997.800
L135	-2 840.540	3	187	966.560	R135	-1 800.010	3	185	965.150
L136	-2 682.310	3	187	593.500	R136	-1 561.060	3	185	569.970
L137	-2 632.540	3	187	476.550	R137	-1 313.200	3	185	160.200
L138	-2 465.270	3	187	150.990	R138	-1 065.470	3	184	750.570
L139	-2 354.610	3	186	960.920	R139	- 784.840	3	184	289.380
L140	-2 351.710	3	186	961.400	R140	- 732.110	3	184	202.490
L141	-2 351.310	3	186	961.290	R141	- 713.270	3	184	169.810
L142	-2 273.510	3	186	833.510	R142	- 692.270	3	184	134.120
L143	-2 095.550	3	186	541.940	R143	- 665.020	3	184	088.490
L144	-1 865.280	3	186	164.440	R144	- 642.160	3	184	050.240
L145	-1 783.970	3	186	029.760	R145	- 638.770	3	184	044.030
L146	-1 520.030	3	185	593.500	R146	- 470.240	3	183	766.610
L147	-1 267.150	3	185	175.280	R147	- 378.020	3	183	614.550
L147X	- 745.800	3	184	314.040	R148	- 360.040	3	183	585.440
L147Y	- 722.910	3	184	276.500	R149	- 358.280	3	183	586.530
L147Z	- 672.570	3	184	193.030	R150	1 051.800	3	181	264.340
L148	- 610.730	3	184	090.420	R151	1 063.690	3	181	263.980
L149	- 604.710	3	184	080.650	R152	1 063.910	3	181	263.630
L150	- 420.150	3	183	773.920	R153	1 174.690	3	181	084.000
					Vel 16 Sheet Van 18 of P766/09				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 21°			Y	X		
L151	- 338.720	3 183	637.870		R154	1 182.460	3 181	080.230	
L152	- 249.120	3 183	497.490		R155	1 207.010	3 181	040.200	
L153	-60.090	3 183	186.660		R156	1 212.600	3 181	031.330	
L154	44.140	3 183	014.880		R157	1 218.560	3 181	018.220	
L155	215.080	3 182	733.590		R158	1 220.260	3 181	012.440	
L156	374.930	3 182	470.800		R159	1 227.340	3 180	979.090	
L157	770.740	3 181	818.520		R160	1 230.080	3 180	966.240	
L158	938.300	3 181	542.210		R161	1 235.790	3 180	937.780	
L159	1 084.900	3 181	301.330		R162	1 237.570	3 180	932.280	
L160	1 079.570	3 181	295.370		R163	1 237.310	3 180	919.530	
L161	1 127.180	3 181	216.940		R164	1 237.320	3 180	916.720	
L162	1 142.990	3 181	174.380		R165	1 237.360	3 180	902.420	
L163	1 198.700	3 181	081.370		R166	1 230.660	3 180	478.470	
L164	1 217.930	3 181	075.000		R167	1 229.940	3 180	439.430	
L165	1 218.230	3 181	074.960		R168	1 229.860	3 180	435.030	
L166	1 246.460	3 181	001.040		R169	1 229.660	3 180	421.890	
L167	1 255.900	3 180	960.040		R170	1 230.710	3 180	382.840	
L168	1 261.530	3 180	939.180		R171	1 244.360	3 180	325.070	
L169	1 261.890	3 180	917.120		R172	1 287.130	3 180	250.410	
L170	1 254.620	3 180	482.620		R173	1 293.950	3 180	244.850	
L171	1 253.890	3 180	440.620		R174	1 305.670	3 180	235.300	
L172	1 253.810	3 180	435.770		R175	1 309.150	3 180	232.580	
L173	1 250.930	3 180	426.020		R176	1 326.520	3 180	209.840	
L174	1 259.110	3 180	355.570		R177	1 337.390	3 180	202.020	
L175	1 322.500	3 180	238.460		R178	1 362.280	3 180	184.120	
L176	1 328.850	3 180	233.910		R179	1 478.120	3 180	141.260	
L177	1 331.960	3 180	231.680		R180	1 496.830	3 180	132.990	
L178	1 340.960	3 180	225.250		R181	1 534.000	3 180	097.570	
L179	1 357.060	3 180	213.720		R182	1 543.510	3 180	082.170	
L180	1 389.390	3 180	196.970		R183	1 600.660	3 179	989.610	
L181	1 478.960	3 180	168.510		R184	1 613.890	3 179	968.180	
L182	1 511.610	3 180	148.370		R185	1 609.560	3 179	943.370	
L183	1 550.700	3 180	116.050		R186	1 602.420	3 179	923.930	
L184	1 563.940	3 180	097.730		R187	1 563.460	3 179	810.900	
L185	1 625.420	3 180	012.680		R188	1 525.960	3 179	727.470	
L186	1 646.930	3 179	982.930		R189	1 525.290	3 179	725.670	
L187	1 649.470	3 179	955.440		R190	1 522.310	3 179	717.620	
L188	1 633.440	3 179	920.790		R191	1 512.510	3 179	705.690	
L189	1 626.480	3 179	909.530		R192	1 505.960	3 179	694.140	
L190	1 605.280	3 179	862.080		R193	1 500.530	3 179	689.320	
L191	1 586.170	3 179	798.490		R194	1 487.960	3 179	669.460	
L192	1 533.310	3 179	695.160		R195	1 484.310	3 179	664.090	
L193	1 522.840	3 179	674.770		R196	1 457.860	3 179	625.160	
L194	1 520.270	3 179	669.780		R197	1 424.550	3 179	565.670	
L195	1 502.460	3 179	637.180		R198	1 407.350	3 179	505.310	
L196	1 498.120	3 179	612.830		R199	1 400.310	3 179	474.160	
L197	1 472.960	3 179	549.320		R200	1 401.140	3 179	465.700	
L198	1 434.500	3 179	509.110		R201	1 398.850	3 179	440.490	
L199	1 423.200	3 179	455.490		R202	1 398.100	3 179	423.420	
L200	1 420.180	3 179	418.700		R203	1 398.140	3 179	408.610	
L201	1 423.640	3 179	364.830		R204	1 398.690	3 179	349.700	
					Vel 17 Sheet of Van 18 P766/09				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 21°		Y		X	
L202	1 427.630	3 179	329.140		R205	1 398.840	3 179	339.630	
L203	1 423.950	3 179	304.890		R206	1 392.810	3 179	311.800	
L204	1 425.430	3 179	281.720		R207	1 395.790	3 179	289.720	
L205	1 426.720	3 179	270.410		R208	1 425.040	3 179	073.190	
L206	1 449.820	3 179	068.220		R209	1 416.590	3 179	071.092	
L207	1 451.810	3 179	050.800		R210	1 420.740	3 179	047.570	
L208	1 459.474	3 179	002.540		R211	1 434.690	3 178	968.500	
L209	1 470.010	3 178	969.930		R212	1 486.220	3 178	880.580	
L210	1 491.100	3 178	928.220		R213	1 487.340	3 178	891.570	
L211	1 531.210	3 178	884.150		R214	1 826.460	3 178	643.200	
L212	1 584.230	3 178	844.730		R215	1 888.650	3 178	588.200	
L213	1 602.920	3 178	834.570		R216	1 907.990	3 178	556.150	
L214	1 842.900	3 178	666.400		R217	1 913.640	3 178	546.790	
L215	1 902.570	3 178	616.440		R218	1 916.330	3 178	539.530	
L216	1 915.860	3 178	600.410		R219	1 924.300	3 178	518.000	
L217	1 923.200	3 178	587.060		R220	1 924.560	3 178	482.810	
L218	1 935.170	3 178	565.270		R221	1 924.780	3 178	447.550	
L219	1 941.700	3 178	553.390		R222	1 922.140	3 178	417.320	
L220	1 948.290	3 178	523.870		R223	1 909.570	3 178	313.020	
L221	1 949.330	3 178	505.710		R224	1 908.790	3 178	304.600	
L222	1 948.140	3 178	495.040		R225	1 908.370	3 178	300.050	
L223	1 935.680	3 178	336.640		R226	1 893.310	3 178	137.560	
L224	1 935.360	3 178	304.130		R227	1 893.100	3 178	135.260	
L225	1 933.503	3 178	294.311		R228	1 861.120	3 177	788.330	
L226	1 933.090	3 178	289.840		R228X	1 868.540	3 177	762.750	
L227	1 918.190	3 178	128.500		R229	1 868.830	3 177	761.720	
L228	1 917.130	3 178	116.970		R230	1 871.160	3 177	745.810	
L229	1 896.010	3 177	888.470		R231	1 875.723	3 177	714.676	
L230	1 892.560	3 177	769.380		R232	1 875.505	3 177	714.596	
L231	1 894.450	3 177	754.440		R232X	1 878.100	3 177	686.600	
L232	1 898.380	3 177	723.210		R233	1 879.330	3 177	673.330	
L233	1 900.540	3 177	706.100		R234	1 890.900	3 177	535.020	
L234	1 911.730	3 177	618.510		R235	1 867.740	3 177	401.490	
L235	1 911.620	3 177	546.290		R236	1 872.290	3 177	390.150	
L236	1 910.390	3 177	536.170		R237	1 862.060	3 177	343.700	
L237	1 903.310	3 177	477.520		R238	1 857.280	3 177	333.740	
L238	1 897.850	3 177	446.890						
L239	1 888.580	3 177	401.470						
L240	1 882.200	3 177	387.430						
L241	1 872.590	3 177	331.120						