

NOTICE 249 OF 2011**DEPARTMENT OF PUBLIC WORKS****AGRÉMENT SOUTH AFRICA**

(Approval of innovative construction products and systems)

Notice is hereby given that Agrément South Africa has, with effect from 23 February 2011, issued an Agrément certificate, details of which appear in the schedule hereto.

SCHEDULE**Agrément Certificate 2011/384**

Name of product: Spunsulation Roofing Undertile Membrane

Certificate holder: Spunbond Holdings (Pty) Ltd t/a Spunchem International

Description: The Spunsulation Roofing Undertile Membrane is manufactured from pigmented ultraviolet (UV) light resistant and non-woven spunbond polypropylene. The layer is coated with a polyolefin film blend. The membrane has a weight of 95 g/m² with a thickness of between 0,33 mm to 0,35 mm. It is supplied in rolls of 30 m long and 750 mm or 1,5 m wide.

Spunsulation Roofing Undertile Membrane is suitable for installation in all tiled-roof buildings with timber, lightweight steel and aluminium or Agrément approved roof construction. It can be used in all regions of South Africa for all types of occupancy classification (SANS 10400: Table 1 of regulation A (20) (1)). When used in the conventional manner it can:

- reduce air movement between tiles, since the membrane can contribute to maintaining a balanced air pressure on both sides of the roof tiles
- reduce ingress to the roof space of wind-driven rain and dust.

The Agrément certificate contains detailed information on the product and can be accessed at <http://www.agrement.co.za>

Copies are obtainable from: The Manager
Agrément South Africa
P O Box 395
0001
PRETORIA