

**NOTICE 317 OF 2013****DEPARTMENT OF PUBLIC WORKS****AGRÉMENT SOUTH AFRICA**

(Approval of innovative construction products and systems)

Notice is hereby given that Agrément South Africa has, with effect from 01 June 2011, issued an Agrément certificate, details of which appear in the schedule hereto.

**SCHEDULE**

Agrément Certificate 2011/387

**Name of product:** Spunsulation 4 Contractors Choice

**Certificate holder:** Spunbond Holdings (Pty) Ltd t/a Spunchem International

**Description:** The Spunsulation 4 Contractors Choice is manufactured from pigmented, ultraviolet (UV) light resistant and non-toxic flame retarded non-woven spunbond polypropylene and aluminium foil laminated on both side with polyolefin laminating layer. The membrane has a weight of 127 g/m<sup>2</sup> with a thickness of between 0, 20 mm to 0, 24 mm. It is supplied in rolls of 30 m long and 750 mm or 1, 5 m wide.

Spunsulation 4 Contractors Choice is suitable for installation in all tiled-roof buildings with timber, lightweight steel and aluminium or Agrément approved roof construction. It can be used in all regions of South Africa for all types of occupancy classification (**SANS 10400: Table 1 of regulation A (20) (1)**). When used in the conventional manner it can:

- reduce air movement between tiles, since the membrane can contribute to maintaining a balanced air pressure on both sides of the roof tiles
- reduce ingress to the roof space of wind-driven rain and dust

The Agrément certificate contains detailed information on the product and can be accessed at <http://www.agrement.co.za>

Copies are obtainable from: Chief Executive Officer (CEO)  
Agrément South Africa  
P O Box 395  
0001  
**PRETORIA**