

**NOTICE 330 OF 2013****DEPARTMENT OF PUBLIC WORKS****AGRÉMENT SOUTH AFRICA**

(Approval of innovative construction products and systems)

Notice is hereby given that Agrément South Africa has, with effect from 25 July 2012, issued an Agrément certificate, details of which appear in the schedule hereto.

**SCHEDULE**

Interim Agrément Certificate 2012/411

**Name of product:** PlasterMax Interior Coating System

**Certificate holder:** GigaCrete Inc.

**Description:** The PlasterMax Interior Coating System is a one coat two pass application for use in all regions of South Africa for all types of occupancy classifications (**SANS 10400: Table 1 of Regulations A (20) (1)**), on sound, suitably prepared, interior surfaces as follows:

- sand-cement plaster
- cast *in-situ* concrete/ precast concrete
- gypsum and fibre cement boards

The PlasterMax Interior Coating System is a natural limestone wall coating with fibreglass mesh between the two passes and it is available in 34 kg bags. It is mixed on site before application and it is applied using a hand trowel or spraying pump.

The Agrément certificate contains detailed information on the product and can be accessed at <http://www.agrement.co.za>

Copies are obtainable from: Chief Executive Officer (CEO)  
Agrément South Africa  
P O Box 395  
0001  
**PRETORIA**