
GOVERNMENT NOTICE
GOEWERMENTSKENNISGEWING

DEPARTMENT OF TRANSPORT
DEPARTEMENT VAN VERVOER

No. 334

10 May 2013

THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED

Registration No: 98/09584/06

DECLARATION AMENDMENT OF NATIONAL ROAD R36 SECTION 8


AMENDMENT OF DECLARATION No. 802 OF 2008


By virtue of Section 40 (1)(b) of The South African National Roads Agency Limited and National Roads Act, 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 802 of 2008 by substituting sheets 1, 3, 4, 5, 6, 7, 8, 9, 11, 12, 13, 14 and 15 thereof, with the subjoined sheets 1A, 1A1, 3A, 4A, 5A, 6A, 7A, 8A, 9A, 11A, 12A, 13A, 14A, 15A and 15A1 of Plan No.P658/08.


(National Road R36 Section 8: Duiwelskloof - Soekmekaar)



MINISTER OF TRANSPORT




Die Suid Afrikaanse Nasionale Padagentskap Beperk The South African National Roads Agency Limited	Die figuur getoon The figure shown	 stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R36 of National Route	Vel van 15 Sheet 1A of Plan P658/08
--	---------------------------------------	---	---




Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited

Die figuur getoon




steldie podreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R36 Seksie
of National Route Section 8

Vel Sheet 1A1 van of 15
Plan P658/08



stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R36 Seksie 8
of National Route




Die figuur getoon
The figure shown


Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited

Vel van
Sheet 3A of 15


Plan
P658/08



Die Suid Afrikaanse Nasionale Padagentskap Beperk The South African National Roads Agency Limited	Die figuur getoon The figure shown		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R36 Sektie of National Route Section	Vel Sheet 4A of 15 Plan P658/08
--	---------------------------------------	---	--	---------------------------------------



Die Suid Afrikaanse Nasionale Padagentskap Beperk The South African National Roads Agency Limited	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R36 of National Route	Vel van Sheet 5A of 15	8 Seksie Section	P658/08 Plan
--	---	--	-----------------------------------	---------------------------------	-------------------------




steldie padreserwe voor van 'n gedeelte
 represents the road reserve of a portion
 van Nasionale Roete R36 Seksie
 of National Route Section

Die figuur getoon


Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited

Vel 6A van 15
Sheet of

Plan P658/08



steidie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R36 Seksie
of National Route Section




Die figuur getoon
The figure shown


Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited

Vel van
Sheet 7A of 15

Plan P658/08



Die Suid Afrikaanse Nasionale Padagentskap Beperk The South African National Roads Agency Limited	Die figuur getoon The figure shown	steeldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R36 Seksie 8 of National Route Section	Vel Sheet 8A of 15 Plan P658/08
--	---------------------------------------	---	---------------------------------------



steeldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R36 Sektie
of National Route Section

Die figuur getoon

Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited

Vel Sheet 9A von 15 of

P658/08

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 31°		Y		X	
L52	85 341.43	2	616 211.53		R52	86 213.93	2	615 595.47	
L53	85 424.08	2	616 172.71		R53	86 481.51	2	615 449.26	
L54	85 508.36	2	616 116.54		R54	86 501.93	2	615 438.10	
L55	85 760.23	2	615 890.67		R55	86 583.20	2	615 401.37	
L56	85 927.60	2	615 795.60		R56	86 732.00	2	615 350.35	
L57	86 053.90	2	615 725.65		R57	86 827.92	2	615 326.92	
L58	86 219.23	2	615 634.09		R58	87 343.01	2	615 297.22	
L59	86 236.74	2	615 624.66		R59	87 459.70	2	615 270.34	
L60	86 526.01	2	615 468.93		R60	87 544.21	2	615 233.83	
L61	86 542.37	2	615 460.12		R61	87 615.99	2	615 189.41	
L62	86 704.74	2	615 396.51		R62	87 651.71	2	615 162.58	
L63	86 762.76	2	615 378.29		R63	88 179.58	2	614 760.61	
L64	86 851.52	2	615 367.91		R64	88 500.43	2	614 515.03	
L65	86 865.48	2	615 356.38		R65	88 502.89	2	614 513.15	
L66	86 932.88	2	615 354.50		R66	88 582.38	2	614 443.17	
L67	86 979.31	2	615 358.95		R67	88 645.19	2	614 371.03	
L68	87 357.72	2	615 332.65		R68	88 714.07	2	614 254.68	
L69	87 473.93	2	615 303.51		R69	88 811.16	2	614 026.54	
L70	87 557.46	2	615 268.63		R70	88 878.83	2	613 923.49	
L71	87 634.41	2	615 221.76		R71	89 036.54	2	613 691.60	
L72	87 669.29	2	615 194.97		R72	89 091.18	2	613 628.77	
L73	88 186.79	2	614 800.96		R73	89 134.36	2	613 587.93	
L74	88 459.10	2	614 590.92		R74	89 244.77	2	613 515.11	
L75	88 527.30	2	614 538.31		R75	89 836.04	2	613 172.30	
L76	88 606.13	2	614 471.42		R76	89 905.08	2	613 116.84	
L77	88 665.78	2	614 400.15		R77	90 148.74	2	612 894.00	
L77X	88 717.06	2	614 322.67		R78	90 290.39	2	612 760.38	
L78	88 718.51	2	614 319.28		R79	90 509.62	2	612 537.02	
L78X	88 731.02	2	614 289.92		R80	90 691.93	2	612 351.28	
L79	88 726.90	2	614 284.58		R81	90 747.05	2	612 293.57	
L80	88 733.63	2	614 256.43		R82	90 891.29	2	612 142.54	
L81	88 858.91	2	614 009.34		R83	90 981.51	2	612 049.04	
L82	88 916.12	2	613 926.38		R84	91 172.09	2	611 851.52	
L83	89 063.17	2	613 710.86		R85	91 324.85	2	611 693.30	
L84	89 117.85	2	613 652.08		R86	91 352.31	2	611 644.49	
L85	89 163.06	2	613 610.86		R87	91 362.65	2	611 623.23	
L86	89 223.68	2	613 566.66		R88	91 386.73	2	611 621.91	
L87	89 824.75	2	613 223.07		R89	91 522.79	2	611 523.15	
L88	89 854.65	2	613 206.32		R90	91 650.73	2	611 457.45	
L89	89 884.55	2	613 183.61		R91	91 747.88	2	611 433.12	
L90	89 925.91	2	613 152.14		R92	91 888.50	2	611 418.44	
L91	90 086.26	2	613 004.21		R93	91 921.70	2	611 417.63	
L92	90 175.08	2	612 919.16		R94	92 049.10	2	611 419.15	
L93	90 312.84	2	612 787.27		R95	92 209.73	2	611 433.89	
L94	90 640.94	2	612 452.95		R96	92 360.16	2	611 454.01	
L95	90 910.19	2	612 175.64		R97	92 432.52	2	611 463.69	
L96	91 025.13	2	612 058.70		R98	92 483.72	2	611 467.86	
L97	91 200.23	2	611 880.57		R99	92 745.94	2	611 499.17	
L98	91 424.07	2	611 648.14		R100	92 881.85	2	611 520.87	
L99	91 495.35	2	611 584.90		R101	93 045.63	2	611 529.56	
L100	91 576.01	2	611 533.15		R102	93 152.07	2	611 514.37	
					Vel 11A Van 15 P658/08 Sheet of				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 31°		Y		X	
L101	91 666.20	2	611 493.80		R103	93 433.16	2	611 433.21	
L102	91 749.40	2	611 470.84		R104	93 525.96	2	611 413.65	
L103	91 858.86	2	611 457.49		R105	93 539.62	2	611 412.81	
L104	91 903.23	2	611 456.27		R106	93 632.83	2	611 407.06	
L105	91 972.08	2	611 452.94		R107	93 735.98	2	611 415.18	
L106	92 061.02	2	611 454.34		R108	93 805.82	2	611 429.72	
L107	92 195.28	2	611 472.31		R109	93 856.16	2	611 425.64	
L108	92 347.42	2	611 494.60		R110	93 875.85	2	611 416.01	
L109	92 424.09	2	611 505.84		R111	93 905.09	2	611 380.15	
L110	92 448.60	2	611 509.43		R112	93 918.06	2	611 346.90	
L111	92 916.80	2	611 569.33		R113	93 954.04	2	611 288.69	
L112	93 000.75	2	611 570.99		R114	94 006.34	2	611 196.24	
L113	93 047.22	2	611 571.90		R115	94 012.80	2	611 186.53	
L114	93 156.35	2	611 555.57		R116	94 407.33	2	610 723.71	
L115	93 242.04	2	611 533.48		R117	94 519.31	2	610 593.43	
L116	93 338.25	2	611 503.22		R118	94 708.71	2	610 370.81	
L117	93 443.10	2	611 476.57		R119	94 755.30	2	610 313.69	
L118	93 532.92	2	611 457.46		R119X	94 779.29	2	610 278.88	
L119	93 632.34	2	611 451.39		R120	94 811.66	2	610 221.50	
L120	93 727.89	2	611 458.66		R121	94 844.35	2	610 136.44	
L121	93 821.93	2	611 480.12		R122	94 868.79	2	610 004.41	
L122	93 864.01	2	611 494.10		R122X	94 870.17	2	609 938.09	
L123	93 970.85	2	611 532.29		R123	94 864.63	2	609 886.42	
L124	93 985.32	2	611 493.40		R124	94 851.25	2	609 814.79	
L125	93 948.86	2	611 462.95		R124X	94 820.25	2	609 720.61	
L126	93 941.75	2	611 439.02		R125	94 662.77	2	609 300.32	
L127	93 942.16	2	611 390.71		R125X	94 641.88	2	609 256.36	
L128	93 988.20	2	611 292.84		R126	94 600.81	2	609 193.03	
L129	94 034.93	2	611 223.91		R127	94 526.55	2	609 092.69	
L130	94 064.01	2	611 186.27		R128	94 518.05	2	609 079.26	
L131	94 396.21	2	610 798.29		R129	94 499.70	2	609 050.25	
L132	94 399.17	2	610 786.35		R130	94 461.36	2	608 972.31	
L133	94 414.42	2	610 776.93		R130X	94 449.29	2	608 931.42	
L134	94 480.16	2	610 699.73		R130Y	94 440.18	2	608 886.67	
L135	94 548.20	2	610 619.82		R131	94 433.98	2	608 840.65	
L136	94 738.57	2	610 396.38		R132	94 434.92	2	608 762.80	
L136X	94 787.55	2	610 335.70		R132X	94 443.26	2	608 710.74	
L136Y	94 821.10	2	610 285.36		R132Y	94 455.03	2	608 664.78	
L137	94 855.56	2	610 218.80		R133	94 472.02	2	608 619.55	
L137X	94 877.88	2	610 158.77		R133X	94 501.65	2	608 562.64	
L138	94 894.50	2	610 098.12		R134	94 525.66	2	608 523.17	
L139	94 907.71	2	610 008.51		R135	94 787.58	2	608 133.27	
L140	94 907.02	2	609 900.98		R136	95 001.79	2	607 815.07	
L141	94 898.53	2	609 848.61		R137	95 206.28	2	607 513.59	
L142	94 877.89	2	609 770.49		R138	95 268.21	2	607 403.81	
L143	94 705.90	2	609 302.07		R139	95 318.76	2	607 273.67	
L144	94 689.99	2	609 266.93		R140	95 334.86	2	607 213.38	
L145	94 683.75	2	609 253.14		R141	95 360.66	2	607 052.26	
L146	94 624.13	2	609 158.85		R142	95 365.52	2	607 021.91	
L147	94 555.10	2	609 066.68		R143	95 393.30	2	606 848.38	
L148	94 517.39	2	609 003.26		R144	95 449.36	2	606 483.70	
					Vel Sheet	12A	Van of	15	P658/08

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 31°		Y		X	
L148X	94 491.73	2	608 939.78		R145	95 495.85	2	606 183.59	
L149	94 478.47	2	608 882.34		R146	95 509.00	2	606 098.70	
L149X	94 472.62	2	608 835.77		R146X	95 524.42	2	606 040.73	
L149Y	94 472.37	2	608 782.74		R147	95 546.65	2	605 983.75	
L150	94 477.79	2	608 737.55		R148	95 565.62	2	605 948.06	
L150X	94 489.80	2	608 683.30		R149	95 585.80	2	605 914.94	
L151	94 511.35	2	608 627.58		R149X	95 606.79	2	605 888.00	
L152	94 556.15	2	608 548.84		R149Y	95 649.18	2	605 841.10	
L153	94 868.27	2	608 084.89		R150	95 692.41	2	605 805.55	
L154	94 993.40	2	607 899.04		R151	95 824.15	2	605 725.76	
L155	95 211.54	2	607 573.68		R151X	95 871.06	2	605 694.80	
L156	95 272.41	2	607 478.40		R152	95 906.14	2	605 664.40	
L157	95 321.52	2	607 377.26		R153	95 910.15	2	605 660.56	
L158	95 360.16	2	607 278.41		R154	95 929.14	2	605 639.66	
L159	95 383.43	2	607 176.29		R155	95 952.64	2	605 606.76	
L160	95 403.65	2	607 040.78		R156	95 969.23	2	605 575.74	
L161	95 405.45	2	607 022.84		R157	95 990.13	2	605 525.99	
L162	95 432.13	2	606 849.87		R158	96 039.29	2	605 408.96	
L163	95 484.35	2	606 513.09		R159	96 130.65	2	605 191.47	
L164	95 535.40	2	606 181.36		R160	96 146.58	2	605 145.52	
L165	95 540.47	2	606 155.82		R161	96 159.24	2	605 092.34	
L166	95 558.00	2	606 067.43		R162	96 164.23	2	605 051.41	
L167	95 565.76	2	606 041.73		R163	96 169.47	2	604 950.70	
L168	95 592.60	2	605 982.88		R164	96 169.62	2	604 947.76	
L169	95 673.20	2	605 881.18		R165	96 159.22	2	604 863.46	
L170	95 688.54	2	605 861.78		R166	96 136.39	2	604 785.59	
L171	95 687.33	2	605 860.33		R167	96 105.16	2	604 717.82	
L172	95 723.93	2	605 831.14		R168	96 069.50	2	604 652.03	
L173	95 882.31	2	605 736.59		R169	96 033.99	2	604 602.13	
L174	95 916.98	2	605 709.37		R170	95 952.73	2	604 487.00	
L175	95 949.81	2	605 676.38		R171	95 876.49	2	604 368.96	
L176	95 975.91	2	605 641.63		R172	95 848.05	2	604 304.69	
L177	95 996.76	2	605 607.17		R173	95 835.44	2	604 256.83	
L178	96 015.13	2	605 569.61		R174	95 830.08	2	604 236.48	
L179	96 038.31	2	605 515.45		R175	95 821.12	2	604 166.35	
L180	96 071.94	2	605 434.78		R176	95 822.54	2	604 096.35	
L181	96 146.36	2	605 256.28		R177	95 829.21	2	604 037.25	
L182	96 182.23	2	605 162.73		R178	95 838.10	2	604 005.42	
L183	96 193.45	2	605 114.41		R179	95 844.67	2	603 981.92	
L184	96 202.28	2	605 061.33		R180	95 874.40	2	603 916.70	
L185	96 206.54	2	605 010.12		R181	96 150.52	2	603 480.43	
L186	96 204.66	2	604 926.98		R182	96 213.17	2	603 382.71	
L187	96 204.52	2	604 920.89		R183	96 272.34	2	603 290.41	
L188	96 195.88	2	604 867.01		R184	96 340.95	2	603 183.38	
L189	96 184.68	2	604 817.16		R185	96 396.99	2	603 095.89	
L190	96 167.16	2	604 781.21		R186	96 656.56	2	602 690.71	
L191	96 103.47	2	604 640.60		R187	96 726.39	2	602 595.73	
L192	96 060.95	2	604 575.78		R188	96 810.64	2	602 526.44	
L193	95 924.06	2	604 370.14		R189	96 890.60	2	602 461.74	
L194	95 883.55	2	604 277.14		R190	97 070.15	2	602 366.36	
L195	95 875.31	2	604 239.88		R191	97 411.84	2	602 214.98	
					Vel	13A	Van	15	P658/08
					Sheet		of		

Vel Sheet	14A	Van of	15	P658/08
--------------	-----	-----------	----	---------

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 29°		Y		X	
L243	-101 650.77	2	601 455.83		R239	-99 205.48	2	600 934.03	
L244	-101 633.37	2	601 420.20		R240	-99 155.89	2	600 962.37	
L245	-101 579.74	2	601 310.41		R241	-98 977.46	2	601 029.21	
L246	-101 560.29	2	601 232.10		R242	-98 707.18	2	601 120.80	
L247	-101 362.95	2	601 044.74		R243	-98 566.59	2	601 145.97	
L248	-101 248.49	2	600 963.64		R244	-98 328.46	2	601 159.47	
L249	-101 155.04	2	600 902.61		R245	-98 295.57	2	601 161.33	
L250	-100 875.76	2	600 719.55		R246	-98 155.62	2	601 154.32	
L251	-100 785.51	2	600 701.53		R247	-98 021.72	2	601 136.67	
L252	-100 712.08	2	600 684.20		R248	-97 660.40	2	601 089.03	
L253	-100 692.77	2	600 682.34		R249	-97 595.99	2	601 086.35	
L254	-100 427.41	2	600 656.81		R250	-97 513.83	2	601 094.33	
L255	-100 287.96	2	600 662.38		R251	-97 457.72	2	601 099.43	
L256	-100 036.48	2	600 700.41		R252	-97 446.93	2	601 100.41	
L257	-99 960.61	2	600 702.69		R253	-97 366.22	2	601 109.00	
L258	-99 850.77	2	600 712.69		R254	-97 308.42	2	601 115.16	
L259	-99 759.75	2	600 701.15		R255	-97 042.12	2	601 150.90	
L260	-99 650.45	2	600 704.98		R256	-96 976.45	2	601 161.89	
L261	-99 595.82	2	600 719.45		R257	-96 914.44	2	601 160.07	
L262	-99 514.63	2	600 764.76		R258	-96 860.91	2	601 149.15	
L263	-99 385.23	2	600 868.97		R259	-96 817.07	2	601 132.32	
L264	-99 337.20	2	600 897.88		R260	-96 756.99	2	601 091.99	
L265	-99 280.71	2	600 940.75		R261	-96 677.64	2	601 033.63	
L266	-99 229.71	2	600 973.68		R262	-96 624.18	2	600 996.44	
L267	-99 156.05	2	601 011.65		R263	-96 592.08	2	600 974.11	
L268	-98 985.90	2	601 067.85		R264	-96 528.11	2	600 942.56	
L269	-98 683.97	2	601 162.27		R265	-96 313.74	2	600 855.14	
L270	-98 530.99	2	601 188.00		R266	-96 269.99	2	600 842.06	
L271	-98 345.92	2	601 195.69		R267	-96 228.50	2	600 828.99	
L272	-98 317.48	2	601 196.87		R268	-96 187.77	2	600 821.51	
L273	-98 222.69	2	601 198.28		R269	-96 034.30	2	600 795.59	
L274	-98 156.28	2	601 192.67		R270	-95 945.36	2	600 763.44	
L275	-98 037.35	2	601 177.85		R271	-95 681.06	2	600 605.49	
L276	-97 595.57	2	601 122.82		R272	-95 487.86	2	600 485.32	
L277	-97 494.71	2	601 131.33		R273	-95 428.35	2	600 448.33	
L278	-97 364.03	2	601 150.01		R274	-95 180.08	2	600 294.01	
L279	-97 318.79	2	601 156.48		R275	-94 949.91	2	600 145.22	
L280	-97 044.44	2	601 195.74		R276	-94 889.24	2	600 081.96	
L281	-96 969.71	2	601 203.50						
L282	-96 919.90	2	601 207.40						
L283	-96 875.04	2	601 195.50						
L284	-96 824.40	2	601 176.72						
L285	-96 769.96	2	601 152.63						
L286	-96 689.15	2	601 092.90						
L287	-96 580.86	2	601 011.37						
L288	-96 540.04	2	600 986.04						
L289	-96 523.43	2	600 975.74						
L290	-96 351.87	2	600 906.28						
L291	-96 292.29	2	600 892.52						
L292	-96 192.77	2	600 870.05						
L293	-96 007.15	2	600 828.05						
					LINKERKANT/LEFT HAND SIDE				
						Y		X	
					L294	-95 915.40	2	600 790.31	
					L295	-95 677.15	2	600 650.41	
					L296	-95 521.68	2	600 552.17	
					L297	-95 495.43	2	600 535.74	
					L298	-95 135.63	2	600 310.47	
					L299	-94 935.52	2	600 181.55	
					L300	-94 845.48	2	600 084.50	
					Vel	15A	Van	15	P658/08
					Sheet		of		

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE			
	Y	X	WG 31°		Y	X	
AL1	87 658.59	2 621 886.46		AR1	87 649.69	2 621 900.40	
AL2	87 582.55	2 621 839.80		AR2	87 584.47	2 621 860.14	
AL3	87 432.03	2 621 792.90		AR3	87 518.42	2 621 830.71	
AL4	87 395.13	2 621 782.98		AR4	87 410.19	2 621 796.10	
AL5	87 368.35	2 621 778.17		AR5	87 368.40	2 621 787.64	
AL6	87 350.15	2 621 776.16		AR6	87 346.11	2 621 785.88	
AL7	87 342.22	2 621 776.39		AR7	87 344.55	2 621 788.58	
AL8	87 339.14	2 621 773.36		AR8	87 305.78	2 621 789.43	
AL9	87 299.74	2 621 774.78		AR9	87 304.21	2 621 786.88	
AL10	87 258.52	2 621 776.88		AR10	87 213.03	2 621 791.90	
AL11	87 256.52	2 621 780.11		AR11	87 153.71	2 621 795.70	
AL12	87 212.68	2 621 782.53		AR12	87 122.61	2 621 796.46	
AL13	87 149.09	2 621 785.69		AR13	87 102.45	2 621 795.46	
AL14	87 122.83	2 621 786.43		AR14	87 086.47	2 621 788.94	
AL15	87 105.59	2 621 784.99		AR15	87 077.37	2 621 783.03	
AL16	87 090.28	2 621 779.53		AR16	87 070.25	2 621 776.63	
AL17	87 077.20	2 621 769.11		AR17	87 061.83	2 621 767.18	
AL18	87 067.17	2 621 754.52		AR18	87 047.00	2 621 733.17	
AL19	87 044.60	2 621 700.77		AR19	87 038.04	2 621 711.28	
AL20	87 031.49	2 621 667.67		AR20	87 017.97	2 621 656.94	
AL21	87 025.33	2 621 641.87		AR21	87 012.09	2 621 616.86	
AL22	87 022.63	2 621 612.79		AR22	87 014.42	2 621 566.43	
AL23	87 023.14	2 621 596.27		AR23	87 021.16	2 621 541.05	
AL24	87 028.33	2 621 571.38		AR24	87 048.68	2 621 474.49	
AL25	87 037.21	2 621 547.08		AR25	87 060.71	2 621 449.19	
AL26	87 056.97	2 621 504.28		AR26	87 071.85	2 621 396.48	
AL27	87 066.12	2 621 481.03					
AL28	87 074.38	2 621 453.43					
AL29	87 080.61	2 621 427.82					
AL30	87 086.12	2 621 397.80					
AL31	87 087.47	2 621 385.57					