
**GOVERNMENT NOTICE
GOEWERMENTSKENNISGEWING**

**DEPARTMENT OF TRANSPORT
DEPARTEMENT VAN VERVO**

No. 335

10 May 2013

**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED**

Registration No: 98/09584/06


DECLARATION OF NATIONAL ROAD N11 SECTION 13X

By virtue of section 40(1)(a) of The South African National Roads Agency Limited and National Roads Act, 1998 (Act No. 7 of 1998), I hereby declare the route section as indicated on subjoined sheets 1 to 8 of Plan No. P788/10 as National Road.


(National Road N11 Section 13X: N1/26X – N11/13)




MINISTER OF TRANSPORT




Die Suid Afrikaanse Nasionale Padagentskap Beperk	Die figuur getoon		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion	Vel Sheet 1 of 8
The South African National Roads Agency Limited	The figure shown			13X



Die Suid Afrikaanse Nasionale Padagentskap Beperk The South African National Roads Agency Limited	Die figuur getoon The figure shown		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N11 of National Route	13X	Plan P788/10
Vel Sheet 2 of 8	van 8				




steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N11 Seksie
of National Route Section



Die figuur getoon
The figure shown

Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited

Vel
Sheet 3 of 8
Plan P788/10



Die Suid Afrikaanse Nasionale Padagentskap Beperk The South African National Roads Agency Limited	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N11 of National Route 13X Seksie Section	Vel Sheet 4 of 8 Plan P788/10
--	---------------------------------------	--	---

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°		Y	X
L1	-6 164.51	2 673	247.18	R1	-6 285.10	2 673 239.41
L2	-6 125.25	2 673	222.16	R2	-6 214.18	2 673 191.54
L3	-6 082.41	2 673	181.53	R3	-6 138.75	2 673 128.48
L4	-6 009.84	2 673	104.71	R4	-6 068.97	2 673 056.83
L5	-5 943.63	2 673	021.30	R5	-6 006.47	2 672 978.27
L6	-5 887.74	2 672	930.55	R6	-5 951.68	2 672 891.58
L7	-5 842.42	2 672	835.43	R7	-5 909.73	2 672 809.16
L8	-5 374.99	2 671	772.62	R8	-5 806.03	2 672 571.44
L9	-5 320.87	2 671	666.95	R9	-5 712.91	2 672 289.79
L10	-4 738.18	2 670	681.30	R10	-5 620.83	2 672 070.29
L11	-4 698.32	2 670	654.42	R11	-5 551.21	2 671 974.03
L11X	-4 596.13	2 670	747.81	R12	-5 523.24	2 671 907.35
L11Y	-4 554.88	2 670	724.86	R13	-5 477.56	2 671 807.96
L12	-4 674.34	2 670	615.56	R14	-5 430.65	2 671 718.95
L13	-4 655.09	2 670	567.30	R15	-5 383.34	2 671 618.97
L14	-4 472.88	2 670	388.11	R16	-5 303.80	2 671 495.99
L15	-4 426.63	2 670	345.38	R17	-4 889.47	2 670 786.41
L16	-4 338.79	2 670	218.43	R18	-4 791.95	2 670 632.13
L17	-3 576.66	2 669	442.81	R19	-4 779.28	2 670 582.37
L18	-3 513.05	2 669	380.54	R19X	-4 891.49	2 670 478.12
L19	-3 448.86	2 669	321.40	R19Y	-4 861.10	2 670 444.89
L20	-3 369.42	2 669	472.68	R20	-4 749.85	2 670 539.89
L21	-3 317.35	2 669	571.83	R21	-4 710.68	2 670 514.12
L22	-3 284.14	2 669	554.48	R22	-4 652.29	2 670 439.39
L23	-3 342.74	2 669	442.55	R23	-4 569.51	2 670 334.22
L24	-3 328.10	2 669	407.89	R24	-4 490.46	2 670 252.49
L25	-3 256.55	2 669	341.98	R25	-4 342.59	2 670 117.67
L26	-3 215.84	2 669	298.46	R26	-3 728.64	2 669 488.64
L27	-3 190.92	2 669	249.32	R27	-3 708.05	2 669 466.83
L28	-3 161.20	2 669	103.63	R28	-3 618.79	2 669 372.27
L29	-3 127.00	2 669	015.96	R29	-3 566.31	2 669 311.55
L30	-3 070.47	2 668	942.56	R30	-3 494.35	2 669 234.78
L31	-2 845.02	2 668	763.05	R31	-3 650.35	2 668 937.70
L32	-2 749.52	2 668	699.24	R32	-3 672.59	2 668 892.90
L33	-2 554.47	2 668	583.08	R33	-3 689.43	2 668 853.68
L34	-2 431.88	2 668	510.93	R34	-3 654.44	2 668 835.70
L35	-2 313.98	2 668	433.99	R35	-3 608.68	2 668 933.54
L36	-2 201.39	2 668	352.20	R36	-3 549.32	2 669 048.47
L37	-2 095.90	2 668	258.93	R37	-3 526.70	2 669 041.55
L38	-1 988.48	2 668	168.77	R38	-3 462.10	2 668 986.52
L39	-1 800.10	2 667	958.95	R39	-3 413.15	2 668 966.20
L40	-1 465.17	2 667	545.47	R40	-3 302.94	2 668 953.34
L41	-1 389.73	2 667	481.68	R41	-3 239.35	2 668 940.09
L42	-1 331.16	2 667	409.93	R42	-3 180.29	2 668 908.81
L43	-1 293.87	2 667	334.37	R43	-3 008.66	2 668 778.88
L44	- 637.67	2 666	532.06	R44	-2 869.43	2 668 690.13
L45	- 576.31	2 666	491.64	R45	-2 842.55	2 668 671.71
L46	- 408.06	2 666	458.50	R46	-2 721.32	2 668 598.31
L47	- 220.83	2 666	432.57	R47	-2 698.45	2 668 585.33
L48	- 165.49	2 666	424.91	R48	-2 553.73	2 668 503.18
L49	- 100.48	2 666	420.21	R49	-2 441.42	2 668 435.43
				Vel Sheet	6 Van of 8	P788/10

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
WG 27°					X				
L50	3.44	2	666	405.39	R50	-2	332.84	2	668 361.84
L51	-2.88	2	666	360.23	R51	-2	228.31	2	668 282.62
L52	- 158.04	2	666	382.01	R52	-2	128.11	2	668 197.97
L53	- 204.79	2	666	373.42	R53	-2	032.52	2	668 108.15
L54	- 228.14	2	666	215.20	R54	-1	941.82	2	668 013.40
L55	- 227.76	2	666	140.71	R55	-1	856.26	2	667 913.98
L56	- 210.59	2	666	069.22	R56	-1	509.99	2	667 489.46
L57	- 177.27	2	666	002.68	R57	-1	475.18	2	667 435.47
L58	2.96	2	665	766.79	R58	-1	408.28	2	667 353.86
L59	50.12	2	665	677.28	R59	-1	357.69	2	667 302.59
L60	110.88	2	665	538.22	R60	-1	123.92	2	667 003.46
L61	155.65	2	665	381.01	R61	-1	062.77	2	666 914.78
L62	174.11	2	665	281.10	R62	-1	051.41	2	666 871.26
L63	179.73	2	665	161.15	R63	-1	056.82	2	666 839.32
L64	166.24	2	665	029.48	R64	-1	082.46	2	666 805.68
L65	166.24	2	664	865.57	R65	-1	139.56	2	666 758.70
L66	176.37	2	664	679.87	R66	-1	186.00	2	666 778.77
L67	174.62	2	664	174.42	R67	-1	271.85	2	666 851.37
L68	207.05	2	664	115.80	R68	-1	297.10	2	666 825.10
L69	206.90	2	664	088.69	R69	-1	240.15	2	666 770.38
L70	174.66	2	664	011.56	R70	-1	121.73	2	666 679.03
L71	174.64	2	663	543.77	R71	-1	000.96	2	666 604.61
L72	164.89	2	663	396.64	R72	-	880.99	2	666 544.27
L73	169.88	2	662	946.16	R73	-	714.08	2	666 477.75
L74	184.93	2	662	693.82	R74	-	654.18	2	666 437.50
L75	210.28	2	662	537.67	R75	-	406.57	2	666 129.29
L76	245.29	2	662	412.45	R76	-	297.96	2	665 997.30
L77	282.57	2	662	293.80	R77	-	196.02	2	665 864.49
L78	335.55	2	662	169.25	R78	-	112.05	2	665 754.34
L79	958.48	2	660	975.61	R79	-45.22	2	665 658.78	
L80	1 009.17	2	660	904.83	R80	30.74	2	665 501.75	
L81	1 061.09	2	660	806.58	R81	74.71	2	665 364.82	
L82	1 087.69	2	660	738.38	R82	88.66	2	665 270.00	
L83	1 291.25	2	660	344.64	R83	93.29	2	665 174.27	
L84	1 345.75	2	660	226.56	R84	78.69	2	664 968.98	
L85	1 391.74	2	660	105.61	R85	88.36	2	664 796.69	
L86	1 430.68	2	659	980.07	R86	92.97	2	664 662.30	
L87	1 462.01	2	659	853.69	R87	84.09	2	664 543.41	
L88	1 485.84	2	659	724.38	R88	84.54	2	664 498.90	
L89	1 524.31	2	659	412.46	R89	88.10	2	664 326.92	
L90	1 567.22	2	659	189.73	R90	83.58	2	664 227.17	
L91	1 663.44	2	658	943.97	R91	47.61	2	664 091.29	
L92	1 732.91	2	658	855.46	R92	82.98	2	663 926.39	
L93	1 835.64	2	658	809.57	R93	86.11	2	663 660.56	
L94	1 857.20	2	658	857.23	R94	91.46	2	663 463.97	
L95	1 896.74	2	658	952.88	R95	91.93	2	662 964.70	
L96	1 929.44	2	659	045.44	R96	86.48	2	662 855.68	
L97	1 954.16	2	659	138.38	R97	96.17	2	662 734.41	
L98	1 967.47	2	659	229.61	R98	131.85	2	662 545.53	
L99	1 970.15	2	659	312.80	R99	165.53	2	662 409.50	
L100	1 972.01	2	659	358.10	R100	210.48	2	662 276.77	
					Vel	7	Van	8	P788/10
					Sheet		of		

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
WG 27°				X		
L101	2 014.12	2 659 356.38	R101	284.95	2 662 079.56	
L102	2 011.96	2 659 305.94	R102	325.11	2 662 019.48	
L103	2 001.38	2 659 223.17	R103	399.36	2 661 867.19	
L104	1 987.77	2 659 131.87	R104	490.85	2 661 696.48	
L105	1 966.70	2 659 033.50	R105	546.78	2 661 602.88	
L106	1 957.27	2 658 994.15	R106	899.39	2 660 934.23	
L107	1 950.84	2 658 956.81	R107	929.68	2 660 864.05	
L108	1 931.51	2 658 883.94	R108	988.55	2 660 752.62	
L109	1 906.09	2 658 810.21	R109	1 021.85	2 660 702.43	
L110	1 887.72	2 658 764.70	R110	1 200.49	2 660 364.30	
L111	1 923.50	2 658 734.10	R111	1 260.39	2 660 240.72	
L112	1 946.87	2 658 706.09	R112	1 311.57	2 660 113.30	
L113	1 963.84	2 658 674.13	R113	1 353.81	2 659 982.63	
L114	1 973.25	2 658 639.06	R114	1 386.88	2 659 849.34	
L115	1 980.21	2 658 595.76	R115	1 410.64	2 659 714.09	
L116	2 003.09	2 658 418.24	R116	1 468.49	2 659 301.33	
L117	2 036.09	2 658 306.89	R117	1 490.67	2 659 180.73	
L118	2 085.01	2 658 200.26	R118	1 518.46	2 659 061.28	
L119	2 199.23	2 657 999.67	R119	1 572.53	2 658 896.98	
L120	2 262.54	2 657 899.20	R120	1 594.30	2 658 762.20	
			R121	1 594.39	2 658 583.72	
			R122	1 599.85	2 658 516.72	
			R123	1 628.32	2 658 448.59	
			R124	1 605.11	2 658 422.62	
			R125	1 584.95	2 658 400.05	
			R126	1 564.66	2 658 377.24	
			R127	1 551.15	2 658 361.87	
			R128	1 540.64	2 658 349.97	
			R129	1 508.06	2 658 313.15	
			R130	1 496.92	2 658 300.52	
			R131	1 484.14	2 658 286.28	
			R132	1 515.50	2 658 258.18	
			R133	1 572.01	2 658 321.36	
			R134	1 661.15	2 658 421.02	
			R135	1 715.49	2 658 400.71	
			R136	1 786.57	2 658 345.86	
			R137	1 885.22	2 658 263.67	
			R138	1 974.14	2 658 171.58	
			R139	2 054.79	2 658 071.57	
			R140	2 134.22	2 657 959.71	
			R141	2 198.97	2 657 859.14	
				Vel 8	Van 8	P788/10
				Sheet	of	