

No. R. 508

19 July 2013

NATIONAL ENVIRONMENTAL MANAGEMENT: BIODIVERSITY ACT, 2004**PUBLICATION OF PROHIBITED ALIEN SPECIES**

I, Bomo Edith Edna Molewa, Minister for Water and Environmental Affairs, hereby under section 67(1) of the National Environmental Management: Biodiversity Act, 2004 (Act No. 10 of 2004), publish the list of alien species in the Schedule hereto, in respect of which a permit, mentioned in section 65(1) of the Act, may not be issued.



BOMO EDITH EDNA MOLEWA
MINISTER FOR WATER AND ENVIRONMENTAL AFFAIRS

SCHEDULE

Prohibited Alien Species

1. An issuing authority may not issue a permit in terms of section 65(1) of the National Environmental Management: Biodiversity Act, 2004 (Act No. 10 of 2004) for an alien species listed hereunder.

INVERTEBRATES (TERRESTRIAL)	
Mollusca (snails and molluscs)	
Scientific Name	Common Name
<i>Achatina fulica</i>	Giant African snail
<i>Euglandina rosea</i>	Rosy wolf snail

Nematoda (nematodes)	
Scientific Name	Common Name
<i>Aphelenchoides fragariae</i>	Strawberry crimp disease nematode
<i>Belonolaimus longicaudatus</i>	
<i>Bursaphelenchus xylophilus</i>	Pine wilt or Pine wood nematode
<i>Globodera pallida</i>	Pale cyst nematode, Potato cyst nematode
<i>Heterodera glycines</i>	Soybean cyst nematode
<i>Heterodera goettingiana</i>	Pea cyst nematode
<i>Longidorus attenuatus</i>	Tomato docking disorder nematode
<i>Longidorus elongatus</i>	Sugar beet docking disorder nematode
<i>Paratrichodorus nanus</i>	
<i>Paratrichodorus pachydermus</i>	
<i>Paratrichodorus tunisiensis</i>	
<i>Paratylenchus bukowinensis</i>	
<i>Rhadinaphelenchus cocophilus</i>	Red ring disease nematode
<i>Scutellonema bradys</i>	Yam nematode
<i>Trichodorus primitivus</i>	
<i>Trichodorus similes</i>	
<i>Trichodorus viruliferus</i>	

Insecta (insects)	
Scientific Name	Family
<i>Aleurodicus destructor</i>	Aleyrodidae
<i>Aleurodicus disperses</i>	Aleyrodidae
<i>Amblypelta lutescens</i>	Coccidae
<i>Anastrepha ludens</i>	Tephritidae
<i>Anastrepha oblique</i>	Tephritidae
<i>Anastrepha pseudoparallela</i>	Tephritidae
<i>Anastrepha serpentine</i>	Tephritidae
<i>Anastrepha striata</i>	Tephritidae
<i>Anastrepha suspense</i>	Tephritidae
<i>Anoplophora glabripennis</i>	Asian longhorned beetle
<i>Archips argyrospilis</i>	Tortricidae
<i>Argyrotaenia citrana</i>	Tortricidae
<i>Aulacaspis yasumatsui</i>	Asian cycad scale
<i>Bactrocera zonata</i>	Tephritidae
<i>Bactrocera aquilonis</i>	Tephritidae
<i>Bactrocera carambolae</i>	Tephritidae
<i>Bactrocera caryeae</i>	Tephritidae
<i>Bactrocera correta</i>	Tephritidae
<i>Bactrocera curcubitae</i>	Tephritidae
<i>Bactrocera dorsalis</i>	Tephritidae
<i>Bactrocera facialis</i>	Tephritidae
<i>Bactrocera frauenfeldi</i>	Tephritidae
<i>Bactrocera jarvisi</i>	Tephritidae
<i>Bactrocera kandiensis</i>	Tephritidae
<i>Bactrocera kandiensisoccipitalis</i>	Tephritidae
<i>Bactrocera kirki</i>	Tephritidae
<i>Bactrocera latifrons</i>	Tephritidae
<i>Bactrocera melanota</i>	Tephritidae
<i>Bactrocera musae</i>	Tephritidae
<i>Bactrocera neohumeralis</i>	Tephritidae
<i>Bactrocera occipitalis</i>	Tephritidae
<i>Bactrocera papayae</i>	Tephritidae

Insecta (insects)	
Scientific Name	Family
<i>Bactrocera passiflorae</i>	Tephritidae
<i>Bactrocera philippensis</i>	Tephritidae
<i>Bactrocera psidi</i>	Tephritidae
<i>Bactrocera pyrifoliae</i>	Tephritidae
<i>Bactrocera tryoni</i>	Tephritidae
<i>Bactrocera xanthodes</i>	Tephritidae
<i>Bemisia tabaci</i>	Sweet potato whitefly
<i>Castnia licoides</i>	Castniidae
<i>Castnia penelope</i>	Castniidae
<i>Ceroplastes floridensis</i>	Coccidae
<i>Chloropulvinaria polygnota</i>	Coccidae
<i>Choristoneura rosaceana</i>	Tortricidae
<i>Chrysodeixis eriosoma</i>	Noctuidae
<i>Cinara cupressi</i>	Cypress aphid
<i>Cnephasia jactatana</i>	Tortricidae
<i>Colaspis hypochlora</i>	Chrysomelidae
<i>Conogethes punctiferalis</i>	Pyrilidae
<i>Conopomorpha litchiella</i>	Gracillariidae
<i>Coptotermes formosanus shiraki</i>	Formosan subterranean termite
<i>Cryptophlebia illepida</i>	Tortricidae
<i>Cryptophlebia onbrodelta</i>	Tortricidae
<i>Ctenopseustis obliquana</i>	Tortricidae
<i>Dudua aprobola</i>	Tortricidae
<i>Dysmicoccus neobrevipes</i>	Pseudococcidae
<i>Epiphyas postvittana</i>	Tortricidae
<i>Erionota thrax</i>	Hesperiidae
<i>Holothrips ananasi</i>	Thripidae
<i>Hyphantria cunea</i>	Fall webworm
<i>Lachnopus sp. near campechianus</i>	Curculionidae
<i>Lobesia aeolopa</i>	Tortricidae
<i>Lymantria dispar</i>	Asian gypsy moth
<i>Maconellicoccus hirsutus</i>	Pseudococcidae
<i>Metamasius callizona</i>	Curculionidae

Insecta (insects)	
Scientific Name	Family
<i>Nacoleia octasema</i>	Pyralidae
<i>Neodecadarchis flavistriata</i>	Tineidae
<i>Odoiporus longicollis</i>	Curculionidae
<i>Oryctes rhinoceros</i>	Asiatic rhinoceros beetle
<i>Paratachardina pseudoiobata</i>	Lobate lac scale
<i>Phenacoccus madeirensis</i>	Pseudococcidae
<i>Planococcoides njalensis</i>	Pseudococcidae
<i>Planococcus fitchi</i>	Pseudococcidae
<i>Planococcus minor</i>	Pseudococcidae
<i>Planotortix excessana</i>	Tortricidae
<i>Platynota stultana</i>	Tortricidae
<i>Proeulia auraria</i>	Tortricidae
<i>Proeulia chrysoptera</i>	Tortricidae
<i>Pseudococcus calceolariae</i>	Pseudococcidae
<i>Pseudococcus comstocki</i>	Pseudococcidae
<i>Pseudococcus cryptus</i>	Pseudococcidae
<i>Pseudococcus elisae</i>	Pseudococcidae
<i>Pseudococcus jackbeardsleyi</i>	Pseudococcidae
<i>Rastrococcus iceryoides</i>	Pseudococcidae
<i>Rastrococcus invadens</i>	Pseudococcidae
<i>Rastrococcus mangiferae</i>	Pseudococcidae
<i>Rastrococcus spinosus</i>	Pseudococcidae
<i>Rhipiphorothrips cruentatus</i>	Thripidae
<i>Spodoptora litura</i>	Noctuidae
<i>Sternochetus frigidus</i>	Curculionidae
<i>Thecla basilides</i>	Lycaenidae
<i>Thecla legota</i>	Lycaenidae
<i>Thrips hawaiiensis</i>	Thripidae
<i>Thrips palmi</i>	Thripidae
<i>Tmolus echion</i>	Lycaenidae
<i>Toxotrypana curvicauda</i>	Aleyrodidae
<i>Unaspis citri</i>	Diaspididae
<i>Vinsonia stellifera</i>	Coccidae

Insecta (insects)	
Scientific Name	Family
<i>Xylosandrus compactus</i>	Ambrosia beetle
<i>Xylosandrus mutilatus</i>	Camphor shoot beetle

Acari (Mites)	
Scientific Name	Family
<i>Calacarus brionesae</i>	Eriophyidae
<i>Cisaberoptus kenya</i>	Eriophyidae
<i>Oligonychus biharensis</i>	Tetranychidae
<i>Oligonychus punicea</i>	Tetranychidae
<i>Oligonychus yothersi</i>	Tetranychidae
<i>Tetranychus desertorum</i>	Tetranychidae
<i>Tetranychus mexicanus</i>	Tetranychidae
<i>Tetranychus piercei</i>	Tetranychidae
<i>Tuckerella pavoniformis</i>	Tuckerellidae

Other	
Scientific Name	Family and/or Common name
<i>Platydemus manokwari</i>	Flatworm (Turbellaria)

INVERTEBRATES (FRESH-WATER)	
Scientific Name	Common Name
<i>Orconectes limosus</i>	North American Spiny Cheek Crayfish
<i>Orconectes rusticus</i>	Rusty Crayfish
<i>Pacifastacus leniusculus</i>	North American Signal Crayfish
<i>Procambarus clarkii</i>	Red Swamp Crayfish

Marine species	
Scientific Name	Common Name
<i>Asteria anamurensis</i>	Pacific seastar
<i>Caulerpa taxifolia</i>	Caulerpa (sea weeds)
<i>Eiochir sinensis</i>	Asian mitten crab

<i>Undaria pinnatifida</i>	Asian kelp
----------------------------	------------

Freshwater and anadromous fish	
Scientific Name	Common Name
<i>Abramis spp.</i>	bream
<i>Acantharcus spp.</i>	
<i>Acheilognathus spp.</i>	bitterling
<i>Acipenser spp.</i>	sturgeon
<i>Ameiurus spp.</i>	bullheads
<i>Amia calva</i>	Bowfin/Mudfish/Dogfish
<i>Amphilius spp.</i>	Golden African kuhli
<i>Anabas spp.</i>	Climbing perch/Climbing fish
<i>Anguilla spp.</i>	
<i>Aphanius spp.</i>	minnow
<i>Aplocheilichthys spp.</i>	killifish
<i>Arapaima gigas</i>	Arapaima
<i>Bagrus spp.</i>	
<i>Barilius spp.</i>	
<i>Bathyclarias spp.</i>	Catfish
<i>Centrarchus spp.</i>	
<i>Chaca chaca</i>	Frogmouth catfish
<i>Channa spp.</i>	snakeheads
<i>Chela spp.</i>	
<i>Chetia spp.</i>	
<i>Chiloglanis spp.</i>	
<i>Chologaster cornutus</i>	
<i>Chondrostoma spp.</i>	Nasling
<i>Chrysichthys spp.</i>	
<i>Cichla spp.</i>	Peacock cichlid
<i>Colossoma spp.</i>	pacu
<i>Coregonus spp.</i>	
<i>Cottus spp.</i>	
<i>Croilia spp.</i>	
<i>Cyprinodon spp.</i>	pupfish
<i>Docimodus spp.</i>	cichlid

Freshwater and anadromous fish	
Scientific Name	Common Name
<i>Elassoma</i> spp.	
<i>Electrophorus electricus</i>	Electric eel
<i>Engraulicyprus</i> spp.	
<i>Enneacanthus</i> spp.	
<i>Esox</i> spp.	
<i>Eutropius</i> spp. excluding <i>E. depressirostris</i>	
<i>Fundulus</i> spp.	
<i>Galaxias</i> spp.	galaxias
<i>Gambusia</i> spp.	
<i>Gasterosteus</i> spp.	
<i>Gephyroglanis</i> spp.	
<i>Glossogobius</i> spp.	
<i>Gobio</i> spp.	
<i>Gymnallabes</i> spp.	
<i>Heterobranchus</i> spp.	
<i>Hucho hucho</i>	Huchen
<i>Huso huso</i>	Beluga sturgeon
<i>Hydrocynus</i> spp.	African tiger fish
<i>Ictalurus</i> spp.	
<i>Idus idus</i>	Silver/Golden orf
<i>Jordanella floridae</i>	American flagfish
<i>Lampetra</i> spp.	
<i>Lates</i> spp.	
<i>Lepomis</i> spp.	sunfishes
<i>Leptoglanis</i> spp.	
<i>Leuciscus</i> spp.	
<i>Liposarcus</i> spp.	Plecostomus
<i>Lota lota</i>	Burbot
<i>Luciosoma setigerum</i>	Apollo shark
<i>Malapterurus</i> spp.	
<i>Marcusenius</i> spp.	
<i>Mesobola</i> spp.	
<i>Micropterus cataractae</i>	Shoal bass

Freshwater and anadromous fish	
Scientific Name	Common Name
<i>Micropterus coosae</i>	Redeye bass
<i>Micropterus notius</i>	Suwannee bass
<i>Micropterus treculii</i>	Guadalupe bass
<i>Misgurnus spp</i>	Weather fish
<i>Myleus spp.</i>	Brown metynnis
<i>Neochanna spp.</i>	mudfish
<i>Neomacheilus spp.</i>	Loaches
<i>Notemigonus crysoleucas</i>	Golden shiner
<i>Notropis spp.</i>	shiner
<i>Oncorhynchus</i> species excluding <i>O. mykiss</i>	Trout, except rainbow trout
<i>Ophicephalus spp.</i>	Snakehead
<i>Opsaridium spp.</i>	barilius
<i>Oreochromis</i> species excluding <i>O. niloticus</i> and <i>O. mossambicus</i>	Tilapia
<i>Oryzias spp.</i>	Rice fish/Geisha girl/Golden mede
<i>Osmerus eperlanus</i>	Smelt
<i>Paragalaxias spp.</i>	Paragalaxias
<i>Perca spp.</i>	Perch
<i>Percina spp.</i>	Percina darters
<i>Petrocephalus spp.</i>	Mormyrid
<i>Petromyzon marinus</i>	Lamprey
<i>Phoxinus spp.</i>	Minnow
<i>Plecostomus spp.</i>	plecostomus
<i>Pogonopoma spp.</i>	catfish
<i>Pomoxis spp.</i>	
<i>Protopterus spp.</i>	Lung fish
<i>Pseudocrenilabrus spp.</i>	
<i>Pseudorasbora spp.</i>	Whiptail sturgeon
<i>Pseudorinelepis spp.</i>	catfish
<i>Pterygoplichthys spp.</i> Excluding <i>Pterygoplichthys disjunctivus</i> (listed invasive)	plecos
<i>Pungitius spp.</i>	stickleback

Freshwater and anadromous fish	
Scientific Name	Common Name
<i>Pygocentrus spp.</i>	Piranha
<i>Pygosteus spp.</i>	stickleback
<i>Rhinelepis spp.</i>	catfish
<i>Rhamdia spp.</i>	
<i>Rhinichthys atratulus atratulus</i>	Black-nose dance
<i>Rhinichthys atratulus obtusus</i>	
<i>Rhodeus spp.</i>	
<i>Rooseveltiella spp.</i>	Piranha
<i>Rutilus spp.</i>	Roach
<i>Salmo</i> species excluding <i>S. trutta</i> and <i>S. salar</i>	Salmon
<i>Salvelinus spp.</i>	
<i>Sargochromis spp.</i>	
<i>Sarotherodon spp.</i>	
<i>Shilbe spp.</i>	
<i>Serrasalmus spp.</i>	piranha
<i>Siluris glanis</i>	European/Wels/Waller catfish
<i>Thymallus thymallus</i>	Grayling
<i>Tilapia</i> species excluding <i>Tilapia rendalli</i> , <i>T. sparmannii</i> , <i>T. bakossiorum</i> & <i>T. snyderae</i>	tilapia

Amphibians	
Scientific Name	Common Name
<i>Ambystoma tigrinum</i>	Salamander, Tiger
<i>Bufo bufo</i>	Toad, European
<i>Bufo marinus</i>	Toad, marine / cane
<i>Notophthalmus viridescens viridescens</i>	Newt, Red-spotted
<i>Osteopilus septentrionalis</i>	Treefrog, Cuban
<i>Rana catesbeiana</i>	Bull frog, American

Reptiles	
Scientific Name	Common Name
<i>Agama agama</i>	Agama, common
<i>Anolis distichus</i>	Anole, bark

Reptiles	
Scientific Name	Common Name
<i>Boiga irregularis</i>	Tree snake, brown
<i>Calotes versicolor</i>	Change-able Lizard
<i>Hemidactylus frenatus</i>	Gecko, house
<i>Hemidactylus garnotti</i>	Gecko, Indo-Pacific
<i>Hemidactylus turcicus</i>	Gecko, Mediterranean
<i>Leiocephalus carinatus</i>	Lizard, Northern curlytail
<i>Lipinia noctua</i>	Moth Skink
<i>Podarcis muralis</i>	True Wall Lizard
<i>Podarcis sicula</i>	Italian Wall Lizard
<i>Tarentola mauritanica</i>	Wall gecko, Moorish

Birds	
Scientific Name	Common Name
<i>Acridotheres cristatellus</i>	Myna, Crested
<i>Acridotheres fuscus</i>	Myna, jungle
<i>Alectoris rufa</i>	Partridge, Red-legged
<i>Callipepla californica</i>	Quail, California
<i>Callipepla gambelii</i>	Quail, Gambel's
<i>Callipepla squamata</i>	Quail, Scaled
<i>Carduelis carduelis</i>	Goldfinch, European
<i>Carduelis chloris</i>	Greenfinch, European
<i>Carduelis flammea</i>	Redpoll, Common
<i>Carpodacus mexicanus</i>	Finch, house
<i>Colinus cristatus</i>	Quail, Crested
<i>Colinus virginianus</i>	Bobwhite, Northern
<i>Columba palumbus</i>	Wood-Pigeon, Common
<i>Corvus brachyrhynchos</i>	Crow, American
<i>Corvus frugilegus</i>	Rook
<i>Corvus monedula</i>	Jackdaw, Eurasian
<i>Emberiza citrinella</i>	Yellowhammer
<i>Foudia madagascariensis</i>	Fody, Madagascar Red
<i>Francolinus pondicerianus</i>	Francolin, Grey
<i>Icterus pectoralis</i>	Oriole, Spot-breasted

Birds	
Scientific Name	Common Name
<i>Lonchura malacca</i>	Manikin, Indian Black-headed
<i>Lonchura punctulata</i>	Munia, Scaly-breasted
<i>Molothrus ater</i>	Cowbird, brown-headed
<i>Molothrus bonariensis</i>	Cowbird, shiny
<i>Oreortyx pictus</i>	Quail, Mountain
<i>Oxyura jamaicensis</i>	Ruddy duck, northern
<i>Oxyura leucocephala</i>	Duck, White-headed
<i>Passer hispaniolensis</i>	Sparrow, Spanish
<i>Passer montanus</i>	Sparrow, Eurasian Tree
<i>Perdix perdix</i>	Partridge, Grey
<i>Phasianus colchicus</i>	Pheasant, ring-necked
<i>Pycnonotus cafer</i>	Bulbul, Red-vented
<i>Pycnonotus jocosus</i>	Bulbul, Red-whiskered
<i>Sicalis flaveola</i>	Finch, Saffron
<i>Streptopelia picturata</i>	Turtle-dove, Madagascar
<i>Struthio camelus molybdophanus</i>	Ostrich, North African
<i>Turdus philomelos</i>	Thrush, Song
<i>Turdus merula</i>	Blackbird
<i>Zenaida asiatica</i>	Dove, White-winged

Mammals	
Scientific Name	Common Name
<i>Alcelaphus buselaphus cokii</i>	Coke's Hartebeest (Kongoni)
<i>Alcelaphus buselaphus lelwei</i>	Lelwei Hartebeest
<i>Alcelaphus buselaphus major</i>	Western Hartebeest
<i>Alcelaphus buselaphus swaynei</i>	Swayne's Hartebeest
<i>Alcelaphus buselaphus tora</i>	Tora Hartebeest
<i>Alcelaphus buselaphus lelwei x cokii</i>	Kenya Highland Hartebeest
<i>Alcelaphus buselaphus lelwei x swaynei</i>	Neuman Hartebeest
<i>Bos frontalis</i>	Gaur
<i>Castor spp. (all species)</i>	Beaver
<i>Erinaceus europaeus</i>	European hedgehog
<i>Giraffa camelopardalis angolensis</i>	Angolan or Smoky Giraffe

<i>Giraffa camelopardalis antiquorum</i>	Kordofan Giraffe
<i>Giraffa camelopardalis camelopardalis</i>	Nubian Giraffe
<i>Giraffa camelopardalis peralta</i>	West African Giraffe
<i>Giraffa camelopardalis reticulata</i>	Reticulated or Somali Giraffe
<i>Giraffa camelopardalis thornicrofti</i>	Thornicroft Giraffe (Rhodesian Giraffe)
<i>Giraffa camelopardalis tippelskirchi</i>	Rothschild Giraffe
<i>Herpestes javanicus</i>	Small Indian mongoose
<i>Macaca fascicularis</i>	Crab-eating macaque
<i>Mustela erminea</i>	Short-tailed weasel / Stoat
<i>Myocastor coypus</i>	Coypu
<i>Oryx beisa beisa</i>	Beisa oryx (East African Oryx)
<i>Oryx beisa callotis</i>	Fringe-eared Oryx
<i>Redunca redunca</i>	Bohor reedbuck
<i>Suncus murinus</i>	Asian/Indian musk shrew
<i>Trichosurus vulpecula</i>	Brush-tail possum
<i>Vulpes vulpes</i>	Red fox

PLANTS

Scientific Name	Common Name
<i>Acaena pallida</i> (Kirk) Allan	Pale biddy – biddy
<i>Achnatherum caudatum</i> (Trin.) S.W.L.Jacobs & J.Everett	Spear grass
<i>Achnatherum brachychaetum</i> (Godr.) Barkworth (= <i>Nassella brachychaeta</i> (Godr.) Barkworth, <i>Stipa brachychaeta</i> Godr.)	Puna grass
<i>Aegilops</i> spp.	Goat grasses
<i>Aegilops cylindrica</i> Host (= <i>Cylindropyrum cylindricum</i> (Host) A.Löve, <i>Triticum cylindricum</i> (Host) Ces.)	Jointed goat grass
<i>Aegilops geniculata</i> Roth (= <i>A. ovata</i> auct., <i>Triticum ovatum</i> auct.)	Ovate goat grass
<i>Aegilops triuncialis</i> L. (= <i>A. squarrosa</i> L., <i>Triticum triunciale</i> (L.) Raspail)	Barb goat grass
<i>Aeginetia</i> spp.	Aeginetia species
<i>Aeschynomene rudis</i> Benth.	Rough joint – vetch
<i>Allium paniculatum</i> L.	Panicled onion
<i>Allium vineale</i> L. (= <i>A. kochii</i> Lange)	Wild garlic
<i>Alternanthera philoxeroides</i> (Mart.) Griseb.	Alligator weed
<i>Ambrosia trifida</i> L.	Giant ragweed
<i>Andropogon bicornis</i> L.	West Indian foxtail grass

PLANTS	
Scientific Name	Common Name
<i>Andropogon virginicus</i> L.	Broom – sedge
<i>Annona glabra</i> L.	Pond apple
<i>Artemisia verlotiorum</i> Lamotte	Mugwort
<i>Arundinaria</i> spp.	Arundinaria reeds / bamboos
<i>Azolla</i> spp. except <i>A. pinnata</i> R.Br. var. <i>africana</i> (Desv.) Baker which may be indigenous	Azolla species
<i>Baccharis halimifolia</i> L.	Groundsel bush
<i>Berberis glaucocarpa</i> Stapf	Barberry
<i>Bifora testiculata</i> (L.) Spreng. (= <i>Coriandrum testiculatum</i> L.)	Bifora
<i>Cabomba</i> spp.	Cabomba species
<i>Callistachys lanceolata</i> Vent. (= <i>Oxylobium lanceolatum</i> (Vent.) Druce)	Oxylobium
<i>Calluna vulgaris</i> (L.) Hull	Heather
<i>Calotis lappulacea</i> Benth.	Bur – daisy
<i>Carduus acanthoides</i> L.	Plumeless thistle
<i>Carduus nutans</i> L.	Musk thistle
<i>Carduus pycnocephalus</i> L.	Italian thistle
<i>Carthamus leucocaulos</i> Sm.	White – stem distaff thistle, Saffron thistle
<i>Carthamus oxyacanthus</i> M.Bieb. (= <i>C. flavescens</i> Willd.)	Wild safflower
<i>Cassinia arcuata</i> R.Br.	Chinese shrub, Drooping cassinia
<i>Caulerpa taxifolia</i> (Vahl) C.Agardh	Notched caulerpa, Feather caulerpa
<i>Celastrus orbiculatus</i> Thunb. (= <i>C. articulatus</i> Thunb.)	Climbing spindleberry, Oriental bittersweet
<i>Cenchrus echinatus</i> L.	Southern sandbur grass, Mossman River grass
<i>Cenchrus longispinus</i> (Hack.) Fernald	Mat sandbur, Spiny bur grass
<i>Centaurea stoebe</i> L. subsp. <i>micranthos</i> (Gugler) Hayek (= <i>Centaurea biebersteinii</i> auct., <i>C. maculosa</i> auct.)	Spotted knapweed
<i>Centaurea diffusa</i> Lam.	Diffuse knapweed
<i>Centaurea iberica</i> Trevir. ex Spreng.	Iberian star thistle
<i>Centaurea sulphurea</i> Willd.	Sicilian star thistle
<i>Centaurea virgata</i> Lam. subsp. <i>squarrosa</i> (Boiss.) Gugler (= <i>C. squarrosa</i> Willd., <i>C. virgata</i> auct.)	Squarrose knapweed
<i>Cereus hildmannianus</i> K.Schum. (= <i>C. peruvianus</i> auct. pl. [= <i>C. hildmannianus</i> subsp. <i>hildmannianus</i>], <i>C. uruguayanus</i> C.Ritter ex	Queen – of – the – night, Peruvian apple, Hedge cactus,

PLANTS	
Scientific Name	Common Name
<i>R.Kiesling</i> [= <i>C. hildmannianus</i> subsp. <i>uruguayanus</i>]	Spiny tree cactus
<i>Chorispora tenella</i> (Pall.) DC.	Purple mustard
<i>Chrysopogon aciculatus</i> (Retz.) Trin. (= <i>Andropogon acicularis</i> Retz. ex Roem. & Schult., <i>A. aciculatus</i> Retz., <i>Rhaphis acicularis</i> (Retz. ex Roem. & Schult.) Desv., <i>R. aciculata</i> (Retz.) Honda)	Pilipiliula
<i>Cirsium ochrocentrum</i> A.Gray	Yellow – spine thistle
<i>Cirsium undulatum</i> (Nutt.) Spreng.	Wavy – leaf thistle
<i>Clematis vitalba</i> L.	Old man's beard
<i>Clidemia hirta</i> (L.) D.Don (= <i>Melastoma hirtum</i> L.)	Koster's curse
<i>Coccoloba grandis</i> (L.) Voigt (= <i>C. cordifolia</i> auct., <i>C. indica</i> Wight & Arn.)	Ivy gourd
<i>Cortaderia richardii</i> (Endl.) Zotov	New Zealand pampas grass
<i>Crassula helmsii</i> (Kirk) Cockayne	Swamp stonecrop
<i>Crataegus sinaica</i> Boiss.	Azzarola
<i>Crupina vulgaris</i> Cass.	Common crupina, Bearded creeper
<i>Cupaniopsis anacardioides</i> (A.Rich.) Radlk. (= <i>Cupania anacardioides</i> A.Rich.)	Carrotwood
<i>Cuscuta indecora</i> Choisy (= <i>C. jepsonii</i> Yunck.)	Large – seeded dodder
<i>Cuscuta reflexa</i> Roxb.	Giant dodder, Indian dodder
<i>Cymbopogon refractus</i> (R.Br.) A.Camus (= <i>Andropogon refractus</i> R.Br.)	Barbwire grass
<i>Datura leichhardtii</i> F.Muell. ex Benth. (= <i>D. pruinosa</i> Greenm.)	Leichhardt's thorn apple
<i>Datura wrightii</i> Regel (= <i>D. meteloides</i> auct.)	Hairy thorn apple
<i>Diploaxis tenuifolia</i> (L.) DC. (= <i>Sisymbrium tenuifolium</i> L.)	Sand rocket
<i>Dipsacus fullonum</i> L. (= <i>D. sylvestris</i> Huds.)	Wild teasel
<i>Dioscorea alata</i> L. (= <i>D. rubella</i> Roxb.)	White yam
<i>Drymaria arenarioides</i> Humb. & Bonpl. ex Schult.	Alfombrilla, Lightningweed
<i>Echium italicum</i> L.	Italian bugloss
<i>Eichhornia azurea</i> (Sw.) Kunth	Anchored water hyacinth
<i>Eichhornia</i> spp.	Water hyacinth species
<i>Elephantopus mollis</i> Kunth (= <i>E. tomentosus</i> auct. nonn.)	Elephantopus, Elephant's foot
<i>Emex spinosa</i> (L.) Campd. (= <i>Rumex spinosus</i> L.)	Spiny emex, Devil's thorn, Lesser jack
<i>Equisetum arvense</i> L.	Field horsetail, Common horsetail

PLANTS	
Scientific Name	Common Name
<i>Erica lusitanica</i> Rudolphi	Spanish heath, Portuguese heath
<i>Euphorbia oblongata</i> Griseb.	Oblong spurge
<i>Euphorbia terracina</i> L.	Geraldton carnation
<i>Fallopia japonica</i> (Houtt.) Ronse Decr. (= <i>Polygonum cuspidatum</i> Siebold & Zucc., <i>Polygonum reynoutria</i> Makino, <i>Reynoutria japonica</i> Houtt.)	Japanese knotweed
<i>Fallopia X bohemica</i> (Chrtek. & Chrtková) J.P.Bailey	Japanese knotweed hybrid
<i>Gaura drummondii</i> (Spach) Torr. & A.Gray (= <i>G. odorata</i> auct.)	Drummond's gaura
<i>Gmelina asiatica</i> L.	Badhara bush
<i>Gymnocoronis spilanthoides</i> DC.	Senegal tea plant, Temple plant
<i>Halimodendron halodendron</i> (Pall.) Voss (= <i>Caragana argentea</i> Lam., <i>Halimodendron argenteum</i> (Lam.) DC., <i>Robinia halodendron</i> Pall.)	Russian salt tree
<i>Halogeton glomeratus</i> (M.Bieb.) C.A.Mey. (= <i>Anabasis glomerata</i> M.Bieb.)	Halogeton
<i>Harungana madagascariensis</i> Lam. ex Poir. (= <i>Haronga madagascariensis</i> (Lam. ex Poir.) Chois)	Harungana, Haronga, Dragon's – blood – tree
<i>Helianthus ciliaris</i> DC.	Blueweed, Texas blueweed
<i>Hieracium aurantiacum</i> L. (= <i>Pilosella aurantiaca</i> (L.) F.W.Schultz & Sch. Bip.)	Orange hawkweed
<i>Hieracium pilosella</i> L. (= <i>Pilosella officinarum</i> F.W. Schultz & Sch. Bip.)	Mouse – ear hawkweed
<i>Hieracium praealtum</i> Gochn.	King devil
<i>Hydrocharis morsus-ranae</i> L.	Frog's – bit
<i>Hydrodictyon reticulatum</i> Lagerh.	Water net
<i>Hygrophila costata</i> Nees et al. (= <i>H. brasiliensis</i> (Spreng.) Lindau, <i>H. guianensis</i> Nees, <i>Ruellia brasiliensis</i> Spreng.)	Hygrophila
<i>Hygrophila polysperma</i> (Roxb.) T.Anderson (= <i>Justicia polysperma</i> Roxb.)	Miramar weed, Hygrophila
<i>Hymenachne amplexicaulis</i> (Rudge) Nees	Olive hymenachne, West Indian marsh grass
<i>Hypericum X inodorum</i> Mill. (= <i>H. elatum</i> Aiton)	Tall St John's wort, Tall tutsan
<i>Hypericum triquetrifolium</i> Turra (= <i>H. crispum</i> L.)	Tangled hypericum
<i>Hyptis capitata</i> Jacq.	Knobweed
<i>Hyptis pectinata</i> (L.) Poit. (= <i>Nepeta pectinata</i> L.)	Comb hyptis
<i>Hyptis suaveolens</i> (L.) Poit. (= <i>Ballota suaveolens</i> L.)	Wild spikenard, Hyptis
<i>Imperata brasiliensis</i> Trin.	Brazilian satin – tail

PLANTS	
Scientific Name	Common Name
<i>Imperata brevifolia</i> Vasey (= <i>Imperata hookeri</i> (Rupr. ex Andersson) Hack.)	Satin-tail
<i>Ipomoea triloba</i> L.	Little – bell, Aiea morning – glory
<i>Ischaemum rugosum</i> Salisb.	Murain – grass
<i>Iva axillaris</i> Pursh	Poverty weed
<i>Iva axillaris</i> Pursh subsp. <i>robustior</i>	Poverty weed
<i>Juncus acutus</i> L. subsp. <i>acutus</i>	Spiny rush
<i>Lagascea mollis</i> Cav.	Acuate
<i>Lepidium appelianum</i> Al-Shehbaz (= <i>Cardaria pubescens</i> (C.A.Mey.) Jarm.)	Globe – pod hoary cress
<i>Lepidium draba</i> L. subsp. <i>chalepense</i> (L.) Thell. (= <i>Cardaria chalepensis</i> (L.) Hand.-Mazz)	Lens podded hoary cress
<i>Lepidium latifolium</i> L.	Perennial pepperweed / Perennial peppergrass
<i>Limnobiium spongia</i> (Bosc) Steud. (= <i>Hydrocharis spongia</i> Bosc)	American spongeplant
<i>Limnocharis flava</i> (L.) Buchenau (= <i>Alisma flavum</i> L., <i>Limnocharis emarginata</i> Bonpl.)	Sawah flowering rush, Yellow burrhead
<i>Limnophila indica</i> (L.) Druce (= <i>Hottonia indica</i> L.)	Ambulia
<i>Limnophila sessiliflora</i> (Vahl) Blume (= <i>Hottonia sessiliflora</i> Vahl)	Ambulia
<i>Ludwigia peploides</i> (Kunth) P.H.Raven	Primrose willow, Creeping water – primrose
<i>Malachra alceifolia</i> Jacq.	Malachra
<i>Malvella leprosa</i> (Ortega) Krapov. (= <i>Sida hederacea</i> (Douglas ex Hook.) Torr. ex A.Gray, <i>Sida leprosa</i> var. <i>hederacea</i> (Douglas ex Hook.) K.Schum.)	Alkali mallow, Alkali sida
<i>Martynia annua</i> L. (= <i>M. diandra</i> Gloxin)	Devil's claw
<i>Medinilla venosa</i> (Blume) Blume (= <i>Melastoma venosum</i> Blume)	
<i>Melastoma malabathricum</i> L. (= <i>Melastoma normale</i> D.Don)	Indian – rhododendron
<i>Melastoma</i> spp.	Melastoma species
<i>Menyanthes trifoliata</i> L.	Bog bean
<i>Miconia</i> spp.	Miconia
<i>Mikania cordata</i> (Burm.f.) B.L.Rob.	Mile – a – minute
<i>Mikania micrantha</i> Kunth	Mile – a – minute, Climbing hempweed
<i>Mikania scandens</i> (L.) Willd. (= <i>Eupatorium scandens</i> L., <i>Willoughbya scandens</i> (L.) Kuntze)	Climbing hempweed

PLANTS	
Scientific Name	Common Name
<i>Mimosa diplotricha</i> C.Wright (= <i>M. invisa</i> Mart.)	Giant sensitive – plant
<i>Miscanthus floridulus</i> (Labill.) Warb. ex K.Schum. & Lauterb. (= <i>M. japonicus</i> Andersson, <i>Saccharum floridulum</i> Labill.)	Giant Chinese silver grass, Japanese silver grass
<i>Monochoria hastata</i> (L.) Solms	Arrow – leaf monochoria, Hastate – leaf – pondweed
<i>Monochoria vaginalis</i> (Burm.f.) C.Presl. ex Kunth (= <i>M. vaginalis</i> var. <i>pauciflora</i> Merr., <i>Pontederia vaginalis</i> Burm.f.)	Oval – leaf monochoria, Oval – leaf – pondweed, Pickerel – weed
<i>Muhlenbergia schreberi</i> J.F.Gmel. (= <i>M. diffusa</i> Willd.)	Nimblewill
<i>Myagrum perfoliatum</i> L.	Muskweed
<i>Najas guadalupensis</i> (Spreng.) Magnus	Southern naiad
<i>Nassella charruana</i> (Arehav.) Barkworth (= <i>Stipa charruana</i> Arehav.)	Lobed needlegrass
<i>Nassella hyalina</i> (Nees) Barkworth (= <i>Stipa hyalina</i> Nees)	Cane needlegrass
<i>Nassella leucotricha</i> (Trin. & Rupr.) R.W.Pohl (= <i>Stipa leucotricha</i> Trin. & Rupr.)	Texas needlegrass
<i>Nechamandra alternifolia</i> (Roxb.) Thwaites (= <i>Vallisneria alternifolia</i> Roxb.)	
<i>Neyraudia reynaudiana</i> (Kunth) Keng ex Hitchc. (= <i>Arundo reynaudiana</i> Kunth)	Burma reed
<i>Nymphoides geminata</i> (R.Br.) Kuntze (= <i>Villarsia geminata</i> R.Br.)	Entire marshwort
<i>Oenanthe pimpinelloides</i> L.	Water dropwort, Corky – fruit water – dropwort
<i>Ononis alopecuroides</i> L.	Foxtail restharrow
<i>Onopordum acaulon</i> L.	Stemless thistle
<i>Onopordum illyricum</i> L.	Illyrian thistle
<i>Onopordum tauricum</i> Willd.	Taurian thistle, Taurean thistle
<i>Orobanche cooperi</i> (A.Gray) A.Heller (= <i>O. ludoviciana</i> Nutt. var. <i>cooperi</i> (A.Gray) Beck)	Cooper's broomrape
<i>Oryza rufipogon</i> Griff. (= <i>O. fatua</i> J. König ex Trin., nom. nud., <i>O. Sativa</i> L. var. <i>fatua</i> Prain)	Red rice, Perennial wild red rice
<i>Ottelia alismoides</i> (L.) Pers.	Duck – lettuce, Water – plantain ottelia
<i>Oxyspora paniculata</i> (D.Don) DC. (= <i>Arthrostemma paniculatum</i> D.Don)	
<i>Paederia cruddasiana</i> Prain	Sewer vine
<i>Paederia foetida</i> L. (= <i>P. magnifica</i> Noronha, nom. nud., <i>P. scandens</i> (Lour.) Merr., <i>P. tomentosa</i> Blume, <i>Gentiana scandens</i> Lour.)	Skunk vine

PLANTS	
Scientific Name	Common Name
<i>Panicum antidotale</i> Retz. (= <i>P. miliare</i> Lam., <i>P. proliferum</i> Lam.)	Blue panic grass
<i>Parietaria judaica</i> L. (= <i>P. diffusa</i> Mert. & W.D.J. Koch)	Wall pellitory
<i>Passiflora bicornis</i> Mill. (= <i>P. pulchella</i> Kunth)	Wingleaf passionfruit
<i>Pennisetum alopecuroides</i> (L.) Spreng. (= <i>Alopecurus hordeiformis</i> L., <i>Panicum alopecuroides</i> L., <i>Pennisetum compressum</i> R.Br., <i>P. hordeiforme</i> (Thunb.) Spreng., <i>P. japonicum</i> Trin. ex Spreng.)	Chinese pennisetum, Swamp foxtail grass
<i>Pennisetum pedicellatum</i> Trin.	Kyasuwa – grass
<i>Pennisetum polystachion</i> (L.) Schult.	Mission grass, Thin Napier grass
<i>Persicaria perfoliata</i> (L.) H.Gross (= <i>Polygonum perfoliatum</i> L.)	Devil's tail tearthumb, Mile – a – minute – vine, Mile – a – minute – weed
<i>Persicaria wallichii</i> Greuter & Burdet (= <i>P. polystachya</i> (Wall. ex Meisn.) H.Gross, <i>Polygonum polystachyum</i> Wall. ex Meisn., <i>Rubrivena polystachya</i> (Wall. ex Meisn.) M.Král)	Himalayan knotweed
<i>Physalis longifolia</i> Nutt. (= <i>P. subglabrata</i> Mack. & Bush, <i>P. virginiana</i> Mill. var. <i>sonorae</i> (Torr.) Waterf.)	Long – leaf ground-cherry
<i>Picnemon acarna</i> (L.) Cass.	Soldier thistle
<i>Piper aduncum</i> L. (= <i>P. angustifolium</i> Ruiz & Pav., <i>P. caltidifolium</i> Kunth, <i>P. elongatum</i> Vahl)	Spiked pepper, Piper
<i>Potamogeton perfoliatus</i> L.	Clasped pondweed
<i>Pontederia rotundifolia</i> L.f. (= <i>Reussia rotundifolia</i> (L.f.) A.Cast.)	Tropical pickerel – weed
<i>Prosopis alpataco</i> Phil.	Mesquite
<i>Prosopis argentina</i> Burkart	Mesquite
<i>Prosopis bukartii</i> Muñoz	Mesquite
<i>Prosopis caldenia</i> Burkart	Mesquite
<i>Prosopis calingastana</i> Burkart	Cusqui, Mesquite
<i>Prosopis campestris</i> Griseb.	Mesquite
<i>Prosopis castellanosi</i> Burkart	Mesquite
<i>Prosopis denudans</i> Benth. (= <i>P. patagonica</i> Speg.)	Mesquite
<i>Prosopis elata</i> (Burkart) Burkart (= <i>P. campestris</i> Griseb. var. <i>elata</i> Burkart)	Mesquite
<i>Prosopis farcta</i> (Banks & Sol.) J.F.Macbr. (= <i>Mimosa farcta</i> Banks & Sol.), <i>M. stephaniana</i> M.Bieb., <i>P. stephaniana</i> (M.Bieb.) Kunth ex Spreng.)	Syrian mesquite
<i>Prosopis ferox</i> Griseb.	Mesquite
<i>Prosopis fiebrigii</i> Harms	Mesquite
<i>Prosopis hassleri</i> Harms	Mesquite

PLANTS	
Scientific Name	Common Name
<i>Prosopis humilis</i> Gillies ex Hook. & Arn.	Mesquite
<i>Prosopis kuntzei</i> Harms	Mesquite
<i>Prosopis palmeri</i> S.Watson	Mesquite
<i>Prosopis reptans</i> Benth. (= <i>P. cinerascens</i> (A.Gray) Benth., <i>Strombocarpa cinerascens</i> A.Gray)	Mesquite
<i>Prosopis rojasiana</i> Burkart	Mesquite
<i>Prosopis ruizlealii</i> Burkart	Mesquite
<i>Prosopis ruscifolia</i> Griseb.	Mesquite
<i>Prosopis sericantha</i> Gillies ex Hook. & Arn.	Mesquite
<i>Prosopis strombulifera</i> (Lam.) Benth. (= <i>Acacia strombulifera</i> (Lam.) Willd., <i>Mimosa strombulifera</i> Lam.)	Argentine screwbean, Creeping mesquite
<i>Prosopis torquata</i> (Cav. ex Lag.) DC. (= <i>Acacia torquata</i> Cav. Ex Lag.)	Mesquite
<i>Pueraria phaseoloides</i> (Roxb.) Benth. (= <i>Dolichos phaseoloides</i> Roxb., <i>Neustanthus javanicus</i> Benth., <i>Pueraria javanica</i> (Benth.) Benth.)	Tropical kudzu
<i>Ranunculus acris</i> L. (= <i>R. friesianus</i> Jord.)	Giant buttercup
<i>Ranunculus sceleratus</i> L.	Celery – leaf buttercup
<i>Reseda phyteuma</i> L.	Rampion mignonette
<i>Rorippa austriaca</i> (Crantz) Besser (= <i>Nasturtium austriacum</i> Crantz)	Austrian field cress
<i>Rorippa sylvestris</i> (L.) Besser	Creeping yellow field cress
<i>Rubus anglocandicans</i> A.Newton	Blackberry
<i>Rubus argutus</i> Link	Prickly Florida blackberry
<i>Rubus ellipticus</i> Sm. (= <i>R. ellipticus</i> var. <i>obcordatus</i> (Franch.) Focke, <i>R. flavus</i> Buch.-Ham. Ex D.Don, <i>R. gowreepful</i> Roxb.)	Yellow Himalayan raspberry
<i>Rubus moluccanus</i> L. (= <i>R. hillii</i> F.Muell.)	Wild blackberry, Wild raspberry
<i>Rubus sieboldii</i> Blume	Molucca raspberry
<i>Saccharum spontaneum</i> L. (= <i>S. arenicola</i> Ohwi, <i>S. biflorum</i> Forssk.)	Wild sugarcane
<i>Sagittaria montevidensis</i> Cham. & Schldt. (= <i>Lophotocarpus</i> <i>spongiosus</i> (Engelm.) J.G.Sm., <i>S. calycina</i> Engelm.)	Giant arrowhead
<i>Sagittaria platyphylla</i> (Engelm.) J.G.Sm. (= <i>S. graminea</i> Michx. var. <i>platyphylla</i> Engelm.)	Sagittaria, Delta arrowhead
<i>Salsola collina</i> Pall.	Spineless Russian thistle, Tumbleweed
<i>Salsola paulsenii</i> Litv.	Barbwire Russian thistle
<i>Salsola vermiculata</i> L.	Wormleaf salsola, Wormleaf saltwort
<i>Salvia aethiopis</i> L.	Mediterranean sage

PLANTS	
Scientific Name	Common Name
<i>Salvia virgata</i> Jacq. (= <i>S. campestris</i> M.Bieb.)	Meadow sage
<i>Salvinia auriculata</i> Aubl. (= <i>S. Rotundifolia</i> Willd.)	Salvinia, Giant salvinia
<i>Salvinia biloba</i> Raddi	Giant salvinia
<i>Salvinia herzogii</i> de la Sota	Giant salvinia
<i>Sclerolaena birchii</i> (F.Muell.) Domin (= <i>Anisacantha birchii</i> F.Muell.)	Galvanised burr
<i>Scolymus hispanicus</i> L.	Golden thistle
<i>Scolymus maculatus</i> L.	Spotted golden thistle
<i>Senecio jacobaea</i> L.	Tansy ragwort, St James' ragwort
<i>Senecio squalidus</i> L.	Oxford ragwort
<i>Senna tora</i> (L.) Roxb. (= <i>Cassia tora</i> L.)	Java bean, Sicklepod senna
<i>Setaria faberi</i> R.A.W.Herm.	Chinese foxtail, Giant foxtail
<i>Setaria palmifolia</i> (J.König) Stapf (= <i>Panicum palmifolium</i> Willd. ex Poir., <i>Chaetochloa palmifolia</i> Hitchc. & Chase)	Palm grass
<i>Solanum carolinense</i> L.	Horse nettle, Carolina horse nettle
<i>Solanum dimidiatum</i> Raf. (= <i>S. torreyi</i> A.Gray)	Torrey's nightshade
<i>Solanum lanceolatum</i> Cav.	Lance – leaf nightshade
<i>Solanum marginatum</i> L.f.	White – margined nightshade, White – edged nightshade
<i>Solanum robustum</i> H.L.Wendl. (= <i>S. alatum</i> Seem. & J. C. Schmidt)	Silver – leaf nightshade
<i>Solanum tampicense</i> Dunal	Wetland nightshade
<i>Sonchus arvensis</i> L.	Perennial sow thistle
<i>Sorghum hybrid</i> 'Silk'	Silk forage sorghum
<i>Sorghum X almum</i> Parodi (= <i>S. bicolor</i> (L.) Moench X <i>S. halepense</i> (L.) Pers.)	Columbus grass
<i>Sparganium erectum</i> L. (= <i>S. chlorocarpum</i> Rydb., <i>S. polyedrum</i> (Asch. & Graebn.) Juz., <i>S. ramosum</i> Huds.)	Exotic bur – reed, Bur reed
<i>Spermacoce alata</i> Aubl. (= <i>Borreria alata</i> (Aubl.) DC.)	Borreria, Buttonweed
<i>Sphaerophysa salsula</i> (Pall.) DC. (= <i>Colutea caspica</i> M.Bieb., <i>Phaca salsula</i> Pall., <i>Swainsona salsula</i> (Pall.) Taub.)	Austrian peaweed
<i>Sporobolus indicus</i> (L.) R.Br. var. <i>major</i> (Büse) Baaijens (= <i>Agrostis fertilis</i> Steud., <i>S. diandrus</i> (Retz) P.Beauv. var. <i>major</i> Büse, <i>S. elongatus</i> R.Br. var. <i>purpureo-suffusus</i> Ohwi, <i>S. fertilis</i> (Steud.) Clayton, <i>S. indicus</i> var. <i>fertilis</i> (Steud.) Jovet & Guédès, <i>S. indicus</i> var. <i>purpureo-suffusus</i> (Ohwi) T.Koyama)	Giant Parramatta grass
<i>Stratiotes aloides</i> L.	Water – aloe, Soldier plant, Water – soldier

PLANTS	
Scientific Name	Common Name
<i>Symphytum asperum</i> Lepech. (= <i>S. asperrimum</i> Sims)	Prickly comfrey, Rough comfrey
<i>Taeniatherum caput-medusae</i> (L.) Nevski (= <i>Cuviera caput-medusae</i> (L.) Koefer var. <i>aspera</i> Simonk., <i>Elymus caput-medusae</i> L., <i>E. crinitus</i> Schreb., <i>Hordeum crinitum</i> (Schreb.) Desf., <i>T. asperum</i> (Simonk.) Nevski, <i>T. crinitum</i> (Schreb.) Nevski)	Medusa – head, Medusa's – head
<i>Themeda quadrivalvis</i> (L.) Kuntze (= <i>Andropogon quadrivalvis</i> L., <i>Anthistia ciliata</i> L.f., <i>Themeda ciliata</i> (L.f.) Hack.)	Grader grass, Habana grass
<i>Themeda villosa</i> (Poir.) A.Camus (= <i>Anthistria villosa</i> Poir., <i>Themeda gigantea</i> (Cav.) Hack. subsp. <i>villosa</i> (Poir.) Hack.)	Lyon's grass
<i>Thunbergia annua</i> Hochst.	Thunbergia
<i>Thunbergia fragrans</i> Roxb. (= <i>T. volubilis</i> Pers., <i>Flemingia grandiflora</i> Roxb. ex Rottler)	Fragrant thunbergia, White thunbergia
<i>Tribulus cistoides</i> L. (= <i>T. terrestris</i> L. var. <i>cistoides</i> (L.) Oliv.)	Caltrop
<i>Triumfetta semitriloba</i> Jacq.	Sacramento bur
<i>Vallisneria gigantea</i> Graebn.	Eelgrass
<i>Verbascum thapsus</i> L.	Mullein, Great mullein
<i>Viscum album</i> L.	European mistletoe
<i>Zizania latifolia</i> (Griseb.) Turcz. ex Stapf (= <i>Z. caduciflora</i> Hand.-Mazz., <i>Hydropyrum latifolium</i> Griseb.)	Manchurian wild rice
<i>Zygophyllum fabago</i> L. (= <i>Z. fabago</i> L. var. <i>brachycarpum</i> Boiss.)	Syrian bean – caper