

---

## GENERAL NOTICES ALGEMENE KENNISGEWINGS

---

### NOTICE 785 OF 2008

#### DEPARTMENT OF PUBLIC WORKS AGRÉMENT SOUTH AFRICA

(Approval of innovative construction products and systems)

Notice is hereby given that Agrément South Africa has, with effect from 19 March 2008, issued an Agrément certificate, details of which appear in the schedule hereto.

#### SCHEDULE

Agrément Certificate No 2008/340

**Name of product:** Roofproof 400 Non-Woven Undertile Membrane

**Certificate holder:** Astrapak Packaging Consultants

**Description:**

Roofproof 400 Non-woven Undertile Membrane is manufactured from three layers of polymer laminated together. The laminates are UV and heat stabilized. The membrane has a mass of 100g/m<sup>2</sup> wide.

Roof Proof 400 Non-woven Undertile Membrane is suitable for installation in all tiled-roof buildings with timber roof construction having a pitch of less than 60 degrees. It was not evaluated for metal roof construction and side-wall cladding. It can be used in all regions of South Africa when used in the conventional manner to:

- reduce air movement between tiles, since the membrane can contribute to maintaining a balanced air pressure on both sides of the roof tiles
- reduce ingress to the roof space of wind-driven rain and dust.

The Agrément certificate contains detailed information on the product and can be accessed at <http://www.agrement.co.za>

Copies are obtainable from: The Manager  
Agrément South Africa  
P O Box 395  
0001 PRETORIA