

NOTICE 789 OF 2008**DEPARTMENT OF PUBLIC WORKS**
AGRÉMENT SOUTH AFRICA
(Approval of innovative construction products and systems)

Notice is hereby given that Agrément South Africa has, with effect from 19 March 2008, issued an Agrément certificate, details of which appear in the schedule hereto.

SCHEDULE

Agrément Certificate No 2008/341

Name of product: Marulelo Roofing Undertile Membrane
Certificate holder: Lafarge Roofing (Pty) Ltd SA

Description: The Marulelo Roofing Undertile Membrane is manufactured from grey-pigmented, ultraviolet light resistant and flame retardant polypropylene non-woven spunbond. The layers are coated with polyolefin film blend. The membrane has a mass of 99 g/m² and a thickness of between 0,40 mm and 0,41 mm. It is supplied in rolls of 30 m long and 1,5 m wide.

Marulelo Roofing Undertile Membrane is suitable for installation in buildings with timber, lightweight steel and aluminium roof construction. It can be used in all regions of South Africa when used in the conventional manner to:

- reduce air movement between tiles, since the membrane can contribute to maintaining a balanced air pressure on both sides of the roof tiles
- reduce ingress to the roof space of wind-driven rain and dust.

The Agrément certificate contains detailed information on the product and can be accessed at <http://www.agrement.co.za>

Copies are obtainable from: The Manager
Agrément South Africa
P O Box 395
0001 PRETORIA