

SCHEDULE 3: AARTO Regulations, 2008										
1	2	3	4	5	6	7	8	9	10	11
Item number	Charge code	Short statutory reference to National Road Traffic Act, 1996	Short charge wording - reference to National Road Traffic Act, 1996	Classification of offence, major infringement and minor infringement	Penalty	Demerit points	Penalty in Rand value: Penalty x R50	Discount in Rand Value	Penalty minus discount in Rand Value	Operator charge i.t.o section 49 of the National Road Traffic Act, 1996
172	2323	Reg. 151(1)(b)(i)	Operated a trailer exceeding 750kg but not exceeding 3500kg, GVM not exceeding tare of drawing vehicle, not equipped with parking brake and overrun/service brake	I	15	2	750	375	375	
173	2324	Reg. 151(1)(c)	Operated a trailer of which the GVM exceeded tare of drawing vehicle or 3500 kg. not equipped with parking brake and service brake	I	20	3	1000	500	500	49(d)
174	2325	Reg. 151(2)	Operated trailer but could not operate its service brake in drawing vehicle while in motion	I	15	2	750	375	375	49(d)
175	2326	Reg. 152	Operated pedal cycle not equipped with brake/brakes on rear wheels	I	2		100	50	50	
176	2327	Reg. 153	Operated a vehicle (no specified braking system prescribed) not equipped with parking brake or device to keep vehicle stationary	I	15	2	750	375	375	
177	2328	Reg. 154(1)	Operated (after 1 January 1995) goods vehicle, GVM exceeding 3500kg, registered after 1 January 1986, which did not comply with the standard specifications for braking.	I	20	3	1000	500	500	49(d)
178	2329	Reg. 154(1)	Operated (after 1 January 1995) bus, GVM exceeding 3500kg, registered after 1 January 1986, which did not comply with the standard specifications for braking.	I	20	3	1000	500	500	49(d)
179	2330	Reg. 154(1)	Operated (after 1 January 1995) minibus, GVM exceeding 3500kg, registered after 1 January 1986, which did not comply with the standard specifications for braking.	I	20	3	1000	500	500	49(d)
180	2331	Reg. 154(1)	Operated (after 1 January 1995) tractor registered after 1 January 1986, which did not comply with the standard specifications for braking.	I	15	2	750	375	375	49(d)
181	2332	Reg. 154(2)	Operated a tractor/trailer which could not exceed 40 km/h registered after 1 July 1999 which did not comply with the standard specifications for braking	I	15	2	750	375	375	
182	2333	Reg. 154(3)	Operated a minibus, midibus or bus that did not comply with the requirements of the Type II test	I	15	2	750	375	375	49(d)
183	2334	Reg. 155(1)(a)(i)	Operated a combination of vehicles which could exceed 40km/h but did not comply with the requirements for braking performance. Reg. 155. Table A. Non-RWC	I	10	1	500	250	250	
184	2335	Reg. 155(1)(a)(i)	Operated a combination of vehicles which could exceed 40km/h but did not comply with the requirements for braking performance. Reg. 155. Table A. RWC	I	15	2	750	375	375	49(d)
185	2336	Reg. 155(1)(a)(ii)	Operated a vehicle or combination of vehicles which could not exceed 40km/h but did not comply with requirements of braking performance when the service brake was applied at maximum speed. Table B. Non-RWC	I	10	1	500	250	250	0
186	2337	Reg. 155(1)(a)(ii)	Operated a vehicle or combination of vehicles which could not exceed 40km/h but did not comply with requirements of braking performance when the service brake was applied at maximum speed. Table B. RWC	I	15	2	750	375	375	49(d)
187	2338	Reg. 155(1)(b)(i)	Operated a vehicle or combination of vehicles which could exceed 40km/h but did not comply with the requirements of braking performance when the emergency brake was applied at a speed of 40 km/h. Table C. Non-RWC	I	10	1	500	250	250	0

SCHEDULE 3: AARTO Regulations, 2008										
1	2	3	4	5	6	7	8	9	10	11
Item number	Charge code	Short statutory reference to National Road Traffic Act, 1996	Short charge wording - reference to National Road Traffic Act, 1996	Classification of offence, major infringement and minor infringement	Penalty	Demerit points	Penalty in Rand value: Penalty x R50	Discount in Rand Value	Penalty minus discount in Rand Value	Operator charge i.t.o section 49 of the National Road Traffic Act, 1996
188	2339	Reg. 155(1)(b)(i)	Operated a vehicle or combination of vehicles which could exceed 40km/h but did not comply with the requirements of braking performance when the emergency brake was applied at a speed of 40 km/h. Table C. RWC	I	15	2	750	375	375	49(d)
189	2340	Reg. 155(1)(b)(ii)	Operated a vehicle or combination of vehicles which could not exceed 40km/h but did not comply with the requirements of braking performance when the emergency brake was applied at maximum speed. Table D. Non-RWC	I	10	1	500	250	250	0
190	2341	Reg. 155(1)(b)(ii)	Operated a vehicle or combination of vehicles which could not exceed 40km/h but did not comply with the requirements of braking performance when the emergency brake was applied at maximum speed. Table D. RWC	I	15	2	750	375	375	49(d)
191	2342	Reg. 155(1)(c)	Operated a vehicle or combination of vehicles but was incapable of keeping the vehicles stationary at all times when the parking brake was applied on a gradient of not more than one in 8.33. Non-RWC	I	10	1	500	250	250	0
192	2343	Reg. 155(1)(c)	Operated a vehicle or combination of vehicles but was incapable of keeping the vehicles stationary at all times when the parking brake was applied on a gradient of not more than one in 8.33. RWC	I	15	2	750	375	375	49(d)
193	2344	Reg. 156(1)(a)	Operated a vehicle with a brake that was not in good working order. Non-RWC	I	10	1	500	250	250	0
194	2345	Reg. 156(1)(a)	Operated a vehicle with a brake that was not in good working order. RWC	I	15	2	750	375	375	49(d)
195	2346	Reg. 156(1)(b)	Operated a vehicle that did not act with approx. equal intensity on the wheels symmetrically placed in relation to the longitudinal/centre-line of the vehicle when the brake was applied. Non-RWC	I	10	1	500	250	250	0
196	2347	Reg. 156(1)(b)	Operated a vehicle that did not act with approx. equal intensity on the wheels symmetrically placed in relation to the longitudinal/centre-line of the vehicle when the brake was applied. RWC	I	15	2	750	375	375	49(d)
197	2348	Reg. 156(2)	Operated a vehicle that was not fitted with a device in the driver's compartment that warned the driver of incorrect air or vacuum pressure when applying the service brake making the brake incapable of stopping the vehicle.	I	15	2	750	375	375	49(d)
198	2349	Reg. 156(3)	Operated a vehicle drawing another vehicle which was not fitted with a device which could warn the driver that the service brake was not in good working order	I	15	2	750	375	375	49(d)
199	2350	Reg. 157(1)(a)	Operated a vehicle with a damaged lamp that was unsecured or incapable of being lighted. Non-RWC	I	5	0	250	125	125	0
200	2351	Reg. 157(1)(a)	Operated a vehicle with damaged lamps that were unsecured or incapable of being lighted. Non-RWC	I	10	1	500	250	250	0
201	2352	Reg. 157(1)(a)	Operated a vehicle with a damaged lamp that was unsecured or incapable of being lighted. RWC	I	10	1	500	250	250	49(d)
202	2353	Reg. 157(1)(a)	Operated a vehicle with damaged lamps or lamps that were unsecured or incapable of being lighted. RWC	I	15	2	750	375	375	49(d)
203	2354	Reg. 157(1)(b)	Operated a vehicle between sunset and sunrise or in unfavourable conditions but failed to switch on the head, rear and registration lamps being indiscernible for a distance of 150m.	I	15	2	750	375	375	

SCHEDULE 3: AARTO Regulations, 2008										
1	2	3	4	5	6	7	8	9	10	11
Item number	Charge code	Short statutory reference to National Road Traffic Act, 1996	Short charge wording - reference to National Road Traffic Act, 1996	Classification of offence, major infringement and minor infringement	Penalty	Demerit points	Penalty in Rand value: Penalty x R50	Discount in Rand Value	Penalty minus discount in Rand Value	Operator charge i.t.o section 49 of the National Road Traffic Act, 1996
204	2355	Reg. 157(2)	Operated a motor cycle, motor cycle with side car, tricycle or quadricycle but did not switch on the head lamps between sunrise / sunset.	I	5	0	250	125	125	0
205	2356	Reg. 157(2)	Operated a motor cycle, motorcycle with side car, tricycle or quadricycle but did not switch on the head lamps between sunset / sunrise	I	15	2	750	375	375	0
206	2357	Reg. 157(3)	Failed to extinguish the main beam of the light emitted by the head lamp of such vehicle when such main beam could have caused a dangerous glare to oncoming traffic. Non-RWC	I	10	1	500	250	250	
207	2358	Reg. 157(3)	Failed to extinguish the main beam of the light emitted by the head lamp of such vehicle when such main beam could have caused a dangerous glare to oncoming traffic. RWC	I	10	1	500	250	250	49(d)
208	2359	Reg. 158(2)	Operated a vehicle but failed to fit any lamps or use any lamps with sufficient brilliance visible from 150 m. Non-RWC	I	10	1	500	250	250	
209	2360	Reg. 158(2)	Operated a vehicle but failed to fit any lamps or use any lamps with sufficient brilliance visible from 150 m. RWC	I	15	2	750	375	375	49(d)
210	2361	Reg. 158(2)	Operated a vehicle fitted with one lamp not emitting a light of sufficient brilliance visible from at least 150 m. Non-RWC	I	5	0	250	125	125	0
211	2362	Reg. 158(2)	Operated a vehicle fitted with one lamp not emitting a light of sufficient brilliance visible from at least 150 m. RWC	I	10	1	500	250	250	49(d)
212	2363	Reg. 159(1)(a)	Operated a vehicle equipped with only one correct lamp capable of emitting the main/dipped beam required. Non-RWC	I	5	0	250	125	125	0
213	2364	Reg. 159(1)(a)	Operated a vehicle equipped with only one correct lamp capable of emitting the main/dipped beam required. RWC	I	10	1	500	250	250	49(d)
214	2365	Reg. 159(1)(a)	Operated a vehicle that was not equipped with head lamps capable of emitting the main/dipped beams required. Non-RWC	I	10	1	500	250	250	0
215	2366	Reg. 159(1)(a)	Operated a vehicle that was not equipped with head lamps capable of emitting the main/dipped beams required. RWC	I	15	2	750	375	375	49(d)
216	2367	Reg. 159(1)(b)	Operated a motor cycle without a side car, tricycle with one front wheel that was not equipped with one/two head lamps capable of emitting the main/dipped beams required	I	10	1	500	250	250	
217	2368	Reg. 159(1)(c)(i)	Operated a motor cycle with side car that was not equipped with one/two head lamps as prescribed in Reg. 159	I	5	0	250	125	125	0
218	2369	Reg. 159(1)(c)(ii)	Operated a motor cycle with side car, the side car not complying with provisions (parking/head lamps)	I	5	0	250	125	125	
219	2370	Reg. 159(2)	Operated a vehicle fitted with only one head / parking lamp. (Reg. 164) illuminating surface not more than 400mm from edge of the front of vehicle. Non-RWC	I	5	0	250	125	125	0
220	2371	Reg. 159(2)	Operated a vehicle not fitted with any head / parking lamps. (Reg. 164) illuminating surface not more than 400mm from edge of the front of vehicle. Non-RWC	I	10	1	500	250	250	0
221	2372	Reg. 159(2)	Operated a vehicle fitted with only one head / parking lamp. (Reg. 164) illuminating surface not more than 400mm from edge of the front of vehicle. RWC	I	10	1	500	250	250	49(d)

SCHEDULE 3: AARTO Regulations, 2008										
1	2	3	4	5	6	7	8	9	10	11
Item number	Charge code	Short statutory reference to National Road Traffic Act, 1996	Short charge wording - reference to National Road Traffic Act, 1996	Classification of offence, major infringement and minor infringement	Penalty	Demerit points	Penalty in Rand value: Penalty x R50	Discount in Rand Value	Penalty minus discount in Rand Value	Operator charge i.l.o section 49 of the National Road Traffic Act, 1996
222	2373	Reg. 159(2)	Operated a vehicle and failed to fit two head / parking lamps. (Reg. 164) illuminating surface not more than 400mm from edge of the front of vehicle. RWC	I	15	2	750	375	375	49(d)
223	2374	Reg. 159(3)	Operated a vehicle registered on or after 01/01/02 whilst a main/dipped beam did not comply with SANS 1046. Non-RWC	I	5	0	250	125	125	0
224	2375	Reg. 159(3)	Operated a vehicle registered on or after 01/01/02 whilst the main/dipped beams did not comply with SANS 1046. Non-RWC	I	10	1	500	250	250	0
225	2376	Reg. 159(3)	Operated a vehicle registered on or after 01/01/02 whilst a main/dipped beam did not comply with SANS 1046. RWC	I	10	1	500	250	250	49(d)
226	2377	Reg. 159(3)	Operated a vehicle registered on or after 01/01/02 whilst the main/dipped beams did not comply with SANS 1046. RWC	I	15	2	750	375	375	49(d)
227	2378	Reg. 160(a)	Operated a vehicle with a main-beam not so adjusted and maintained to be capable of emitting adequate light for driver to see at least 100 metres ahead. Non-RWC	I	5	0	250	125	125	49(d)
228	2379	Reg. 160(a)	Operated a vehicle with all main-beams not so adjusted and maintained to be capable of emitting adequate light for driver to see at least 100 metres ahead. Non-RWC	I	10	1	500	250	250	0
229	2380	Reg. 160(a)	Operated a vehicle with a main-beam not so adjusted and maintained to be capable of emitting adequate light for driver to see at least 100 metres ahead. RWC	I	10	1	500	250	250	49(d)
230	2381	Reg. 160(a)	Operated a vehicle with all main-beams not so adjusted and maintained to be capable of emitting adequate light for driver to see at least 100 metres ahead. RWC	I	15	2	750	375	375	49(d)
231	2382	Reg. 160(b)	Operated a vehicle with all head lamps not capable of being switched to a dipped beam position and this dipped beam being kept in this position for a continuous period of time. Non-RWC	I	10	1	500	250	250	
232	2383	Reg. 160(b)	Operated a vehicle with all head lamps not capable of being switched to a dipped beam position and this dipped beam being kept in this position for a continuous period of time. RWC	I	15	2	750	375	375	49(d)
233	2384	Reg. 161(1)	Operated a vehicle with a head lamp emitting a dipped beam not capable of projecting the prescribed pattern or calculated according to the regulation. Non-RWC	I	5	0	250	125	125	0
234	2385	Reg. 161(1)	Operated a vehicle with all head lamps emitting a dipped beam not capable of projecting the prescribed pattern or calculated according to the regulation. Non-RWC	I	10	1	500	250	250	0
235	2386	Reg. 161(1)	Operated a vehicle with a head lamp emitting a dipped beam not capable of projecting the prescribed pattern or calculated according to the regulation. RWC	I	10	1	500	250	250	49(d)
236	2387	Reg. 161(1)	Operated a vehicle with all head lamps emitting a dipped beam not capable of projecting the prescribed pattern or calculated according to the regulation. RWC	I	15	2	750	375	375	49(d)

SCHEDULE 3: AARTO Regulations, 2008										
1	2	3	4	5	6	7	8	9	10	11
Item number	Charge code	Short statutory reference to National Road Traffic Act, 1996	Short charge wording - reference to National Road Traffic Act, 1996	Classification of offence, major infringement and minor infringement	Penalty	Demerit points	Penalty in Rand value: Penalty x R50	Discount in Rand Value	Penalty minus discount in Rand Value	Operator charge i.e.o section 49 of the National Road Traffic Act, 1996
237	2388	Reg. 161(3)	Operated a vehicle with one head lamp emitting a dipped beam not capable of projecting a symmetrical pattern etc. and the intense part of the beam did not slant downwards to strike the road surface within a distance not exceeding 45m. Non-RWC.	I	5	0	250	125	125	0
238	2389	Reg. 161(3)	Operated a vehicle with head lamps emitting a dipped beam not capable of projecting a symmetrical pattern etc. and the intense part of the beam did not slant downwards to strike the road surface within a distance not exceeding 45m. Non-RWC.	I	10	1	500	250	250	0
239	2390	Reg. 161(3)	Operated a vehicle with one head lamp emitting a dipped beam not capable of projecting a symmetrical pattern etc. and the intense part of the beam did not slant downwards to strike the road surface within a distance not exceeding 45m. RWC	I	10	1	500	250	250	49(d)
240	2391	Reg. 161(3)	Operated a vehicle with head lamps emitting a dipped beam not capable of projecting a symmetrical pattern etc. and the intense part of the beam did not slant downwards to strike the road surface within a distance not exceeding 45m. RWC	I	15	2	750	375	375	49(d)
241	2392	Reg. 161(4)(a)	Operated a vehicle with one head lamp emitting a dipped beam not capable of adequately illuminating an area so that the driver can see 45m ahead of vehicle. Non-RWC	I	5	0	250	125	125	
242	2393	Reg. 161(4)(a)	Operated a vehicle with all head lamps emitting a dipped beam not capable of adequately illuminating an area so that the driver can see 45m ahead of vehicle. Non-RWC	I	10	1	500	250	250	
243	2394	Reg. 161(4)(a)	Operated a vehicle with one head lamp emitting a dipped beam not capable of adequately illuminating an area so that the driver can see 45m ahead of vehicle. RWC	I	10	1	500	250	250	49(d)
244	2395	Reg. 161(4)(a)	Operated a vehicle with all head lamps emitting a dipped beam not capable of adequately illuminating an area so that the driver can see 45m ahead of vehicle. RWC	I	15	2	750	375	375	49(d)
245	2396	Reg. 161(4)(b)	Operated a vehicle but failed to adjust one head lamp (dip beam) so that it was not dangerous to on-coming traffic. Non-RWC	I	5	0	250	125	125	
246	2397	Reg. 161(4)(b)	Operated a vehicle but failed to adjust all head lamps (dip beam) so that they were not dangerous to on-coming traffic. Non-RWC	I	10	1	500	250	250	
247	2398	Reg. 161(4)(b)	Operated a vehicle but failed to adjust one head lamp (dip beam) so that it was not dangerous to on-coming traffic. RWC	I	10	1	500	250	250	49(d)
248	2399	Reg. 161(4)(b)	Operated a vehicle but failed to adjust head lamps (dip beam) so that it was dangerous to on-coming traffic. RWC	I	15	2	750	375	375	49(d)
249	2400	Reg. 161(4)(c)	Operated a vehicle but failed to adjust a head lamp according to Reg. 161(1) and (3) so that the dipped beam deflected to the right. Non-RWC	I	5	0	250	125	125	
250	2401	Reg. 161(4)(c)	Operated a vehicle but failed to adjust head lamps according to Reg. 161(1) and (3) so that the dipped beam deflected to the right. Non-RWC	I	10	1	500	250	250	
251	2402	Reg. 161(4)(c)	Operated a vehicle but failed to adjust a head lamp according to Reg. 161(1) and (3) so that the dipped beam deflected to the right. RWC	I	10	1	500	250	250	49(d)

SCHEDULE 3: AARTO Regulations, 2008										
1	2	3	4	5	6	7	8	9	10	11
Item number	Charge code	Short statutory reference to National Road Traffic Act, 1996	Short charge wording - reference to National Road Traffic Act, 1996	Classification of offence, major infringement and minor infringement	Penalty	Demerit points	Penalty in Rand value: Penalty x R50	Discount in Rand Value	Penalty minus discount in Rand Value	Operator charge i.t.o section 49 of the National Road Traffic Act, 1996
252	2403	Reg. 161(4)(c)	Operated a vehicle but failed to adjust head lamps according to Reg. 161(1) and (3) so that the dipped beam deflected to the right. RWC	I	15	2	750	375	375	49(d)
253	2404	Reg. 161A(2)(a)	Vehicle with a daytime running lamp fitted less than 250 millimetres or more than 1,5m above ground level. Non-RWC	I	5	0	250	125	125	
254	2405	Reg. 161A(2)(a)	Vehicle with daytime running lamps fitted less than 250 millimetres or more than 1,5m above ground level. Non-RWC	I	10	1	500	250	250	0
255	2406	Reg. 161A(2)(a)	Vehicle with a daytime running lamp fitted less than 250 millimetres or more than 1,5m above ground level. RWC	I	10	1	500	250	250	49(d)
256	2407	Reg. 161A(2)(a)	Vehicle with daytime running lamps fitted less than 250 millimetres or more than 1,5m above ground level. RWC	I	15	2	750	375	375	49(d)
257	2408	Reg. 161A(2)(b)	Operated a vehicle with a daytime running lamp which did cause discomfort to the driver of the vehicle. Non-RWC	I	5	0	250	125	125	
258	2409	Reg. 161A(2)(b)	Operated a vehicle with daytime running lamps which did cause discomfort to the driver of the vehicle. Non-RWC	I	10	1	500	250	250	
259	2410	Reg. 161A(2)(b)	Operated a vehicle with a daytime running lamp which did cause discomfort to the driver of the vehicle. RWC	I	10	1	500	250	250	49(d)
260	2411	Reg. 161A(2)(b)	Operated a vehicle with daytime running lamps which did cause discomfort to the driver of the vehicle. RWC	I	15	2	750	375	375	49(d)
261	2412	Reg. 161A(3)	Operated a vehicle whilst the rear lamps were not on at the same time as the daytime running lamps or that these daytime running lamps did not switch off automatically when the head lamps were switched on. Non-RWC	I	5	0	250	125	125	
262	2413	Reg. 161A(3)	Operated a vehicle whilst the rear lamps were not on at the same time as the daytime running lamps or that these daytime running lamps did not switch off automatically when the head lamps were switched on. RWC	I	10	1	500	250	250	49(d)
263	2414	Reg. 162(a)	Stopped or parked a vehicle but did not dip the beam of the head/parking lamp. Non-RWC	I	5	0	250	125	125	
264	2415	Reg. 162(a)	Stopped or parked a vehicle but did not dip the beam of the head/parking lamp. RWC	I	10	1	500	250	250	49(d)
265	2416	Reg. 162(b)	Stopped or parked a vehicle on a public road and switched off the head lamps without switching on the fog/parking lamps. Non-RWC	I	5	0	250	125	125	
266	2417	Reg. 162(b)	Stopped or parked a vehicle on a public road and switched off the head lamps without switching on the fog/parking lamps. RWC	I	10	1	500	250	250	49(d)
267	2418	Reg. 163(1)	Operated a vehicle on which too many front/rear lamps were mounted. Lamps also displayed in the wrong position. Non-RWC	I	5	0	250	125	125	
268	2419	Reg. 163(1)	Operated a vehicle on which too many front/rear lamps were mounted. Lamps also displayed in the wrong position. RWC	I	10	1	500	250	250	49(d)
269	2420	Reg. 163(2)(a)	Operated a vehicle on which the front fog lamps were incorrectly adjusted and could only emit a dipped beam. Non-RWC	I	5	0	250	125	125	
270	2421	Reg. 163(2)(a)	Operated a vehicle on which the front fog lamps were incorrectly adjusted and could only emit a dipped beam. RWC	I	10	1	500	250	250	49(d)

SCHEDULE 3: AARTO Regulations, 2008										
1	2	3	4	5	6	7	8	9	10	11
Item number	Charge code	Short statutory reference to National Road Traffic Act, 1996	Short charge wording - reference to National Road Traffic Act, 1996	Classification of offence, major infringement and minor infringement	Penalty	Demerit points	Penalty in Rand value: Penalty x R50	Discount in Rand Value	Penalty minus discount in Rand Value	Operator charge i.t.o section 49 of the National Road Traffic Act, 1996
271	2422	Reg. 163(2)(b)	Operated a vehicle on a public road with front and rear fog lamp or lamps that could be brought into operation separately. Non-RWC	I	5	0	250	125	125	
272	2423	Reg. 163(2)(b)	Operated a vehicle on a public road with front and rear fog lamp or lamps that could be brought into operation separately. RWC	I	10	1	500	250	250	49(d)
273	2424	Reg. 163(3)(a)	Operated a vehicle with the front fog lamp's highest point illuminating the surface being higher than that of a head lamp. Non-RWC	I	5	0	250	125	125	
274	2425	Reg. 163(3)(a)	Operated a vehicle with the front fog lamp's highest point illuminating the surface being higher than that of a head lamp. RWC	I	10	1	500	250	250	49(d)
275	2426	Reg. 163(3)(b)	Operated a vehicle with the rear fog lamp's lowest/highest points illuminating the surface not complying with the provisions of the regulations. Non-RWC	I	5	0	250	125	125	0
276	2427	Reg. 163(3)(b)	Operated a vehicle with the rear fog lamp's lowest/highest points illuminating the surface not complying with the provisions of the regulations. RWC	I	10	1	500	250	250	49(d)
277	2428	Reg. 163(4)(a)	Operated a vehicle fitted with fog and parking lamp/lamps that were incapable of functioning simultaneously. Non-RWC	I	5	0	250	125	125	
278	2429	Reg. 163(4)(a)	Operated a vehicle fitted with fog and parking lamp/lamps that were incapable of functioning simultaneously. RWC	I	10	1	500	250	250	49(d)
279	2430	Reg. 163(4)(b)	Operated a vehicle fitted with two fog lamps in front, portion of the illuminating surface of these lamps being further than 400mm from the outer edge of the front of the vehicle. Parking lamps also not compliant by not being able to be switched on simultaneously with fog lamps. Non-RWC	I	5	0	250	125	125	
280	2431	Reg. 163(4)(b)	Operated a vehicle fitted with two fog lamps in front, portion of the illuminating surface of these lamps being further than 400mm from the outer edge of the front of the vehicle. Parking lamps also not compliant by not being able to be switched on simultaneously with fog lamps. RWC	I	10	1	500	250	250	49(d)
281	2432	Reg. 163(5)	Operated a motor cycle with a side car. Only the motor cycle being fitted with a fog lamp or side car not equipped with a parking lamp or not capable of functioning simultaneously with fog lamp if fitted with one	I	5	0	250	125	125	
282	2433	Reg. 163(5)	Operated a motor cycle with a side car fitted with a fog lamp. Motor cycle did not have a fog/parking lamp that could be brought into operation simultaneously with fog lamp of side car.	I	5	0	250	125	125	0
283	2434	Reg. 163(6)	Operated a vehicle with the fog lamps on, whilst the visibility was good. Non-RWC	I	10	1	500	250	250	0
284	2435	Reg. 163(6)	Operated a vehicle with the fog lamps on, whilst the visibility was good. RWC	I	15	2	750	375	375	49(d)
285	2436	Reg. 164(3)(a)	Operated a vehicle with one parking lamp (front or rear) not fitted on the right side of vehicle. Non-RWC	I	5	0	250	125	125	
286	2437	Reg. 164(3)(a)	Operated a vehicle with one parking lamp (front or rear) not fitted on the right side of vehicle. RWC	I	10	1	500	250	250	49(d)

SCHEDULE 3: AARTO Regulations, 2008										
1	2	3	4	5	6	7	8	9	10	11
Item number	Charge code	Short statutory reference to National Road Traffic Act, 1996	Short charge wording - reference to National Road Traffic Act, 1996	Classification of offence, major infringement and minor infringement	Penalty	Demerit points	Penalty in Rand value: Penalty x R50	Discount in Rand Value	Penalty minus discount in Rand Value	Operator charge i.t.o section 49 of the National Road Traffic Act, 1996
287	2438	Reg. 164(3)(b)	Operated a vehicle with two parking lamps which were positioned incorrectly. Portion of the illuminating surface was not further than 400mm from outer edge of vehicle. Non-RWC	I	10	1	500	250	250	
288	2439	Reg. 164(3)(b)	Operated a vehicle with two parking lamps which were positioned incorrectly. Portion of the illuminating surface was not further than 400mm from outer edge of vehicle. RWC	I	15	2	750	375	375	49(d)
289	2440	Reg. 164(3)(b)	Operated a vehicle registered before 01/07/1990 with two parking lamps which were positioned incorrectly. Portion of the illuminating surface was not further than 500mm from outer edge of vehicle. Non-RWC	I	10	1	500	250	250	
290	2441	Reg. 164(3)(b)	Operated a vehicle registered before 01/07/1990 with two parking lamps which were positioned incorrectly. Portion of the illuminating surface was not further than 500mm from outer edge of vehicle. RWC	I	15	2	750	375	375	49(d)
291	2442	Reg. 165(1)	Operated a vehicle which did not have a head lamp which was so placed that the portion of its illuminating surface from the centre line was within 400mm from the outer edge of the vehicle. No parking lamps were kept lighted on that side of the vehicle. Non-RWC	I	5	0	250	125	125	
292	2443	Reg. 165(1)	Operated a vehicle which did not have head lamps which were so placed that the portion of the illuminating surfaces from the centre line was within 400mm from the outer edges of the vehicle. No parking lamps were kept lighted on that side of the vehicle. Non-RWC	I	10	1	500	250	250	
293	2444	Reg. 165(1)	Operated a vehicle which did not have a head lamp which was so placed that the portion of its illuminating surface from the centre line was within 400mm from the outer edge of the vehicle. No parking lamps were kept lighted on that side of the vehicle. RWC	I	10	1	500	250	250	49(d)
294	2445	Reg. 165(1)	Operated a vehicle which did not have head lamps which were so placed that the portion of the illuminating surfaces from the centre line was within 400mm from the outer edges of the vehicle. No parking lamps were kept lighted on that side of the vehicle. RWC	I	15	2	750	375	375	49(d)
295	2446	Reg. 165(2)	Operated a vehicle on a public road of which only the parking lamps were lighted while such vehicle was in motion. Non-RWC	I	5	0	250	125	125	0
296	2447	Reg. 165(2)	Operated a vehicle on a public road of which only the parking lamps were lighted while such vehicle was in motion. RWC	I	10	1	500	250	250	49(d)
297	2448	Reg. 166(1)	Operated a vehicle with only one front position lamp on one side of the widest part of a vehicle, combination of vehicles or any load projected more than 400mm beyond the illuminating surface which was visible from the front. Non-RWC	I	5	0	250	125	125	
298	2449	Reg. 166(1)	Operated a vehicle with no position lamps on either side of the widest part of a vehicle, combination of vehicles or any load projected more than 400mm beyond the illuminating surface which were visible from the front. Non-RWC	I	10	1	500	250	250	



SCHEDULE 3: AARTO Regulations, 2008										
1	2	3	4	5	6	7	8	9	10	11
Item number	Charge code	Short statutory reference to National Road Traffic Act, 1996	Short charge wording - reference to National Road Traffic Act, 1996	Classification of offence, major infringement and minor infringement	Penalty	Demerit points	Penalty in Rand value: Penalty x R50	Discount in Rand Value	Penalty minus discount in Rand Value	Operator charge i.t.o. section 49 of the National Road Traffic Act, 1996
299	2450	Reg. 166(1)	Operated a vehicle with only one front position lamp on one side of the widest part of a vehicle, combination of vehicles or any load projected more than 400mm beyond the illuminating surface which was visible from the front. RWC	I	10	1	500	250	250	49(d)
300	2451	Reg. 166(1)	Operated a vehicle with no position lamps on either side of the widest part of a vehicle, combination of vehicles or any load projected more than 400mm beyond the illuminating surface or the lamps were not visible from the front. RWC	I	15	2	750	375	375	49(d)
301	2452	Reg. 166(2)(a)	Operated a vehicle on a public road registered for the first time prior to 1 January 1985 with a front-position lamp not fitted as high as possible above ground level. Non-RWC	I	5	0	250	125	125	0
302	2453	Reg. 166(2)(a)	Operated a vehicle on a public road registered for the first time prior to 1 January 1985 with a front-position lamp not fitted as high as possible above ground level. RWC	I	10	1	500	250	250	49(d)
303	2454	Reg. 166(2)(a)	Operated a vehicle on a public road registered for the first time prior to 1 January 1985 with front-position lamps not fitted as high as possible above ground level. Non-RWC	I	5	0	250	125	125	0
304	2455	Reg. 166(2)(a)	Operated a vehicle on a public road registered for the first time prior to 1 January 1985 with front-position lamps not fitted as high as possible above ground level. RWC	I	10	1	500	250	250	49(d)
305	2456	Reg. 166(2)(a)	Operated a vehicle, combination of vehicles or any load thereon which was fitted with a front position lamp not complying with the width and height requirements. Non-RWC	I	5	0	250	125	125	0
306	2457	Reg. 166(2)(a)	Operated a vehicle, combination of vehicles or any load thereon which was fitted with a front position lamp not complying with the width and height requirements. RWC	I	10	1	500	250	250	49(d)
307	2458	Reg. 166(2)(a)	Operated a vehicle, combination of vehicles or any load thereon which was fitted with front position lamps which complied with the width and height requirements. Non-RWC	I	5	0	250	125	125	0
308	2459	Reg. 166(2)(a)	Operated a vehicle, combination of vehicles or any load thereon which was fitted with front position lamps which complied with the width and height requirements. RWC	I	10	1	500	250	250	49(d)
309	2460	Reg. 166(2)(a)	Operated a trailer etc. with a front-position lamp in the wrong place. Non-RWC	I	5	0	250	125	125	0
310	2461	Reg. 166(2)(a)	Operated a trailer etc. with a front-position lamp in the wrong place. RWC	I	10	1	500	250	250	49(d)
311	2462	Reg. 166(2)(a)	Operated a trailer etc. with front-position lamps in the wrong place. Non-RWC	I	5	0	250	125	125	
312	2463	Reg. 166(2)(a)	Operated a trailer etc. with front-position lamps in the wrong place. RWC	I	10	1	500	250	250	49(d)
313	2464	Reg. 166(2)(b)	Front position lamp did not emit white light. Non-RWC	I	5	0	250	125	125	
314	2465	Reg. 166(2)(b)	Front position lamps did not emit a white light. Non-RWC	I	5	0	250	125	125	
315	2466	Reg. 166(2)(b)	Front position lamp did not emit white light. RWC	I	10	1	500	250	250	49(d)
316	2467	Reg. 166(2)(b)	Front position lamps did not emit a white light. RWC	I	10	1	500	250	250	49(d)

SCHEDULE 3: AARTO Regulations, 2008										
1	2	3	4	5	6	7	8	9	10	11
Item number	Charge code	Short statutory reference to National Road Traffic Act, 1996	Short charge wording - reference to National Road Traffic Act, 1996	Classification of offence, major infringement and minor infringement	Penalty	Dement points	Penalty in Rand value: Penalty x R50	Discount in Rand Value	Penalty minus discount in Rand Value	Operator charge i.t.o section 49 of the National Road Traffic Act, 1996
317	2468	Reg. 167(2)(a)	End-outline marker lamps not fitted as near as possible to outer edges or as high as possible. Non-RWC	I	5	0	250	125	125	
318	2469	Reg. 167(2)(a)	End-outline marker lamps not fitted as near as possible to outer edges or as high as possible. RWC	I	10	1	500	250	250	49(d)
319	2470	Reg. 167(2)(b)	End-outline marker lamp did not emit a white light to the front or red light to the rear. Non-RWC	I	5	0	250	125	125	
320	2471	Reg. 167(2)(b)	End-outline marker lamp did not emit a white light to the front or red light to the rear. RWC	I	10	1	500	250	250	49(d)
321	2472	Reg. 167(2)(b)	End-outline marker lamps did not emit a white light to the front or red light to the rear. Non-RWC	I	5	0	250	125	125	
322	2473	Reg. 167(2)(b)	End-outline marker lamps did not emit a white light to the front or red light to the rear. RWC	I	10	1	500	250	250	49(d)
323	2474	Reg. 168(1)	Vehicle registered on/after 01/01/1981 fitted with only one lamp on one side at the rear. Non-RWC	I	5	0	250	125	125	
324	2475	Reg. 168(1)	Vehicle registered on/after 01/01/1981 fitted with only one lamp on one side at the rear. RWC	I	10	1	500	250	250	49(d)
325	2476	Reg. 168(1)	Vehicle registered on/after 01/01/1981 not fitted with any lamps at the rear. Non-RWC	I	10	1	500	250	250	0
326	2477	Reg. 168(1)	Vehicle registered on/after 01/01/1981 not fitted with any lamps at the rear. RWC	I	15	2	750	375	375	49(d)
327	2478	Reg. 168(1)(a)	Vehicle registered before 01/01/1981 fitted with only one lamp emitting a red light on one side at the rear of the vehicle or a red lamp fitted of not at least 2 candelas light intensity. Non-RWC	I	5	0	250	125	125	
328	2479	Reg. 168(1)(a)	Vehicle registered before 01/01/1981 not fitted with any lamps emitting a red light of at least 2 candelas intensity on both sides at the rear of the vehicle. Non-RWC	I	10	1	500	250	250	
329	2480	Reg. 168(1)(a)	Vehicle registered before 01/01/1981 fitted with only one lamp emitting a red light or not of at least 2 candelas intensity on one side at the rear of the vehicle. RWC	I	10	1	500	250	250	49(d)
330	2481	Reg. 168(1)(a)	Vehicle registered before 01/01/1981 not fitted with any lamps emitting a red light of at least 2 candelas intensity on both sides at the rear of the vehicle. RWC	I	15	2	750	375	375	49(d)
331	2482	Reg. 168(1)(b) & (c)	Rear lamp incorrectly positioned as far as width and height are concerned. 400mm from outer edges/ lower than 350mm /higher than 1,5m. Non-RWC	I	5	0	250	125	125	
332	2483	Reg. 168(1)(b) & (c)	Rear lamp incorrectly positioned as far as width and height are concerned. 400mm from outer edges/lower than 350mm /higher than 1,5m. RWC	I	10	1	500	250	250	49(d)
333	2484	Reg. 168(1)(b) & (c)	Rear lamps incorrectly positioned as far as width and height are concerned. 400mm from outer edges/ lower than 350mm /higher than 1,5m. Non-RWC	I	10	1	500	250	250	0
334	2485	Reg. 168(1)(b) & (c)	Rear lamps incorrectly positioned as far as width and height are concerned. 400mm from outer edges/ lower than 350mm /higher than 1,5m. RWC	I	15	2	750	375	375	49(d)
335	2486	Reg. 168(1)(c)	Rear lamp fitted higher than 2.1m from ground level because the structure of the vehicle not according to standards. Non-RWC	I	5	0	250	125	125	
336	2487	Reg. 168(1)(c)	Rear lamp fitted higher than 2.1m from ground level because the structure of the vehicle not according to standards. RWC	I	10	1	500	250	250	49(d)

SCHEDULE 3: AARTO Regulations, 2008										
1	2	3	4	5	6	7	8	9	10	11
Item number	Charge code	Short statutory reference to National Road Traffic Act, 1996	Short charge wording - reference to National Road Traffic Act, 1996	Classification of offence, major infringement and minor infringement	Penalty	Demerit points	Penalty in Rand value: Penalty x R50	Discount in Rand Value	Penalty minus discount in Rand Value	Operator charge i.t.o section 49 of the National Road Traffic Act, 1996
337	2488	Reg. 168(1)(c)	Rear lamps fitted higher than 2.1m from ground level because the structure of the vehicle not according to standards. Non-RWC	I	10	1	500	250	250	
338	2489	Reg. 168(1)(c)	Rear lamps fitted higher than 2.1m from ground level because the structure of the vehicle not according to standards. RWC	I	15	2	750	375	375	49(d)
339	2490	Reg. 168(2)	Rear lamp on vehicle, registered for the first time before 01/01/1981, incorrectly fitted as far as height is concerned and as far as colour and intensity of light are concerned. Non-RWC	I	10	1	500	250	250	
340	2491	Reg. 168(2)	Rear lamp on vehicle, registered for the first time before 01/01/1981, incorrectly fitted as far as height is concerned and as far as colour and intensity of light are concerned. RWC	I	15	2	750	375	375	49(d)
341	2492	Reg. 168(3)	Motor cycle/tricycle not fitted with at least one red lamp (emitting red light - 2 candelas), incorrectly positioned on cycle.	I	10	1	500	250	250	
342	2493	Reg. 168(5)	Vehicle towed by breakdown vehicle not fitted with rear lamps	I	15	2	750	375	375	49(d)
343	2494	Reg. 169(1)	Only one stop lamp fitted on one side of vehicle at the rear. Non-RWC.	I	5	0	250	125	125	
344	2495	Reg. 169(1)	Stop lamps not fitted on each side of vehicle at the rear. Non-RWC	I	10	1	500	250	250	49(d)
345	2496	Reg. 169(1)	Only one stop lamp fitted on one side of vehicle at the rear. RWC.	I	10	1	500	250	250	
346	2497	Reg. 169(1)	Stop lamps not fitted on each side of vehicle at the rear. RWC	I	15	2	750	375	375	49(d)
347	2498	Reg. 169(1)(a)	One stop lamp obscured or not visible from rear. Non-RWC	I	5	0	250	125	125	
348	2499	Reg. 169(1)(a)	One stop lamp obscured or not visible from rear. RWC	I	10	1	500	250	250	49(d)
349	2500	Reg. 169(1)(a)	Stop lamps obscured or not visible from rear. Non-RWC	I	10	1	500	250	250	
350	2501	Reg. 169(1)(a)	Stop lamps obscured or not visible from rear. RWC	I	15	2	750	375	375	49(d)
351	2502	Reg. 169(1)(a)(i)	Stop lamp not visible within angles of 45 degrees. Non-RWC	I	5	0	250	125	125	
352	2503	Reg. 169(1)(a)(i)	Stop lamp not visible within angles of 45 degrees. RWC	I	10	1	500	250	250	49(d)
353	2504	Reg. 169(1)(a)(i)	Stop lamps not visible within angles of 45 degrees. Non-RWC	I	10	1	500	250	250	
354	2505	Reg. 169(1)(a)(i)	Stop lamps not visible within angles of 45 degrees. RWC	I	15	2	750	375	375	49(d)
355	2506	Reg. 169(1)(a)(ii)	Stop lamp not visible within angles of 15 degrees. Non-RWC	I	5	0	250	125	125	
356	2507	Reg. 169(1)(a)(ii)	Stop lamp not visible within angles of 15 degrees. RWC	I	10	1	500	250	250	49(d)
357	2508	Reg. 169(1)(a)(ii)	Stop lamp not visible within angles of 15 degrees. RWC	I	10	1	500	250	250	
358	2509	Reg. 169(1)(a)(ii)	Stop lamps not visible within angles of 15 degrees. RWC	I	15	2	750	375	375	49(d)
359	2510	Reg. 169(1)(a)(ii)	Stop lamp less than 750mm from ground not visible within an angle of 5 degrees. Non-RWC	I	5	0	250	125	125	
360	2511	Reg. 169(1)(a)(ii)	Stop lamp less than 750mm from ground, not visible within an angle of 5 degrees. RWC	I	10	1	500	250	250	49(d)
361	2512	Reg. 169(1)(a)(ii)	Stop lamps less than 750mm from ground, not visible within an angle of 5 degrees. Non-RWC	I	10	1	500	250	250	
362	2513	Reg. 169(1)(a)(ii)	Stop lamps less than 750mm from ground, not visible within an angle of 5 degrees. RWC	I	15	2	750	375	375	49(d)

SCHEDULE 3: AARTO Regulations, 2008										
1	2	3	4	5	6	7	8	9	10	11
Item number	Charge code	Short statutory reference to National Road Traffic Act, 1996	Short charge wording - reference to National Road Traffic Act, 1996	Classification of offence, major infringement and minor infringement	Penalty	Demerit points	Penalty in Rand value: Penalty x R50	Discount in Rand Value	Penalty minus discount in Rand Value	Operator charge i.t.o section 49 of the National Road Traffic Act, 1996
363	2514	Reg. 169(1)(b)	Stop lamp fitted less than 300mm or higher than 2,1m from ground level. Non-RWC.	I	5	0	250	125	125	
364	2515	Reg. 169(1)(b)	Stop lamp fitted less than 300mm or higher than 2,1m from ground level. RWC	I	10	1	500	250	250	49(d)
365	2516	Reg. 169(1)(b)	Stop lamps fitted less than 300mm or higher than 2,1m from ground level. Non-RWC.	I	10	1	500	250	250	
366	2517	Reg. 169(1)(b)	Stop lamps fitted less than 300mm or higher than 2,1m from ground level. RWC	I	15	2	750	375	375	49(d)
367	2518	Reg. 169(1)(c)	Stop lamps not equidistant/not on each side of centre-line. Non-RWC	I	5	0	250	125	125	
368	2519	Reg. 169(1)(c)	Stop lamps not equidistant/not on each side of centre-line. RWC	I	10	1	500	250	250	49(d)
369	2520	Reg. 169(1)(d)	Light intensity emitted by stop lamp not greater than light emitted by rear lamps. Non-RWC	I	5	0	250	125	125	
370	2521	Reg. 169(1)(d)	Light intensity emitted by stop lamp not greater than light emitted by rear lamps. RWC	I	10	1	500	250	250	49(d)
371	2522	Reg. 169(1)(d)	Light intensity emitted by stop lamps not greater than light emitted by rear lamps. Non-RWC	I	10	1	500	250	250	
372	2523	Reg. 169(1)(d)	Light intensity emitted by stop lamps not greater than light emitted by rear lamps. RWC	I	15	2	750	375	375	49(d)
373	2524	Reg. 169(1)(d)	Stop lamp not emitting a red light when in use. Non-RWC	I	10	1	500	250	250	
374	2525	Reg. 169(1)(d)	Stop lamp not emitting a red light when in use. RWC	I	10	1	500	250	250	49(d)
375	2526	Reg. 169(1)(d)	Stop lamps not emitting a red light when in use. Non-RWC	I	10	1	500	250	250	
376	2527	Reg. 169(1)(d)	Stop lamps not emitting a red light when in use. RWC	I	15	2	750	375	375	49(d)
377	2528	Reg. 169(1)(d)	Stop lamp not visible from 30 metres when in use. Non-RWC	I	5	0	250	125	125	
378	2529	Reg. 169(1)(d)	Stop lamp not visible from 30 metres when in use. RWC	I	10	1	500	250	250	49(d)
379	2530	Reg. 169(1)(d)	Stop lamps not visible from 30 metres when in use. Non-RWC	I	10	1	500	250	250	
380	2531	Reg. 169(1)(d)	Stop lamps not visible from 30 metres when in use. RWC	I	15	2	750	375	375	49(d)
381	2532	Reg. 169(1)(e)	Stop lamps incorrectly fitted so that operating device of brake of vehicle/towing vehicle did not operate when activated. Non-RWC	I	10	1	500	250	250	
382	2533	Reg. 169(1)(e)	Stop lamps incorrectly fitted so that operating device of brake of vehicle/towing vehicle did not operate when activated. RWC	I	15	2	750	375	375	49(d)
383	2534	Reg. 169(1)(f)	Stop lamp not clean / in working condition. Non-RWC	I	5	0	250	125	125	
384	2535	Reg. 169(1)(f)	Stop lamp not clean / in working condition. RWC	I	10	1	500	250	250	49(d)
385	2536	Reg. 169(1)(f)	Stop lamps not clean / in working condition. Non-RWC	I	10	1	500	250	250	
386	2537	Reg. 169(1)(f)	Stop lamps not clean / in working condition. RWC	I	15	2	750	375	375	49(d)
387	2538	Reg. 169(2)	Towed vehicle's temporary lamps not coordinated with those of breakdown vehicle	I	15	2	750	375	375	49(d)
388	2539	Reg. 169(3)	Motor cycle/trailer not fitted with stop lamp at the rear	I	10	1	500	250	250	0
389	2540	Reg. 170(1)	Vehicle not fitted with at least one number plate lamp illuminating plate so as to clearly see it from 20 metres. Non-RWC	I	10	1	500	250	250	0
390	2541	Reg. 170(1)	Vehicle not fitted with at least one number plate lamp illuminating plate so as to clearly see it from 20 metres. RWC	I	15	2	750	375	375	49(d)
391	2542	Reg. 170(2)	Number plate lamp beam directed to rear. Non-RWC	I	10	1	500	250	250	
392	2543	Reg. 170(2)	Number plate lamp beam directed to rear. RWC	I	15	2	750	375	375	49(d)

SCHEDULE 3: AARTO Regulations, 2008										
1	2	3	4	5	6	7	8	9	10	11
Item number	Charge code	Short statutory reference to National Road Traffic Act, 1996	Short charge wording - reference to National Road Traffic Act, 1996	Classification of offence, major infringement and minor infringement	Penalty	Demerit points	Penalty in Rand value: Penalty x R50	Discount in Rand Value	Penalty minus discount in Rand Value	Operator charge i.t.o section 49 of the National Road Traffic Act, 1996
393	2544	Reg. 171(1)	Breakdown vehicle not fitted with side-marker lamps emitting diffused yellow light.	I	10	1	500	250	250	49(d)
394	2545	Reg. 171(2)(a)	Vehicle/combination of vehicles with incorrectly placed side-marker lamps (not 400mm from each end)	I	10	1	500	250	250	49(d)
395	2546	Reg. 171(2)(b)	Vehicle/combination of vehicles with incorrectly placed side- marker lamps (distance between lamps more than 3.6m)	I	10	1	500	250	250	49(d)
396	2547	Reg. 171(2)(c)	Vehicle/combination of vehicles with incorrectly placed side- marker lamps (Lower than 300mm from ground)	I	10	1	500	250	250	49(d)
397	2548	Reg. 171(2)(d)	Vehicle/combination of vehicles with incorrectly placed side- marker lamps (Lamps not facing outwards/not at right angles to centre-line)	I	10	1	500	250	250	49(d)
398	2549	Reg. 175(2)	Reversing lamp illuminated to rear/under vehicle. Driver not in control of such lamp. Lamp did not operate when vehicle was in reverse gear only. Non-RWC	I	10	1	500	250	250	
399	2550	Reg. 175(2)	Reversing lamp illuminated to rear/under vehicle. Driver not in control of such lamp. Lamp did not operate when vehicle was in reverse gear only. Vehicle needing a RWC	I	15	2	750	375	375	49(d)
400	2551	Reg. 175(3)	Too many reverse lamps fitted to vehicle. Non-RWC	I	10	1	500	250	250	
401	2552	Reg. 175(3)	Too many reverse lamps fitted to vehicle. RWC	I	15	2	750	375	375	49(d)
402	2553	Reg. 175(3)	Reversing lamp operating when vehicle was not reversing or about to do so. Non-RWC	I	10	1	500	250	250	
403	2554	Reg. 175(3)	Reversing lamp operating when vehicle was not reversing or about to do so. RWC	I	15	2	750	375	375	49(d)
404	2555	Reg. 176(1)	Bus/goods vehicle with GVM exceeding 3500kg with two or more identification lamps fitted above windscreen lamps exceeded 21 watts, not visible from front and did not emit a green light.	I	5	0	250	125	125	49(d)
405	2556	Reg. 176(3)	Vehicle fitted with lamp/lamps emitting a blue light or capable of emitting a blue light. Non-RWC	I	10	1	500	250	250	
406	2557	Reg. 176(3)	Vehicle fitted with lamp/lamps emitting a blue light or capable of emitting a blue light. RWC	I	15	2	750	375	375	49(d)
407	2558	Reg. 176(4)	Breakdown vehicle not fitted with lamp/lamps capable of emitting an intermittently - flashing amber light.	I	10	1	500	250	250	49(d)
408	2559	Reg. 176(4)	Vehicle fitted with lamps (amber) either using these lamps unnecessarily or not using them when it was compulsory to do so	I	10	1	500	250	250	
409	2560	Reg. 176(5)	Medical doctor using intermittently-flashing red light when not in bona-fide exercise of his profession	I	10	1	500	250	250	
410	2561	Reg. 176(7)	Security officer (registered or not) using a vehicle fitted with a light capable of emitting a rotating strobe light.	I	10	1	500	250	250	
411	2562	Reg. 177	Vehicle fitted with an unauthorized spot light capable of emitting a beam of light in any direction. Non-RWC	I	10	1	500	250	250	
412	2563	Reg. 177	Vehicle fitted with an unauthorized spot light capable of emitting a beam of light in any direction. RWC	I	15	2	750	375	375	49(d)
413	2564	Reg. 177(b)	Medical doctor/veterinarian using a spot light when not in performance of his/her duties.	I	10	1	500	250	250	
414	2565	Reg. 177(c)	Breakdown vehicle using a spot light capable of deflecting a beam of light in any direction when not at the scene of an accident	I	10	1	500	250	250	49(d)

SCHEDULE 3: AARTO Regulations, 2008										
1	2	3	4	5	6	7	8	9	10	11
Item number	Charge code	Short statutory reference to National Road Traffic Act, 1996	Short charge wording - reference to National Road Traffic Act, 1996	Classification of offence, major infringement and minor infringement	Penalty	Demerit points	Penalty in Rand value: Penalty x R50	Discount in Rand Value	Penalty minus discount in Rand Value	Operator charge i.t.o section 49 of the National Road Traffic Act, 1996
415	2566	Reg. 177(c)	Vehicle used for electricity/essential services fitted with a spot lamp capable of deflecting a beam in any direction when not involved in essential services or with overhead lines.	I	10	1	500	250	250	49(d)
416	2567	Reg. 179(1)	Animal-drawn vehicle not led by a person or person carrying a lamp emitting a white light	I	2		100	50	50	
417	2568	Reg. 179(1)	Animal-drawn vehicle not fitted with lamps on both sides at the front and the rear emitting white lights in front and red lights at the back	I	2		100	50	50	0
418	2569	Reg. 180(1)	Vehicle not provided for in Reg. 157-184 not fitted with lamps emitting white lights in front and red lights to the rear	I	2		100	50	50	0
419	2570	Reg. 180(2)	Vehicle (not provided for in Reg. 157 - 184) using a lamp not capable of emitting a beam of light to illuminate the road ahead or using a lamp to dazzle other road users.	I	10	1	500	250	250	
420	2571	Reg. 181(1)(a)	Vehicle using a lamp that did not emit a white, yellow or amber light to the front. Non-RWC	I	10	1	500	250	250	
421	2572	Reg. 181(1)(a)	Vehicle using a lamp that did not emit a white, yellow or amber light to the front. RWC	I	15	2	750	375	375	49(d)
422	2573	Reg. 181(1)(b)	Vehicle using a lamp that did not emit a white or yellow light to the sides of the vehicle. Non-RWC	I	10	1	500	250	250	
423	2574	Reg. 181(1)(b)	Vehicle using a lamp that did not emit a white or yellow light to the sides of the vehicle. RWC	I	15	2	750	375	375	49(d)
424	2575	Reg. 181(1)(c)	Vehicle using a lamp that did not emit a red light to the rear. Non-RWC	I	10	1	500	250	250	0
425	2576	Reg. 181(1)(c)	Vehicle using a lamp that did not emit a red light to the rear. RWC	I	15	2	750	375	375	49(d)
426	2577	Reg. 181(2)	Vehicle fitted with two or more lamps which did not emit light of the same colour in the same direction. Non-RWC	I	10	1	500	250	250	
427	2578	Reg. 181(2)	Vehicle fitted with two or more lamps which did not emit light of the same colour in the same direction. RWC	I	15	2	750	375	375	49(d)
428	2579	Reg. 182	Vehicle fitted with lamp that did not emit diffused light. Non-RWC	I	10	1	500	250	250	
429	2580	Reg. 182	Vehicle fitted with lamp that did not emit diffused light. RWC	I	15	2	750	375	375	49(d)
430	2581	Reg. 183	Vehicle fitted with lamps that did not emit a steady light. Non-RWC	I	10	1	500	250	250	
431	2582	Reg. 183	Vehicle fitted with lamps that did not emit a steady light. RWC	I	15	2	750	375	375	49(d)
432	2583	Reg. 184(1)	Head lamps fitted lower than 450mm or higher than 1.4m above ground level. Non-RWC	I	10	1	500	250	250	
433	2584	Reg. 184(1)	Head lamps fitted lower than 450mm or higher than 1.4m above ground level. RWC	I	15	2	750	375	375	49(d)
434	2585	Reg. 184(2)	Head lamps / fog lamps not fitted with suitable material or designed to prevent a dangerous glare to on-coming traffic. Non-RWC	I	10	1	500	250	250	
435	2586	Reg. 184(2)	Head lamps / fog lamps not fitted with suitable material or designed to prevent a dangerous glare to on-coming traffic. RWC	I	15	2	750	375	375	49(d)
436	2587	Reg. 184(3)(a)	Same type of lamps not placed symmetrically in relation to centre-line of vehicle. Non-RWC	I	10	1	500	250	250	
437	2588	Reg. 184(3)(a)	Same type of lamps not placed symmetrically in relation to centre-line of vehicle. RWC	I	15	2	750	375	375	49(d)
438	2589	Reg. 184(3)(b)	Same type of lamps not placed at the same height on either side of vehicle. Non-RWC	I	10	1	500	250	250	

SCHEDULE 3: AARTO Regulations, 2008										
1	2	3	4	5	6	7	8	9	10	11
Item number	Charge code	Short statutory reference to National Road Traffic Act, 1996	Short charge wording - reference to National Road Traffic Act, 1996	Classification of offence, major infringement and minor infringement	Penalty	Demerit points	Penalty in Rand value: Penalty x R50	Discount in Rand Value	Penalty minus discount in Rand Value	Operator charge i.t.o section 49 of the National Road Traffic Act, 1996
439	2590	Reg. 184(3)(b)	Same type of lamps not placed at the same height on either side of vehicle. RWC	I	15	2	750	375	375	49(d)
440	2591	Reg. 184(4)	Lamps not securely fitted to vehicle. Non-RWC	I	10	1	500	250	250	
441	2592	Reg. 184(4)	Lamps not securely fitted to vehicle. RWC	I	15	2	750	375	375	49(d)
442	2593	Reg. 184(5)	Lens and reflector of a lamp not clean and maintained effectively. Non-RWC	I	10	1	500	250	250	
443	2594	Reg. 184(5)	Lens and reflector of a lamp not clean and maintained effectively. RWC	I	15	2	750	375	375	49(d)
444	2595	Reg. 184(6)	Lamp obscured by fitting/ object. Non-RWC	I	10	1	500	250	250	
445	2596	Reg. 184(6)	Lamp obscured by fitting/ object. RWC	I	15	2	750	375	375	49(d)
446	2597	Reg. 185	Vehicle fitted with unprescribed/ unauthorized lamp. Non-RWC	I	15	2	750	375	375	
447	2598	Reg. 185	Vehicle fitted with unprescribed/ unauthorized lamp. RWC	I	25	4	1250	625	625	49(d)
448	2599	Reg. 186(1)(a)	Trailer not fitted with one white retro-reflector on the front of vehicle	I	2		100	50	50	
449	2600	Reg. 186(1)(a)	Trailer not fitted with two white retro-reflectors at the same height one on either side on the front of the vehicle	I	5	0	250	125	125	49(d)
450	2601	Reg. 186(1)(b) or (c)	Animal-drawn vehicle/Rickshaw fitted with no white retro-reflector on the front of the vehicle	I	5		250	125	125	
451	2602	Reg. 186(1)(b) or (c)	Animal-drawn vehicle/Rickshaw fitted with one white retro-reflector on the front of the vehicle	I	2		100	50	50	
452	2603	Reg. 186(2)(a)	Vehicle fitted with a front retro-reflector incorrectly positioned and placed further than 400mm from outer edge of the widest part of vehicle. Non-RWC	I	2		100	50	50	
453	2604	Reg. 186(2)(a)	Vehicle fitted with front retro-reflectors incorrectly positioned and placed further than 400mm from outer edge of the widest part of vehicle. Non-RWC	I	5	0	250	125	125	
454	2605	Reg. 186(2)(a)	Vehicle fitted with a front retro-reflector incorrectly positioned and placed further than 400mm from outer edge of the widest part of vehicle. RWC	I	5	0	250	125	125	49(d)
455	2606	Reg. 186(2)(a)	Vehicle fitted with front retro-reflectors incorrectly positioned and placed further than 400mm from outer edge of the widest part of vehicle. RWC	I	10	1	500	250	250	49(d)
456	2607	Reg. 186(2)(b)	Vehicle fitted with one front retro-reflector incorrectly positioned and placed nearer than 150mm from the widest part of vehicle. Non-RWC	I	2		100	50	50	
457	2608	Reg. 186(2)(b)	Vehicle fitted with both front retro-reflectors incorrectly positioned and placed nearer than 150mm from the widest part of vehicle. Non-RWC	I	5	0	250	125	125	
458	2609	Reg. 186(2)(b)	Vehicle fitted with one front retro-reflector incorrectly positioned and placed nearer than 150mm from the widest part of vehicle. RWC	I	5	0	250	125	125	49(d)
459	2610	Reg. 186(2)(b)	Vehicle fitted with front retro-reflectors incorrectly positioned and placed nearer than 150mm from the widest part of vehicle. RWC	I	10	1	500	250	250	49(d)
460	2611	Reg. 186(3)	Pedal cycle not fitted with white retro-reflector in front	I	2		100	50	50	
461	2612	Reg. 187(1)	Drawing/rear most vehicle of combination of vehicles only fitted with one red retro-reflector.	I	5	0	250	125	125	49(d)
462	2613	Reg. 187(1)	Drawing/rear most vehicle of combination of vehicles not fitted with red retro-reflectors	I	5	0	250	125	125	49(d)
463	2614	Reg. 187(1)(a)	Vehicle fitted with only one retro-reflector at the rear. Non-RWC	I	2		100	50	50	
464	2615	Reg. 187(1)(a)	Vehicle not fitted with any retro-reflectors at the rear at the same height and equidistant from centre-line. Non-RWC	I	5	0	250	125	125	0

SCHEDULE 3: AARTO Regulations, 2008										
1	2	3	4	5	6	7	8	9	10	11
Item number	Charge code	Short statutory reference to National Road Traffic Act, 1996	Short charge wording - reference to National Road Traffic Act, 1996	Classification of offence, major infringement and minor infringement	Penalty	Demerit points	Penalty in Rand value: Penalty x R50	Discount in Rand Value	Penalty minus discount in Rand Value	Operator charge i.t.o section 49 of the National Road Traffic Act, 1996
465	2616	Reg. 187(1)(a)	Vehicle fitted with one retro-reflector at the rear RWC	I	5	0	250	125	125	49(d)
466	2617	Reg. 187(1)(a)	Vehicle not fitted with any retro-reflectors at the rear at the same height and equidistant from centre-line. RWC	I	10	1	500	250	250	49(d)
467	2618	Reg. 187(1)(b) or (c)	Animal-drawn vehicle / Rickshaw fitted with only one red retro-reflectors at the rear or fitted more than 400mm from outer edge of vehicle	I	2		100	50	50	0
468	2619	Reg. 187(1)(b) or (c)	Animal-drawn vehicle / Rickshaw fitted with no retro-reflector at the rear	I	2		100	50	50	
469	2620	Reg. 187(2)	Vehicle incorrectly fitted with a red retro-reflector more than 400mm from outer edge of widest part of vehicle. Non-RWC	I	2		100	50	50	
470	2621	Reg. 187(2)	Vehicle incorrectly fitted with red retro-reflectors more than 400mm from outer edge of widest part of vehicle. Non-RWC	I	5	0	250	125	125	
471	2622	Reg. 187(2)	Vehicle incorrectly fitted with a red retro-reflector more than 400mm from outer edge of widest part of vehicle. RWC	I	5	0	250	125	125	49(d)
472	2623	Reg. 187(2)	Vehicle incorrectly fitted with red retro-reflectors more than 400mm from outer edge of widest part of vehicle. RWC	I	10	1	500	250	250	49(d)
473	2624	Reg. 187(3)	Motor cycle / Tricycle not fitted with red retro-reflector at the rear	I	5	0	250	125	125	
474	2625	Reg. 187(4)	Pedal cycle not fitted with red retro-reflector at the rear	I	2		100	50	50	
475	2626	Reg. 188(a)(i) & (ii)	Combination of vehicles exceeding 7m not fitted with a yellow reflector within 3m from front of each vehicle and 1m from rear of each vehicle. Non-RWC	I	5	0	250	125	125	49(d)
476	2627	Reg. 188(a)(i) & (ii)	Combination of vehicles exceeding 7m not fitted with yellow reflectors within 3m from front of each vehicle and 1m from rear of each vehicle. RWC	I	10	1	500	250	250	49(d)
477	2628	Reg. 188(a)(iii)	Combination of vehicles exceeding 7m fitted only on one side of the trailer with a yellow retro-reflector within 3m from the front of trailer	I	5	0	250	125	125	49(d)
478	2629	Reg. 188(a)(iii)	Combination of vehicles exceeding 7m not fitted with yellow reflectors on trailer within 3m from front of trailer	I	10	1	500	250	250	49(d)
479	2630	Reg. 188(b)	Vehicle/combination of vehicles fitted with a yellow retro-reflector on one or both sides of the combination more than 3.6m apart	I	5	0	250	125	125	49(d)
480	2631	Reg. 188(b)	Vehicle/combination of vehicles fitted with yellow retro-reflectors more than 3.6m apart	I	10	1	500	250	250	49(d)
481	2632	Reg. 189(1)(a)	Retro-reflector incorrectly fitted (lower than 300mm - higher than 1.5m) to vehicle. Non-RWC	I	2		100	50	50	
482	2633	Reg. 189(1)(a)	Retro-reflectors incorrectly fitted (lower than 300mm - higher than 1.5m) to vehicle. Non-RWC	I	5	0	250	125	125	
483	2634	Reg. 189(1)(a)	Retro-reflector incorrectly fitted (lower than 300mm - higher than 1.5m) to vehicle. RWC	I	5	0	250	125	125	49(d)
484	2635	Reg. 189(1)(a)	Retro-reflectors incorrectly fitted (lower than 300mm - higher than 1.5m) to vehicle. RWC	I	10	1	500	250	250	49(d)
485	2636	Reg. 189(1)(a)	Retro-reflector not fitted as near as possible to correct height due to the design of vehicle. Non-RWC	I	2		100	50	50	
486	2637	Reg. 189(1)(a)	Retro-reflectors not fitted as near as possible to correct height due to the design of vehicle. Non-RWC	I	5	0	250	125	125	
487	2638	Reg. 189(1)(a)	Retro-reflector not fitted as near as possible to correct height due to the design of vehicle. RWC	I	5	0	250	125	125	49(d)



SCHEDULE 3: AARTO Regulations, 2008										
1	2	3	4	5	6	7	8	9	10	11
Item number	Charge code	Short statutory reference to National Road Traffic Act, 1996	Short charge wording - reference to National Road Traffic Act, 1996	Classification of offence, major infringement and minor infringement	Penalty	Demerit points	Penalty in Rand value: Penalty x R50	Discount in Rand Value	Penalty minus discount in Rand Value	Operator charge i.e.o section 49 of the National Road Traffic Act, 1996
488	2639	Reg. 189(1)(a)	Retro-reflectors not fitted as near as possible to correct height due to the design of vehicle. RWC	I	10	1	500	250	250	49(d)
489	2640	Reg. 189(1)(b)(i)	White retro-reflector not vertically positioned or facing squarely to the front. Non-RWC	I	2		100	50	50	
490	2641	Reg. 189(1)(b)(i)	White retro-reflectors not vertically positioned or facing squarely to the front. Non-RWC	I	5	0	250	125	125	
491	2642	Reg. 189(1)(b)(i)	White retro-reflector not vertically positioned or facing squarely to the front. RWC	I	5	0	250	125	125	49(d)
492	2643	Reg. 189(1)(b)(i)	White retro-reflectors not vertically positioned or facing squarely to the front. RWC	I	10	1	500	250	250	49(d)
493	2644	Reg. 189(1)(b)(ii)	Red retro-reflector not vertically positioned or facing squarely to the rear. Non-RWC	I	2		100	50	50	
494	2645	Reg. 189(1)(b)(ii)	Red retro-reflectors not vertically positioned or facing squarely to the rear. Non-RWC	I	5	0	250	125	125	
495	2646	Reg. 189(1)(b)(ii)	Red retro-reflector not vertically positioned or facing squarely to the rear. RWC	I	5	0	250	125	125	49(d)
496	2647	Reg. 189(1)(b)(ii)	Red retro-reflectors not vertically positioned or facing squarely to the rear. RWC	I	10	1	500	250	250	49(d)
497	2648	Reg. 189(1)(b)(iii)	Yellow retro-reflector not vertically positioned or facing squarely to the side. Non-RWC	I	2		100	50	50	0
498	2649	Reg. 189(1)(b)(iii)	Yellow retro-reflectors not vertically positioned or facing squarely to the side. Non-RWC	I	5	0	250	125	125	0
499	2650	Reg. 189(1)(b)(iii)	Yellow retro-reflector not vertically positioned or facing squarely to the side. RWC	I	5	0	250	125	125	49(d)
500	2651	Reg. 189(1)(b)(iii)	Yellow retro-reflectors not vertically positioned or facing squarely to the side. RWC	I	10	1	500	250	250	49(d)
501	2652	Reg. 189(1)(c)	Retro-reflector not in a good or clean condition. Non-RWC	I	2		100	50	50	
502	2653	Reg. 189(1)(c)	Retro-reflectors not in a good or clean condition. Non-RWC	I	5	0	250	125	125	
503	2654	Reg. 189(1)(c)	Retro-reflector not in a good or clean condition. RWC	I	5	0	250	125	125	49(d)
504	2655	Reg. 189(1)(c)	Retro-reflectors not in a good or clean condition. RWC	I	10	1	500	250	250	49(d)
505	2656	Reg. 189(1)(d)	Retro-reflector fitted to movable part of vehicle. Non-RWC	I	2		100	50	50	0
506	2657	Reg. 189(1)(d)	Retro-reflectors fitted to movable part of vehicle. Non-RWC	I	5	0	250	125	125	0
507	2658	Reg. 189(1)(d)	Retro-reflector fitted to movable part of vehicle. RWC	I	5	0	250	125	125	49(d)
508	2659	Reg. 189(1)(d)	Retro-reflectors fitted to movable part of vehicle. RWC	I	10	1	500	250	250	49(d)
509	2660	Reg. 190	Retro-reflector not fitted according to Reg. 187(2) and Reg. 189(1)(a). Failed to fit a red retro-reflector to rear, fitted it too low or too high, failed to fit two additional red retro-reflectors, fitted them the correct distance. Non-RWC	I	2		100	50	50	
510	2661	Reg. 190	Retro-reflectors not fitted according to Reg. 187(2) and Reg. 189(1)(a). Failed to fit red retro-reflectors to rear, fitted them too low or too high, failed to fit two additional red retro-reflectors, fitted them the correct distance. Non-RWC	I	5	0	250	125	125	
511	2662	Reg. 190	Retro-reflector not fitted according to Reg. 187(2) and Reg. 189(1)(a). Failed to fit a red retro-reflector to rear, fitted it too low or too high, failed to fit two additional red retro-reflectors, fitted them the correct distance. RWC	I	5	0	250	125	125	49(d)

SCHEDULE 3: AARTO Regulations, 2008										
1	2	3	4	5	6	7	8	9	10	11
Item number	Charge code	Short statutory reference to National Road Traffic Act, 1996	Short charge wording - reference to National Road Traffic Act, 1996	Classification of offence, major infringement and minor infringement	Penalty	Demerit points	Penalty in Rand value: Penalty x R50	Discount in Rand Value	Penalty minus discount in Rand Value	Operator charge i.t.o section 49 of the National Road Traffic Act, 1996
512	2663	Reg. 190	Retro-reflectors not fitted according to Reg. 187(2) and Reg. 189(1)(a). Failed to fit red retro-reflectors to rear, fitted them too low or too high, failed to fit two additional red retro-reflectors, fitted them the correct distance. RWC	I	10	1	500	250	250	49(d)
513	2664	Reg. 191(2)	Failed to fit warning sign to rear of vehicle. Non-RWC	I	5	0	250	125	125	
514	2665	Reg. 191(2)	Failed to fit warning sign to rear of vehicle. RWC	I	10	1	500	250	250	49(d)
515	2666	Reg. 191(2)(a) & (b)	Warning sign (chevron) did not comply with requirements or bear certification mark. Non-RWC	I	5	0	250	125	125	
516	2667	Reg. 191(2)(a) & (b)	Warning sign (chevron) did not comply with requirements or bear certification mark. RWC	I	10	1	500	250	250	49(d)
517	2668	Reg. 191(2)(c)	Warning sign (fitted after 01/01/2001) did not include red and yellow retro-reflective strips. Non-RWC	I	5	0	250	125	125	
518	2669	Reg. 191(2)(c)	Warning sign (fitted after 01/01/2001) did not include red and yellow retro-reflective strips. RWC	I	10	1	500	250	250	49(d)
519	2670	Reg. 191(3)(a)	Warning sign not cut to fit vehicle -where design unsuitable to fit chevron. Non-RWC	I	5	0	250	125	125	
520	2671	Reg. 191(3)(a)	Warning sign not cut to fit vehicle -where design unsuitable to fit chevron. RWC	I	10	1	500	250	250	49(d)
521	2672	Reg. 191(3)(b)	Vehicle with chevron not cut to fit vehicle because of unsuitable design. Also did not contain 7 retro-reflectors. Non-RWC	I	5	0	250	125	125	
522	2673	Reg. 191(3)(b)	Vehicle with chevron not cut to fit vehicle because of unsuitable design. Also did not contain 7 retro-reflectors. RWC	I	10	1	500	250	250	49(d)
523	2674	Reg. 191(4)(a)	Chevron sign not in an upright position or within 15 degrees of position or facing squarely to the rear. Non-RWC	I	5	0	250	125	125	
524	2675	Reg. 191(4)(a)	Chevron sign not in an upright position or within 15 degrees of position or facing squarely to the rear. RWC	I	10	1	500	250	250	49(d)
525	2676	Reg. 191(4)(b)	Chevron placed higher than 1.5m above ground level. Non-RWC	I	5	0	250	125	125	
526	2677	Reg. 191(4)(b)	Chevron placed higher than 1.5m above ground level. RWC	I	10	1	500	250	250	49(d)
527	2678	Reg. 191(4)(c)	Chevron not extending far enough to sides to indicate width of vehicle (within 400mm). Non-RWC	I	5	0	250	125	125	
528	2679	Reg. 191(4)(c)	Chevron not extending far enough to sides to indicate width of vehicle (within 400mm). RWC	I	10	1	500	250	250	49(d)
529	2680	Reg. 191(4)(d)	Chevron sign not clean and in good condition and therefore ineffective. Non-RWC	I	5	0	250	125	125	
530	2681	Reg. 191(4)(d)	Chevron sign not clean and in good condition and therefore ineffective. RWC	I	10	1	500	250	250	49(d)
531	2682	Reg. 192(1)	Reflective material on vehicle did not reflect white to the front, red to the rear and yellow to the sides.	I	5	0	250	125	125	49(d)
532	2683	Reg. 192(3)	Pedal cycle not discernible from 150m between sunset and sunrise because pedals/spokes/arms were not fitted with reflective materials.	I	2		100	50	50	
533	2684	Reg. 192A(1)	Prescribed vehicle with side and rear contour or strip markings that are not according to the standard SANS specifications	I	10	1	500	250	250	49(d)
534	2685	Reg. 192A(2)(a)	Goods vehicle with GVM more than 3500kg not fitted with contour or strip markings at the sides / rear or such markings affixed higher than 600mm from lower part of body	I	10	1	500	250	250	49(d)

SCHEDULE 3: AARTO Regulations, 2008										
1	2	3	4	5	6	7	8	9	10	11
Item number	Charge code	Short statutory reference to National Road Traffic Act, 1996	Short charge wording - reference to National Road Traffic Act, 1996	Classification of offence, major infringement and minor infringement	Penalty	Demerit points	Penalty in Rand value: Penalty x R50	Discount in Rand Value	Penalty minus discount in Rand Value	Operator charge i.t.o section 49 of the National Road Traffic Act, 1996
535	2686	Reg. 192A(2)(b)	Goods vehicle with a length of more than 7m not fitted with side / rear contour or strip marking as specified from 1-7-2004	I	10	1	500	250	250	49(d)
536	2687	Reg. 192A(2)(d)	Trailer or caravan not fitted with side / rear contour or strip marking or such markings as specified from 1-7-2004	I	10	1	500	250	250	49(d)
537	2688	Reg. 192A(2)(e)	Bus not fitted with side or rear contour or strip markings or such markings affixed higher than 600mm from lower part of body (1-7-2004)	I	10	1	500	250	250	49(d)
538	2689	Reg. 192A(2)(f)	NLTTA midibus or a bus not fitted with side & rear contour or strip markings or such markings affixed higher than 600mm from lower part of body (4-9-2006)	I	10	1	500	250	250	49(d)
539	2690	Reg. 192A(2)(g)	Operating licence minibus first registered after 4-9-2006 not fitted with side and rear contour or strip markings or such markings affixed higher than 600mm from lower part of body	I	10	1	500	250	250	49(d)
540	2691	Reg. 192A(2)(h)	NLTTA minibus not fitted with side and rear contour markings after 1 January 2007 or such markings affixed higher than 600mm from lower part of body	I	10	1	500	250	250	49(d)
541	2692	Reg. 192A(2)(i)	Motor home not fitted with side or rear contour or strip markings first registered after 1 July 2007 or such markings affixed higher than 600mm from lower part of body	I	10	1	500	250	250	49(d)
542	2693	Reg. 193(1)	Vehicle fitted with only one direction indicator. Non-RWC	I	2		100	50	50	
543	2694	Reg. 193(1)	Vehicle not fitted with direction indicators on both sides. Non-RWC	I	5	0	250	125	125	
544	2695	Reg. 193(1)	Vehicle fitted with only one direction indicator. RWC	I	5	0	250	125	125	
545	2696	Reg. 193(1)	Vehicle not fitted with direction indicators on both sides. RWC	I	10	1	500	250	250	49(d)
546	2697	Reg. 194(a)	One flasher type indicator did not incorporate lamp. Non-RWC	I	2		100	50	50	
547	2698	Reg. 194(a)	Both flasher type indicators did not incorporate lamps. Non-RWC	I	5	0	250	125	125	
548	2699	Reg. 194(a)	One flasher type indicator did not incorporate lamp. RWC	I	5	0	250	125	125	49(d)
549	2700	Reg. 194(a)	Both flasher type indicators did not incorporate lamps. RWC	I	10	1	500	250	250	49(d)
550	2701	Reg. 194(b)	One flasher type indicator did not show an intermittently - flashing light/not clearly visible from 30m. Non-RWC	I	2		100	50	50	
551	2702	Reg. 194(b)	Both flasher type indicators did not show an intermittently flashing light/not clearly visible from 30m. Non-RWC	I	5	0	250	125	125	0
552	2703	Reg. 194(b)	One flasher type indicator did not show an intermittently - flashing light/not clearly visible from 30m. RWC	I	5	0	250	125	125	49(d)
553	2704	Reg. 194(b)	Both flasher type indicators did not show an intermittently flashing light/not clearly visible from 30m. RWC	I	10	1	500	250	250	49(d)
554	2705	Reg. 194(c)	One flasher type indicator not equidistant from centre-line/not as near as possible to or more than 500mm from front or rear. Non-RWC	I	2		100	50	50	
555	2706	Reg. 194(c)	Both flasher type indicators not equidistant from centre - line/not as near as possible to or more than 500mm from front or rear. Non-RWC	I	5	0	250	125	125	

SCHEDULE 3: AARTO Regulations, 2008										
1	2	3	4	5	6	7	8	9	10	11
Item number	Charge code	Short statutory reference to National Road Traffic Act, 1996	Short charge wording - reference to National Road Traffic Act, 1996	Classification of offence, major infringement and minor infringement	Penalty	Demerit points	Penalty in Rand value: Penalty x R60	Discount in Rand Value	Penalty minus discount in Rand Value	Operator charge i.t.o section 49 of the National Road Traffic Act, 1996
556	2707	Reg. 194(c)	One flasher type indicator not equidistant from centre-line/not as near as possible to or more than 500mm from front or rear. RWC	I	5	0	250	125	125	49(d)
557	2708	Reg. 194(c)	Both flasher type indicators not equidistant from centre-line/not as near as possible to or more than 500mm from front or rear. RWC	I	10	1	500	250	250	49(d)
558	2709	Reg. 194(d)	One flasher type indicator not positioned properly so as to be seen from the front and the rear of the vehicle. Non-RWC	I	2		100	50	50	
559	2710	Reg. 194(d)	Both flasher type indicators not positioned properly so as to be seen from the front and the rear of the vehicle. Non-RWC	I	5	0	250	125	125	
560	2711	Reg. 194(d)	One flasher type indicator not positioned properly so as to be seen from the front and the rear of the vehicle. RWC	I	5	0	250	125	125	49(d)
561	2712	Reg. 194(d)	Both flasher type indicators not positioned properly so as to be seen from the front and the rear of the vehicle. RWC	I	10	1	500	250	250	49(d)
562	2713	Reg. 194(dA)	One flasher type indicator fitted so that the lamp was higher than the roof. Non-RWC	I	2		100	50	50	
563	2714	Reg. 194(dA)	Both flasher type indicators fitted so that the lamps were higher than the roof. Non-RWC	I	5	0	250	125	125	
564	2715	Reg. 194(dA)	One flasher type indicator fitted so that the lamp was higher than the roof. RWC	I	5	0	250	125	125	49(d)
565	2716	Reg. 194(dA)	Both flasher type indicators fitted so that the lamps were higher than the roof. RWC	I	10	1	500	250	250	49(d)
566	2717	Reg. 194(e)	Failed to mount one flasher type direction indicator in the front and one at the rear visible from the front and the rear. Non-RWC	I	2		100	50	50	
567	2718	Reg. 194(e)	Failed to mount flasher type direction indicators in the front and at the rear visible from the front and the rear. Non-RWC	I	5	0	250	125	125	
568	2719	Reg. 194(e)	Failed to mount one flasher type direction indicator in the front and one at the rear visible from the front and the rear. RWC	I	5	0	250	125	125	49(d)
569	2720	Reg. 194(e)	Failed to mount flasher type direction indicators in the front and at the rear visible from the front and the rear. RWC	I	10	1	500	250	250	49(d)
570	2721	Reg. 194(f)	One flasher type direction indicator combined with/within 150mm of lamp emitted light weaker than that of lamp. Non-RWC	I	2		100	50	50	
571	2722	Reg. 194(f)	Both flasher type direction indicators combined with/within 150mm of lamp emitted light weaker than that of lamp. Non-RWC	I	5	0	250	125	125	
572	2723	Reg. 194(f)	One flasher type direction indicator combined with/within 150mm of lamp emitted light weaker than that of lamp. RWC	I	5	0	250	125	125	49(d)
573	2724	Reg. 194(f)	Both flasher type direction indicators combined with/within 150mm of lamp emitted light weaker than that of lamp. RWC	I	10	1	500	250	250	49(d)
574	2725	Reg. 194(g)	One flasher type direction indicator did not emit white, yellow or amber light to front and yellow or amber or red light to the rear. Non-RWC	I	2		100	50	50	
575	2726	Reg. 194(g)	Both flasher type direction indicators did not emit white, yellow or amber light to front and yellow or amber or red light to the rear. Non-RWC	I	5	0	250	125	125	
576	2727	Reg. 194(g)	One flasher type direction indicator did not emit white, yellow or amber light to front and yellow or amber or red light to the rear. RWC	I	10	1	500	250	250	49(d)