

No. 165

26 February 2015

DEPARTMENT OF PUBLIC WORKS**AGRÉMENT SOUTH AFRICA**

(Approval of innovative construction products and systems)

Notice is hereby given that Agrément South Africa has, with effect from 26 March 2014, issued an Agrément certificate, details of which appear in the schedule hereto.

SCHEDULE

Agrément Certificate 2014/450

Name of product: Power Profile Building System

Certificate holder: Shell Case 208 (Pty) Ltd

Description: Power Profile Building System utilises both conventional and innovative aspects of construction. The foundations are conventional and the responsibility of a registered professional competent person.

The external walls are structural bearing prefabricated panels made up of a 50 mm thick expanded polystyrene core of density 16 kg/m³ encapsulated by 0.5 mm zinalume sheets with AZ150 coating, which complies with the requirements of **SANS 9364**. The inside face of the panel is lined with 51 mm thick Isover glasswool cavitybatt insulation of density 14 kg/m³ and 15 mm thick fire stop board. The overall thickness of the external wall panel is 117 mm. Internal walls are made from the same panel as the external walls but with 15 mm fire stop boards on either side.

All external wall panels are finished with two coats of water-based acrylic paint or any similar Agrément certified paint. One coat of the same paint is applied on the internal walls. In corrosive conditions the external wall facings are to be treated as specified in durability.

The roof structure conventional and the design and erection are the responsibility of a registered competent person.

Windows and door frames are made up of aluminium or steel, and provisions for all openings are pre-cut during the panel manufacturing stage.

The Agrément certificate contains detailed information on the product and can be accessed at <http://www.agrement.co.za>

Copies are obtainable from: Chief Executive Officer (CEO)
Agrément South Africa
P O Box 395
PRETORIA, 0001