## GOVERNMENT NOTICE

### **DEPARTMENT OF HEALTH**

No. R. 433 25 May 2015

HEALTH PROFESSIONS ACT, 1974 (ACT NO.56 OF 1974)

#### REGULATIONS DEFINING THE SCOPE OF PRACTICE OF CLINICAL ASSOCIATES

The Minister of Health intends, under section 61(1)(k)of the Health Professions Act, 1974 (Act No. 56 of 1974) and after consultation with the Health Professions Council of South Africa, to make the Regulations in the Schedule.

Interested persons are invited to submit any substantiated comments in writing on the proposed amendments to the Director-General: Health, Private Bag X828, Pretoria, 0001 (for the attention of the Director: Public Entities Governance), within three months from date of publication of this notice.

#### **SCHEDULE**

### **Definitions**

1. In these regulations, "Act" means the Health Professions Act, 1974 (Act No. 56 of 1974), and any word or expression to which a meaning has been assigned in the Act shall have that meaning, unless the context otherwise indicates -

"professional board" means the Medical and Dental Professions Board established in terms of Section 15 of the Act; and

"supervision" means the acceptance of liability by a supervising practitioner for the acts of another practitioner.

# Acts deemed to be acts pertaining to the scope of practice of Clinical Associates

- 2. The following acts are deemed to be acts pertaining to the scope of practice of Clinical Associates:
  - (a) Obtaining a patient history and performing a physical examination of the patient in accordance with his or her level of education, training and experience;
  - (b) Ordering and/or performing diagnostic and therapeutic procedures for common and important conditions in South Africa and in accordance with his or her level of education, training and experience;
  - (c) Performing and/or ordering and interpreting, inter alia, the following investigations:

HIV (including counselling), Haemoglobin,
blood glucose, blood type, etc.
Dipstix, pregnancy test, Microscopy, Culture
and Sensitivity (MC&S), etc.
MC&S, etc.
MC&S, etc.
Acid Fast Bacillus (AFB) , MC&S, etc.
Full Blood Count (FBC).
Liver Function Tests (LFT).
Urea and Electrolytes (U&E).

C-reactive protein (CRP), etc.

- (d) Interpreting findings and formulating a diagnosis for common and emergency conditions referred to in paragraph (b) in accordance with his/her level of education, training and experience;
- (e) Performing, inter alia, the following procedures under supervision of a registered medical practitioner and in accordance with his/her level of education, training and experience:-

PROCEDURE	AGE	PROCEDURE	AGE
TROCEDORE	GROUP	NOOLDONE	GROUP
		ļ	
Antenatal care	adult	Incision and drainage of	adult
		paronychia.	
Apply Plaster of Paris (POP) -	adult	Instruction in use of crutches.	adult
arm long.			
Apply POP -arm short.	adult	IV Infusion.	adult
Apply POP -full leg.	adult	Incision and drainage of	adult
		superficial abscess.	
Apply POP -stove pipe.	adult	Incision of thrombosed	adult
		haemorrhoid.	
Arterial blood gas - radial,	adult	Intra- and post-operative	adult
femoral.		observation.	
Aspiration and incision and	adult	Intrauterine contraceptive device	adult
drainage of abscess.		insertion.	
Assist in Caesarean Section.	adult	Knee examination.	adult
Assist in closed fracture	adult	Leg ulcer chronic dressing.	adult
reduction.			
Assist in diathermy/cautery.	adult	Lymph node biopsy.	adult
Assist in emergency	adult	Lumbar Puncture.	adult
laparotomies.			
Assist in epidural anaesthesia.	adult	Maebomian abscess removal.	adult
Assist in knee and other joint	adult	Mental health examination.	adult
aspiration.			
Assist in medico-legal	adult	Mental Health History.	adult
examination.			

Assist in open reduction of	adult	Mini Mental State	adult
fractures.		(MMS)examination.	
Assist in/perform reduction of	adult	Normal vaginal delivery.	adult
joint dislocations.			
Assist in spinal anaesthesia.	adult	Oral airway/Laryngeal mask	adult
		airway/other airway devices.	
Assist in tubal ligation.	adult	Oral endotracheal intubation.	adult
Bag and mask ventilation.	adult	Packing of nose.	adult
Basic life support.	adult	Paracentesis.	adult
Bladder catheterisation –	adult	PAP smear.	adult
female.			
Bladder catheterisation – male.	adult	Portable ventilation.	adult
Blood transfusion.	adult	Pre-op assessment.	adult
Bone marrow aspiration.	adult	Pleural tap; Pleural biopsy.	adult
Cardiopulmonary resuscitation	adult	Preparation of malaria smear.	adult
(CPR).			
Cardiotocographic fetal heart	adult	Reduction of shoulder dislocation.	adult
monitoring.			
Cautery/excision of	adult	Removal of K-wire.	adult
condylomata.			
Central line insertion-	adult	Regional Blocks – penile.	adult
externaljugular vein, femoral			
vein, subclavian vein.			
Circumcision – uncomplicated.	adult	Regional blocks - ring blocks.	adult
Close surgical incisions (all	adult	Removal of foreign body – ear,	adult
layers).		eye, eyelid and vagina.	
Cricothyroidotomy.	adult	Restraining a patient.	adult
Cryotherapy.	adult	Sedating a patient.	adult
Debridement of minor limb	adult	Skin applications (Podophyllin).	adult
injuries.			
Dilatation &Curettage.	adult	Skin biopsy.	adult
Dilatation of pupil.	adult	Skin grafts – small.	adult
Drainage of simple hydrocele.	adult	Sputum collection.	adult
Dry mopping of ear.	adult	Stool specimen collection.	adult

Episiotomy – perform and	adult	Suture lacerations.	adult
suture (including repair of			
vaginal tears).			
Eye staining.	adult	Suturing ear.	adult
Excision of skin glands/cysts/	adult	Suturing eyelid.	adult
masses/lesions.			
Fine Needle Aspiration -breasts	adult	Tamponade of epistaxis.	adult
and nodes.			
Full spine immobilization & log	adult	Trauma survey (primary	adult
roll.		&secondary).	
Genital swabs.	adult	Triage.	adult
Glasgow Coma Scale	adult	Venous cutdown.	adult
(GCS)assessment.			
Glue lacerations.	adult	Wound care and debridement.	adult
Incision and drainage of	adult		
Quinsy.			

PROCEDURE	AGE	PROCEDURE	AGE
	GROUP		GROUP
Apply Gallows traction.	child	Assist in Intraosseous access.	child
Assist at lumbar puncture -	child	Assist in Neonatal Resuscitation.	child
Neonate.			
Lumbar puncture – Children.	child	Assist in Paediatric Resuscitation.	child
Hearing Screen.	child	Road to Health Chart.	child
Immunisations.	child	Weighing Babies.	child
Integrated Management of	child		
Childhood Illness (IMCI).			

PROCEDURE	AGE	PROCEDURE	AGE
-	GROUP		GROUP
Administration of Oxygen.	all	Injections – Intradermal.	all
Acute debriefing/Sharing bad	all	Injections - Intramuscular.	all
news.			
Administration of nebulisation.	all	Injections – Subcutaneous.	all
Apply POP - all types.	all	Mantoux.	all

Check for union of fractures.	all	Medical condition notification.	all
Cranial Nerve II-XII Exam.	all	Metered Dose Inhaler technique	all
		and demonstration.	
Completion of J88 Assault	all	Nasogastric Tube Insertion.	all
Form.			
Counselling - bad news.	all	Paraphimosis reduction.	all
Counselling – death.	all	Patient referral.	all
Counselling - family/mental	all	Peak Flow Meter use and	all
health.		Interpretation.	
Counselling – HIV.	all	Pulse Oximeter.	all
Counselling – Pregnancy.	all	Removal of foreign body -ear and	all
		nose.	
Defibrillation Automatic	all	Removal of POP.	all
Emergency Defibrillator (AED)/			
manual.			
Death notification.	all	Sick leave certification.	all
Dress abrasions and burns.	all	Snellen Visual Chart Exam.	all
Foreign body removal – ear	all	Suprapubic aspiration/catheter	all
and nose.		insertion.	
Gastric Lavage.	all	Syringe of ear/Ear irrigation.	all
Intravenous line insertion.	all	Venipuncture.	all

- (f) Developing, implementing and monitoring a comprehensive management plan for common and important conditions;
- (g) Issuing sick certificates for a period not exceeding 3 days and that should contain the name and contact details of the supervising registered medical practitioner;
- (h) Prescribing medicines for common and important conditions according to the primary health care level Essential Drug List (EDL) and up to schedule IV, except in emergencies when appropriate drugs of higher schedules may be prescribed. The prescription must contain the name of the supervising registered medical practitioner. In the case of drugs not on the EDL the prescription must be countersigned by a registered medical practitioner;
- (i) Being the required assistant at surgery;
- (j) Making appropriate admissions, discharges and referrals;

- (k) Performing any act delegated by the supervising medical practitioner in accordance with the education, training and experience of the Clinical Associate;
- (I) Assisting medical practitioners within district level health care services and with the focus on primary health care.

#### **Restriction for Clinical Associates**

- 3. Clinical Associates shall not conduct an independent private practice.
- 4. Clinical Associates shall not act as a substitute for a medical practitioner.
- 5. The acts referred to in Regulation 2 must be performed under the continuous supervision of a medical practitioner. The supervising medical practitioner must be identified by the service in which the Clinical Associate is working and must be available to the Clinical Associate at all times.

### **Identification of Clinical Associate**

6. The Clinical Associate will be identified by the title of Clinical Associate (abbreviation: ClinA) and should always be identifiable as such by patients and coworkers.

DR. A MOYSOALEDI, MP

DÁTE: