
GOVERNMENT NOTICE

DEPARTMENT OF TRANSPORT

No. 557

1 July 2015

THE SOUTH AFRICAN NATIONAL ROADS AGENCY SOC LIMITED

Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD D797 SECTION 1


AMENDMENT OF DECLARATION NO. 784 OF 2000.

By virtue of section 40(1)(b) of the South African National Roads Agency Limited and National Roads Act, 1998 (Act No. 7 of 1998) I hereby amend Declaration no. 784 of 2000 by substituting paragraph F of the schedule thereof, with the subjoined sheets 1 to 7 of Plan P714/08


(National Route D797 Section 1: One Tree Hill to Tonga)




MINISTER OF TRANSPORT



Die Suid Afrikaanse Nasionale Padagentskap Beperk	Die figuur getoon		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete D797 of National Route	Vel Sheet	1 of	7	
The South African National Roads Agency Limited	The figure shown			1	Plan	P714/08	




Die Suid Afrikaanse Nasionale Padagentskap Beperk	Die figuur getoon		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete D797 of National Route	1	Vel Sheet	2 of	7
The South African National Roads Agency Limited	The figure shown				Plan	P714/08	




Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown




steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete D797
of National Route Section

Vel
Sheet 3 of 7
Plan P714/08



Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown



steldie podreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete D797
of National Route D797

1
Seksie
Section

Vel
Sheet 4 of 7
Plan P714/08

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 31°		Y	X
L1	-62 218.19	2 827 746.58		R1	-62 218.39	2 827 785.99
L2	-62 304.99	2 827 732.74		R2	-62 271.19	2 827 785.94
L3	-62 329.88	2 827 723.18		R3	-62 300.47	2 827 773.91
L4	-62 364.72	2 827 709.80		R4	-62 372.23	2 827 744.45
L5	-62 428.04	2 827 703.87		R5	-62 439.50	2 827 739.57
L6	-63 053.85	2 827 682.79		R6	-63 039.91	2 827 722.07
L7	-63 103.40	2 827 684.02		R7	-63 100.05	2 827 723.29
L8	-63 163.40	2 827 688.00		R8	-63 159.15	2 827 726.93
L9	-63 244.42	2 827 696.95		R9	-63 238.29	2 827 735.75
L10	-63 324.89	2 827 710.80		R10	-63 362.86	2 827 758.54
L11	-63 383.81	2 827 723.29		R11	-63 429.31	2 827 776.02
L12	-63 441.90	2 827 738.73		R12	-63 507.91	2 827 800.85
L13	-63 518.79	2 827 763.06		R13	-63 583.44	2 827 829.13
L14	-63 593.20	2 827 791.25		R14	-63 660.97	2 827 864.11
L15	-63 670.72	2 827 825.13		R15	-63 725.14	2 827 896.96
L16	-63 776.57	2 827 880.89		R16	-63 794.16	2 827 937.15
L17	-64 573.17	2 828 362.73		R17	-64 118.89	2 828 133.61
L18	-66 025.57	2 829 242.59		R18	-64 612.82	2 828 432.40
L19	-66 133.98	2 829 313.21		R19	-65 118.18	2 828 738.90
L20	-66 207.15	2 829 380.88		R20	-65 552.52	2 829 002.16
L21	-66 220.91	2 829 394.04		R21	-66 028.94	2 829 290.53
L22	-66 262.46	2 829 437.41		R22	-66 097.35	2 829 335.34
L23	-66 302.06	2 829 482.12		R23	-66 184.82	2 829 413.60
L24	-66 332.78	2 829 521.39		R24	-66 227.37	2 829 456.75
L25	-66 371.63	2 829 578.46		R25	-66 267.16	2 829 501.21
L26	-66 413.43	2 829 655.24		R26	-66 301.02	2 829 544.35
L27	-66 459.99	2 829 755.40		R27	-66 338.07	2 829 598.11
L28	-66 462.67	2 829 760.10		R28	-66 366.76	2 829 647.02
L29	-66 511.40	2 829 947.32		R29	-66 425.99	2 829 779.77
L30	-66 519.00	2 830 001.22		R30	-66 460.06	2 829 893.23
L31	-66 516.89	2 830 253.99		R31	-66 477.88	2 829 994.15
L32	-66 499.23	2 830 358.41		R32	-66 484.39	2 830 060.44
L33	-66 447.31	2 830 523.71		R33	-66 486.87	2 830 154.68
L34	-66 025.65	2 831 174.98		R34	-66 478.99	2 830 252.17
L35	-65 985.05	2 831 255.33		R35	-66 471.53	2 830 284.22
L36	-65 955.48	2 831 351.46		R36	-66 438.94	2 830 424.04
L37	-65 945.63	2 831 409.10		R37	-66 407.00	2 830 510.41
L38	-65 941.32	2 831 484.85		R38	-66 170.27	2 830 888.68
L39	-65 944.42	2 831 544.65		R39	-65 992.04	2 831 153.58
L40	-65 956.96	2 831 619.78		R40	-65 944.92	2 831 251.24
L41	-65 986.88	2 831 721.90		R41	-65 914.07	2 831 365.73
L42	-66 072.27	2 831 949.16		R42	-65 901.90	2 831 479.69
L43	-66 177.29	2 832 228.65		R43	-65 908.62	2 831 567.50
L44	-66 345.34	2 832 694.07		R44	-65 952.03	2 831 734.71
L45	-66 587.97	2 833 295.23		R45	-66 128.44	2 832 210.99
L46	-66 891.91	2 834 050.62		R46	-66 281.41	2 832 621.62
L47	-67 150.08	2 834 678.80		R47	-66 300.25	2 832 673.68
L48	-67 255.38	2 834 953.90		R48	-66 318.69	2 832 732.77
L49	-67 381.39	2 835 263.94		R49	-66 557.10	2 833 322.90
L50	-67 687.38	2 835 912.53		R50	-66 856.92	2 834 057.78
L51	-67 725.30	2 836 028.10		R51	-67 117.31	2 834 696.02
				Vel Sheet	5 Van of 7	P714/08

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 31°		Y	X
L52	-67 789.77	2 836 300.95		R52	-67 226.26	2 834 968.36
L53	-67 801.22	2 836 338.23		R53	-67 352.93	2 835 276.29
L54	-67 814.81	2 836 374.45		R54	-67 564.08	2 835 734.88
L55	-67 837.25	2 836 424.62		R55	-67 650.39	2 835 926.92
L56	-67 889.71	2 836 510.51		R56	-67 687.15	2 836 039.53
L57	-67 912.12	2 836 540.65		R57	-67 751.02	2 836 311.63
L58	-67 938.74	2 836 572.24		R58	-67 778.07	2 836 388.72
L59	-67 964.93	2 836 599.77		R59	-67 813.45	2 836 464.13
L60	-68 147.32	2 836 781.35		R60	-67 833.77	2 836 499.11
L61	-68 148.77	2 836 782.79		R61	-67 856.17	2 836 533.11
L62	-68 199.62	2 836 835.31		R62	-67 881.19	2 836 566.08
L63	-68 364.27	2 836 999.32		R63	-67 907.37	2 836 597.40
L64	-68 440.86	2 837 091.73		R64	-68 116.38	2 836 806.30
L65	-68 533.67	2 837 233.28		R65	-68 119.75	2 836 809.67
L66	-68 640.37	2 837 457.12		R66	-68 167.17	2 836 856.96
L67	-68 670.00	2 837 585.30		R67	-68 352.88	2 837 042.21
L68	-68 696.75	2 837 702.59		R68	-68 434.68	2 837 148.35
L69	-68 717.42	2 837 900.88		R69	-68 497.79	2 837 241.70
L70	-68 761.02	2 838 435.18		R70	-68 547.12	2 837 341.74
L71	-68 780.60	2 838 545.08		R71	-68 590.48	2 837 434.08
L72	-68 804.97	2 838 656.47		R72	-68 622.18	2 837 533.44
L73	-68 855.17	2 838 815.21		R73	-68 650.76	2 837 655.72
L74	-68 908.62	2 838 984.25		R74	-68 671.41	2 837 850.80
L75	-68 936.86	2 839 041.55		R75	-68 721.06	2 838 441.44
L76	-69 046.80	2 839 264.69		R76	-68 744.56	2 838 556.02
L77	-69 089.96	2 839 340.37		R77	-68 768.78	2 838 666.42
L78	-69 342.31	2 839 703.60		R78	-68 801.26	2 838 794.93
L79	-69 507.02	2 839 915.88		R79	-68 809.99	2 838 828.41
L80	-69 685.29	2 840 082.35		R80	-68 806.88	2 838 845.71
L81	-70 034.35	2 840 286.36		R81	-68 800.57	2 838 880.66
L82	-70 765.88	2 840 715.02		R82	-68 814.81	2 838 901.20
L83	-72 671.57	2 841 831.68		R83	-68 833.56	2 838 904.45
L84	-72 733.71	2 841 868.08		R84	-68 876.77	2 839 015.75
L85	-73 714.78	2 842 442.68		R85	-69 074.44	2 839 374.25
L86	-73 968.20	2 842 537.41		R86	-69 330.57	2 839 743.61
L87	-74 275.48	2 842 592.90		R87	-69 453.25	2 839 903.38
L88	-74 971.18	2 842 596.43		R88	-69 446.50	2 839 940.48
L89	-75 487.96	2 842 594.27		R89	-69 460.82	2 839 960.91
L90	-75 914.33	2 842 570.08		R90	-69 513.75	2 839 970.50
L91	-76 093.09	2 842 514.91		R91	-69 666.78	2 840 110.39
L92	-76 586.35	2 842 274.36		R92	-69 745.31	2 840 168.03
L93	-76 879.47	2 842 165.42		R93	-69 761.75	2 840 178.08
L94	-77 255.37	2 842 152.08		R94	-70 719.74	2 840 731.97
L95	-77 957.26	2 842 289.29		R95	-72 621.37	2 841 843.44
L96	-78 406.74	2 842 379.75		R96	-72 683.62	2 841 879.82
L97	-78 585.17	2 842 414.50		R97	-73 690.24	2 842 468.01
L98	-79 011.35	2 842 501.34		R98	-73 942.14	2 842 562.81
L99	-79 099.56	2 842 499.24		R99	-74 255.77	2 842 630.27
L100	-79 297.62	2 842 480.71		R100	-75 794.71	2 842 626.43
L101	-79 301.78	2 842 494.40		R101	-75 882.61	2 842 625.58
L102	-79 331.34	2 842 591.86		R102	-76 101.87	2 842 556.13
				Vel Sheet	6 Van of 7	P714/08

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES			
LINKERKANT/LEFT HAND SIDE		REGTERKANT/RIGHT HAND SIDE	
	WG 31°	Y	X
	103	-76 605.95	2 842 313.78
	104	-76 897.24	2 842 204.13
	105	-77 288.85	2 842 191.76
	106	-77 953.77	2 842 328.89
	107	-78 394.53	2 842 410.59
	108	-78 499.64	2 842 432.32
	109	-78 712.89	2 842 475.20
	110	-78 863.90	2 842 504.87
	111	-78 968.76	2 842 525.44
	112	-79 186.25	2 842 553.77
	113	-79 283.73	2 842 606.33
		Vel 7 Van 7	P714/08
		Sheet of	