
GOVERNMENT NOTICE

DEPARTMENT OF TRANSPORT

No. 582

8 July 2015

THE SOUTH AFRICAN NATIONAL ROADS AGENCY SOC LIMITED

Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD N12 SECTION 12


AMENDMENT OF DECLARATION NO. 759 OF 2007.


By virtue of section 40(1)(b) of the South African National Roads Agency Limited and National Roads Act, 1998 (Act No. 7 of 1998) I hereby amend Declaration no. 759 of 2007 by substituting the section from Portion 9 of the Farm Kromellenboog 320 – HO up to Portion 188 of the Farm Klipfontein 344 - HO, with the subjoined sheets 1 to 10 of Plan P868/15.

(National Route N12 Section 12: Christiana - Bloemhof)




MINISTER OF TRANSPORT








Die Suid Afrikaanse Nasionale Padagentskap Beperk The South African National Roads Agency Limited	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N12 of National Route	Vel Sheet 2 of 10	12 Seksie Section	Plan P868/15
--	---------------------------------------	---	----------------------	-------------------------	--------------




Die Suid Afrikaanse Nasionale Padagentskap Beperk	Die figuur getoon		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N12 of National Route	Vel Sheet	3 of	10
The South African National Roads Agency Limited	The figure shown			12	Plan	P868/15




Die Suid Afrikaanse Nasionale Padagentskap Beperk The South African National Roads Agency Limited	Die figuur getoon The figure shown	 steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N12 of National Route	Vel Sheet 4 of 10 Plan P868/15
--	---------------------------------------	--	-----------------------------------





Die Suid Afrikaanse Nasionale Padagentskap Beperk	Die figuur getoon		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N12 of National Route	Vel Sheet	6 of	10
The South African National Roads Agency Limited	The figure shown			12	Plan	P868/15



Die Suid Afrikaanse Nasionale Padagentskap Beperk The South African National Roads Agency Limited	Die figuur getoon The figure shown		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N12 of National Route N12	Vel Sheet 7 of 10
			12 Seksie Section	Plan P868/15

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 25°		Y		X	
L1	-21 387.08	3	081	957.30	R1	-21 408.13	3	081	982.35
L2	-22 571.46	3	080	056.82	R2	-22 523.45	3	080	188.82
L3	-22 847.75	3	079	676.85	R3	-22 596.84	3	080	074.68
L4	-22 960.52	3	079	534.96	R4	-22 873.19	3	079	695.25
L5	-24 596.29	3	077	840.30	R5	-22 927.80	3	079	626.27
L6	-25 776.95	3	076	620.77	R6	-22 945.24	3	079	604.29
L7	-26 523.94	3	075	849.16	R7	-22 994.36	3	079	544.49
L8	-26 648.35	3	075	720.48	R8	-23 025.32	3	079	511.62
L9	-26 708.05	3	075	654.76	R9	-24 617.97	3	077	863.54
L10	-26 747.22	3	075	602.95	R10	-25 794.83	3	076	646.95
L11	-26 787.28	3	075	539.24	R11	-26 538.42	3	075	878.72
L12	-26 839.91	3	075	414.61	R12	-26 732.62	3	075	673.12
L13	-26 905.24	3	075	180.10	R13	-26 774.43	3	075	618.03
L14	-26 963.04	3	074	972.01	R14	-26 819.80	3	075	546.16
L15	-27 022.85	3	074	841.11	R15	-26 848.45	3	075	491.36
L16	-27 066.82	3	074	771.26	R16	-26 873.52	3	075	434.64
L17	-27 081.94	3	074	746.13	R17	-26 894.93	3	075	376.00
L18	-27 107.80	3	074	709.34	R18	-26 949.59	3	075	188.27
L19	-27 140.62	3	074	665.94	R19	-26 959.25	3	075	146.15
L20	-27 165.35	3	074	636.81	R20	-27 001.35	3	074	994.03
L21	-27 186.35	3	074	613.84	R21	-27 010.44	3	074	965.40
L22	-27 208.16	3	074	591.71	R22	-27 031.60	3	074	909.74
L23	-27 230.50	3	074	570.21	R23	-27 055.96	3	074	855.00
L24	-27 253.54	3	074	549.73	R24	-27 084.32	3	074	801.92
L25	-27 277.23	3	074	529.96	R25	-27 115.72	3	074	751.85
L26	-27 302.65	3	074	509.80	R26	-27 150.89	3	074	703.13
L27	-27 326.58	3	074	492.51	R27	-27 169.40	3	074	680.08
L28	-27 352.16	3	074	475.08	R28	-27 189.51	3	074	656.59
L29	-27 378.79	3	074	458.36	R29	-27 209.48	3	074	635.05
L30	-27 488.94	3	074	395.14	R30	-27 230.53	3	074	613.42
L31	-27 793.23	3	074	220.49	R31	-27 251.74	3	074	593.12
L32	-28 062.64	3	074	066.04	R32	-27 274.27	3	074	572.74
L33	-28 655.06	3	073	726.41	R33	-27 297.19	3	074	553.72
L34	-28 999.39	3	073	529.01	R34	-27 320.30	3	074	535.48
L35	-30 210.39	3	072	834.70	R35	-27 344.88	3	074	517.80
L36	-30 362.55	3	072	747.46	R36	-27 369.25	3	074	501.32
L37	-30 730.56	3	072	536.47	R37	-27 394.95	3	074	485.10
L38	-30 868.20	3	072	454.67	R38	-27 513.82	3	074	416.89
L39	-30 955.39	3	072	404.66	R39	-27 805.72	3	074	249.40
L40	-31 053.70	3	072	351.22	R40	-28 089.97	3	074	086.46
L41	-31 773.29	3	071	938.72	R41	-28 678.54	3	073	749.09
L42	-32 013.21	3	071	797.89	R42	-29 012.85	3	073	557.46
L43	-32 178.31	3	071	705.54	R43	-30 219.46	3	072	865.70
L44	-32 183.02	3	071	702.11	R44	-30 423.99	3	072	748.44
L45	-32 419.14	3	071	529.56	R45	-30 945.80	3	072	449.28
L46	-32 764.53	3	071	185.47	R46	-31 944.61	3	071	876.30
L47	-32 789.96	3	071	154.24	R47	-32 284.50	3	071	679.74
L48	-33 110.64	3	070	835.05	R48	-32 318.91	3	071	656.60
L49	-33 201.57	3	070	745.57	R49	-32 364.18	3	071	621.65
L50	-33 422.94	3	070	529.90	R50	-32 438.92	3	071	553.48
L51	-33 454.30	3	070	498.71	R51	-32 583.77	3	071	409.26
					Vel	8	Van	10	P868/15
					Sheet		of		

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 25°		Y		X	
L52	-33 677.33	3	070	276.94	R52	-32 758.20	3	071	235.50
L53	-33 975.56	3	069	980.40	R53	-32 788.69	3	071	209.62
L54	-34 565.25	3	069	394.05	R54	-33 063.28	3	070	936.26
L55	-34 588.92	3	069	373.52	R55	-33 256.18	3	070	743.79
L56	-34 681.23	3	069	293.48	R56	-33 337.52	3	070	658.74
L57	-35 970.05	3	068	245.11	R57	-33 481.18	3	070	515.78
L58	-36 111.15	3	068	130.33	R58	-33 717.63	3	070	280.48
L59	-36 982.82	3	067	421.43	R59	-33 720.06	3	070	278.06
L60	-38 207.77	3	066	425.21	R60	-33 722.95	3	070	278.29
L61	-38 714.36	3	066	013.23	R61	-34 009.40	3	069	993.20
L62	-38 748.66	3	065	986.47	R62	-34 314.67	3	069	689.34
L63	-38 807.66	3	065	946.00	R63	-34 334.52	3	069	673.43
L64	-38 943.83	3	065	874.71	R64	-34 358.24	3	069	643.21
L65	-40 558.13	3	065	115.64	R65	-34 576.74	3	069	425.90
L66	-40 838.95	3	064	983.64	R66	-34 595.00	3	069	410.01
L67	-41 180.26	3	064	823.20	R67	-34 616.53	3	069	391.27
L68	-41 537.43	3	064	655.31	R68	-34 701.18	3	069	317.58
L69	-41 962.50	3	064	455.50	R69	-36 009.48	3	068	253.39
L70	-42 267.99	3	064	311.90	R70	-36 129.96	3	068	155.39
L71	-42 548.29	3	064	180.09	R71	-37 039.04	3	067	415.98
L72	-42 738.60	3	064	090.60	R72	-38 291.24	3	066	397.49
L73	-43 649.38	3	063	662.32	R73	-38 744.24	3	066	029.04
L74	-43 658.38	3	063	658.08	R74	-38 824.33	3	065	971.16
L75	-43 849.97	3	063	567.99	R75	-38 952.05	3	065	905.09
L76	-43 906.75	3	063	544.14	R76	-40 575.33	3	065	141.98
L77	-43 965.63	3	063	523.85	R77	-40 845.30	3	065	015.12
L78	-44 576.99	3	063	350.34	R78	-41 185.52	3	064	855.26
L79	-45 188.25	3	063	176.87	R79	-41 541.64	3	064	687.92
L80	-45 347.10	3	063	131.79	R80	-41 966.68	3	064	488.20
L81	-45 651.72	3	063	045.45	R81	-42 280.24	3	064	340.86
L82	-46 185.83	3	062	893.87	R82	-42 551.02	3	064	213.53
L83	-46 386.99	3	062	836.78	R83	-42 872.41	3	064	062.41
L84	-47 000.76	3	062	662.59	R84	-43 681.82	3	063	681.80
L85	-47 850.70	3	062	421.39	R85	-43 747.29	3	063	651.02
L86	-48 199.39	3	062	322.47	R86	-43 864.92	3	063	595.47
L87	-48 637.90	3	062	198.02	R87	-43 916.08	3	063	573.88
L88	-49 141.03	3	062	055.24	R88	-43 973.07	3	063	554.14
L89	-49 169.06	3	062	046.50	R89	-44 578.98	3	063	382.19
L90	-49 226.07	3	062	026.06	R90	-45 212.05	3	063	202.53
L91	-49 280.14	3	062	001.74	R91	-45 348.75	3	063	163.73
L92	-49 326.78	3	061	977.25	R92	-46 196.72	3	062	923.09
L93	-49 421.41	3	061	916.27	R93	-46 396.06	3	062	866.52
L94	-49 461.56	3	061	884.61	R94	-47 009.72	3	062	692.39
L95	-49 501.59	3	061	849.96	R95	-47 862.41	3	062	450.42
L96	-49 873.58	3	061	479.98	R96	-48 196.73	3	062	355.55
L97	-49 907.30	3	061	447.67	R97	-48 652.09	3	062	226.45
L98	-49 942.78	3	061	417.77	R98	-49 150.07	3	062	085.26
L99	-49 951.98	3	061	410.65	R99	-49 179.17	3	062	076.31
L100	-49 983.83	3	061	386.02	R100	-49 238.26	3	062	054.41
L101	-50 016.24	3	061	363.97	R101	-49 293.41	3	062	029.90
L102	-50 061.43	3	061	336.07	R102	-49 343.54	3	062	004.01
					Vel 9 Van 10 P868/15 Sheet of				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 25°		Y		X	
L103	-50 105.17	3	061	311.60	R103	-49 441.21	3	061	940.49
L104	-50 130.39	3	061	299.80	R104	-49 482.52	3	061	908.42
L105	-50 125.11	3	061	302.27	R105	-49 523.53	3	061	872.26
L106	-50 138.84	3	061	295.85	R106	-49 897.24	3	061	501.14
L107	-50 205.00	3	061	268.34	R107	-49 928.03	3	061	472.10
L108	-50 291.95	3	061	239.55	R108	-49 963.84	3	061	440.87
L109	-52 411.32	3	060	563.63	R109	-49 970.05	3	061	436.21
L110	-52 574.33	3	060	512.68	R110	-50 003.99	3	061	410.80
L111	-52 728.81	3	060	474.37	R111	-50 029.54	3	061	392.52
L112	-53 928.96	3	060	191.48	R112	-50 087.56	3	061	354.77
L113	-54 683.18	3	060	013.71	R113	-50 163.82	3	061	319.74
L114	-55 096.47	3	059	916.33	R114	-50 217.47	3	061	297.94
L115	-55 834.22	3	059	742.51	R115	-50 301.31	3	061	269.48
L116	-55 962.60	3	059	724.07	R116	-52 421.01	3	060	593.21
L117	-56 013.30	3	059	721.17	R117	-52 580.55	3	060	543.26
L118	-56 084.96	3	059	722.20	R118	-52 736.86	3	060	504.21
L119	-56 148.28	3	059	727.93	R119	-53 998.25	3	060	207.23
L120	-56 247.40	3	059	746.01	R120	-54 691.66	3	060	043.96
L121	-56 328.13	3	059	768.65	R121	-55 101.86	3	059	947.45
L122	-56 380.28	3	059	787.67	R122	-55 836.96	3	059	774.50
L123	-56 460.01	3	059	821.23	R123	-55 919.77	3	059	760.27
L124	-56 717.61	3	059	960.77	R124	-55 987.04	3	059	754.09
L125	-56 730.48	3	059	966.27	R125	-56 071.15	3	059	752.87
L126	-56 762.64	3	059	989.62	R126	-56 149.13	3	059	760.25
L127	-56 805.66	3	060	012.12	R127	-56 249.00	3	059	778.60
L128	-56 855.69	3	060	035.81	R128	-56 369.66	3	059	818.25
L129	-56 913.29	3	060	056.66	R129	-56 441.00	3	059	854.22
L130	-57 027.95	3	060	085.95	R130	-56 624.25	3	059	963.65
L131	-57 069.39	3	060	092.40	R131	-56 631.07	3	059	956.68
L132	-57 142.66	3	060	099.00	R132	-56 676.19	3	059	981.83
L133	-57 210.07	3	060	100.54	R133	-56 711.01	3	060	004.52
L134	-57 288.22	3	060	097.56	R134	-56 704.39	3	060	006.41
L135	-57 988.76	3	060	065.37	R135	-56 794.69	3	060	056.62
L136	-58 161.90	3	060	054.66	R136	-56 962.44	3	060	121.46
L137	-58 495.27	3	060	039.49	R137	-57 156.03	3	060	136.90
L138	-58 597.91	3	060	037.82	R138	-57 260.43	3	060	129.52
L139	-58 711.58	3	060	035.93	R139	-57 286.94	3	060	129.18
L140	-58 768.53	3	060	036.26	R140	-58 011.26	3	060	096.07
L141	-58 842.05	3	060	036.70	R141	-58 598.56	3	060	064.12
					R142	-58 844.60	3	060	092.17