
GOVERNMENT NOTICE

DEPARTMENT OF TRANSPORT

No. 583

8 July 2015

THE SOUTH AFRICAN NATIONAL ROADS AGENCY SOC LIMITED

Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD R571 SECTION 1


AMENDMENT OF DECLARATION NO. 784 OF 2000.

By virtue of section 40(1)(b) of The South African National Roads Agency Limited and National Roads Act, 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 784 of 2000 by substituting paragraph C, with the subjoined sheets 1 to 13 of Plan No. P804/12.


[National Road R571 Section 1: Mananga Border Post (Swaziland) – Komatipoort]



MINISTER OF TRANSPORT



Die Suid Afrikaanse Nasionale Padagentskap Beperk	Die figuur getoon		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R571 of National Route	Vel Sheet	1 of	13
The South African National Roads Agency Limited	The figure shown			1	Plan	P804/12




Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown


stelt die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R571
of National Route

Vel
Sheet 2 of 13
Plan P804/12




Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown




stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R571 Seksie
of National Route R571 Section

Vel
Sheet 3 of 13
Plan P804/12




Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown




stipple padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R571 Seksie
of National Route Section


Vel
Sheet 4 of 13
Plan P804/12




Die Suid Afrikaanse Nasionale Padagentskap Beperk The South African National Roads Agency Limited	stelde die podreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R571 of National Route	Vel Sheet 5 of 13 Plan P804/12
	Die figuur getoon The figure shown	1



Die Suid Afrikaanse Nasionale Padagentskap Beperk The South African National Roads Agency Limited	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R571 Seksie of National Route Section	Vel Sheet 6 of 13 Plan P804/12
--	---------------------------------------	---	---




Die Suid Afrikaanse Nasionale Padagentskap Beperk The South African National Roads Agency Limited	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R571 Seksie 1 of National Route	Vel Sheet 7 of 13 Plan P804/12
--	---------------------------------------	---	--------------------------------------




Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown



steilte padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R571 Sektie
of National Route Section

Vel Sheet 8 van 13
Plan P804/12



Die Suid Afrikaanse Nasionale Padagentskap Beperk	Die figuur getoon		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R571 Seksie of National Route of National Route	Vel Sheet	9 of 13
The South African National Roads Agency Limited	The figure shown			1	Plan

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE			
	Y	X	WG 27°	Y	X	
L1	-76 307.31	2 869 467.90		R1	-76 340.66	2 869 491.56
L2	-76 486.54	2 869 078.29		R2	-76 522.21	2 869 092.27
L3	-76 532.08	2 868 996.83		R3	-76 566.60	2 869 018.90
L4	-76 577.70	2 868 947.43		R4	-76 607.17	2 868 969.29
L5	-76 613.03	2 868 912.93		R5	-76 638.38	2 868 939.92
L6	-77 270.27	2 868 319.34		R6	-77 298.68	2 868 347.57
L7	-77 578.90	2 868 044.16		R7	-77 605.32	2 868 067.63
L8	-78 635.16	2 867 084.52		R8	-78 662.75	2 867 109.84
L9	-78 974.06	2 866 774.97		R9	-78 999.23	2 866 804.09
L10	-79 185.07	2 866 583.57		R10	-79 210.29	2 866 612.14
L11	-79 758.53	2 866 061.06		R11	-79 784.65	2 866 092.13
L12	-79 865.28	2 865 945.52		R12	-79 896.50	2 865 968.78
L13	-79 961.94	2 865 816.54		R13	-80 001.36	2 865 836.98
L14	-80 071.37	2 865 633.14		R14	-80 111.47	2 865 648.19
L15	-80 127.54	2 865 519.30		R15	-80 165.67	2 865 531.35
L16	-80 179.67	2 865 374.68		R16	-80 217.50	2 865 388.51
L17	-80 506.35	2 864 241.85		R17	-80 541.35	2 864 249.95
L18	-80 552.19	2 864 087.52		R18	-80 586.30	2 864 101.91
L19	-80 651.80	2 863 820.06		R19	-80 698.94	2 863 828.93
L20	-81 121.79	2 862 570.33		R20	-81 158.96	2 862 580.56
L21	-81 644.38	2 861 192.91		R21	-81 676.85	2 861 202.32
L22	-81 864.29	2 860 602.33		R22	-81 896.24	2 860 613.17
L23	-82 264.43	2 859 549.52		R23	-82 298.04	2 859 549.24
L24	-82 787.66	2 858 166.03		R24	-82 823.28	2 858 166.25
L25	-83 323.83	2 856 744.47		R25	-83 361.88	2 856 745.31
L26	-83 393.98	2 856 554.46		R26	-83 425.51	2 856 568.44
L27	-83 430.94	2 856 452.96		R27	-83 464.51	2 856 461.96
L28	-83 457.33	2 856 374.17		R28	-83 485.80	2 856 383.63
L29	-83 477.90	2 856 273.11		R29	-83 510.76	2 856 284.75
L30	-83 497.00	2 856 174.54		R30	-83 530.88	2 856 179.32
L31	-83 662.01	2 855 149.03		R31	-83 695.43	2 855 153.75
L32	-84 051.39	2 852 685.83		R32	-84 081.98	2 852 688.60
L33	-84 237.87	2 851 511.97		R33	-84 267.43	2 851 513.52
L34	-84 412.72	2 850 384.58		R34	-84 443.55	2 850 387.00
L35	-84 596.35	2 849 187.52		R35	-84 628.33	2 849 190.11
L36	-84 804.39	2 847 837.25		R36	-84 836.23	2 847 838.68
L37	-84 954.43	2 846 863.65		R37	-84 978.53	2 846 914.52
L38	-85 137.70	2 845 682.55		R38	-85 170.78	2 845 669.08
L39	-85 624.84	2 842 517.18		R39	-85 651.59	2 842 559.13
L40	-85 683.70	2 842 130.94		R40	-85 716.11	2 842 135.74
L41	-85 750.48	2 841 664.86		R41	-85 778.73	2 841 628.90
L42	-85 746.28	2 841 665.10		R42	-85 783.51	2 841 628.12
L43	-85 862.21	2 840 871.16		R43	-86 085.16	2 839 560.73
L44	-85 867.74	2 840 871.51		R44	-86 178.65	2 838 816.36
L45	-85 909.69	2 840 570.48		R45	-86 251.15	2 838 294.19
L46	-85 906.55	2 840 567.46		R46	-86 451.99	2 836 946.88
L47	-85 990.04	2 839 994.40		R47	-86 691.48	2 835 341.66
L48	-85 985.10	2 839 993.67		R48	-86 859.89	2 834 218.40
L49	-86 147.02	2 838 778.70		R49	-86 991.03	2 833 335.90
L50	-86 203.16	2 838 364.45		R50	-87 009.50	2 833 257.08
L51	-86 419.50	2 836 911.18		R51	-87 051.34	2 833 146.25
			Vel 11 Sheet	Van 13 of	P805/12	

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES					
LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°	Y	X
L52	-86 660.46	2 835 314.09	R52	-87 101.70	2 833 063.06
L53	-86 823.30	2 834 203.12	R53	-87 155.53	2 832 998.63
L54	-86 951.19	2 833 347.50	R54	-87 198.94	2 832 957.58
L55	-86 969.72	2 833 249.98	R55	-87 255.92	2 832 913.34
L56	-87 003.28	2 833 154.46	R56	-88 407.35	2 832 142.37
L57	-87 025.54	2 833 110.47	R57	-88 757.98	2 831 909.96
L58	-87 051.85	2 833 067.77	R58	-89 860.88	2 831 173.76
L59	-87 112.27	2 832 987.49	R59	-90 206.69	2 830 938.40
L60	-87 168.68	2 832 933.22	R60	-90 300.32	2 830 866.57
L61	-87 237.27	2 832 878.51	R61	-90 450.61	2 830 736.80
L62	-88 359.95	2 832 129.75	R62	-90 481.69	2 830 708.24
L63	-88 716.47	2 831 891.37	R63	-91 142.27	2 830 100.67
L64	-89 813.21	2 831 162.07	R64	-92 044.33	2 829 271.27
L65	-90 084.22	2 830 982.03	R65	-92 837.20	2 828 543.97
L66	-90 213.03	2 830 889.18	R66	-93 828.53	2 827 634.85
L67	-90 412.87	2 830 721.86	R67	-95 388.06	2 826 211.26
L68	-91 101.47	2 830 089.76	R68	-95 444.33	2 826 160.11
L69	-92 004.84	2 829 257.93	R69	-95 871.07	2 825 771.40
L70	-92 811.29	2 828 514.52	R70	-95 996.96	2 825 656.48
L71	-92 839.27	2 828 488.73	R71	-96 104.29	2 825 548.52
L72	-93 803.36	2 827 606.33	R72	-96 167.55	2 825 475.48
L73	-95 228.35	2 826 310.01	R73	-96 190.14	2 825 448.41
L74	-95 387.76	2 826 161.07	R74	-96 253.39	2 825 368.60
L75	-95 432.04	2 826 121.94	R75	-96 344.00	2 825 228.23
L76	-95 849.48	2 825 745.34	R76	-96 416.01	2 825 102.84
L77	-95 970.84	2 825 627.83	R77	-96 607.06	2 824 705.69
L78	-96 074.29	2 825 526.06	R78	-96 939.17	2 824 015.72
L79	-96 168.04	2 825 422.20	R79	-97 354.18	2 823 157.15
L80	-96 228.64	2 825 338.69	R80	-97 411.83	2 823 032.58
L81	-96 268.34	2 825 278.99	R81	-97 452.51	2 822 943.02
L82	-96 318.39	2 825 199.59	R82	-97 585.84	2 822 595.81
L83	-96 390.00	2 825 066.43	R83	-97 603.98	2 822 550.06
L84	-96 580.59	2 824 673.72	R84	-97 653.18	2 822 431.98
L85	-96 912.55	2 823 983.58	R85	-97 720.21	2 822 281.37
L86	-97 328.65	2 823 126.31	R86	-97 754.26	2 822 193.68
L87	-97 379.53	2 823 021.04	R87	-97 777.97	2 822 104.48
L88	-97 416.31	2 822 937.82	R88	-97 792.82	2 822 009.57
L89	-97 568.68	2 822 540.55	R89	-97 789.84	2 821 866.56
L90	-97 604.41	2 822 449.53	R90	-97 737.76	2 821 414.03
L91	-97 676.03	2 822 291.50	R91	-97 717.31	2 821 303.45
L92	-97 735.26	2 822 124.23	R92	-97 695.75	2 821 223.09
L93	-97 748.53	2 822 086.29	R93	-97 561.31	2 820 674.85
L94	-97 760.35	2 821 959.83	R94	-97 541.65	2 820 590.30
L95	-97 737.64	2 821 729.03	R95	-97 412.86	2 820 033.26
L96	-97 699.68	2 821 417.87	R96	-97 378.99	2 819 827.55
L97	-97 674.08	2 821 292.03	R97	-97 355.98	2 819 668.65
L98	-97 667.23	2 821 254.59	R98	-97 334.18	2 819 463.34
L99	-97 549.53	2 820 783.08	R99	-97 315.98	2 819 314.84
L100	-97 512.92	2 820 628.11	R100	-97 305.38	2 819 204.75
L101	-97 502.77	2 820 588.17	R101	-97 187.01	2 817 804.06
L102	-97 500.37	2 820 569.01	R102	-97 180.71	2 817 507.13
			Vel 12	Van 13	P805/12
			Sheet	of	

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE			
	Y	X	WG 27°		X	
L103	-97 477.05	2 820 465.35		R103	-97 224.91	2 816 953.48
L104	-97 379.47	2 820 040.10		R104	-97 224.45	2 816 887.07
L105	-97 342.18	2 819 833.38		R105	-97 219.24	2 816 837.34
L106	-97 318.67	2 819 663.03		R106	-97 201.88	2 816 752.18
L107	-97 294.24	2 819 464.49		R107	-97 200.76	2 816 746.51
L108	-97 278.09	2 819 314.41		R108	-97 161.97	2 816 661.85
L109	-97 265.37	2 819 205.67		R109	-96 926.34	2 816 242.96
L110	-97 153.23	2 817 796.36				
L111	-97 146.92	2 817 505.54				
L112	-97 191.38	2 816 951.06				
L113	-97 185.94	2 816 843.31				
L114	-97 154.33	2 816 726.90				
L115	-97 129.70	2 816 677.31				
L116	-96 876.31	2 816 270.45				