

DEPARTMENT OF TRANSPORT

NO. 379

30 MARCH 2016

**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED**

Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD R49 SECTION 2

AMENDMENT OF DECLARATION No. 784 OF 2012


By virtue of Section 40 (1)(b) of The South African National Roads Agency Limited and National Roads Act, 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 784 of 2012 by substituting paragraph D(ii) of the schedule thereof, with the subjoined sheets 1 to 24 of Plan No. P877/15.

The declaration, from its junction with the street known as Church Street, at time of declaration, on sheet 1 of Plan No. P877/15, is following the streets known as Gerrit Maritz Street and President Street, at time of declaration, then following the street known as Jan Rossouw Street, at time of declaration, up to points L1 and R1 on sheet 1 of Plan No. P877/15, in the town of Zeerust. In the town it includes the roadway, surfaced and gravel shoulders and angled or parallel surfaced parking bays which form part of the roadway, but excludes kerbs, channels, islands, sidewalks and all other services along the said route.

(National Road R49 Section 2: Zeerust (N4) – Kopfontein Border Post)



MINISTER OF TRANSPORT




Vel Sheet 1 of 24
Plan 877/15


steldjie podreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R49 Seksie
of National Route Section

Die figur getoon

Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	 steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R49 of National Route	Vel Sheet 2 of 24 Plan 877/15
---	---------------------------------------	---	-------------------------------------





Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd


Die figuur getoon
The figure shown

steldie podreserwe voor van 'n gedeelte
represents the road reserve of a portion
von Nasionale Roete
of National Route

Vel
Sheet 3 of 24
Plan 877/15









Die Suid Afrikaanse Nasionale Padogenskap MSB Bpk
The South African National Roads Agency SOC Ltd


Die figuur getoon
The figure shown


stel die padreserwa voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R49
of National Route


Vel
Sheet 6 of 24
Plan 877/15












Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd


Die figuur getoon
The figure shown



steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R49 Sektie
of National Route Section

Vel 11 van 24
Sheet of 24
Plan 877/15







Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd

Die figuur getoon
The figure shown


stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R49
of National Route

Vel van
Sheet 13 of 24
Plan 877/15





Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	 stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R49 of National Route	Vel Sheet 15 of 24 Plan 877/15
---	---------------------------------------	--	--



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R49 of National Route	Vel Sheet	16 of	24
			2	Plan	877/15	

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°		Y	X
L1	93 041.03	2 824 590.68		R1	93 005.85	2 824 582.98
L2	93 062.56	2 824 544.03		R2	93 039.78	2 824 510.14
L3	93 094.66	2 824 490.03		R3	93 050.56	2 824 489.70
L4	93 168.76	2 824 416.49		R4	93 096.40	2 824 430.08
L5	93 226.80	2 824 381.80		R5	93 135.19	2 824 396.41
L6	93 288.80	2 824 361.80		R6	93 144.08	2 824 388.69
L7	93 344.68	2 824 345.95		R7	93 149.22	2 824 384.23
L8	93 447.25	2 824 317.06		R8	93 214.06	2 824 346.35
L9	93 484.34	2 824 306.89		R9	93 271.69	2 824 325.12
L10	93 528.01	2 824 290.03		R10	93 292.80	2 824 319.27
L11	93 583.08	2 824 260.67		R11	93 454.76	2 824 274.33
L12	93 638.13	2 824 230.48		R12	93 503.88	2 824 256.52
L13	93 715.34	2 824 171.12		R13	93 565.12	2 824 226.62
L14	93 781.43	2 824 086.16		R14	93 628.87	2 824 184.84
L15	94 044.77	2 823 744.13		R15	93 689.41	2 824 134.23
L16	94 250.57	2 823 475.84		R16	93 720.19	2 824 097.52
L17	94 313.86	2 823 378.50		R17	93 728.31	2 824 087.01
L18	94 347.92	2 823 254.81		R18	94 020.94	2 823 708.32
L19	94 337.19	2 823 068.59		R19	94 208.85	2 823 463.66
L20	94 261.50	2 822 964.42		R20	94 219.19	2 823 447.90
L21	94 068.54	2 822 701.75		R21	94 283.95	2 823 349.26
L22	93 966.17	2 822 504.80		R22	94 294.41	2 823 310.41
L23	93 946.28	2 822 460.88		R23	94 299.89	2 823 290.09
L24	93 880.30	2 822 417.49		R24	94 307.77	2 823 260.84
L25	93 820.70	2 822 284.55		R25	94 307.71	2 823 168.17
L26	93 810.34	2 822 261.44		R26	94 303.40	2 823 156.15
L27	93 729.28	2 822 243.94		R27	94 277.59	2 823 084.15
L28	93 659.18	2 822 146.93		R28	94 234.05	2 823 001.38
L29	93 622.57	2 822 087.81		R29	93 980.18	2 822 678.02
L30	93 550.93	2 821 963.27		R30	93 929.38	2 822 650.96
L31	93 379.79	2 821 665.72		R31	93 927.64	2 822 646.16
L32	93 273.61	2 821 481.00		R32	93 896.16	2 822 559.15
L33	93 210.86	2 821 346.97		R33	93 853.38	2 822 508.33
L34	93 170.37	2 821 230.93		R34	93 807.49	2 822 409.11
L35	93 051.48	2 820 785.49		R35	93 680.77	2 822 238.74
L36	92 931.52	2 820 338.35		R36	93 676.75	2 822 233.35
L37	92 809.57	2 819 877.35		R37	93 608.08	2 822 131.21
L38	92 662.44	2 819 325.24		R38	93 597.54	2 822 115.53
L39	92 533.20	2 818 840.00		R39	93 349.65	2 821 687.19
L40	92 414.37	2 818 393.37		R40	93 255.05	2 821 528.66
L41	92 266.64	2 817 839.57		R41	93 178.37	2 821 360.92
L42	92 115.70	2 817 271.66		R42	93 119.51	2 821 184.31
L43	92 005.06	2 816 855.87		R43	93 015.11	2 820 795.98
L44	91 986.42	2 816 746.40		R44	92 896.47	2 820 350.34
L45	91 985.14	2 816 702.64		R45	92 771.94	2 819 883.11
L46	91 990.09	2 816 625.97		R46	92 628.34	2 819 344.06
L47	92 050.63	2 816 165.83		R47	92 497.59	2 818 852.68
L48	92 093.33	2 815 838.06		R48	92 386.91	2 818 437.76
L49	92 152.92	2 815 381.68		R49	92 230.86	2 817 850.36
L50	92 171.44	2 815 239.94		R50	92 067.47	2 817 235.40
L51	92 177.64	2 815 170.04		R51	91 975.12	2 816 889.69
				Vel Sheet	17 Van of	24 P877/15

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L52	92 171.71	2	814 931.02		R52	91 948.66	2	816 754.52	
L53	92 155.31	2	814 448.19		R53	91 953.10	2	816 622.33	
L54	92 169.09	2	814 154.59		R54	92 011.69	2	816 170.45	
L55	92 199.84	2	813 576.65		R55	92 057.96	2	815 816.75	
L56	92 231.44	2	812 985.48		R56	92 109.74	2	815 420.14	
L57	92 248.31	2	812 687.91		R57	92 126.05	2	815 294.10	
L58	92 253.46	2	812 542.57		R58	92 139.55	2	815 165.22	
L59	92 247.29	2	812 385.48		R59	92 135.34	2	814 962.24	
L60	92 234.19	2	812 094.89		R60	92 117.90	2	814 457.14	
L61	92 204.71	2	811 497.90		R61	92 133.07	2	814 151.59	
L62	92 190.37	2	811 198.94		R62	92 163.88	2	813 576.06	
L63	92 187.22	2	811 124.33		R63	92 195.75	2	812 982.86	
L64	92 187.13	2	811 122.37		R64	92 216.44	2	812 585.70	
L65	92 182.58	2	811 018.21		R65	92 215.76	2	812 487.31	
L66	92 172.08	2	810 567.24		R66	92 201.93	2	812 187.43	
L67	92 162.72	2	810 189.50		R67	92 173.45	2	811 598.03	
L68	92 147.67	2	809 589.33		R68	92 150.64	2	811 151.27	
L69	92 141.04	2	809 316.69		R69	92 149.35	2	811 119.98	
L70	92 146.62	2	809 235.74		R70	92 145.13	2	811 017.71	
L71	92 158.23	2	809 176.90		R71	92 134.46	2	810 563.07	
L72	92 192.32	2	809 057.79		R72	92 124.58	2	810 189.44	
L73	92 281.32	2	808 752.28		R73	92 109.44	2	809 576.69	
L74	92 299.08	2	808 676.38		R74	92 103.77	2	809 311.57	
L75	92 305.68	2	808 615.57		R75	92 109.70	2	809 231.50	
L76	92 318.23	2	808 491.45		R76	92 126.49	2	809 139.96	
L77	92 313.33	2	808 433.29		R77	92 243.80	2	808 744.92	
L78	92 287.89	2	808 282.96		R78	92 261.36	2	808 671.97	
L79	92 239.25	2	808 137.37		R79	92 266.82	2	808 616.09	
L80	92 142.13	2	807 959.54		R80	92 278.31	2	808 501.66	
L81	91 906.29	2	807 573.49		R81	92 253.75	2	808 299.79	
L82	91 672.07	2	807 189.74		R82	92 205.28	2	808 153.13	
L83	91 515.04	2	806 932.39		R83	92 109.25	2	807 978.63	
L84	91 280.88	2	806 548.87		R84	91 876.25	2	807 597.03	
L85	91 017.08	2	806 115.96		R85	91 639.79	2	807 209.38	
L86	90 806.57	2	805 771.75		R86	91 394.38	2	806 807.35	
L87	90 520.59	2	805 302.76		R87	90 987.76	2	806 141.17	
L88	90 449.80	2	805 184.29		R88	90 775.35	2	805 793.51	
L89	90 421.59	2	805 127.80		R89	90 488.57	2	805 323.15	
L90	90 390.14	2	805 051.68		R90	90 416.34	2	805 201.78	
L91	90 272.23	2	804 724.42		R91	90 387.09	2	805 143.87	
L92	90 242.95	2	804 646.23		R92	90 353.68	2	805 063.78	
L93	90 203.32	2	804 553.22		R93	90 352.13	2	805 059.42	
L94	90 168.34	2	804 478.27		R94	90 237.63	2	804 737.88	
L95	90 116.77	2	804 378.16		R95	90 204.89	2	804 665.55	
L96	90 074.40	2	804 304.42		R96	90 168.87	2	804 572.30	
L97	90 010.19	2	804 201.47		R97	90 136.42	2	804 499.22	
L98	89 965.79	2	804 137.10		R98	90 083.43	2	804 396.22	
L99	89 914.97	2	804 068.66		R99	90 042.98	2	804 325.60	
L100	89 878.96	2	804 021.96		R100	89 980.15	2	804 224.62	
L101	89 842.34	2	803 977.73		R101	89 935.77	2	804 160.28	
L102	89 759.68	2	803 890.41		R102	89 887.59	2	804 094.75	
					Vel 18 Van 24 Sheet of P877/15				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L103	89 729.04	2	803 858.04		R103	89 851.16	2	804 047.62	
L104	89 401.99	2	803 516.26		R104	89 814.41	2	804 003.52	
L105	89 089.85	2	803 194.56		R105	89 812.87	2	804 001.49	
L106	88 722.20	2	802 814.19		R106	89 702.77	2	803 880.15	
L107	88 618.93	2	802 688.05		R107	89 375.12	2	803 540.22	
L108	88 534.23	2	802 557.13		R108	89 034.98	2	803 192.59	
L109	88 497.61	2	802 488.35		R109	88 698.73	2	802 842.14	
L110	88 478.23	2	802 448.44		R110	88 587.91	2	802 708.30	
L111	88 447.27	2	802 377.03		R111	88 497.99	2	802 568.69	
L112	88 395.20	2	802 226.94		R112	88 464.05	2	802 505.21	
L113	88 375.90	2	802 150.01		R113	88 441.65	2	802 460.08	
L114	88 359.98	2	802 070.52		R114	88 411.43	2	802 390.21	
L115	88 348.45	2	801 993.82		R115	88 358.77	2	802 238.63	
L116	88 337.13	2	801 686.05		R116	88 339.12	2	802 161.95	
L117	88 334.31	2	801 146.03		R117	88 322.78	2	802 080.16	
L118	88 331.76	2	800 683.05		R118	88 310.88	2	801 998.36	
L119	88 328.98	2	800 111.51		R119	88 299.59	2	801 686.41	
L120	88 326.02	2	799 554.16		R120	88 295.68	2	801 128.10	
L121	88 323.16	2	798 966.83		R121	88 294.25	2	800 685.37	
L122	88 321.15	2	798 537.23		R122	88 291.27	2	800 107.13	
L123	88 318.39	2	798 008.67		R123	88 288.35	2	799 549.50	
L124	88 316.85	2	797 690.32		R124	88 285.34	2	798 964.83	
L125	88 306.88	2	795 758.04		R125	88 283.17	2	798 534.03	
L126	88 305.37	2	795 467.99		R126	88 280.47	2	797 996.65	
L127	88 302.15	2	794 881.32		R127	88 278.79	2	797 692.19	
L128	88 298.17	2	794 720.77		R128	88 277.56	2	797 470.29	
L129	88 294.51	2	794 648.34		R129	88 275.16	2	796 945.08	
L130	88 287.01	2	794 538.79		R130	88 272.35	2	796 423.19	
L131	88 278.82	2	794 437.54		R131	88 269.70	2	795 914.52	
L132	88 270.23	2	794 355.80		R132	88 268.77	2	795 760.71	
L133	88 255.76	2	794 240.65		R133	88 267.00	2	795 466.00	
L134	88 239.96	2	794 139.34		R134	88 263.81	2	794 880.32	
L135	88 226.60	2	794 053.05		R135	88 260.04	2	794 725.48	
L136	88 202.26	2	793 925.19		R136	88 256.33	2	794 637.26	
L137	88 166.56	2	793 764.16		R137	88 249.61	2	794 542.69	
L138	88 164.55	2	793 756.08		R138	88 239.53	2	794 425.80	
L139	88 047.64	2	793 285.81		R139	88 230.25	2	794 344.82	
L140	87 961.50	2	792 940.12		R140	88 218.06	2	794 246.24	
L141	87 923.93	2	792 789.34		R141	88 204.40	2	794 150.77	
L142	87 847.93	2	792 483.24		R142	88 188.27	2	794 056.43	
L143	87 717.62	2	791 960.59		R143	88 168.25	2	793 950.67	
L144	87 595.25	2	791 468.14		R144	88 126.07	2	793 758.83	
L145	87 517.30	2	791 155.04		R145	88 010.30	2	793 293.73	
L146	87 500.74	2	791 086.16		R146	87 958.87	2	793 086.73	
L147	87 483.26	2	791 009.20		R147	87 886.78	2	792 796.59	
L148	87 467.02	2	790 931.00		R148	87 811.06	2	792 493.26	
L149	87 449.15	2	790 837.50		R149	87 680.98	2	791 970.05	
L150	87 352.49	2	790 303.55		R150	87 558.24	2	791 477.74	
L151	87 291.70	2	789 967.02		R151	87 480.19	2	791 164.16	
L152	87 224.16	2	789 594.50		R152	87 463.55	2	791 095.20	
L153	87 197.40	2	789 463.77		R153	87 445.79	2	791 016.62	
					Vel 19 Van 24 Sheet of P877/15				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L154	87 186.84	2	789 418.84		R154	87 429.87	2	790 940.21	
L155	87 165.23	2	789 335.90		R155	87 411.68	2	790 844.77	
L156	86 979.70	2	788 716.35		R156	87 312.14	2	790 293.75	
L157	86 823.63	2	788 198.80		R157	87 254.26	2	789 974.06	
L158	86 647.00	2	787 613.41		R158	87 187.01	2	789 602.52	
L159	86 558.44	2	787 303.80		R159	87 157.65	2	789 459.38	
L160	86 557.76	2	787 301.44		R160	87 129.37	2	789 347.02	
L161	86 472.65	2	786 975.18		R161	86 944.33	2	788 729.95	
L162	86 352.53	2	786 488.64		R162	86 789.47	2	788 217.15	
L163	86 232.21	2	786 000.70		R163	86 636.85	2	787 713.47	
L164	86 112.71	2	785 516.48		R164	86 618.63	2	787 653.37	
L165	85 990.73	2	785 022.24		R165	86 531.69	2	787 351.19	
L166	85 856.02	2	784 476.67		R166	86 431.77	2	786 968.04	
L167	85 735.80	2	783 993.20		R167	85 695.08	2	783 986.32	
L168	85 724.44	2	783 947.38		R168	85 564.48	2	783 459.79	
L169	85 619.04	2	783 522.35		R169	85 456.93	2	783 026.50	
L170	85 482.18	2	782 971.00		R170	85 383.57	2	782 719.61	
L171	85 422.17	2	782 725.15		R171	85 361.31	2	782 616.77	
L172	85 405.76	2	782 649.27		R172	85 340.73	2	782 498.62	
L173	85 390.41	2	782 570.73		R173	85 325.58	2	782 410.96	
L174	85 376.65	2	782 493.16		R174	85 323.66	2	782 399.85	
L175	85 358.09	2	782 370.05		R175	85 302.52	2	782 214.55	
L176	85 357.85	2	782 368.45		R176	85 288.72	2	782 030.69	
L177	85 336.67	2	782 174.82		R177	85 286.47	2	781 958.84	
L178	85 328.16	2	782 050.64		R178	85 284.86	2	781 878.99	
L179	85 324.05	2	781 945.70		R179	85 285.23	2	781 792.63	
L180	85 322.90	2	781 878.73		R180	85 291.41	2	781 623.82	
L181	85 323.03	2	781 799.02		R181	85 292.39	2	781 596.94	
L182	85 333.93	2	781 597.89		R182	85 327.24	2	781 043.37	
L183	85 337.74	2	781 529.86		R183	85 362.48	2	780 483.69	
L184	85 365.55	2	781 034.51		R184	85 396.01	2	779 949.74	
L185	85 399.96	2	780 489.25		R185	85 406.46	2	779 784.62	
L186	85 433.78	2	779 953.85		R186	85 437.03	2	779 301.54	
L187	85 443.47	2	779 800.50		R187	85 471.98	2	778 749.76	
L188	85 474.51	2	779 309.38		R188	85 486.95	2	778 510.08	
L189	85 509.34	2	778 758.18		R189	85 491.15	2	778 425.51	
L190	85 525.08	2	778 510.19		R190	85 492.45	2	778 366.06	
L191	85 529.16	2	778 426.96		R191	85 490.86	2	778 205.71	
L192	85 530.69	2	778 365.48		R192	85 478.55	2	778 027.76	
L193	85 530.56	2	778 272.94		R193	85 459.45	2	777 872.79	
L194	85 528.96	2	778 205.26		R194	85 432.23	2	777 717.93	
L195	85 507.62	2	777 944.45		R195	85 431.95	2	777 716.36	
L196	85 496.43	2	777 864.13		R196	85 394.63	2	777 560.05	
L197	85 483.13	2	777 784.52		R197	85 350.75	2	777 409.09	
L198	85 471.32	2	777 722.66		R198	85 325.13	2	777 333.51	
L199	85 470.89	2	777 720.44		R199	85 287.84	2	777 233.35	
L200	85 450.58	2	777 627.20		R200	85 261.81	2	777 168.67	
L201	85 431.15	2	777 549.40		R201	85 092.40	2	776 763.72	
L202	85 409.53	2	777 472.43		R202	84 884.74	2	776 267.53	
L203	85 387.13	2	777 399.31		R203	84 794.77	2	776 051.97	
L204	85 360.78	2	777 320.89		R204	84 751.87	2	775 946.96	
					Vel	20	Van	24	P877/15
					Sheet		of		

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L205	85 332.45	2	777 242.91		R205	84 558.48	2	775 443.50	
L206	85 296.91	2	777 153.93		R206	84 315.37	2	774 806.06	
L207	85 126.41	2	776 746.50		R207	84 290.08	2	774 730.88	
L208	84 915.67	2	776 243.27		R208	84 266.24	2	774 652.21	
L209	84 836.95	2	776 054.88		R209	84 227.37	2	774 495.08	
L210	84 809.11	2	775 987.08		R210	84 207.90	2	774 395.49	
L211	84 786.98	2	775 931.69		R211	84 185.59	2	774 234.06	
L212	84 593.77	2	775 428.20		R212	84 173.65	2	774 078.79	
L213	84 388.31	2	774 892.83		R213	84 171.29	2	773 994.64	
L214	84 351.42	2	774 794.11		R214	84 172.06	2	773 895.50	
L215	84 326.06	2	774 718.64		R215	84 181.46	2	773 739.00	
L216	84 303.07	2	774 642.09		R216	84 190.34	2	773 654.51	
L217	84 264.94	2	774 489.14		R217	84 215.29	2	773 498.34	
L218	84 246.68	2	774 395.30		R218	84 231.72	2	773 417.86	
L219	84 233.32	2	774 310.65		R219	84 252.63	2	773 331.33	
L220	84 223.35	2	774 232.98		R220	84 253.55	2	773 328.27	
L221	84 216.21	2	774 154.13		R221	84 273.34	2	773 257.20	
L222	84 211.46	2	774 075.02		R222	84 295.65	2	773 184.63	
L223	84 209.02	2	773 996.63		R223	84 525.91	2	772 479.41	
L224	84 210.22	2	773 894.32		R224	84 704.44	2	771 932.16	
L225	84 212.07	2	773 846.18		R225	84 868.29	2	771 429.74	
L226	84 223.65	2	773 699.10		R226	85 040.68	2	770 902.98	
L227	84 252.79	2	773 503.28		R227	85 133.05	2	770 618.87	
L228	84 275.42	2	773 401.31		R228	85 145.10	2	770 578.88	
L229	84 313.17	2	773 255.58		R229	85 155.88	2	770 536.51	
L230	84 358.57	2	773 114.25		R230	85 161.37	2	770 512.66	
L231	84 562.06	2	772 490.61		R231	85 170.98	2	770 459.65	
L232	84 740.14	2	771 945.29		R232	85 175.41	2	770 424.41	
L233	84 921.21	2	771 390.01		R233	85 179.78	2	770 381.29	
L234	85 061.62	2	770 959.75		R234	85 180.01	2	770 375.80	
L235	85 203.90	2	770 529.01		R235	85 182.45	2	770 315.76	
L236	85 222.54	2	770 445.28		R236	85 175.40	2	770 192.66	
L237	85 222.01	2	770 437.04		R237	85 156.87	2	770 099.02	
L238	85 218.42	2	770 380.47		R238	85 131.32	2	769 992.12	
L239	85 220.21	2	770 297.72		R239	85 083.98	2	769 822.34	
L240	85 220.40	2	770 288.94		R240	85 065.85	2	769 740.25	
L241	85 212.21	2	770 179.78		R241	85 052.61	2	769 659.90	
L242	85 194.72	2	770 082.57		R242	85 041.61	2	769 577.11	
L243	85 193.94	2	770 078.22		R243	85 038.39	2	769 466.67	
L244	85 167.94	2	769 981.51		R244	85 038.79	2	769 417.98	
L245	85 120.83	2	769 813.05		R245	85 042.83	2	769 336.67	
L246	85 103.20	2	769 732.77		R246	85 051.02	2	769 256.11	
L247	85 090.41	2	769 654.87		R247	85 063.66	2	769 176.91	
L248	85 081.83	2	769 576.17		R248	85 104.45	2	769 019.47	
L249	85 077.27	2	769 497.33		R249	85 133.48	2	768 925.30	
L250	85 076.96	2	769 418.86		R250	85 146.80	2	768 894.52	
L251	85 081.07	2	769 339.38		R251	85 201.15	2	768 768.93	
L252	85 088.93	2	769 260.90		R252	85 485.03	2	768 202.17	
L253	85 101.40	2	769 181.78		R253	85 677.71	2	767 817.10	
L254	85 138.46	2	769 028.35		R254	85 852.15	2	767 469.38	
L255	85 163.07	2	768 954.33		R255	85 908.80	2	767 356.47	
					Vel	21	Van	24	P877/15
					Sheet		of		

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 27°			Y	X		
L256	85 212.04	2 768 834.24			R256	86 006.64	2 767 160.88		
L257	85 232.57	2 768 794.60			R257	86 156.92	2 766 860.44		
L258	85 234.70	2 768 790.03			R258	86 236.86	2 766 678.44		
L259	85 704.49	2 767 849.45			R259	86 296.52	2 766 490.58		
L260	85 711.17	2 767 836.17			R260	86 339.64	2 766 295.81		
L261	85 790.48	2 767 677.36			R261	86 362.16	2 766 099.09		
L262	85 905.73	2 767 446.59			R262	86 365.52	2 766 020.35		
L263	85 941.44	2 767 375.10			R263	86 378.96	2 765 456.21		
L264	86 028.32	2 767 200.54			R264	86 392.15	2 764 900.53		
L265	86 190.50	2 766 874.74			R265	86 404.74	2 764 362.33		
L266	86 255.65	2 766 729.02			R266	86 414.80	2 763 941.48		
L267	86 284.05	2 766 654.48			R267	86 429.81	2 763 308.74		
L268	86 370.11	2 766 334.81			R268	86 442.78	2 762 762.64		
L269	86 382.22	2 766 255.81			R269	86 452.04	2 762 363.03		
L270	86 399.54	2 766 096.85			R270	86 468.58	2 761 680.56		
L271	86 403.32	2 766 017.12			R271	86 480.68	2 761 164.39		
L272	86 416.60	2 765 457.46			R272	86 493.16	2 760 781.77		
L273	86 429.93	2 764 897.29			R273	86 502.18	2 760 649.36		
L274	86 441.90	2 764 388.68			R274	86 521.68	2 760 362.99		
L275	86 453.34	2 763 909.42			R275	86 571.70	2 759 863.38		
L276	86 468.47	2 763 269.97			R276	86 620.02	2 759 380.41		
L277	86 479.88	2 762 790.62			R277	86 719.86	2 758 373.40		
L278	86 491.23	2 762 311.43			R278	86 759.31	2 757 975.96		
L279	86 506.33	2 761 673.32			R279	86 812.75	2 757 440.96		
L280	86 519.72	2 761 113.19			R280	86 873.83	2 756 821.13		
L281	86 528.81	2 760 793.42			R281	86 883.50	2 756 702.55		
L282	86 537.15	2 760 666.42			R282	86 897.92	2 756 388.92		
L283	86 558.98	2 760 367.15			R283	86 900.17	2 756 010.56		
L284	86 915.82	2 756 786.00			R284	86 890.92	2 755 741.90		
L285	86 934.63	2 756 395.24			R285	86 885.51	2 755 583.96		
L286	86 938.34	2 756 323.31			R286	86 882.92	2 755 385.35		
L287	86 936.76	2 756 007.46			R287	86 886.96	2 755 147.38		
L288	86 932.24	2 755 850.55			R288	86 893.73	2 755 022.76		
L289	86 920.62	2 755 365.02			R289	86 899.13	2 754 923.13		
L290	86 922.00	2 755 262.57			R290	86 930.27	2 754 512.07		
L291	86 973.24	2 754 421.58			R291	86 939.30	2 754 392.92		
L292	87 013.61	2 753 907.83			R292	86 972.54	2 753 954.79		
L293	87 016.36	2 753 833.61			R293	86 979.62	2 753 850.34		
L294	87 017.92	2 753 718.24			R294	86 979.67	2 753 832.33		
L295	87 007.40	2 753 634.31			R295	86 979.90	2 753 750.39		
L296	86 989.59	2 753 551.38			R296	86 972.96	2 753 666.12		
L297	86 959.04	2 753 454.61			R297	86 954.52	2 753 563.69		
L298	86 913.71	2 753 355.15			R298	86 922.48	2 753 464.81		
L299	86 849.87	2 753 250.82			R299	86 887.49	2 753 384.90		
L300	86 796.59	2 753 184.62			R300	86 832.27	2 753 291.39		
L301	86 755.35	2 753 139.29			R301	86 769.82	2 753 208.32		
L302	86 745.09	2 753 128.01			R302	86 687.97	2 753 121.90		
L303	86 636.25	2 753 034.47			R303	86 612.46	2 753 063.57		
L304	85 659.93	2 752 281.90			R304	86 196.54	2 752 742.84		
L305	85 284.24	2 751 992.57			R305	85 769.33	2 752 413.72		
L306	85 137.06	2 751 878.74			R306	85 603.57	2 752 285.64		
					Vel	22	Van	24	P877/15
					Sheet		of		

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L307	85 066.29	2	751 823.74		R307	85 378.92	2	752 112.59	
L308	84 582.10	2	751 448.77		R308	85 270.71	2	752 028.45	
L309	84 349.76	2	751 257.20		R309	85 054.44	2	751 861.34	
L310	84 121.62	2	751 035.68		R310	84 555.51	2	751 476.93	
L311	83 910.10	2	750 795.25		R311	84 325.44	2	751 286.11	
L312	83 792.47	2	750 637.38		R312	84 094.77	2	751 062.23	
L313	83 668.75	2	750 456.28		R313	83 882.64	2	750 820.67	
L314	83 552.04	2	750 272.99		R314	83 766.63	2	750 671.70	
L315	83 425.02	2	750 028.43		R315	83 732.57	2	750 623.18	
L316	83 363.49	2	749 892.27		R316	83 689.91	2	750 562.35	
L317	83 358.48	2	749 880.83		R317	83 519.06	2	750 290.79	
L318	83 264.11	2	749 656.25		R318	83 371.03	2	750 006.16	
L319	83 069.50	2	749 150.17		R319	83 324.30	2	749 895.74	
L320	82 862.58	2	748 612.56		R320	83 318.85	2	749 896.22	
L321	82 663.61	2	748 068.04		R321	83 273.87	2	749 789.29	
L322	82 625.09	2	747 900.08		R322	82 664.43	2	748 207.16	
L323	82 606.90	2	747 685.00		R323	82 633.55	2	748 112.08	
L324	82 620.04	2	747 486.62		R324	82 591.84	2	747 951.13	
L325	82 655.95	2	747 292.60		R325	82 582.17	2	747 898.08	
L326	82 777.94	2	746 981.43		R326	82 561.88	2	747 624.77	
L327	82 880.49	2	746 813.59		R327	82 578.83	2	747 472.17	
L328	83 074.44	2	746 561.36		R328	82 602.45	2	747 337.90	
L329	83 207.88	2	746 380.73		R329	82 634.84	2	747 205.76	
L330	83 307.50	2	746 205.90		R330	82 756.98	2	746 915.87	
L331	83 400.00	2	745 967.14		R331	82 815.72	2	746 829.30	
L332	83 596.50	2	745 453.16		R332	83 109.30	2	746 447.76	
L333	83 792.91	2	744 932.94		R333	83 175.83	2	746 351.84	
L334	83 988.93	2	744 412.87		R334	83 263.67	2	746 198.83	
L335	84 185.60	2	743 892.19		R335	83 300.80	2	746 110.69	
L336	84 343.59	2	743 472.77		R336	83 804.30	2	744 780.82	
L337	84 554.74	2	742 912.97		R337	84 139.70	2	743 895.66	
L338	84 661.33	2	742 630.38		R338	84 617.76	2	742 631.58	
L339	84 701.28	2	742 524.48		R339	84 743.52	2	742 300.79	
L340	84 769.06	2	742 344.45		R340	84 801.43	2	742 114.23	
L341	84 806.35	2	742 242.18		R341	84 826.08	2	741 972.34	
L342	84 835.68	2	742 145.36		R342	84 830.97	2	741 813.32	
L343	84 855.77	2	742 046.57		R343	84 751.78	2	741 135.34	
L344	84 866.20	2	741 947.25		R344	84 743.78	2	741 088.77	
L345	84 869.69	2	741 846.14		R345	84 743.87	2	741 050.67	
L346	84 863.15	2	741 721.77		R346	84 713.23	2	740 821.68	
L347	84 806.27	2	741 258.20		R347	84 706.60	2	740 734.80	
L348	84 762.01	2	740 841.06		R348	84 710.53	2	740 650.46	
L349	84 770.00	2	740 690.82		R349	84 720.38	2	740 573.92	
L350	84 803.44	2	740 534.35		R350	84 779.26	2	740 410.74	
L351	84 919.85	2	740 280.70		R351	85 947.82	2	738 724.46	
L352	85 257.02	2	739 792.15		R352	85 984.70	2	738 674.66	
L353	85 515.24	2	739 420.46		R353	86 237.89	2	738 332.85	
L354	85 819.16	2	738 982.49		R354	86 355.51	2	738 207.59	
L355	85 978.21	2	738 753.90		R355	86 499.47	2	738 079.20	
L356	85 993.29	2	738 732.24		R356	86 946.61	2	737 711.21	
L357	86 134.60	2	738 529.19		R357	87 415.39	2	737 325.63	
					Vel Sheet	23	Van of	24	P877/15

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L358	86	266.96	2 738	357.60	R358	87	852.64	2 736	965.22
L359	86	380.90	2 738	235.33	R359	88	185.24	2 736	691.16
L360	86	448.96	2 738	171.95	R360	88	496.88	2 736	434.58
L361	86	524.18	2 738	108.08	R361	88	611.36	2 736	340.13
L362	86	971.12	2 737	740.22	R362	88	802.08	2 736	184.10
L363	87	278.26	2 737	487.21	R363	89	107.60	2 735	932.29
L364	87	543.73	2 737	268.47	R364	89	414.55	2 735	679.14
L365	87	897.22	2 736	977.11	R365	89	786.51	2 735	372.15
L366	88	205.25	2 736	723.89	R366	90	095.03	2 735	118.15
L367	88	630.82	2 736	373.16	R367	90	399.00	2 734	867.57
L368	88	636.31	2 736	368.64	R368	90	686.14	2 734	630.90
L369	89	033.11	2 736	041.69	R369	90	940.73	2 734	421.08
L370	89	440.02	2 735	706.76	R370	91	223.70	2 734	188.61
L371	89	811.87	2 735	400.66	R371	91	382.76	2 734	063.38
L372	90	120.09	2 735	146.65	R372	91	468.96	2 733	992.80
L373	90	427.60	2 734	892.91	R373	91	484.46	2 733	967.94
L374	90	716.20	2 734	655.61					
L375	91	029.57	2 734	396.91					
L376	91	332.06	2 734	148.40					
L377	91	468.10	2 734	036.17					
L378	91	516.12	2 733	995.12					