
GOVERNMENT NOTICES • GOEWERMENTSKENNISGEWINGS

DEPARTMENT OF TRANSPORT**NO. 732****22 JUNE 2016****DECLARATION AMENDMENT OF NATIONAL ROAD N3 SECTION 1**


AMENDMENT OF DECLARATION No's. 72 OF 1979, 1047 OF 1987, 2397 OF 1989, 2382 OF 1990, 1258 OF 1991, 2869 OF 1991, 619 OF 1993 AND 44 OF 1994.

By virtue of Section 40 (1)(b) of The South African National Roads Agency Limited and National Roads Act, 1998 (Act No. 7 of 1998), I hereby amend (I) Declaration No.72 of 1979 by substituting it in its entirety, (II) Declaration No. 1047 of 1987 by substituting it in its entirety, (III) Declaration No. 2397 of 1989 by substituting the section from points L1 and R1, also known as the common boundary between the farm Kirkman No.919 and the farm Kirk Falls No.14227, on sheet 1 of Plan No.P313/1988 up to points L23 and R18, also known as the common boundary between the farm Kirk Falls No.14227 and the farm Summerveld No.14226, on sheet 2 of Plan No. P313/1988, (IV) Declaration No. 2382 of 1990 by substituting it in its entirety, (V) Declaration No.1258 of 1991 by substituting it in its entirety, (VI) Declaration No. 2869 of 1991 by substituting it in its entirety, (VII) Declaration No. 619 of 1993 by substituting it in its entirety, (VIII) Declaration No. 44 of 1994 by substituting it in its entirety, with the accompanying sheets 1 to 25 of Plan No. P873/15.


(National Road N3 Section 1: Candela Ave - Kirk Falls)




MINISTER OF TRANSPORT



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		stel die podreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N3 of National Route	Vel Sheet 1 van 25
			1	Plan P873/15



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk	Die figuur getoon		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N3 of National Route	Vel Sheet	2 of	25 of
The South African National Roads Agency SOC Ltd	The figure shown			1	Plan	P873/15




Die Suid Afrikaanse Nasionale Podagentskap MSB Bpk
The South African National Roads Agency SOC Ltd

Die figuur getoon
The figure shown




steldie padreserwe voor van 'n gedeelte
represents the rood reserve of a portion
van Nasionale Roete N3 Seksie
of National Route Section

Vel Sheet 3 van 25
Plan P873/15



Die Suid Afrikaanse Nasionale Podagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		stel die podreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N3 of National Route	Vel Sheet 4 of 25 Plan P873/15
--	--	--	---	--




stelt die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N3 Sektie
of National Route 1 Section




Die figuur getoon
The figure shown

Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd

Vel
Sheet 5 of 25
Plan P873/15






steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N3 Seksie
of National Route Section

Die figuur getoon

Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd





stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N3 Seksie
of National Route Section




Die figuur getoon

Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd









Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd


Die figuur getoon
The figure shown

stelsel padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N3 Seksie
of National Route Section

Vel
Sheet 11 of 25
Plan
P873/15







PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 31°		Y	X
L1	3 244.03	3 302 322.38		R1	3 199.49	3 302 252.28
L2	3 254.84	3 302 320.51		R2	3 210.32	3 302 250.46
L3	3 253.90	3 302 319.01		R3	3 210.86	3 302 251.30
L4	3 268.21	3 302 317.55		R4	3 392.85	3 302 219.69
L5	3 281.06	3 302 316.25		R5	3 403.47	3 302 219.52
L6	3 349.35	3 302 309.29		R6	3 417.00	3 302 219.29
L7	3 398.87	3 302 304.25		R7	3 443.79	3 302 218.87
L8	3 400.77	3 302 304.05		R8	3 448.51	3 302 218.80
L9	3 403.21	3 302 304.22		R9	3 488.90	3 302 218.15
L10	3 407.26	3 302 304.50		R10	3 520.80	3 302 217.64
L11	3 409.53	3 302 304.65		R11	3 536.18	3 302 217.39
L12	3 430.74	3 302 306.11		R12	3 551.81	3 302 217.14
L13	3 431.71	3 302 306.18		R13	3 621.93	3 302 216.01
L14	3 441.69	3 302 306.86		R14	3 728.72	3 302 236.28
L15	3 454.89	3 302 307.77		R15	3 745.54	3 302 239.46
L16	3 479.82	3 302 309.48		R16	3 762.74	3 302 242.70
L17	3 497.79	3 302 310.71		R17	3 780.57	3 302 246.18
L18	3 504.77	3 302 311.19		R18	3 798.88	3 302 249.64
L19	3 523.62	3 302 312.49		R19	3 809.13	3 302 251.46
L20	3 525.15	3 302 312.59		R20	3 817.14	3 302 252.97
L21	3 528.58	3 302 313.59		R21	3 844.17	3 302 241.38
L22	3 635.16	3 302 344.59		R22	3 870.37	3 302 221.10
L23	3 675.64	3 302 390.24		R23	3 879.24	3 302 214.24
L24	3 755.02	3 302 422.72		R24	3 881.09	3 302 212.80
L25	3 778.16	3 302 432.24		R25	3 921.76	3 302 171.63
L26	3 797.44	3 302 440.16		R26	3 941.10	3 302 138.28
L27	3 853.74	3 302 463.19		R27	4 126.42	3 302 198.32
L28	3 892.25	3 302 488.32		R28	4 148.71	3 302 236.34
L29	3 967.80	3 302 537.64		R29	4 152.97	3 302 243.61
L30	3 991.69	3 302 563.68		R30	4 158.19	3 302 252.51
L31	4 000.16	3 302 572.92		R31	4 164.77	3 302 263.75
L32	4 311.08	3 302 940.61		R32	4 181.55	3 302 292.39
L33	4 311.82	3 302 868.04		R33	4 217.63	3 302 325.71
L34	4 312.18	3 302 832.61		R34	4 289.88	3 302 374.95
L35	4 317.59	3 302 796.51		R35	4 303.89	3 302 374.76
L36	4 322.56	3 302 761.50		R36	4 309.00	3 302 374.72
L37	4 327.02	3 302 724.63		R37	4 433.76	3 302 373.14
L38	4 331.20	3 302 690.03		R38	4 465.61	3 302 372.73
L39	4 330.26	3 302 686.55		R39	4 485.00	3 302 377.61
L40	4 337.71	3 302 655.56		R40	4 485.29	3 302 374.24
L41	4 344.09	3 302 647.56		R41	4 547.27	3 302 386.77
L42	4 364.93	3 302 619.58		R42	4 616.42	3 302 385.44
L43	4 376.39	3 302 609.45		R43	4 615.86	3 302 384.84
L44	4 393.96	3 302 593.48		R44	4 620.49	3 302 384.71
L45	4 408.61	3 302 579.98		R45	4 633.23	3 302 384.34
L46	4 440.82	3 302 565.37		R46	4 658.01	3 302 383.93
L47	4 440.60	3 302 567.45		R47	4 676.02	3 302 383.16
L48	4 472.95	3 302 552.61		R48	4 732.89	3 302 380.73
L49	4 504.53	3 302 538.13		R49	4 747.12	3 302 380.12
L50	4 597.95	3 302 495.29		R50	4 762.16	3 302 378.79
L51	4 634.96	3 302 480.05		R51	4 778.43	3 302 363.98
				Vel 15 Sheet	Van 25 of	P873/15

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 31°		Y		X	
L52	4 663.07	3 302	468.84		R52	4 796.73	3 302	366.33	
L53	4 672.41	3 302	469.28		R53	4 817.76	3 302	363.86	
L54	4 672.47	3 302	471.57		R54	4 825.46	3 302	365.25	
L55	4 687.69	3 302	469.95		R55	4 882.35	3 302	374.67	
L56	4 714.88	3 302	467.04		R56	4 943.92	3 302	385.04	
L57	4 741.27	3 302	464.22		R57	4 954.07	3 302	389.25	
L58	4 771.30	3 302	460.03		R58	4 953.11	3 302	390.01	
L59	4 812.81	3 302	444.18		R59	4 973.59	3 302	397.19	
L60	4 863.14	3 302	444.83		R60	5 003.10	3 302	409.19	
L61	4 871.41	3 302	455.25		R61	5 001.28	3 302	406.63	
L62	4 881.41	3 302	447.26		R62	5 051.53	3 302	428.47	
L63	4 894.90	3 302	459.90		R63	5 058.68	3 302	431.61	
L64	4 934.33	3 302	468.34		R64	5 094.54	3 302	448.13	
L65	4 953.73	3 302	472.52		R65	5 124.47	3 302	462.10	
L66	4 991.94	3 302	480.68		R66	5 151.25	3 302	474.60	
L67	5 003.75	3 302	482.42		R67	5 172.55	3 302	493.98	
L68	5 051.67	3 302	499.61		R68	5 194.47	3 302	513.53	
L69	5 086.50	3 302	518.74		R69	5 222.71	3 302	534.96	
L70	5 114.65	3 302	538.33		R70	5 248.42	3 302	554.64	
L71	5 143.29	3 302	558.26		R71	5 271.29	3 302	572.15	
L72	5 172.46	3 302	578.56		R72	5 303.23	3 302	596.27	
L73	5 201.88	3 302	603.00		R73	5 338.37	3 302	623.08	
L74	5 228.80	3 302	625.34		R74	5 367.96	3 302	646.17	
L75	5 228.34	3 302	626.83		R75	5 383.46	3 302	658.02	
L76	5 243.72	3 302	639.94		R76	5 527.03	3 302	767.94	
L77	5 247.68	3 302	641.30		R77	5 537.10	3 302	775.47	
L78	5 282.71	3 302	672.62		R78	5 573.67	3 302	786.20	
L79	5 313.73	3 302	694.83		R79	5 586.89	3 302	800.24	
L80	5 315.12	3 302	692.88		R80	5 603.63	3 302	811.69	
L81	5 342.24	3 302	714.57		R81	5 660.46	3 302	846.95	
L82	5 511.74	3 302	836.62		R82	5 682.23	3 302	860.45	
L83	5 520.22	3 302	842.70		R83	5 715.58	3 302	863.79	
L84	5 548.37	3 302	862.24		R84	5 736.89	3 302	883.49	
L85	5 547.48	3 302	859.55		R85	5 737.05	3 302	878.38	
L86	5 586.52	3 302	887.54		R86	5 755.24	3 302	884.33	
L87	5 600.58	3 302	893.74		R87	5 789.80	3 302	898.54	
L88	5 653.22	3 302	921.78		R88	5 807.42	3 302	907.38	
L89	5 651.37	3 302	940.67		R89	5 823.68	3 302	920.81	
L90	5 665.86	3 302	937.38		R90	5 895.05	3 302	946.35	
L91	5 700.76	3 302	947.73		R91	5 974.27	3 302	974.62	
L92	5 723.33	3 302	955.47		R92	5 996.20	3 302	962.39	
L93	5 821.10	3 302	998.04		R93	6 032.54	3 302	991.07	
L94	5 833.69	3 302	997.64		R94	6 121.77	3 303	005.49	
L95	5 852.89	3 302	997.09		R95	6 169.53	3 303	022.90	
L96	5 926.45	3 303	024.65		R96	6 207.11	3 303	036.60	
L97	5 953.53	3 303	073.20		R97	6 229.66	3 303	068.92	
L98	6 013.22	3 303	068.50		R98	6 261.97	3 303	077.47	
L99	6 313.75	3 303	223.56		R99	6 294.89	3 303	108.58	
L100	6 356.36	3 303	257.60		R100	6 302.57	3 303	110.19	
L101	6 367.53	3 303	260.75		R101	6 347.32	3 303	119.56	
L102	6394.36	3303	278.14		R102	6 518.00	3 303	204.34	
					Vel 16 Van 25 P873/15 Sheet of				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 31°			Y	X		
L103	6 428.64	3 303 298.11			R103	6 586.57	3 303 178.73		
L104	6 463.65	3 303 316.31			R104	6 655.20	3 303 173.95		
L105	6 478.02	3 303 322.11			R105	6 702.39	3 303 129.31		
L106	6 528.36	3 303 335.21			R106	6 714.16	3 303 119.05		
L107	6 571.76	3 303 347.12			R107	6 744.20	3 303 092.86		
L108	6 578.51	3 303 361.31			R108	6 790.23	3 303 052.72		
L109	6 553.50	3 303 418.38			R109	6 809.88	3 303 035.58		
L110	6 554.03	3 303 449.30			R110	6 827.13	3 303 053.90		
L111	6 560.32	3 303 532.25			R111	6 835.19	3 303 068.26		
L112	6 596.52	3 303 520.65			R112	6 810.02	3 303 094.05		
L113	6 620.31	3 303 513.02			R113	6 807.82	3 303 106.05		
L114	6 618.03	3 303 485.38			R114	6 822.59	3 303 122.60		
L115	6 625.85	3 303 446.95			R115	6 854.32	3 303 149.28		
L116	6 639.87	3 303 406.06			R116	6 881.30	3 303 150.31		
L117	6 665.22	3 303 394.36			R117	6 904.73	3 303 151.19		
L118	6 704.72	3 303 386.45			R118	6 951.72	3 303 124.13		
L119	6 744.51	3 303 375.05			R119	6 991.65	3 303 119.87		
L120	6 808.60	3 303 367.67			R120	6 997.48	3 303 116.57		
L121	6 869.10	3 303 320.07			R121	7 052.56	3 303 085.34		
L122	6 918.31	3 303 295.36			R122	7 083.59	3 303 067.28		
L123	7 000.22	3 303 291.85			R123	7 119.92	3 303 054.82		
L124	7 032.82	3 303 264.55			R124	7 153.00	3 303 043.49		
L125	7 040.57	3 303 235.55			R125	7 188.36	3 303 031.37		
L126	7 052.64	3 303 190.43			R126	7 216.37	3 303 014.67		
L127	7 108.75	3 303 171.93			R127	7 242.99	3 303 015.33		
L128	7 147.90	3 303 158.91			R128	7 280.99	3 303 016.27		
L129	7 189.10	3 303 127.15			R129	7 311.82	3 302 962.36		
L130	7 247.97	3 303 122.13			R130	7 323.55	3 302 940.56		
L131	7 297.73	3 303 077.90			R131	7 378.59	3 302 915.65		
L132	7 446.69	3 303 000.92			R132	7 406.40	3 302 915.34		
L133	7 502.93	3 302 962.60			R133	7 543.15	3 302 807.64		
L134	7 537.25	3 302 933.52			R134	7 569.17	3 302 815.18		
L135	7 582.95	3 302 938.89			R135	7 600.29	3 302 787.40		
L136	7 592.37	3 302 877.43			R136	7 627.13	3 302 734.64		
L137	7 649.88	3 302 862.86			R137	7 680.15	3 302 720.45		
L138	7 697.13	3 302 790.87			R138	7 705.08	3 302 687.01		
L139	7 700.63	3 302 785.65			R139	7 712.79	3 302 677.04		
L140	7 762.05	3 302 803.57			R140	7 756.62	3 302 657.92		
L141	7 775.86	3 302 737.87			R141	7 759.20	3 302 652.30		
L142	7 778.94	3 302 723.19			R142	7 771.45	3 302 624.82		
L143	7 791.82	3 302 713.97			R143	7 784.08	3 302 596.67		
L144	7 816.21	3 302 696.50			R144	7 857.12	3 302 594.69		
L145	7 858.48	3 302 666.21			R145	7 880.47	3 302 569.19		
L146	7 885.42	3 302 688.26			R146	7 894.19	3 302 559.16		
L147	7 907.90	3 302 663.11			R147	7 913.63	3 302 544.96		
L148	7 923.14	3 302 646.46			R148	7 927.59	3 302 540.27		
L149	7 952.56	3 302 624.59			R149	7 955.61	3 302 530.87		
L150	7 987.16	3 302 598.85			R150	7 983.63	3 302 521.47		
L151	7 989.12	3 302 598.36			R151	8 011.18	3 302 512.22		
L152	8 023.48	3 302 586.99			R152	8 036.80	3 302 503.73		
L153	8 058.49	3 302 575.40			R153	8 045.82	3 302 500.70		
					Vel 17 Van 25 Sheet of P873/15				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 31°			Y	X		
L154	8 079.73	3 302 568.37		R154	8 085.09	3 302 487.42			
L155	8 087.20	3 302 564.87		R155	8 115.71	3 302 477.15			
L156	8 117.21	3 302 550.82		R156	8 146.23	3 302 450.54			
L157	8 160.91	3 302 530.36		R157	8 168.47	3 302 451.58			
L158	8 164.59	3 302 528.64		R158	8 175.88	3 302 451.93			
L159	8 170.01	3 302 526.10		R159	8 208.47	3 302 441.51			
L160	8 183.58	3 302 522.46		R160	8 215.75	3 302 439.13			
L161	8 187.66	3 302 520.60		R161	8 223.32	3 302 436.77			
L162	8 236.83	3 302 506.12		R162	8 286.31	3 302 403.93			
L163	8 249.93	3 302 502.26		R163	8 325.46	3 302 382.33			
L164	8 253.24	3 302 499.89		R164	8 364.14	3 302 357.22			
L165	8 267.50	3 302 487.55		R165	8 387.51	3 302 342.06			
L166	8 275.41	3 302 480.71		R166	8 406.64	3 302 329.65			
L167	8 298.73	3 302 469.65		R167	8 425.78	3 302 317.23			
L168	8 332.48	3 302 451.61		R168	8 443.08	3 302 303.80			
L169	8 350.99	3 302 441.75		R169	8 460.40	3 302 290.33			
L170	8 356.67	3 302 438.72		R170	8 477.72	3 302 276.88			
L171	8 403.99	3 302 409.05		R171	8 495.05	3 302 263.42			
L172	8 436.98	3 302 388.35		R172	8 512.38	3 302 249.93			
L173	8 458.93	3 302 372.67		R173	8 533.21	3 302 232.93			
L174	8 478.85	3 302 358.43		R174	8 554.05	3 302 215.92			
L175	8 498.76	3 302 344.20		R175	8 575.69	3 302 198.26			
L176	8 518.73	3 302 328.13		R176	8 596.14	3 302 181.57			
L177	8 539.93	3 302 311.07		R177	8 617.03	3 302 164.52			
L178	8 561.03	3 302 294.09		R178	8 637.92	3 302 147.46			
L179	8 582.14	3 302 277.10		R179	8 658.72	3 302 130.46			
L180	8 605.11	3 302 258.62		R180	8 676.83	3 302 115.67			
L181	8 628.16	3 302 240.07		R181	8 695.48	3 302 101.38			
L182	8 651.69	3 302 221.13		R182	8 714.07	3 302 087.12			
L183	8 687.25	3 302 192.52		R183	8 736.78	3 302 070.99			
L184	8 706.13	3 302 177.33		R184	8 759.47	3 302 054.87			
L185	8 720.25	3 302 165.97		R185	8 787.12	3 302 039.85			
L186	8 739.12	3 302 151.39		R186	8 810.41	3 302 027.08			
L187	8 757.63	3 302 137.09		R187	8 822.23	3 302 020.60			
L188	8 776.01	3 302 122.90		R188	8 830.27	3 302 016.20			
L189	8 825.68	3 302 093.21		R189	8 847.33	3 302 014.44			
L190	8 835.86	3 302 087.60		R190	8 903.46	3 301 988.92			
L191	8 851.10	3 302 084.44		R191	8 921.84	3 301 980.56			
L192	8 859.13	3 302 080.02		R192	8 928.71	3 301 979.63			
L193	8 933.25	3 302 054.51		R193	8 956.83	3 301 975.72			
L194	9 019.47	3 302 038.48		R194	8 972.06	3 301 973.65			
L195	9 026.56	3 302 038.14		R195	8 989.44	3 301 971.07			
L196	9 080.61	3 302 037.41		R196	9 011.26	3 301 968.32			
L197	9 087.95	3 302 037.46		R197	9 048.02	3 301 969.08			
L198	9 093.80	3 302 037.11		R198	9 063.97	3 301 969.41			
L199	9 112.44	3 302 037.02		R199	9 095.80	3 301 970.07			
L200	9 135.99	3 302 036.92		R200	9 115.11	3 301 970.45			
L201	9 242.84	3 302 036.44		R201	9 125.49	3 301 970.58			
L202	9 257.90	3 302 036.72		R202	9 162.75	3 301 971.31			
L203	9 297.96	3 302 037.47		R203	9 177.15	3 301 971.55			
L204	9 302.88	3 302 037.22		R204	9 230.13	3 301 972.39			
					Vel 18	Van 25	P873/15		
					Sheet	of			

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 31°		Y	X
L205	9 328.88	3 302	035.92	R205	9 259.99	3 301 972.83
L206	9 356.83	3 302	038.87	R206	9 286.73	3 301 973.23
L207	9 368.64	3 302	040.12	R207	9 295.04	3 301 975.20
L208	9 424.21	3 302	045.77	R208	9 327.65	3 301 974.44
L209	9 456.73	3 302	048.63	R209	9 341.39	3 301 974.80
L210	9 462.56	3 302	048.64	R210	9 373.37	3 301 975.41
L211	9 491.75	3 302	048.66	R211	9 452.43	3 301 976.91
L212	9 496.36	3 302	047.68	R212	9 461.94	3 301 976.90
L213	9 515.37	3 302	043.67	R213	9 487.17	3 301 976.82
L214	9 531.86	3 302	040.18	R214	9 516.54	3 301 974.56
L215	9 561.96	3 302	033.77	R215	9 575.39	3 301 966.00
L216	9 599.26	3 302	025.85	R216	9 620.25	3 301 958.01
L217	9 616.14	3 302	022.27	R217	9 650.84	3 301 948.69
L218	9 633.23	3 302	023.91	R218	9 695.50	3 301 934.55
L219	9 636.21	3 302	024.19	R219	9 709.13	3 301 927.09
L220	9 701.11	3 302	013.06	R220	9 762.64	3 301 897.79
L221	9 751.79	3 301	989.84	R221	9 797.99	3 301 874.28
L222	9 785.15	3 301	974.22	R222	9 805.55	3 301 869.22
L223	9 816.47	3 301	959.62	R223	9 836.36	3 301 843.11
L224	9 849.75	3 301	944.76	R224	9 843.80	3 301 836.85
L225	9 885.39	3 301	934.78	R225	9 884.06	3 301 825.11
L226	9 897.95	3 301	925.47	R226	9 903.57	3 301 822.07
L227	9 910.81	3 301	925.67	R227	9 938.18	3 301 805.67
L228	9 946.29	3 301	914.15	R228	9 995.96	3 301 777.57
L229	9 970.45	3 301	906.31	R229	10 158.08	3 301 699.41
L230	9 985.16	3 301	855.82	R230	10 175.15	3 301 671.49
L231	10 106.19	3 301	795.80	R231	10 313.06	3 301 623.11
L232	10 130.82	3 301	783.51	R232	10 322.93	3 301 620.67
L233	10 169.06	3 301	764.54	R233	10 333.01	3 301 618.25
L234	10 201.59	3 301	785.39	R234	10 442.76	3 301 592.09
L235	10 220.45	3 301	797.49	R235	10 564.27	3 301 603.54
L236	10 298.56	3 301	709.21	R236	10 630.85	3 301 609.98
L237	10 390.85	3 301	694.39	R237	10 654.07	3 301 605.05
L238	10 448.21	3 301	691.46	R238	10 676.80	3 301 600.17
L239	10 480.24	3 301	693.79	R239	10 731.53	3 301 612.94
L240	10 496.67	3 301	697.49	R240	10 813.68	3 301 642.30
L241	10 581.16	3 301	716.50	R241	10 849.34	3 301 647.77
L242	10 628.13	3 301	732.91	R242	10 861.90	3 301 649.70
L243	10 657.15	3 301	747.45	R243	10 878.42	3 301 661.98
L244	10 671.23	3 301	754.55	R244	10 892.66	3 301 672.56
L245	10 691.19	3 301	754.39	R245	10 905.02	3 301 676.72
L246	10 732.56	3 301	754.05	R246	10 918.76	3 301 681.35
L247	10 741.85	3 301	753.77	R247	11 022.69	3 301 671.88
L248	10 747.86	3 301	752.22	R248	11 086.54	3 301 666.55
L249	10 778.17	3 301	746.76	R249	11 229.28	3 301 663.74
L250	10 774.21	3 301	741.52	R250	11 360.01	3 301 686.20
L251	10 790.44	3 301	742.34	R251	11 403.11	3 301 695.59
L252	10 822.82	3 301	743.10	R252	11 446.03	3 301 704.94
L253	10 856.56	3 301	743.89	R253	11 462.06	3 301 711.00
L254	10 891.55	3 301	744.71	R254	11 481.12	3 301 717.19
L255	10 898.01	3 301	744.86	R255	11 511.24	3 301 728.94
				Vel 19 Sheet	Van 25 of	P873/15

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 31°		Y		X	
L256	10 902.57	3	301	744.70	R256	11 537.89	3	301	743.05
L257	10 975.55	3	301	738.39	R257	11 565.07	3	301	761.77
L258	11 022.64	3	301	734.29	R258	11 577.54	3	301	770.36
L259	11 155.00	3	301	747.60	R259	11 581.50	3	301	774.95
L260	11 284.37	3	301	743.30	R260	11 595.24	3	301	790.12
L261	11 320.36	3	301	749.08	R261	11 680.75	3	301	834.46
L262	11 394.69	3	301	770.09	R262	11 713.43	3	301	852.85
L263	11 424.20	3	301	781.97	R263	11 738.70	3	301	867.06
L264	11 463.56	3	301	797.79	R264	11 752.73	3	301	874.95
L265	11 484.28	3	301	805.90	R265	11 759.14	3	301	877.30
L266	11 492.66	3	301	810.56	R266	11 790.53	3	301	888.76
L267	11 521.88	3	301	826.78	R267	11 789.42	3	301	890.99
L268	11 536.48	3	301	834.89	R268	11 832.78	3	301	914.92
L269	11 544.88	3	301	835.76	R269	11 848.55	3	301	923.62
L270	11 551.80	3	301	836.48	R270	11 878.55	3	301	934.76
L271	11 568.13	3	301	847.48	R271	11 885.11	3	301	937.20
L272	11 592.00	3	301	863.56	R272	11 903.01	3	301	935.86
L273	11 670.98	3	301	904.52	R273	11 914.72	3	301	936.09
L274	11 750.45	3	301	948.08	R274	11 921.05	3	301	936.39
L275	11 776.31	3	301	963.83	R275	11 923.89	3	301	936.53
L276	11 821.75	3	301	984.01	R276	11 930.19	3	301	938.54
L277	11 840.09	3	301	999.40	R277	12 003.86	3	301	962.12
L278	11 865.31	3	302	020.60	R278	12 031.18	3	301	977.65
L279	11 890.22	3	302	042.97	R279	12 047.45	3	301	989.49
L280	11 892.37	3	302	044.91	R280	12 058.24	3	301	997.38
L281	11 909.56	3	302	060.33	R281	12 070.54	3	302	009.52
L282	11 920.59	3	302	064.94	R282	12 078.47	3	302	017.34
L283	11 958.90	3	302	080.97	R283	12 086.36	3	302	021.70
L284	11 977.65	3	302	088.79	R284	12 103.88	3	302	031.34
L285	11 983.10	3	302	091.07	R285	12 121.40	3	302	040.98
L286	11 996.63	3	302	095.98	R286	12 137.22	3	302	049.68
L287	12 013.93	3	302	102.24	R287	12 130.52	3	302	053.39
L288	12 086.28	3	302	108.35	R288	12 141.77	3	302	059.93
L289	12 093.24	3	302	108.94	R289	12 231.17	3	302	094.12
L290	12 162.47	3	302	137.57	R290	12 286.83	3	302	115.39
L291	12 192.04	3	302	149.81	R291	12 334.68	3	302	133.67
L292	12 220.68	3	302	161.65	R292	12 381.01	3	302	137.02
L293	12 278.30	3	302	184.87	R293	12 391.29	3	302	143.35
L294	12 340.17	3	302	230.90	R294	12 434.46	3	302	161.66
L295	12 349.74	3	302	233.74	R295	12 457.97	3	302	177.59
L296	12 390.53	3	302	245.95	R296	12 501.96	3	302	189.03
L297	12 423.87	3	302	248.04	R297	12 538.26	3	302	191.12
L298	12 475.24	3	302	257.15	R298	12 558.63	3	302	191.27
L299	12 532.31	3	302	255.48	R299	12 585.54	3	302	191.64
L300	12 598.82	3	302	273.15	R300	12 612.42	3	302	192.00
L301	12 639.92	3	302	264.96	R301	12 619.54	3	302	190.00
L302	12 679.75	3	302	254.47	R302	12 634.07	3	302	180.17
L303	12 764.46	3	302	237.45	R303	12 659.83	3	302	171.99
L304	12 921.87	3	302	205.82	R304	12 683.23	3	302	164.55
L305	12 993.26	3	302	191.48	R305	12 714.59	3	302	154.59
L306	13 148.95	3	302	140.99	R306	12 760.36	3	302	110.35
					Vel 20 Sheet Van of 25 P873/15				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 31°		Y		X	
L307	13 224.78	3 302	102.50		R307	12 788.87	3 302	093.90	
L308	13 294.75	3 302	066.99		R308	12 812.24	3 302	075.28	
L309	13 390.37	3 302	082.49		R309	12 847.40	3 302	070.59	
L310	13 414.39	3 302	086.41		R310	12 873.01	3 302	067.16	
L311	13 456.71	3 302	093.25		R311	12 895.02	3 302	059.41	
L312	13 459.16	3 302	093.57		R312	12 914.91	3 302	046.25	
L313	13 506.88	3 302	101.03		R313	12 938.10	3 302	009.06	
L314	13 515.45	3 302	105.49		R314	12 962.45	3 301	984.76	
L315	13 523.96	3 302	110.42		R315	12 982.25	3 301	963.06	
L316	13 536.81	3 302	116.45		R316	13 000.77	3 301	942.85	
L317	13 634.03	3 302	143.74		R317	13 019.01	3 301	922.94	
L318	13 677.12	3 302	143.91		R318	13 018.73	3 301	922.20	
L319	13 706.70	3 302	138.03		R319	13 042.20	3 301	916.81	
L320	13 717.41	3 302	134.84		R320	13 042.55	3 301	917.73	
L321	13 766.70	3 302	120.30		R321	13 073.36	3 301	916.81	
L322	13 773.77	3 302	118.21		R322	13 082.34	3 301	918.11	
L323	13 791.31	3 302	113.01		R323	13 125.82	3 301	928.19	
L324	13 872.65	3 302	130.09		R324	13 140.87	3 301	932.24	
L325	13 918.04	3 302	104.35		R325	13 168.90	3 301	939.79	
L326	13 955.18	3 302	095.85		R326	13 197.99	3 301	947.62	
L327	13 973.02	3 302	091.78		R327	13 207.09	3 301	950.07	
L328	13 998.00	3 302	097.05		R328	13 228.56	3 301	955.87	
L329	14 012.79	3 302	100.25		R329	13 258.75	3 301	964.55	
L330	14 043.52	3 302	078.54		R330	13 256.53	3 301	966.57	
L331	14 061.51	3 302	055.23		R331	13 259.43	3 301	967.69	
L332	14 079.87	3 302	038.14		R332	13 278.77	3 301	966.84	
L333	14 091.31	3 302	016.59		R333	13 299.43	3 301	974.35	
L334	14 106.17	3 301	997.32		R334	13 323.94	3 301	976.03	
L335	14 121.03	3 301	978.06		R335	13 345.04	3 301	977.05	
L336	14 135.32	3 301	959.53		R336	13 427.76	3 301	984.23	
L337	14 151.55	3 301	938.49		R337	13 446.10	3 301	985.22	
L338	14 165.78	3 301	920.03		R338	13 483.12	3 301	989.01	
L339	14 167.97	3 301	917.19		R339	13 502.51	3 301	990.70	
L340	14 179.88	3 301	901.25		R340	13 523.29	3 301	992.51	
L341	14 196.00	3 301	882.60		R341	13 532.48	3 301	992.95	
L342	14 212.79	3 301	864.24		R342	13 541.70	3 301	993.40	
L343	14 230.00	3 301	846.14		R343	13 548.01	3 301	996.05	
L344	14 247.22	3 301	828.03		R344	13 587.87	3 301	991.74	
L345	14 264.00	3 301	809.68		R345	13 616.26	3 301	990.40	
L346	14 280.64	3 301	791.49		R346	13 645.64	3 301	989.48	
L347	14 303.86	3 301	777.62		R347	13 669.76	3 301	993.10	
L348	14 305.59	3 301	776.59		R348	13 677.34	3 301	994.22	
L349	14 312.36	3 301	771.33		R349	13 695.21	3 302	001.69	
L350	14 325.18	3 301	761.35		R350	13 746.86	3 302	026.19	
L351	14 332.16	3 301	757.68		R351	13 849.72	3 302	010.27	
L352	14 331.78	3 301	761.65		R352	13 875.89	3 301	993.84	
L353	14 372.34	3 301	738.75		R353	13 897.92	3 301	982.24	
L354	14 382.34	3 301	734.38		R354	13 932.15	3 301	966.92	
L355	14 404.86	3 301	724.66		R355	13 960.63	3 301	960.58	
L356	14 419.11	3 301	712.38		R356	13 960.74	3 301	960.18	
L357	14 420.28	3 301	711.35		R357	13 981.75	3 301	952.37	
					Vel 21 Van 25 P873/15 Sheet of				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 31°		Y		X	
L358	14 424.33	3	301	707.77	R358	13 990.21	3	301	954.02
L359	14 464.71	3	301	672.89	R359	14 008.41	3	301	949.97
L360	14 512.21	3	301	655.39	R360	14 021.99	3	301	929.04
L361	14 594.21	3	301	655.39	R361	14 042.56	3	301	897.71
L362	14 621.54	3	301	659.33	R362	14 048.72	3	301	885.14
L363	14 632.10	3	301	659.94	R363	14 065.85	3	301	878.15
L364	14 657.25	3	301	657.48	R364	14 070.45	3	301	873.17
L365	14 669.96	3	301	649.48	R365	14 143.44	3	301	833.83
L366	14 695.13	3	301	633.55	R366	14 150.36	3	301	827.78
L367	14 738.63	3	301	606.01	R367	14 160.68	3	301	812.95
L368	14 757.20	3	301	594.25	R368	14 162.40	3	301	810.49
L369	14 744.85	3	301	578.47	R369	14 178.74	3	301	788.28
L370	14 753.03	3	301	575.82	R370	14 213.87	3	301	745.34
L371	14 767.61	3	301	568.00	R371	14 250.77	3	301	700.23
L372	14 802.58	3	301	549.16	R372	14 259.44	3	301	705.07
L373	14 864.64	3	301	510.69	R373	14 267.12	3	301	708.09
L374	15 025.49	3	301	399.90	R374	14 278.02	3	301	699.05
L375	15 033.02	3	301	394.80	R375	14 275.95	3	301	693.37
L376	15 087.75	3	301	369.58	R376	14 300.50	3	301	660.14
L377	15 155.04	3	301	359.05	R377	14 309.70	3	301	666.01
L378	15 232.07	3	301	343.50	R378	14 326.71	3	301	661.97
L379	15 379.26	3	301	320.00	R379	14 336.36	3	301	652.06
L380	15 482.46	3	301	304.35	R380	14 349.53	3	301	646.20
L381	15 507.19	3	301	301.05	R381	14 368.92	3	301	636.94
L382	15 557.53	3	301	288.07	R382	14 384.24	3	301	629.64
L383	15 602.95	3	301	275.87	R383	14 391.36	3	301	626.11
L384	15 616.17	3	301	267.38	R384	14 418.59	3	301	618.56
L385	15 617.86	3	301	266.70	R385	14 456.65	3	301	608.01
L386	15 620.68	3	301	265.58	R386	14 491.82	3	301	598.26
L387	15 629.18	3	301	262.17	R387	14 505.47	3	301	593.78
L388	15 644.65	3	301	260.06	R388	14 504.87	3	301	588.93
L389	15 738.77	3	301	223.64	R389	14 545.39	3	301	569.00
L390	15 772.47	3	301	210.60	R390	14 555.19	3	301	560.90
L391	15 934.34	3	301	183.26	R391	14 556.57	3	301	562.94
L392	15 954.44	3	301	189.86	R392	14 581.65	3	301	549.58
L393	15 961.05	3	301	192.06	R393	14 592.54	3	301	543.78
L394	16 049.14	3	301	189.41	R394	14 638.41	3	301	541.44
L395	16 060.70	3	301	209.00	R395	14 641.26	3	301	542.31
L396	16 133.31	3	301	237.67	R396	14 641.34	3	301	541.28
L397	16 151.89	3	301	245.01	R397	14 677.30	3	301	539.40
L398	16 200.17	3	301	231.93	R398	14 686.79	3	301	535.61
L399	16 194.05	3	301	204.83	R399	14 719.51	3	301	522.51
L400	16 185.94	3	301	168.87	R400	14 724.70	3	301	520.03
L401	16 187.82	3	301	156.14	R401	14 746.79	3	301	508.97
L402	16 191.66	3	301	132.47	R402	14 800.19	3	301	477.00
L403	16 192.36	3	301	128.68	R403	14 815.41	3	301	466.49
L404	16 269.42	3	301	094.52	R404	14 881.98	3	301	420.49
L405	16 313.66	3	301	074.86	R405	14 955.02	3	301	370.03
L406	16 398.83	3	301	061.79	R406	14 977.10	3	301	354.78
L407	16 506.97	3	301	034.59	R407	14 981.63	3	301	351.91
L408	16 554.75	3	301	016.99	R408	14 989.57	3	301	347.00
					Vel 22 Sheet of Van 25 P873/15				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 31°		Y		X	
L409	16 556.75	3	301	050.01	R409	15 027.76	3	301	323.34
L410	16 593.68	3	301	059.99	R410	15 122.08	3	301	281.16
L411	16 598.67	3	301	059.91	R411	15 226.73	3	301	255.26
L412	16 711.75	3	301	057.99	R412	15 368.75	3	301	249.13
L413	16 825.75	3	301	086.99	R413	15 459.36	3	301	236.74
L414	16 849.75	3	301	057.99	R414	15 531.77	3	301	212.43
L415	16 947.68	3	301	036.01	R415	15 533.08	3	301	216.32
L416	16 952.75	3	301	016.99	R416	15 564.69	3	301	207.58
L417	16 977.75	3	301	015.99	R417	15 581.50	3	301	203.64
L418	16 973.68	3	301	024.99	R418	15 592.75	3	301	200.26
L419	17 174.82	3	301	068.44	R419	15 595.61	3	301	198.90
L420	17 201.69	3	301	064.93	R420	15 604.19	3	301	194.80
L421	17 357.68	3	301	043.93	R421	15 630.58	3	301	168.20
L422	17 381.46	3	301	040.74	R422	15 638.20	3	301	160.51
L423	17 464.48	3	300	977.30	R423	15 656.78	3	301	152.98
L424	17 500.75	3	300	992.99	R424	15 660.29	3	301	154.10
L425	17 575.75	3	300	993.99	R425	15 729.88	3	301	121.06
L426	17 660.89	3	300	968.07	R426	15 803.50	3	301	068.50
L427	17 674.00	3	300	964.08	R427	15 860.36	3	301	010.51
L428	17 749.04	3	300	947.19	R428	15 950.64	3	300	902.74
L429	17 942.42	3	300	903.64	R429	15 922.62	3	300	810.56
L430	17 953.84	3	300	895.56	R430	15 929.61	3	300	804.74
L431	18 038.56	3	300	835.64	R431	15 951.59	3	300	786.44
L432	18 057.57	3	300	819.57	R432	15 971.84	3	300	769.65
L433	18 095.89	3	300	787.16	R433	16 040.73	3	300	883.34
L434	18 234.75	3	300	750.59	R434	16 262.45	3	300	912.76
L435	18 492.25	3	300	516.99	R435	16 489.87	3	300	908.97
L436	18 626.40	3	300	474.77	R436	16 577.68	3	300	939.50
L437	18 697.75	3	300	493.99	R437	16 596.38	3	300	941.54
L438	18 748.78	3	300	472.93	R438	16 625.62	3	300	950.38
L439	18 756.75	3	300	470.14	R439	16 739.62	3	300	893.88
L440	18 859.34	3	300	494.04	R440	16 752.59	3	300	893.90
L441	18 899.27	3	300	507.57	R441	16 807.64	3	300	957.88
L442	19 003.04	3	300	567.17	R442	16 844.60	3	300	925.84
L443	19 062.10	3	300	594.94	R443	16 862.62	3	300	925.87
L444	19 169.31	3	300	633.33	R444	16 958.61	3	300	959.88
L445	19 193.00	3	300	634.00	R445	16 958.61	3	300	968.89
L446	19 220.70	3	300	650.50	R446	16 987.61	3	300	968.89
L447	19 308.19	3	300	671.97	R447	17 000.61	3	300	960.87
L448	19 360.96	3	300	690.55	R448	17 173.59	3	300	930.90
L449	19 456.50	3	300	742.22	R449	17 380.61	3	300	914.38
L450	19 736.29	3	300	835.73	R450	17 439.63	3	300	892.90
L451	19 792.76	3	300	861.63	R451	17 436.64	3	300	857.91
L452	19 831.52	3	300	870.14	R452	17 523.58	3	300	842.93
L453	19 871.44	3	300	871.17	R453	17 579.27	3	300	866.50
L454	19 928.57	3	300	905.21	R454	17 605.14	3	300	862.43
L455	20 024.16	3	300	939.73	R455	17 732.68	3	300	842.33
L456	20 159.51	3	300	916.94	R456	17 743.95	3	300	840.55
L457	20 242.86	3	300	931.39	R457	17 843.56	3	300	824.86
L458	20 409.79	3	300	878.19	R458	17 920.38	3	300	790.60
L459	20 484.66	3	300	809.99	R459	17 982.78	3	300	762.78
					Vel 23 Van 25 Sheet of P873/15				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 31°		Y		X	
L460	20 780.06	3 300	716.72		R460	18 010.44	3 300	744.76	
L461	20 793.58	3 300	716.99		R461	18 048.97	3 300	719.66	
L462	20 833.83	3 300	682.13		R462	18 080.85	3 300	698.85	
L463	20 895.84	3 300	680.99		R463	18 128.71	3 300	656.98	
L464	20 933.42	3 300	649.22		R464	18 201.71	3 300	593.12	
L465	20 936.15	3 300	646.88		R465	18 217.42	3 300	582.71	
L466	20 994.54	3 300	635.60		R466	18 304.38	3 300	525.08	
L467	21 027.82	3 300	622.06		R467	18 319.82	3 300	514.92	
L468	21 160.15	3 300	547.65		R468	18 353.98	3 300	492.46	
L469	21 212.95	3 300	535.94		R469	18 384.89	3 300	474.17	
L470	21 282.43	3 300	475.93		R470	18 538.12	3 300	383.97	
L471	21 372.46	3 300	475.12		R471	18 591.34	3 300	384.06	
L472	21 386.13	3 300	405.27		R472	18 603.15	3 300	384.08	
L473	21 423.25	3 300	387.68		R473	18 709.76	3 300	384.26	
L474	21 476.33	3 300	388.24		R474	18 736.28	3 300	383.82	
L475	21 547.15	3 300	333.96		R475	18 825.47	3 300	383.94	
L476	21 560.04	3 300	313.20		R476	18 942.98	3 300	367.65	
L477	21 582.67	3 300	276.73		R477	18 958.43	3 300	394.74	
L478	21 627.50	3 300	211.27		R478	18 980.81	3 300	398.33	
L479	21 736.42	3 300	108.37		R479	19 014.55	3 300	372.30	
L480	21 762.08	3 300	074.42		R480	19 074.43	3 300	376.60	
L481	21 769.79	3 300	064.14		R481	19 230.38	3 300	472.00	
L482	21 790.54	3 300	002.82		R482	19 240.27	3 300	471.98	
L483	21 831.11	3 299	980.23		R483	19 364.79	3 300	539.62	
L484	21 836.83	3 299	968.31		R484	19 406.96	3 300	565.81	
L485	21 845.12	3 299	916.29		R485	19 445.89	3 300	610.12	
L486	21 875.48	3 299	874.60		R486	19 495.13	3 300	619.22	
L487	21 892.86	3 299	848.23		R487	19 569.84	3 300	648.65	
L488	21 904.03	3 299	826.70		R488	19 621.92	3 300	679.37	
L489	21 921.24	3 299	775.56		R489	19 654.78	3 300	691.79	
L490	21 975.78	3 299	719.51		R490	19 753.39	3 300	729.81	
L491	22 004.21	3 299	686.09		R491	19 817.40	3 300	734.91	
L492	22 025.77	3 299	644.97		R492	19 896.46	3 300	771.48	
L493	22 042.28	3 299	614.97		R493	20 146.71	3 300	767.29	
L494	22 058.57	3 299	585.38		R494	20 195.48	3 300	771.67	
L495	22 107.59	3 299	546.88		R495	20 339.85	3 300	741.74	
L496	22 104.99	3 299	512.88		R496	20 447.46	3 300	736.64	
L497	22 122.59	3 299	499.58		R497	20 524.95	3 300	622.75	
L498	22 137.59	3 299	511.88		R498	20 638.18	3 300	578.46	
L499	22 162.59	3 299	513.88		R499	20 730.66	3 300	627.48	
L500	22 238.62	3 299	500.88		R500	20 793.22	3 300	607.00	
L501	22 271.64	3 299	507.90		R501	20 825.34	3 300	554.52	
L502	22 398.72	3 299	461.96		R502	20 861.89	3 300	496.72	
L503	22 486.69	3 299	357.52		R503	20 898.75	3 300	509.53	
L504	22 594.75	3 299	380.31		R504	20 980.21	3 300	537.86	
L505	22 629.71	3 299	334.49		R505	21 035.92	3 300	449.54	
L506	22 797.73	3 299	277.52		R506	21 088.76	3 300	429.58	
L507	22 829.66	3 299	245.59		R507	21 165.30	3 300	448.84	
L508	22 907.85	3 299	230.48		R508	21 247.52	3 300	397.65	
L509	22 947.75	3 299	206.22		R509	21 280.06	3 300	377.55	
L510	23 022.40	3 299	183.02		R510	21 516.79	3 300	186.02	
					Vel 24 Sheet of Van 25 P873/15				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 31°		Y	X
L511	23 063.46	3 299 170.26		R511	21 545.69	3 300 162.52
L512	23 127.83	3 299 150.25		R512	21 533.55	3 300 039.80
L513	23 287.30	3 299 100.68		R513	21 573.85	3 300 016.38
L514	23 351.01	3 299 114.25		R514	21 663.07	3 300 015.82
L515	23 426.98	3 299 115.04		R515	21 707.94	3 299 968.53
L516	23 453.25	3 299 100.37		R516	21 749.73	3 299 907.99
L517	23 558.30	3 299 068.10		R517	21 767.54	3 299 844.36
L518	23 771.51	3 298 925.35		R518	21 799.76	3 299 805.36
L519	23 797.37	3 298 921.77		R519	21 834.70	3 299 755.83
L520	23 910.20	3 298 867.53		R520	21 829.32	3 299 728.78
L521	23 996.66	3 298 757.92		R521	21 849.30	3 299 701.58
L522	24 177.15	3 298 742.21		R522	21 843.08	3 299 684.15
L523	24 203.47	3 298 635.73		R523	21 852.68	3 299 636.11
L524	24 238.79	3 298 624.05		R524	21 928.29	3 299 613.59
L525	24 306.63	3 298 618.37		R525	21 963.51	3 299 561.71
L526	24 339.43	3 298 590.34		R526	21 957.45	3 299 544.73
L527	24 401.51	3 298 568.94		R527	21 946.28	3 299 513.64
L528	24 472.74	3 298 562.87		R528	22 037.11	3 299 500.95
L529	24 579.39	3 298 553.42		R529	22 057.63	3 299 476.21
L530	24 621.17	3 298 562.93		R530	22 075.14	3 299 411.49
L531	24 744.00	3 298 468.69		R531	22 096.17	3 299 369.21
L532	24 839.56	3 298 442.27		R532	22 114.42	3 299 350.00
L533	25 088.51	3 298 321.67		R533	22 133.06	3 299 345.16
L534	25 144.73	3 298 277.93		R534	22 199.49	3 299 356.94
L535	25 197.80	3 298 236.63		R535	22 373.27	3 299 282.88
L536	25 257.32	3 298 190.32		R536	22 418.42	3 299 250.54
L537	25 274.87	3 298 133.18		R537	22 477.19	3 299 257.58
REGTERKANT/RIGHT HAND SIDE				R538	22 582.52	3 299 179.76
	Y	X		R539	22 643.51	3 299 176.40
R562	24 131.67	3 298 450.01		R540	22 659.46	3 299 181.07
R563	24 497.12	3 298 283.26		R541	22 665.30	3 299 165.32
R564	24 731.73	3 298 310.62		R542	22 724.06	3 299 108.49
R565	24 880.30	3 298 253.56		R543	22 800.28	3 299 098.03
R566	25 038.22	3 298 221.03		R544	22 817.79	3 299 150.96
R567	25 140.78	3 298 149.10		R545	22 874.34	3 299 145.19
R568	25 177.75	3 298 081.99		R546	22 908.77	3 299 134.75
R569	25 193.69	3 298 070.22		R547	23 006.90	3 299 105.02
R570	25 219.57	3 298 051.10		R548	23 040.40	3 299 094.87
				R549	23 102.59	3 299 076.02
				R550	23 268.15	3 299 025.85
				R551	23 307.55	3 298 972.95
				R552	23 339.85	3 299 000.50
				R553	23 415.42	3 298 976.50
				R554	23 776.62	3 298 786.17
				R555	23 890.28	3 298 704.14
				R556	23 920.77	3 298 612.39
				R557	23 933.18	3 298 575.08
				R558	23 938.58	3 298 558.23
				R559	24 016.58	3 298 531.49
				R560	24 092.80	3 298 428.45
				R561	24 109.16	3 298 437.51
				Vel Sheet	25 Van of 25	P873/15