

DEPARTMENT OF TRANSPORT

NO. 1312

26 OCTOBER 2016

**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED**

Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD R30 SECTION 8**AMENDMENT OF DECLARATION No. 784 OF 2012.**

By virtue of section 40(1)(b) of the South African National Roads Agency Limited and the National Roads Act, 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 784 of 2012 by substituting paragraph B(II) of the Schedule, being the descriptive declaration of the route from the northern boundary of the surveyed erven North of Klerksdorp up to its junction with National Road R53 Section 2, with the accompanying sheets 1 to 31 of Plan No. P887/15.

In the town of Ventersdorp the route enters the town along R30 from the West and follows the street known as Van Riebeeck Street at the time of declaration, up to its junction with National Road R53 Section 2, also known as Potgieter Street at the time of declaration, where it terminates as a National Road.

(National Road R30 Section 8: Klerksdorp – Ventersdorp)**MINISTER OF TRANSPORT**

DEPARTEMENT VAN VERVOER

NO. 1312

26 OKTOBER 2016

**DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSKAP MSB BEPERK**

Registrasie No: 1998/009584/30

VERKLARING WYSIGING VAN NASIONALE PAD R30 SEKSIE 8

WYSIGING VAN VERKLARING No. 784 VAN 2012.


Kragtens Artikel 40(1)(a) van die Wet op die Suid-Afrikaanse Nasionale Padagentskap Beperk en op Nasionale Paaie, Wet 1998 (Wet No. 7 van 1998), wysig ek hiermee Verklaring No. 784 van 2012 deur paragraaf B(II) van die Skedule te vervang, synde die gedeelte van die beskrywende verklaring van die pad vanaf 'n punt in lyn met die noordelike grens van die opgemete erwe Noord van Klerksdorp tot by die aansluiting met Nasionale Pad R53 Seksie 2, met bygaande velle 1 tot 31 van Plan No. P887/15.

In die dorp van Ventersdorp kom die pad die dorp binne van uit die Weste langs die R30 en volg die straat bekend as Van Riebeeckstraat tydens datum van verklaring, tot by die aansluiting met Nasionale Pad R53 Seksie 2, ook bekend as Potgieterstraat tydens datum van verklaring, waar dit eindig as Nasionale Pad.


(Nasionale Pad R30 Seksie 8: Klerksdorp – Ventersdorp)





MINISTER VAN VERVOER





Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R30 of National Route	Vel Sheet 1 of 31 Plan P887/15
---	---------------------------------------	---	--------------------------------------















Vel Sheet 6 of 31	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R30 of National Route Section	Die figuur getoon The figure shown	Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd
Plan P887/15	8	8	8







Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R30 of National Route	8	Val Sheet 8 of 31 Plan P887/15
---	---------------------------------------	--	--	---	--------------------------------------













Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route
	Vel Sheet 12 of 31	Plan P887/15




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		steld die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R30 of National Route
Vel Sheet 13 of 31	Plan P887/15	8	Section






Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R30 of National Route	8	Vel Sheet 15 of 31	Plan P887/15
---	---------------------------------------	--	---	---	-----------------------	-----------------



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R30 of National Route	Vel van 31 Sheet of 31 Plan P887/15
---	---	--	--



Vel
Sheet 17
of 31

stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R30
of National Route





Die figuur getoon
The figure shown


Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd

Plan
P887/15


8
Seksie
Section







Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R30 of National Route	Vel Sheet 20 of 31 Plan P887/15
---	---------------------------------------	--	---------------------------------------



PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°		Y	X
L1	34 944.77	2 969 977.72		R1	34 923.05	2 969 953.39
L2	35 204.43	2 969 860.73		R2	35 517.19	2 969 685.32
L3	35 469.29	2 969 741.45		R3	35 691.64	2 969 594.19
L4	35 600.03	2 969 678.22		R4	35 827.28	2 969 510.40
L5	35 698.09	2 969 626.65		R5	35 841.39	2 969 499.22
L6	35 771.72	2 969 584.28		R6	35 899.15	2 969 458.87
L7	35 823.90	2 969 549.56		R7	35 959.66	2 969 402.87
L8	35 845.58	2 969 534.76		R8	36 022.63	2 969 344.58
L9	35 861.78	2 969 526.33		R9	36 120.67	2 969 257.77
L10	35 897.72	2 969 499.90		R10	36 264.50	2 969 134.06
L11	35 949.63	2 969 452.97		R11	36 428.62	2 968 996.77
L12	36 050.68	2 969 361.32		R12	36 559.89	2 968 875.66
L13	36 117.99	2 969 301.35		R13	36 683.06	2 968 762.60
L14	36 240.76	2 969 192.60		R14	36 792.68	2 968 661.81
L15	36 277.62	2 969 162.54		R15	36 796.27	2 968 658.60
L16	36 431.97	2 969 036.10		R16	36 841.12	2 968 618.50
L17	36 523.48	2 968 959.45		R17	36 848.25	2 968 611.51
L18	36 857.72	2 968 643.30		R18	37 091.36	2 968 373.06
L19	37 077.97	2 968 427.59		R19	37 230.66	2 968 236.59
L20	37 253.26	2 968 255.90		R20	37 296.01	2 968 172.18
L21	37 285.97	2 968 223.86		R21	37 326.51	2 968 142.12
L22	37 524.41	2 967 990.32		R22	37 414.56	2 968 054.98
L23	37 540.79	2 967 946.26		R23	37 445.81	2 968 024.95
L24	37 570.94	2 967 819.91		R24	37 483.64	2 967 967.50
L25	37 607.43	2 967 664.26		R25	37 487.24	2 967 958.35
L26	37 647.67	2 967 491.08		R26	37 525.16	2 967 862.06
L27	37 658.17	2 967 436.43		R27	37 551.75	2 967 745.83
L28	37 652.82	2 967 433.42		R28	37 576.13	2 967 637.78
L29	37 704.73	2 967 208.34		R29	37 678.40	2 967 187.30
L30	37 775.99	2 966 981.03		R30	37 683.03	2 967 171.96
L31	37 828.96	2 966 838.85		R31	37 716.66	2 967 066.10
L32	37 851.75	2 966 777.75		R32	37 749.70	2 966 960.24
L33	37 966.81	2 966 469.20		R33	37 801.19	2 966 822.46
L34	38 054.68	2 966 233.10		R34	37 840.06	2 966 720.04
L35	38 087.92	2 966 143.80		R35	37 879.45	2 966 613.74
L36	38 093.16	2 966 129.67		R36	37 937.91	2 966 457.38
L37	38 142.15	2 965 997.72		R37	37 991.47	2 966 314.82
L38	38 180.75	2 965 893.74		R38	38 059.05	2 966 133.19
L39	38 222.75	2 965 780.60		R39	38 120.46	2 965 966.75
L40	38 264.76	2 965 618.60		R40	38 190.07	2 965 773.25
L41	38 290.85	2 965 500.48		R41	38 233.70	2 965 614.51
L42	38 332.76	2 965 328.81		R42	38 303.69	2 965 299.58
L43	38 447.85	2 964 804.80		R43	38 339.86	2 965 134.73
L44	38 507.93	2 964 532.67		R44	38 414.85	2 964 794.18
L45	38 503.88	2 964 532.18		R45	38 473.59	2 964 528.52
L46	38 540.18	2 964 368.90		R46	38 552.98	2 964 171.59
L47	38 631.15	2 963 962.52		R47	38 631.68	2 963 816.08
L48	38 661.83	2 963 825.65		R48	38 683.99	2 963 579.65
L49	38 714.26	2 963 589.25		R49	38 770.88	2 963 190.66
L50	38 803.41	2 963 188.34		R50	38 835.84	2 962 898.89
L51	38 866.56	2 962 903.33		R51	38 902.51	2 962 597.04
				Vel Sheet	22 Van of	31 P887/15

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°		Y	X
L52	38 897.78	2 962 761.16		R52	38 926.30	2 962 488.89
L53	38 956.10	2 962 496.38		R53	39 059.05	2 961 888.33
L54	39 020.77	2 962 205.24		R54	39 127.81	2 961 575.63
L55	39 090.35	2 961 890.97		R55	39 282.05	2 960 875.79
L56	39 106.45	2 961 817.02		R56	39 290.27	2 960 838.15
L57	39 158.71	2 961 580.42		R57	39 438.81	2 960 164.07
L58	39 312.54	2 960 880.95		R58	39 480.65	2 959 962.75
L59	39 398.53	2 960 491.13		R59	39 525.18	2 959 745.32
L60	39 469.37	2 960 169.43		R60	39 562.63	2 959 556.68
L61	39 556.25	2 959 766.95		R61	39 614.61	2 959 295.89
L62	39 630.58	2 959 374.27		R62	39 643.63	2 959 160.92
L63	39 643.48	2 959 305.80		R63	39 689.66	2 958 952.79
L64	39 677.11	2 959 155.96		R64	39 707.17	2 958 871.97
L65	39 717.31	2 958 971.63		R65	39 722.37	2 958 801.79
L66	39 737.42	2 958 879.86		R66	39 813.85	2 958 386.86
L67	39 752.82	2 958 809.62		R67	39 852.82	2 958 209.19
L68	39 815.67	2 958 525.62		R68	39 856.12	2 958 190.83
L69	39 845.13	2 958 391.38		R69	39 887.75	2 958 015.04
L70	39 882.54	2 958 224.23		R70	39 901.06	2 957 938.36
L71	39 887.89	2 958 199.40		R71	39 916.55	2 957 836.35
L72	39 917.54	2 958 025.85		R72	39 918.87	2 957 815.46
L73	39 930.54	2 957 950.66		R73	39 942.58	2 957 622.66
L74	39 951.14	2 957 785.33		R74	39 962.69	2 957 455.64
L75	39 957.29	2 957 737.96		R75	39 994.55	2 957 191.96
L76	39 991.40	2 957 464.18		R76	40 084.54	2 956 445.52
L77	40 024.32	2 957 201.33		R77	40 108.78	2 956 246.34
L78	40 103.52	2 956 547.40		R78	40 134.67	2 956 032.24
L79	40 114.93	2 956 455.09		R79	40 202.40	2 955 474.10
L80	40 163.16	2 956 054.13		R80	40 235.81	2 955 197.01
L81	40 265.85	2 955 206.55		R81	40 337.26	2 954 358.10
L82	40 353.37	2 954 483.54		R82	40 365.59	2 954 211.64
L83	40 391.01	2 954 238.17		R83	40 397.82	2 954 059.60
L84	40 466.82	2 953 882.56		R84	40 434.07	2 953 889.56
L85	40 514.50	2 953 656.75		R85	40 519.89	2 953 487.90
L86	40 554.12	2 953 472.53		R86	40 579.35	2 953 213.65
L87	40 607.76	2 953 220.16		R87	40 595.72	2 953 109.78
L88	40 624.35	2 953 122.27		R88	40 610.04	2 952 934.93
L89	40 632.42	2 953 028.43		R89	40 612.14	2 952 909.30
L90	40 639.08	2 952 923.29		R90	40 613.61	2 952 874.97
L91	40 642.83	2 952 863.75		R91	40 624.14	2 952 628.55
L92	40 658.66	2 952 618.77		R92	40 631.59	2 952 451.87
L93	40 669.01	2 952 456.62		R93	40 632.35	2 952 434.18
L94	40 684.51	2 952 451.47		R94	40 627.21	2 952 407.10
L95	40 683.97	2 952 435.46		R95	40 647.58	2 951 970.72
L96	40 683.21	2 952 413.26		R96	40 663.86	2 951 638.43
L97	40 666.89	2 952 407.78		R97	40 666.86	2 951 565.98
L98	40 687.12	2 951 967.21		R98	40 667.37	2 951 556.00
L99	40 698.82	2 951 712.02		R99	40 669.62	2 951 509.66
L100	40 702.80	2 951 634.09		R100	40 672.81	2 951 444.76
L101	40 712.65	2 951 440.80		R101	40 678.75	2 951 268.42
L102	40 718.51	2 951 262.92		R102	40 674.17	2 951 168.44
				Vel Sheet	23 Van of 31	P887/15

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L103	40 713.93	2	951 163.89		R103	40 663.10	2	951 064.82	
L104	40 710.15	2	951 121.19		R104	40 644.49	2	950 962.70	
L105	40 698.86	2	951 037.78		R105	40 549.97	2	950 636.60	
L106	40 683.19	2	950 953.26		R106	40 486.64	2	950 433.38	
L107	40 662.06	2	950 865.44		R107	40 390.78	2	950 125.59	
L108	40 641.31	2	950 783.83		R108	40 357.56	2	950 019.14	
L109	40 639.25	2	950 776.33		R109	40 314.23	2	949 880.04	
L110	40 618.63	2	950 709.77		R110	40 212.46	2	949 553.78	
L111	40 613.11	2	950 702.56		R111	40 101.01	2	949 195.45	
L112	40 592.49	2	950 632.17		R112	40 031.66	2	948 972.46	
L113	40 581.18	2	950 594.19		R113	39 980.80	2	948 809.15	
L114	40 576.89	2	950 591.84		R114	39 891.06	2	948 522.86	
L115	40 526.59	2	950 428.93		R115	39 808.98	2	948 259.28	
L116	40 398.19	2	950 017.72		R116	39 748.37	2	948 062.51	
L117	40 285.74	2	949 655.85		R117	39 735.27	2	948 022.18	
L118	40 159.98	2	949 251.64		R118	39 633.19	2	947 695.81	
L119	40 084.16	2	949 007.63		R119	39 596.80	2	947 578.26	
L120	39 958.87	2	948 606.76		R120	39 544.35	2	947 410.03	
L121	39 919.80	2	948 480.52		R121	39 475.24	2	947 188.55	
L122	39 786.56	2	948 052.45		R122	39 473.92	2	947 184.24	
L123	39 702.26	2	947 782.91		R123	39 412.23	2	946 983.49	
L124	39 691.36	2	947 748.02		R124	39 365.94	2	946 821.29	
L125	39 655.27	2	947 632.35		R125	39 355.62	2	946 776.38	
L126	39 630.36	2	947 564.48		R126	39 324.93	2	946 642.95	
L127	39 575.61	2	947 387.06		R127	39 296.00	2	946 542.01	
L128	39 526.92	2	947 228.27		R128	39 237.71	2	946 334.22	
L129	39 507.32	2	947 164.82		R129	39 201.60	2	946 203.70	
L130	39 505.99	2	947 160.54		R130	39 185.46	2	946 145.37	
L131	39 500.45	2	947 148.96		R131	39 170.40	2	946 094.49	
L132	39 456.55	2	947 005.08		R132	39 125.84	2	945 934.14	
L133	39 399.22	2	946 817.37		R133	39 083.51	2	945 780.79	
L134	39 394.79	2	946 781.21		R134	39 074.05	2	945 779.32	
L135	39 329.26	2	946 545.92		R135	39 025.19	2	945 607.18	
L136	39 286.06	2	946 389.84		R136	38 956.70	2	945 367.26	
L137	39 236.64	2	946 212.93		R137	38 883.46	2	945 112.31	
L138	39 214.60	2	946 134.02		R138	38 825.35	2	944 909.31	
L139	39 157.55	2	945 930.66		R139	38 781.49	2	944 755.46	
L140	39 116.89	2	945 785.99		R140	38 762.81	2	944 688.39	
L141	39 060.36	2	945 587.26		R141	38 685.08	2	944 417.41	
L142	38 992.35	2	945 346.50		R142	38 585.48	2	944 070.99	
L143	38 822.30	2	944 757.05		R143	38 478.95	2	943 699.16	
L144	38 803.59	2	944 688.96		R144	38 405.32	2	943 440.41	
L145	38 710.57	2	944 364.47		R145	38 396.87	2	943 410.73	
L146	38 628.66	2	944 078.01		R146	38 318.73	2	943 123.05	
L147	38 569.61	2	943 870.69		R147	38 258.03	2	942 894.41	
L148	38 487.68	2	943 584.24		R148	38 167.91	2	942 553.93	
L149	38 448.87	2	943 448.61		R149	38 127.98	2	942 403.33	
L150	38 438.67	2	943 413.08		R150	38 131.78	2	942 401.72	
L151	38 360.53	2	943 125.67		R151	38 092.50	2	942 253.28	
L152	38 301.66	2	942 903.54		R152	38 072.64	2	942 178.36	
L153	38 239.94	2	942 668.72		R153	38 023.48	2	941 992.84	
					Vel 24 Van of 31 P887/15 Sheet of				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°		Y	X
L154	38 207.11	2 942 546.62		R154	37 993.01	2 941 879.48
L155	38 165.45	2 942 391.44		R155	37 963.81	2 941 770.03
L156	38 161.92	2 942 392.66		R156	37 936.90	2 941 689.23
L157	38 120.20	2 942 235.94		R157	37 935.98	2 941 687.29
L158	38 102.45	2 942 169.46		R158	37 933.55	2 941 682.19
L159	38 078.33	2 942 077.90		R159	37 870.61	2 941 497.29
L160	38 054.53	2 941 988.14		R160	37 807.29	2 941 312.49
L161	38 017.32	2 941 849.27		R161	37 742.49	2 941 120.79
L162	38 010.99	2 941 825.64		R162	37 718.24	2 941 049.39
L163	37 994.68	2 941 768.91		R163	37 678.85	2 940 933.38
L164	37 965.74	2 941 680.83		R164	37 647.23	2 940 839.31
L165	37 920.43	2 941 547.70		R165	37 644.94	2 940 832.49
L166	37 886.42	2 941 447.45		R166	37 611.51	2 940 717.23
L167	37 837.62	2 941 304.31		R167	37 583.60	2 940 593.83
L168	37 817.84	2 941 246.28		R168	37 552.70	2 940 452.73
L169	37 750.21	2 941 047.32		R169	37 536.97	2 940 393.33
L170	37 692.84	2 940 878.53		R170	37 524.91	2 940 347.98
L171	37 681.63	2 940 841.41		R171	37 496.17	2 940 268.39
L172	37 676.96	2 940 825.91		R172	37 442.64	2 940 148.51
L173	37 643.21	2 940 714.12		R173	37 306.72	2 939 865.76
L174	37 616.64	2 940 595.67		R174	37 271.60	2 939 790.10
L175	37 587.86	2 940 467.42		R175	37 201.58	2 939 643.29
L176	37 578.89	2 940 429.61		R176	37 035.46	2 939 295.39
L177	37 559.23	2 940 353.51		R177	36 944.62	2 939 105.53
L178	37 525.25	2 940 255.96		R178	36 894.55	2 938 999.38
L179	37 473.18	2 940 139.71		R179	36 883.38	2 938 975.71
L180	37 339.85	2 939 860.13		R180	36 817.50	2 938 825.47
L181	37 232.74	2 939 635.89		R181	36 812.95	2 938 812.02
L182	37 118.79	2 939 397.09		R182	36 807.91	2 938 797.12
L183	37 063.18	2 939 280.56		R183	36 780.95	2 938 709.09
L184	37 017.09	2 939 183.88		R184	36 724.24	2 938 522.58
L185	36 973.15	2 939 091.47		R185	36 690.73	2 938 412.35
L186	36 923.18	2 938 985.94		R186	36 661.48	2 938 316.07
L187	36 912.24	2 938 963.20		R187	36 617.47	2 938 170.43
L188	36 883.64	2 938 896.29		R188	36 614.80	2 938 161.61
L189	36 836.63	2 938 784.86		R189	36 593.25	2 938 090.28
L190	36 766.24	2 938 554.04		R190	36 570.04	2 938 013.46
L191	36 751.87	2 938 506.54		R191	36 537.49	2 937 905.76
L192	36 716.84	2 938 390.72		R192	36 489.16	2 937 745.76
L193	36 665.73	2 938 221.74		R193	36 468.19	2 937 676.34
L194	36 645.78	2 938 155.78		R194	36 430.20	2 937 549.54
L195	36 622.60	2 938 078.41		R195	36 382.76	2 937 391.17
L196	36 599.26	2 938 001.25		R196	36 343.53	2 937 259.46
L197	36 551.65	2 937 843.91		R197	36 341.14	2 937 246.09
L198	36 517.31	2 937 729.95		R198	36 319.40	2 937 124.10
L199	36 522.80	2 937 726.87		R199	36 317.23	2 936 946.20
L200	36 513.39	2 937 690.08		R200	36 301.30	2 936 910.75
L201	36 505.29	2 937 657.58		R201	36 290.50	2 936 886.72
L202	36 496.76	2 937 661.89		R202	36 320.08	2 936 864.51
L203	36 461.82	2 937 545.92		R203	36 325.51	2 936 706.03
L204	36 434.67	2 937 455.82		R204	36 335.56	2 936 448.97
				Vel Sheet	25 Van of	31 P887/15

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 27°			Y	X		
L205	36 375.44	2 937 259.74			R205	36 337.81	2 936 399.97		
L206	36 373.23	2 937 247.12			R206	36 338.57	2 936 369.82		
L207	36 349.98	2 937 114.15			R207	36 341.00	2 936 286.96		
L208	36 347.29	2 937 025.10			R208	36 340.59	2 936 211.12		
L209	36 347.98	2 936 965.39			R209	36 332.14	2 936 105.47		
L210	36 350.98	2 936 880.73			R210	36 327.72	2 936 083.47		
L211	36 367.29	2 936 443.82			R211	36 324.30	2 936 066.43		
L212	36 370.16	2 936 365.15			R212	36 311.06	2 936 000.45		
L213	36 371.03	2 936 282.81			R213	36 272.77	2 935 870.48		
L214	36 371.81	2 936 208.55			R214	36 180.93	2 935 566.27		
L215	36 362.70	2 936 098.88			R215	36 129.27	2 935 394.35		
L216	36 354.26	2 936 056.89			R216	35 991.06	2 934 935.49		
L217	36 341.26	2 935 992.21			R217	35 975.09	2 934 882.41		
L218	36 302.65	2 935 860.06			R218	35 967.49	2 934 857.11		
L219	36 209.63	2 935 551.92			R219	35 939.45	2 934 763.82		
L220	36 157.61	2 935 378.80			R220	35 872.79	2 934 542.54		
L221	36 150.39	2 935 354.78			R221	35 803.39	2 934 312.85		
L222	36 176.97	2 935 339.56			R222	35 754.42	2 934 149.86		
L223	36 174.48	2 935 314.03			R223	35 710.25	2 934 022.31		
L224	36 136.34	2 935 308.65			R224	35 667.64	2 933 939.47		
L225	36 077.32	2 935 113.01			R225	35 603.49	2 933 854.28		
L226	36 018.42	2 934 919.48			R226	35 525.61	2 933 748.14		
L227	36 007.14	2 934 882.39			R227	35 518.30	2 933 738.79		
L228	36 006.54	2 934 878.71			R228	35 357.85	2 933 533.67		
L229	35 995.99	2 934 843.61			R229	35 332.40	2 933 501.43		
L230	35 984.54	2 934 805.52			R230	35 135.99	2 933 261.86		
L231	35 965.14	2 934 741.01			R231	35 072.62	2 933 184.65		
L232	35 877.06	2 934 448.02			R232	35 064.44	2 933 172.03		
L233	35 802.94	2 934 202.84			R233	35 017.02	2 933 100.18		
L234	35 776.25	2 934 112.81			R234	35 006.99	2 933 085.10		
L235	35 757.70	2 934 061.45			R235	34 955.60	2 933 019.02		
L236	35 738.50	2 934 008.31			R236	34 936.57	2 932 993.79		
L237	35 694.35	2 933 922.78			R237	34 918.36	2 932 970.97		
L238	35 627.06	2 933 831.96			R238	34 880.15	2 932 923.11		
L239	35 539.01	2 933 714.72			R239	34 822.21	2 932 848.48		
L240	35 511.16	2 933 677.75			R240	34 746.24	2 932 748.28		
L241	35 501.57	2 933 665.01			R241	34 705.32	2 932 687.82		
L242	35 405.88	2 933 536.69			R242	34 683.94	2 932 652.89		
L243	35 361.34	2 933 478.69			R243	34 629.95	2 932 555.64		
L244	35 355.60	2 933 471.21			R244	34 623.24	2 932 541.33		
L245	35 151.62	2 933 229.23			R245	34 548.85	2 932 382.60		
L246	35 096.17	2 933 163.00			R246	34 492.70	2 932 261.43		
L247	35 093.55	2 933 158.70			R247	34 465.58	2 932 202.89		
L248	35 086.86	2 933 147.71			R248	34 370.50	2 931 996.30		
L249	35 037.54	2 933 072.85			R249	34 356.57	2 931 966.28		
L250	34 946.27	2 932 956.05			R250	34 295.47	2 931 834.63		
L251	34 909.08	2 932 908.45			R251	34 204.46	2 931 639.93		
L252	34 851.32	2 932 834.45			R252	34 178.34	2 931 585.47		
L253	34 772.05	2 932 730.00			R253	34 019.52	2 931 246.27		
L254	34 736.14	2 932 675.35			R254	33 980.03	2 931 161.92		
L255	34 711.69	2 932 638.15			R255	33 908.04	2 931 015.60		
					Vel 26 Van 31 P887/15 Sheet of				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L256	34 668.72	2	932 560.88		R256	33 863.64	2	930 918.02	
L257	34 658.13	2	932 541.84		R257	33 797.73	2	930 809.32	
L258	34 653.21	2	932 531.42		R258	33 723.91	2	930 713.49	
L259	34 605.51	2	932 430.34		R259	33 662.79	2	930 646.25	
L260	34 576.69	2	932 367.51		R260	33 650.89	2	930 633.16	
L261	34 563.53	2	932 339.08		R261	33 557.58	2	930 540.47	
L262	34 561.31	2	932 339.81		R262	33 291.14	2	930 275.32	
L263	34 562.04	2	932 335.87		R263	32 890.35	2	929 876.99	
L264	34 537.86	2	932 283.62		R264	32 795.43	2	929 781.76	
L265	34 493.34	2	932 187.51		R265	32 714.09	2	929 692.27	
L266	34 418.38	2	932 025.38		R266	32 609.76	2	929 553.18	
L267	34 384.06	2	931 951.27		R267	32 438.07	2	929 319.59	
L268	34 322.03	2	931 817.28		R268	32 339.26	2	929 202.63	
L269	34 325.77	2	931 815.71		R269	32 333.65	2	929 195.98	
L270	34 261.43	2	931 684.68		R270	32 192.14	2	929 058.31	
L271	34 258.92	2	931 679.56		R271	32 096.68	2	928 979.81	
L272	34 205.49	2	931 570.74		R272	31 991.20	2	928 903.90	
L273	34 202.80	2	931 560.38		R273	31 821.50	2	928 802.40	
L274	34 134.98	2	931 422.68		R274	31 713.85	2	928 749.05	
L275	34 068.23	2	931 272.22		R275	31 615.74	2	928 706.07	
L276	34 044.21	2	931 216.78		R276	31 604.29	2	928 702.13	
L277	34 007.98	2	931 144.86		R277	31 359.15	2	928 617.79	
L278	33 979.58	2	931 080.34		R278	30 954.68	2	928 480.65	
L279	33 961.85	2	931 052.59		R279	30 720.77	2	928 386.59	
L280	33 935.65	2	931 002.03		R280	30 572.45	2	928 325.84	
L281	33 890.51	2	930 903.34		R281	30 325.12	2	928 224.39	
L282	33 886.49	2	930 894.88		R282	29 975.62	2	928 081.25	
L283	33 822.27	2	930 789.43		R283	29 853.51	2	928 018.40	
L284	33 810.44	2	930 774.47		R284	29 769.99	2	927 953.77	
L285	33 746.53	2	930 691.78		R285	29 738.68	2	927 920.18	
L286	33 671.90	2	930 609.71		R286	29 719.13	2	927 898.70	
L287	33 624.26	2	930 562.36		R287	29 687.17	2	927 864.74	
L288	33 501.99	2	930 440.76		R288	29 621.62	2	927 761.14	
L289	33 394.00	2	930 333.35		R289	29 569.68	2	927 624.83	
L290	33 320.63	2	930 260.32		R290	29 551.53	2	927 534.62	
L291	33 228.12	2	930 168.19		R291	29 547.47	2	927 511.25	
L292	33 115.41	2	930 055.79		R292	29 539.97	2	927 467.79	
L293	33 083.70	2	930 024.17		R293	29 503.36	2	927 257.24	
L294	32 946.65	2	929 888.54		R294	29 465.15	2	927 041.10	
L295	32 909.82	2	929 852.10		R295	29 457.46	2	926 997.61	
L296	32 792.91	2	929 732.12		R296	29 441.70	2	926 908.54	
L297	32 739.60	2	929 673.29		R297	29 418.87	2	926 781.90	
L298	32 544.09	2	929 410.17		R298	29 415.34	2	926 762.32	
L299	32 511.87	2	929 366.81		R299	29 342.19	2	926 461.62	
L300	32 457.80	2	929 293.95		R300	29 337.26	2	926 446.27	
L301	32 364.92	2	929 183.32		R301	29 312.42	2	926 375.27	
L302	32 353.01	2	929 171.69		R302	29 309.69	2	926 367.47	
L303	32 212.61	2	929 034.37		R303	29 281.79	2	926 300.80	
L304	32 116.70	2	928 955.46		R304	29 254.03	2	926 236.42	
L305	32 018.99	2	928 884.96		R305	29 234.64	2	926 202.49	
L306	31 837.09	2	928 774.97		R306	29 198.57	2	926 135.75	
					Vel 27 Van 31 P887/15 Sheet of				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L307	31 730.26	2	928 722.06		R307	29 140.01	2	926 050.37	
L308	31 673.09	2	928 698.86		R308	29 077.87	2	925 970.95	
L309	31 665.17	2	928 693.60		R309	29 044.54	2	925 936.94	
L310	31 637.89	2	928 684.50		R310	28 966.03	2	925 856.83	
L311	31 580.61	2	928 660.74		R311	28 858.35	2	925 768.59	
L312	31 571.43	2	928 657.46		R312	28 288.16	2	925 336.12	
L313	31 370.41	2	928 592.54		R313	27 945.29	2	925 076.96	
L314	30 990.31	2	928 461.13		R314	27 728.38	2	924 912.24	
L315	30 600.34	2	928 303.06		R315	27 596.24	2	924 808.86	
L316	30 257.96	2	928 162.81		R316	27 459.81	2	924 623.93	
L317	29 987.39	2	928 052.08		R317	27 370.65	2	924 425.42	
L318	29 870.74	2	927 991.98		R318	27 286.29	2	924 186.65	
L319	29 791.61	2	927 930.93		R319	27 269.74	2	924 139.92	
L320	29 712.82	2	927 846.38		R320	27 246.78	2	924 139.69	
L321	29 649.55	2	927 747.16		R321	27 238.11	2	924 103.12	
L322	29 600.78	2	927 618.40		R322	27 256.13	2	924 102.86	
L323	29 578.02	2	927 504.51		R323	27 189.87	2	923 915.52	
L324	29 579.64	2	927 461.44		R324	27 116.22	2	923 710.66	
L325	29 578.19	2	927 440.44		R325	27 056.24	2	923 541.24	
L326	29 570.40	2	927 401.33		R326	27 023.89	2	923 452.06	
L327	29 539.99	2	927 248.72		R327	27 010.16	2	923 413.63	
L328	29 492.28	2	926 983.98		R328	26 959.45	2	923 272.56	
L329	29 490.90	2	926 975.75		R329	26 922.93	2	923 165.64	
L330	29 489.30	2	926 966.14		R330	26 909.27	2	923 113.24	
L331	29 476.74	2	926 890.89		R331	26 895.91	2	923 040.98	
L332	29 474.71	2	926 881.69		R332	26 886.08	2	922 968.63	
L333	29 461.25	2	926 820.78		R333	26 871.73	2	922 863.07	
L334	29 447.19	2	926 757.10		R334	26 867.42	2	922 834.19	
L335	29 435.56	2	926 704.42		R335	26 854.15	2	922 778.31	
L336	29 429.95	2	926 681.06		R336	26 818.50	2	922 680.86	
L337	29 427.66	2	926 671.98		R337	26 747.79	2	922 529.04	
L338	29 415.46	2	926 623.66		R338	26 730.07	2	922 493.79	
L339	29 365.06	2	926 424.02		R339	26 655.49	2	922 345.46	
L340	29 294.51	2	926 250.27		R340	26 611.84	2	922 256.87	
L341	29 286.69	2	926 235.22		R341	26 542.67	2	922 154.73	
L342	29 223.65	2	926 113.86		R342	26 475.83	2	922 087.37	
L343	29 172.66	2	926 015.70		R343	26 429.14	2	922 051.15	
L344	29 157.42	2	926 021.61		R344	26 367.24	2	922 012.34	
L345	29 100.59	2	925 949.38		R345	26 292.07	2	921 979.26	
L346	29 069.28	2	925 915.42		R346	26 235.99	2	921 958.96	
L347	29 047.79	2	925 891.14		R347	26 136.89	2	921 924.03	
L348	28 961.44	2	925 814.31		R348	26 008.67	2	921 878.02	
L349	28 929.05	2	925 785.49		R349	25 942.43	2	921 848.62	
L350	28 882.29	2	925 747.17		R350	25 923.83	2	921 838.73	
L351	28 661.93	2	925 580.14		R351	25 855.10	2	921 796.24	
L352	28 300.64	2	925 306.36		R352	25 842.13	2	921 786.23	
L353	27 846.04	2	924 962.21		R353	25 639.15	2	921 606.23	
L354	27 831.25	2	924 950.97		R354	25 416.73	2	921 408.20	
L355	27 746.57	2	924 886.60		R355	25 267.92	2	921 275.25	
L356	27 728.92	2	924 873.19		R356	25 124.90	2	921 147.98	
L357	27 622.83	2	924 782.22		R357	25 055.34	2	921 085.73	
					Vel	28	Van	31	P887/15
					Sheet		of		

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES					
LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°	Y	X
L358	27 552.56	2 924 702.35		R358	24 984.42 2 921 022.28
L359	27 462.88	2 924 562.66		R359	24 879.86 2 920 928.79
L360	27 386.28	2 924 372.79		R360	24 661.67 2 920 736.26
L361	27 307.07	2 924 151.05		R361	24 441.32 2 920 540.94
L362	27 095.81	2 923 561.24		R362	24 140.31 2 920 292.15
L363	27 082.93	2 923 525.16		R363	23 830.97 2 920 039.32
L364	27 083.13	2 923 525.04		R364	23 666.06 2 919 926.82
L365	27 039.62	2 923 403.85		R365	23 468.57 2 919 812.22
L366	26 986.53	2 923 260.93		R366	23 399.98 2 919 772.78
L367	26 952.80	2 923 156.61		R367	23 192.62 2 919 652.59
L368	26 939.76	2 923 105.14		R368	23 106.56 2 919 602.92
L369	26 923.64	2 923 009.06		R369	23 047.08 2 919 560.20
L370	26 914.16	2 922 939.32		R370	23 000.15 2 919 526.17
L371	26 910.10	2 922 907.67		R371	22 992.40 2 919 520.08
L372	26 903.80	2 922 866.76		R372	22 985.11 2 919 513.81
L373	26 884.25	2 922 769.96		R373	22 957.48 2 919 488.60
L374	26 883.02	2 922 766.53		R374	22 935.43 2 919 466.99
L375	26 847.02	2 922 666.39		R375	22 900.81 2 919 433.05
L376	26 805.70	2 922 581.71		R376	22 892.70 2 919 425.09
L377	26 774.56	2 922 520.14		R377	22 845.72 2 919 366.96
L378	26 756.67	2 922 484.76		R378	22 841.49 2 919 361.73
L379	26 713.27	2 922 391.68		R379	22 797.06 2 919 296.69
L380	26 687.22	2 922 338.70		R380	22 760.74 2 919 222.16
L381	26 642.05	2 922 246.81		R381	22 717.85 2 919 133.90
L382	26 638.11	2 922 239.55		R382	22 716.05 2 919 130.21
L383	26 579.81	2 922 153.16		R383	22 689.71 2 919 044.79
L384	26 568.69	2 922 136.68		R384	22 661.43 2 918 951.28
L385	26 497.43	2 922 064.65		R385	22 639.55 2 918 874.79
L386	26 447.96	2 922 026.08		R386	22 614.57 2 918 787.87
L387	26 380.78	2 921 984.17		R387	22 586.76 2 918 696.17
L388	26 301.10	2 921 949.28		R388	22 527.91 2 918 493.53
L389	26 246.87	2 921 929.93		R389	22 485.22 2 918 343.32
L390	26 009.36	2 921 845.47		R390	22 425.73 2 918 134.99
L391	25 968.93	2 921 827.43		R391	22 361.42 2 917 911.50
L392	25 958.82	2 921 822.92		R392	22 345.09 2 917 854.31
L393	25 900.42	2 921 787.02		R393	22 325.56 2 917 785.96
L394	25 890.87	2 921 781.51		R394	22 310.09 2 917 738.78
L395	25 887.02	2 921 779.29		R395	22 291.37 2 917 699.71
L396	25 861.96	2 921 761.48		R396	22 287.68 2 917 700.53
L397	25 854.28	2 921 755.43		R397	22 273.83 2 917 707.46
L398	25 776.51	2 921 687.43		R398	22 262.31 2 917 684.44
L399	25 570.46	2 921 503.39		R399	22 259.11 2 917 678.04
L400	25 324.88	2 921 284.47		R400	22 276.13 2 917 669.25
L401	25 161.87	2 921 138.91		R401	22 213.51 2 917 542.11
L402	25 152.56	2 921 131.57		R402	22 209.33 2 917 534.31
L403	25 137.98	2 921 118.46		R403	22 186.33 2 917 488.15
L404	24 984.71	2 920 980.87		R404	22 099.24 2 917 313.41
L405	24 871.62	2 920 879.68		R405	22 036.52 2 917 187.65
L406	24 683.95	2 920 713.34		R406	21 989.07 2 917 091.73
L407	24 477.10	2 920 529.98		R407	21 792.04 2 916 696.21
L408	24 173.89	2 920 279.08		R408	21 702.94 2 916 516.96
			Vel Sheet	29 Van of 31	P887/15

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 27°		Y	X			
L409	23 867.53	2 920 028.04			R409	21 648.10	2 916 407.02		
L410	23 854.26	2 920 017.17			R410	21 602.37	2 916 317.44		
L411	23 677.27	2 919 900.90			R411	21 524.67	2 916 161.92		
L412	23 203.66	2 919 623.88			R412	21 506.61	2 916 126.37		
L413	23 134.71	2 919 583.55			R413	21 427.40	2 915 969.17		
L414	23 065.14	2 919 538.28			R414	21 361.01	2 915 832.27		
L415	23 005.24	2 919 491.24			R415	21 277.67	2 915 645.74		
L416	22 917.06	2 919 405.10			R416	21 189.90	2 915 448.21		
L417	22 869.04	2 919 346.30			R417	21 095.26	2 915 234.75		
L418	22 826.47	2 919 284.21			R418	21 069.43	2 915 175.08		
L419	22 823.90	2 919 278.93			R419	20 693.89	2 914 331.97		
L420	22 787.60	2 919 204.26			R420	20 626.71	2 914 207.25		
L421	22 744.00	2 919 114.56			R421	20 621.47	2 914 167.73		
L422	22 742.44	2 919 111.35			R422	20 443.36	2 913 767.17		
L423	22 716.35	2 919 024.15			R423	20 358.56	2 913 623.54		
L424	22 688.77	2 918 931.96			R424	20 259.15	2 913 492.45		
L425	22 664.21	2 918 859.13			R425	20 244.30	2 913 477.15		
L426	22 639.45	2 918 772.62			R426	20 174.51	2 913 410.63		
L427	22 613.09	2 918 680.44			R427	20 133.03	2 913 389.22		
L428	22 555.14	2 918 477.77			R428	20 109.01	2 913 386.63		
L429	22 512.75	2 918 329.54			R429	20 051.99	2 913 407.66		
L430	22 512.51	2 918 328.62			R430	20 004.22	2 913 364.71		
L431	22 508.72	2 918 313.99			R431	20 043.89	2 913 318.00		
L432	22 498.31	2 918 277.50			R432	20 045.75	2 913 299.43		
L433	22 487.64	2 918 240.08			R433	20 025.81	2 913 258.37		
L434	22 484.17	2 918 227.92			R434	19 936.92	2 913 147.93		
L435	22 482.27	2 918 221.34			R435	19 933.78	2 913 144.62		
L436	22 477.75	2 918 205.63			R436	19 927.56	2 913 139.19		
L437	22 453.36	2 918 120.93			R437	19 830.41	2 913 054.41		
L438	22 389.27	2 917 896.64			R438	19 724.80	2 912 944.92		
L439	22 373.33	2 917 841.00			R439	19 681.99	2 912 900.64		
L440	22 351.75	2 917 765.53			R440	19 619.06	2 912 843.13		
L441	22 338.42	2 917 718.96			R441	19 549.38	2 912 793.83		
L442	22 308.44	2 917 660.75			R442	19 473.53	2 912 753.51		
L443	22 278.47	2 917 602.52			R443	19 431.28	2 912 736.44		
L444	22 214.91	2 917 474.79			R444	19 396.07	2 912 722.21		
L445	22 128.86	2 917 302.39			R445	19 311.67	2 912 703.21		
L446	22 065.92	2 917 175.98			R446	19 226.97	2 912 693.52		
L447	22 019.34	2 917 082.05			R447	19 141.66	2 912 695.58		
L448	21 911.26	2 916 865.39			R448	19 015.03	2 912 705.61		
L449	21 818.95	2 916 679.73			R449	19 003.21	2 912 705.82		
L450	21 733.14	2 916 507.23			R450	18 952.82	2 912 706.65		
L451	21 725.94	2 916 493.04			R451	18 930.65	2 912 704.29		
L452	21 385.12	2 915 808.83			R452	18 913.41	2 912 708.48		
L453	21 305.77	2 915 632.06			R453	18 892.13	2 912 713.65		
L454	21 217.03	2 915 432.07			R454	18 873.03	2 912 706.15		
L455	21 123.23	2 915 220.76			R455	18 847.69	2 912 696.20		
L456	21 034.15	2 915 020.18			R456	18 841.58	2 912 693.80		
L457	20 967.26	2 914 869.43			R457	18 833.62	2 912 690.67		
L458	20 874.93	2 914 661.14			R458	18 828.16	2 912 688.53		
L459	20 786.01	2 914 460.65			R459	18 827.39	2 912 688.23		
Vel Sheet					30	Van of	31	P887/15	

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°		Y	X
L460	20 736.87	2 914 350.41		R460	18 773.03	2 912 666.88
L461	20 691.86	2 914 229.81		R461	18 755.98	2 912 658.71
L462	20 678.99	2 914 207.97		R462	18 714.48	2 912 638.83
L463	20 657.66	2 914 171.76		R463	18 667.99	2 912 627.24
L464	20 472.28	2 913 754.33				
L465	20 384.63	2 913 605.68				
L466	20 274.45	2 913 462.98				
L467	20 267.68	2 913 455.95				
L468	20 212.66	2 913 393.06				
L469	20 192.19	2 913 350.10				
L470	20 194.43	2 913 332.82				
L471	20 237.83	2 913 289.88				
L472	20 186.74	2 913 245.02				
L473	20 127.62	2 913 263.72				
L474	20 106.31	2 913 261.19				
L475	20 064.37	2 913 239.11				
L476	19 948.37	2 913 119.03				
L477	19 858.88	2 913 026.35				
L478	19 769.87	2 912 932.86				
L479	19 711.50	2 912 871.56				
L480	19 644.71	2 912 810.56				
L481	19 570.80	2 912 758.37				
L482	19 490.96	2 912 715.86				
L483	19 473.98	2 912 709.40				
L484	19 406.85	2 912 683.80				
L485	19 313.98	2 912 663.20				
L486	19 228.91	2 912 652.10				
L487	19 166.72	2 912 652.85				
L488	19 016.88	2 912 665.61				
L489	18 866.81	2 912 653.38				
L490	18 788.35	2 912 628.08				
L491	18 762.67	2 912 614.73				
L492	18 701.54	2 912 582.95				
L493	18 699.74	2 912 576.39				
				Vel Sheet	31 Van of	31 P887/15