

DEPARTMENT OF TRANSPORT

NO. 1311

26 OCTOBER 2016

**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED**

Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD R52 SECTION 3

AMENDMENT OF DECLARATION No. 784 OF 2012.

By virtue of Section 40(1)(b) of The South African National Roads Agency Limited and National Roads Act, 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 784 of 2012 by substituting paragraph F of the Schedule, being the descriptive declaration of the route from its junction with road R509 up to its junction with Naiona Road N4 Section 14, with the accompanying sheets 1 to 11 of Plan No. P880/15.

In the town of Koster the route enters the town along R52 from the South and follows the street known as Rissik Street at the time of declaration.

(National Road R52 Section 3: Koster – Rustenburg(N4))**MINISTER OF TRANSPORT**

DEPARTEMENT VAN VERVOER

NO. 1311

26 OKTOBER 2016

**DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSKAP MSB BEPERK**

Registrasie No: 1998/009584/30


VERKLARING WYSIGING VAN NASIONALE PAD R52 SEKSIE 3

WYSIGING VAN VERKLARING No. 784 VAN 2012.


Kragtens Artikel 40(1)(b) van die Wet op die Suid-Afrikaanse Nasionale Padagentskap Beperk en op Nasionale Paaie, 1998 (Wet No. 7 van 1998), wysig ek hiermee Verklaring No. 784 van 2012 deur paragraaf F van die Skedule te vervang, synde die gedeelte van die beskrywende verklaring van die pad vanaf die aansluiting met pad R509 tot by die aansluiting met Nasionale Pad N4 Seksie 14, met bygaande velle 1 tot 11 van Plan No. P880/15.


In die dorp Koster kom die pad die dorp binne van uit die Suide langs die R52 en volg die straat bekend as Rissikstraat tydens datum van verklaring.

(Nasionale Pad R52 Seksie 3: Koster – Rustenburg(N4))
MINISTER VAN VERVOER



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stelsel padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R52 of National Route	Vel Sheet 1 of 11 Plan P880/15
---	---	---	---






Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd


Die figuur getoon
The figure shown



stelt die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R52 Sektie
of National Route Section

Vel
Sheet 3 of 11
Plan P880/15





Val
Sheet 5 of 11


Plan
P880/15

stelt die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R52 Seksie
of National Route Section



Die figuur getoon
The figure shown

Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd



PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 27°			Y	X		
L1	10 343.75	2 862 223.08			R1	10 365.45	2 862 204.03		
L2	10 351.27	2 862 223.07			R2	10 387.75	2 862 224.44		
L3	10 385.04	2 862 252.48			R3	10 398.33	2 862 228.24		
L4	10 406.25	2 862 265.71			R4	10 415.77	2 862 235.66		
L5	10 428.38	2 862 272.35			R5	10 438.29	2 862 239.10		
L6	10 447.98	2 862 271.88			R6	10 463.44	2 862 234.90		
L7	10 456.16	2 862 270.91			R7	10 474.14	2 862 227.98		
L8	10 466.65	2 862 269.08			R8	10 486.12	2 862 217.39		
L9	10 490.84	2 862 260.61			R9	10 504.09	2 862 191.60		
L10	10 511.31	2 862 247.88			R10	10 507.17	2 862 172.91		
L11	10 527.15	2 862 233.12			R11	10 505.42	2 862 154.50		
L12	10 538.90	2 862 214.88			R12	10 498.98	2 862 126.54		
L13	10 546.99	2 862 195.62			R13	10 493.28	2 862 106.94		
L14	10 549.45	2 862 175.08			R14	10 488.05	2 862 075.38		
L15	10 549.45	2 862 154.70			R15	10 483.80	2 862 064.44		
L16	10 546.92	2 862 128.83			R16	10 264.67	2 860 996.38		
L17	10 542.33	2 862 098.47			R17	10 247.79	2 860 918.14		
L18	10 522.69	2 862 048.71			R18	10 250.61	2 860 874.46		
L19	10 290.98	2 860 990.71			R19	10 253.91	2 860 851.90		
L20	10 283.23	2 860 923.60			R20	10 265.82	2 860 804.04		
L21	10 285.75	2 860 875.22			R21	10 278.81	2 860 768.86		
L22	10 309.35	2 860 796.41			R22	10 308.34	2 860 704.57		
L23	10 344.75	2 860 721.28			R23	10 519.74	2 860 252.74		
L24	10 547.84	2 860 287.04			R24	10 624.07	2 860 019.90		
L25	10 648.37	2 860 060.95			R25	10 647.44	2 859 923.21		
L26	10 679.83	2 859 956.73			R26	10 654.66	2 859 858.74		
L27	10 694.37	2 859 831.46			R27	10 653.77	2 859 770.30		
L28	10 686.12	2 859 727.23			R28	10 642.25	2 859 692.01		
L29	10 659.62	2 859 611.22			R29	10 631.06	2 859 647.46		
L30	10 648.75	2 859 585.66			R30	10 607.18	2 859 579.68		
L31	10 628.67	2 859 537.18			R31	10 504.12	2 859 415.88		
L32	10 562.97	2 859 428.65			R32	10 393.25	2 859 316.27		
L33	10 515.59	2 859 372.46			R33	10 265.99	2 859 246.62		
L34	10 451.74	2 859 313.35			R34	10 174.43	2 859 217.54		
L35	10 383.71	2 859 264.15			R35	9 898.32	2 859 154.41		
L36	10 336.62	2 859 236.89			R36	9 487.68	2 859 060.36		
L37	10 268.40	2 859 206.89			R37	9 371.14	2 859 028.33		
L38	10 200.53	2 859 185.48			R38	9 290.54	2 858 992.62		
L39	9 884.59	2 859 113.41			R39	9 214.96	2 858 968.36		
L40	9 855.29	2 859 106.71			R40	9 163.12	2 858 954.69		
L41	9 521.63	2 859 030.33			R41	9 103.26	2 858 943.58		
L42	9 433.07	2 859 007.16			R42	9 042.86	2 858 935.80		
L43	9 405.71	2 858 996.04			R43	8 949.83	2 858 932.81		
L44	9 253.07	2 858 940.31			R44	8 615.17	2 858 929.04		
L45	9 195.08	2 858 924.27			R45	8 603.46	2 858 932.36		
L46	9 138.77	2 858 911.74			R46	8 453.88	2 858 931.16		
L47	9 090.17	2 858 903.82			R47	8 218.87	2 858 936.08		
L48	9 039.85	2 858 884.39			R48	8 203.15	2 858 937.61		
L49	9 000.52	2 858 879.22			R49	8 102.71	2 858 953.26		
L50	8 957.19	2 858 894.17			R50	7 895.30	2 858 997.12		
L51	8 708.85	2 858 893.61			R51	7 707.77	2 859 035.96		
					Vel 7 Sheet Van 11 of P880/15				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°		Y	X
L52	8 434.71	2 858 892.63		R52	7 609.32	2 859 045.91
L53	8 215.04	2 858 896.20		R53	7 575.53	2 859 045.47
L54	8 123.88	2 858 908.32		R54	7 458.70	2 859 037.81
L55	8 116.31	2 858 912.33		R55	7 352.67	2 859 014.26
L56	8 092.40	2 858 916.46		R56	7 252.49	2 858 981.08
L57	8 027.58	2 858 927.28		R57	7 193.11	2 858 949.96
L58	7 721.87	2 858 991.86		R58	7 129.33	2 858 912.08
L59	7 712.49	2 858 993.90		R59	7 079.42	2 858 876.93
L60	7 631.31	2 859 004.14		R60	7 050.79	2 858 853.69
L61	7 565.93	2 859 007.21		R61	7 015.13	2 858 823.37
L62	7 462.92	2 858 994.58		R62	6 524.86	2 858 308.32
L63	7 404.51	2 858 985.53		R63	6 408.57	2 858 186.11
L64	7 307.44	2 858 957.35		R64	6 365.46	2 858 144.09
L65	7 236.49	2 858 926.88		R65	6 351.15	2 858 130.21
L66	7 184.50	2 858 898.94		R66	6 246.13	2 858 046.81
L67	7 079.38	2 858 826.09		R67	6 192.78	2 858 014.73
L68	6 980.70	2 858 731.82		R68	6 160.45	2 857 996.73
L69	6 563.57	2 858 291.44		R69	6 076.12	2 857 955.76
L70	6 436.27	2 858 157.23		R70	6 023.21	2 857 932.67
L71	6 347.70	2 858 066.89		R71	5 930.91	2 857 907.47
L72	6 287.63	2 858 023.07		R72	5 866.42	2 857 892.36
L73	6 229.79	2 857 989.81		R73	5 673.92	2 857 852.75
L74	6 143.74	2 857 942.35		R74	5 560.28	2 857 829.36
L75	6 066.94	2 857 908.66		R75	5 552.43	2 857 827.74
L76	5 959.32	2 857 873.02		R76	5 279.15	2 857 771.24
L77	5 920.64	2 857 863.50		R77	5 237.27	2 857 762.56
L78	5 897.46	2 857 857.85		R78	5 158.15	2 857 744.22
L79	5 734.32	2 857 824.84		R79	5 084.55	2 857 721.99
L80	5 548.99	2 857 786.76		R80	4 257.74	2 857 457.32
L81	5 541.09	2 857 785.12		R81	3 922.22	2 857 349.80
L82	5 371.49	2 857 749.94		R82	3 844.25	2 857 322.41
L83	5 190.60	2 857 711.65		R83	3 589.68	2 857 210.96
L84	5 146.69	2 857 701.11		R84	3 474.76	2 857 160.71
L85	5 139.55	2 857 698.21		R85	2 876.94	2 856 895.54
L86	4 938.81	2 857 633.79		R86	2 378.70	2 856 675.73
L87	4 923.10	2 857 628.75		R87	2 370.30	2 856 673.37
L88	4 337.76	2 857 440.91		R88	2 182.62	2 856 615.02
L89	3 863.80	2 857 288.17		R89	1 646.69	2 856 458.16
L90	3 492.68	2 857 124.57		R90	1 638.95	2 856 455.81
L91	3 279.44	2 857 030.51		R91	1 251.29	2 856 341.99
L92	2 493.62	2 856 682.27		R92	1 196.86	2 856 326.12
L93	2 363.25	2 856 625.60		R93	955.32	2 856 255.71
L94	2 163.61	2 856 567.35		R94	943.34	2 856 252.21
L95	1 669.97	2 856 423.54		R95	866.13	2 856 226.75
L96	1 632.18	2 856 412.53		R96	854.16	2 856 221.68
L97	1 234.14	2 856 296.83		R97	783.36	2 856 191.70
L98	958.36	2 856 215.25		R98	752.49	2 856 187.49
L99	872.75	2 856 186.56		R99	746.06	2 856 174.64
L100	799.16	2 856 155.44		R100	462.87	2 856 038.80
L101	717.31	2 856 116.46		R101	-292.37	2 855 678.58
L102	460.88	2 855 993.58		R102	-675.05	2 855 495.32
				Vel 8 Sheet	Van 11 of	P880/15

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°		Y	X
L103	-162.27	2 855	697.17	R103	-1 051.97	2 855 316.16
L104	-517.93	2 855	527.65	R104	-1 141.02	2 855 272.36
L105	-1 025.34	2 855	284.40	R105	-1 211.84	2 855 231.78
L106	-1 122.87	2 855	236.97	R106	-1 262.59	2 855 197.71
L107	-1 191.85	2 855	197.66	R107	-1 311.19	2 855 160.68
L108	-1 238.66	2 855	166.06	R108	-1 357.95	2 855 120.75
L109	-1 286.09	2 855	130.36	R109	-1 401.98	2 855 078.08
L110	-1 332.19	2 855	091.00	R110	-1 574.59	2 854 896.27
L111	-1 372.36	2 855	051.38	R111	-2 173.23	2 854 264.91
L112	-1 519.66	2 854	896.32	R112	-2 258.49	2 854 175.21
L113	-2 149.29	2 854	231.35	R113	-2 640.52	2 853 772.42
L114	-2 194.42	2 854	184.59	R114	-2 854.68	2 853 546.04
L115	-2 756.74	2 853	591.84	R115	-3 135.20	2 853 250.35
L116	-3 219.87	2 853	103.06	R116	-3 204.83	2 853 177.18
L117	-3 464.65	2 852	844.83	R117	-3 576.09	2 852 785.96
L118	-3 536.21	2 852	770.77	R118	-4 223.39	2 852 102.78
L119	-4 691.57	2 851	551.41	R119	-4 959.96	2 851 326.31
L120	-4 937.27	2 851	292.02	R120	-5 315.77	2 850 951.60
L121	-5 240.39	2 850	972.84	R121	-5 383.41	2 850 880.44
L122	-5 491.11	2 850	705.82	R122	-5 715.21	2 850 530.25
L123	-5 582.20	2 850	608.88	R123	-5 858.93	2 850 378.53
L124	-5 721.30	2 850	465.28	R124	-5 917.74	2 850 324.28
L125	-5 817.39	2 850	365.40	R125	-5 948.77	2 850 299.02
L126	-5 862.67	2 850	319.65	R126	-5 996.09	2 850 264.14
L127	-5 979.85	2 850	226.78	R127	-6 078.98	2 850 212.73
L128	-6 084.77	2 850	161.87	R128	-6 185.41	2 850 161.69
L129	-6 187.35	2 850	117.60	R129	-6 193.99	2 850 158.22
L130	-6 730.25	2 849	896.17	R130	-6 604.02	2 849 991.11
L131	-6 810.21	2 849	860.84	R131	-6 795.92	2 849 910.49
L132	-6 869.43	2 849	824.48	R132	-6 843.92	2 849 886.53
L133	-6 952.06	2 849	767.00	R133	-6 903.00	2 849 850.71
L134	-7 051.31	2 849	679.53	R134	-6 945.74	2 849 821.51
L135	-7 089.07	2 849	638.84	R135	-6 977.63	2 849 798.02
L136	-7 147.11	2 849	567.02	R136	-7 044.30	2 849 741.46
L137	-7 172.33	2 849	530.21	R137	-7 053.52	2 849 758.42
L138	-7 193.68	2 849	496.33	R138	-7 081.71	2 849 739.08
L139	-7 214.22	2 849	462.05	R139	-7 083.67	2 849 716.27
L140	-7 231.96	2 849	428.43	R140	-7 124.21	2 849 665.83
L141	-7 248.86	2 849	392.73	R141	-7 165.52	2 849 609.85
L142	-7 264.25	2 849	356.21	R142	-7 207.01	2 849 552.05
L143	-7 463.96	2 848	811.10	R143	-7 249.32	2 849 482.03
L144	-7 533.96	2 848	619.90	R144	-7 283.84	2 849 413.31
L145	-7 596.20	2 848	449.04	R145	-7 314.03	2 849 340.77
L146	-7 669.98	2 848	251.63	R146	-7 314.68	2 849 339.03
L147	-7 703.50	2 848	168.35	R147	-7 459.08	2 848 942.89
L148	-7 708.67	2 848	155.51	R148	-7 500.67	2 848 827.94
L149	-7 830.57	2 847	879.31	R149	-7 672.33	2 848 356.98
L150	-7 905.09	2 847	714.72	R150	-7 693.17	2 848 301.70
L151	-8 145.85	2 847	177.86	R151	-7 738.95	2 848 187.66
L152	-8 249.49	2 846	948.27	R152	-7 761.57	2 848 132.99
L153	-8 308.84	2 846	816.48	R153	-7 791.62	2 848 063.95
				Vel 9	Van 11	P880/15
				Sheet	of	

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 27°			Y	X		
L154	-8 389.93	2 846 636.24			R154	-7 859.54	2 847 912.49		
L155	-8 486.19	2 846 421.76			R155	-7 861.41	2 847 908.38		
L156	-8 520.77	2 846 346.94			R156	-7 941.73	2 847 729.75		
L157	-8 531.28	2 846 324.27			R157	-8 287.60	2 846 959.79		
L158	-8 576.37	2 846 235.60			R158	-8 456.53	2 846 583.98		
L159	-8 626.11	2 846 149.27			R159	-8 558.56	2 846 358.95		
L160	-8 735.34	2 845 982.37			R160	-8 572.76	2 846 330.16		
L161	-8 855.87	2 845 823.57			R161	-8 600.16	2 846 277.09		
L162	-9 059.55	2 845 600.20			R162	-8 639.88	2 846 205.44		
L163	-9 110.56	2 845 545.79			R163	-8 710.88	2 846 089.03		
L164	-9 142.57	2 845 511.12			R164	-8 755.42	2 846 022.87		
L165	-9 181.81	2 845 468.01			R165	-8 789.73	2 845 974.68		
L166	-9 213.51	2 845 434.30			R166	-8 826.02	2 845 926.43		
L167	-9 246.50	2 845 398.57			R167	-8 864.38	2 845 878.03		
L168	-9 304.60	2 845 335.90			R168	-8 900.22	2 845 834.73		
L169	-9 527.06	2 845 096.78			R169	-8 926.02	2 845 804.83		
L170	-9 592.21	2 844 984.45			R170	-8 971.38	2 845 754.48		
L171	-9 611.98	2 844 950.11			R171	-9 145.22	2 845 566.56		
L172	-9 633.33	2 844 902.82			R172	-9 161.54	2 845 548.80		
L173	-9 658.24	2 844 841.22			R173	-9 170.73	2 845 537.61		
L174	-9 684.15	2 844 760.24			R174	-9 196.66	2 845 510.57		
L175	-9 696.46	2 844 703.36			R175	-9 239.23	2 845 464.23		
L176	-9 707.40	2 844 653.15			R176	-9 333.95	2 845 362.92		
L177	-9 766.15	2 844 353.05			R177	-9 517.61	2 845 161.48		
L178	-9 786.95	2 844 247.12			R178	-9 544.86	2 845 129.16		
L179	-9 831.04	2 844 022.96			R179	-9 561.47	2 845 107.21		
L180	-10 016.48	2 843 076.91			R180	-9 575.02	2 845 087.80		
L181	-10 063.74	2 842 837.27			R181	-9 595.48	2 845 056.85		
L182	-10 097.36	2 842 674.67			R182	-9 626.72	2 845 004.39		
L183	-10 137.45	2 842 567.32			R183	-9 655.21	2 844 949.96		
L184	-10 153.58	2 842 524.89			R184	-9 680.00	2 844 894.80		
L185	-10 191.87	2 842 454.28			R185	-9 694.27	2 844 858.51		
L186	-10 204.92	2 842 427.42			R186	-9 707.30	2 844 822.02		
L187	-10 247.82	2 842 337.51			R187	-9 711.46	2 844 809.49		
L188	-10 376.59	2 842 060.93			R188	-9 718.80	2 844 785.47		
L189	-10 415.04	2 841 978.65			R189	-9 739.27	2 844 698.61		
L190	-10 448.82	2 841 906.08			R190	-9 772.07	2 844 531.36		
L191	-10 455.40	2 841 894.45			R191	-9 825.77	2 844 257.39		
L192	-10 859.69	2 841 025.47			R192	-9 919.95	2 843 777.17		
L193	-11 059.39	2 840 598.35			R193	-10 064.95	2 843 037.29		
L194	-11 094.96	2 840 520.50			R194	-10 113.61	2 842 788.71		
L195	-11 166.40	2 840 361.60			R195	-10 125.01	2 842 737.73		
L196	-11 231.87	2 840 200.51			R196	-10 133.81	2 842 705.16		
L197	-11 286.30	2 840 058.88			R197	-10 147.20	2 842 662.05		
L198	-11 364.91	2 839 855.28			R198	-10 165.57	2 842 612.79		
L199	-11 420.48	2 839 710.88			R199	-10 191.90	2 842 553.23		
L200	-11 536.04	2 839 410.66			R200	-10 237.83	2 842 453.23		
L201	-11 635.75	2 839 152.10			R201	-10 267.54	2 842 389.30		
L202	-11 656.89	2 839 104.55			R202	-10 423.55	2 842 055.04		
L203	-11 687.56	2 839 038.55			R203	-10 463.87	2 841 968.11		
L204	-11 729.03	2 838 969.56			R204	-10 474.61	2 841 944.94		
					Vel 10 Van 11 Sheet of P880/15				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES							
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE			
	Y	X	WG 27°		Y	X	
L205	-11 762.87	2 838 918.09		R205	-10 898.08	2 841 034.11	
L206	-11 814.41	2 838 854.17		R206	-11 026.29	2 840 759.03	
L207	-11 882.54	2 838 779.79		R207	-11 195.07	2 840 395.34	
L208	-11 896.65	2 838 764.40		R208	-11 218.98	2 840 340.09	
L209	-11 985.97	2 838 691.63		R209	-11 270.34	2 840 211.75	
L210	-12 062.26	2 838 625.55		R210	-11 325.86	2 840 068.24	
L211	-12 127.44	2 838 556.03		R211	-11 404.28	2 839 865.56	
L212	-12 163.07	2 838 514.02		R212	-11 465.76	2 839 706.66	
L213	-12 214.49	2 838 441.35		R213	-11 580.61	2 839 406.16	
L214	-12 243.22	2 838 394.22		R214	-11 683.47	2 839 140.15	
L215	-12 270.92	2 838 341.65		R215	-11 717.36	2 839 067.89	
L216	-12 334.84	2 838 212.13		R216	-11 762.48	2 838 989.79	
L217	-12 482.02	2 837 911.82		R217	-11 795.61	2 838 941.10	
L218	-12 641.04	2 837 587.20		R218	-11 822.03	2 838 907.51	
L219	-12 773.82	2 837 330.94		R219	-11 963.59	2 838 766.44	
L220	-12 791.98	2 837 298.37		R220	-11 982.01	2 838 745.92	
L221	-12 808.68	2 837 274.63		R221	-12 077.90	2 838 665.03	
L222	-12 899.39	2 837 161.06		R222	-12 121.58	2 838 622.40	
L223	-12 968.97	2 837 077.58		R223	-12 162.57	2 838 577.23	
L224	-12 998.86	2 837 032.96		R224	-12 193.30	2 838 539.81	
L225	-13 020.75	2 836 986.50		R225	-12 207.12	2 838 522.83	
L226	-13 033.39	2 836 948.11		R226	-12 214.88	2 838 511.37	
L227	-13 042.05	2 836 905.90		R227	-12 248.28	2 838 462.86	
L228	-13 045.39	2 836 862.12		R228	-12 279.74	2 838 410.82	
L229	-13 044.07	2 836 834.73		R229	-12 308.15	2 838 356.31	
L230	-13 037.82	2 836 785.62		R230	-12 507.57	2 837 950.10	
L231	-13 021.15	2 836 722.46		R231	-12 556.74	2 837 900.08	
L232	-12 974.97	2 836 605.10		R232	-12 553.92	2 837 855.72	
				R233	-12 678.69	2 837 601.70	
				R234	-12 805.21	2 837 355.45	
				R235	-12 838.02	2 837 306.13	
				R236	-12 860.43	2 837 274.26	
				R237	-12 894.54	2 837 231.92	
				R238	-12 988.64	2 837 121.87	
				R239	-13 026.15	2 837 071.22	
				R240	-13 055.16	2 837 015.67	
				R241	-13 075.27	2 836 955.97	
				R242	-13 086.48	2 836 890.40	
				R243	-13 087.01	2 836 849.49	
				R244	-13 085.96	2 836 829.75	
				R245	-13 076.35	2 836 765.42	
				R246	-13 067.97	2 836 732.00	
				R247	-13 058.17	2 836 707.52	
				R248	-13 007.01	2 836 582.22	
				Vel 11 Van 11 P880/15 Sheet of			