

DEPARTMENT OF TRANSPORT

NO. 1505

08 DECEMBER 2016

**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED**

Registration No: 1998/009584/30


**DECLARATION AMENDMENT OF EXISTING NATIONAL ROAD N2 SECTION 20 AS NATIONAL
ROAD N2 SECTION 20X**


AMENDMENT OF DECLARATION No. 1117 OF 2007.


By virtue of section 40(1)(b) of the South African National Roads Agency Limited and the National Roads Act, 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 1117 of 2007 by substituting it in its entirety, with the accompanying sheets 1 to 22 of Plan No. P905/16.


(National Road N2 Section 20X: Mount Frere – Brook's Nek)


MINISTER OF TRANSPORT





Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	 stiel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N2 of National Route Section	Vel Sheet 1 of 22 Plan P905/16
---	---------------------------------------	---	--------------------------------------










Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	 steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Route N2 of National Route	Val Sheet 4 of 22 Plan P905/16
---	---------------------------------------	--	--------------------------------------





Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	 steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N2 of National Route	Vel Sheet 5 of 22 Plan P905/16
---	---------------------------------------	--	--------------------------------------




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk	Die figuur getoon		steldie podreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N2 of National Route	Vel Sheet	6 of	22
The South African National Roads Agency SOC Ltd	The figure shown			20X	Plan	P905/16




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	 steeldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N2 of National Route Section	Vel Sheet 7 of 22 Plan P905/16
---	---------------------------------------	---	-----------------------------------




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N2 of National Route	Val Sheet	van 8 of	22
				Plan	P905/16	20X




Die Suid Afrikaanse Nasionale Podagagentskap MSE Bpk	Die figuur getoon		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N2 of National Route	Vel Sheet	9 of	22
The South African National Roads Agency SOC Ltd	The figure shown			20X	Plan	P905/16




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N2 of National Route	20X	Plan P905/16	Vel 10 of 22	Sheet 10 of 22
---	---------------------------------------	---	-----	--------------	--------------	----------------




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		stelt die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N2 of National Route	Vel Sheet 11 of 22
			20X Seksie Section	Plan P905/16




Die Suid Afrikaanse Nasionale Padagentakap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N2 of National Route	20X Seksie Section	Val Sheet 12 of 22	Plan P905/16
---	---------------------------------------	--	--------------------------	--------------------------------	-----------------



Die Suid Afrikaanse Nasionale Padogentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N2 Sektie 20X of National Route Section	Vei Sheet 13 of 22 Plan P905/16
---	---------------------------------------	---	---------------------------------------



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	 steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route	Vel Sheet 14 of 22 Plan P905/16
---	---------------------------------------	--	---



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	 stelsel padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route	Vel Sheet 15 of 22 Plan P905/16
---	---------------------------------------	---	---

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES										
LINKERKANT/LEFT HAND SIDE						REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 29°				Y	X		
L1	340.70	3 418	612.18	R1		306.02	3 418	627.11		
L2	332.31	3 418	569.59	R2		299.76	3 418	599.13		
L3	305.12	3 418	513.18	R3		277.52	3 418	536.80		
L4	61.48	3 418	155.85	R4		47.12	3 418	198.03		
L5	-186.45	3 417	795.98	R5		- 180.08	3 417	880.88		
L6	-207.03	3 417	768.50	R6		- 218.12	3 417	818.72		
L7	-249.73	3 417	718.23	R7		- 275.06	3 417	741.81		
L8	-320.54	3 417	649.16	R8		- 342.64	3 417	680.92		
L9	-685.59	3 417	431.81	R9		- 467.73	3 417	601.04		
L10	-724.86	3 417	377.50	R10		- 548.75	3 417	552.91		
L11	-790.63	3 417	284.72	R11		- 781.21	3 417	421.57		
L12	-796.02	3 417	123.03	R12		- 808.00	3 417	354.94		
L13	-728.22	3 416	902.31	R13		- 817.46	3 417	331.61		
L14	-719.55	3 416	762.43	R14		- 879.13	3 417	158.38		
L15	-788.49	3 416	636.25	R15		- 792.66	3 416	990.62		
L16	-812.97	3 416	591.17	R16		- 778.11	3 416	874.94		
L17	-814.70	3 416	589.30	R17		- 783.75	3 416	779.20		
L18	- 978.10	3 416	413.48	R18		- 839.44	3 416	629.14		
L19	-1 317.06	3 416	047.52	R19		- 860.17	3 416	606.26		
L20	-1 728.01	3 415	603.09	R20		- 869.07	3 416	596.43		
L21	-1 922.76	3 415	460.36	R21		- 917.89	3 416	541.42		
L22	-2 096.88	3 415	403.21	R22		-1 344.43	3 416	085.92		
L23	-2 438.28	3 415	329.15	R23		-1 726.52	3 415	674.62		
L24	-2 543.08	3 415	269.82	R24		-1 753.58	3 415	642.18		
L25	-2 610.42	3 415	188.72	R25		-1 873.09	3 415	552.62		
L26	-2 847.19	3 414	783.65	R26		-1 938.34	3 415	516.84		
L27	-2 943.09	3 414	691.79	R27		-2 053.88	3 415	463.64		
L28	-3 027.33	3 414	636.89	R28		-2 104.22	3 415	446.60		
L29	-3 157.74	3 414	618.58	R29		-2 164.18	3 415	432.93		
L30	-3 242.11	3 414	612.23	R30		-2 484.47	3 415	369.76		
L31	-3 548.33	3 414	677.75	R31		-2 633.84	3 415	237.07		
L32	-3 635.33	3 414	671.59	R32		-2 809.61	3 414	917.87		
L33	-3 677.42	3 414	658.29	R33		-3 000.92	3 414	715.49		
L34	-4 170.81	3 414	275.19	R34		-3 283.23	3 414	661.35		
L35	-4 337.06	3 414	150.05	R35		-3 478.92	3 414	709.21		
L36	-4 489.62	3 414	098.15	R36		-3 601.29	3 414	744.69		
L37	-4 591.38	3 414	096.29	R37		-3 675.67	3 414	716.52		
L38	-5 128.02	3 414	259.71	R38		-4 204.05	3 414	311.78		
L39	-5 767.57	3 414	454.25	R39		-4 373.03	3 414	179.34		
L40	-6 007.35	3 414	496.30	R40		-4 567.02	3 414	143.49		
L41	-6 108.25	3 414	498.62	R41		-5 750.58	3 414	498.40		
L42	-6 313.10	3 414	456.35	R42		-5 986.83	3 414	545.30		
L43	-6 484.19	3 414	414.39	R43		-6 347.07	3 414	514.02		
L44	-6 535.20	3 414	392.06	R44		-6 549.36	3 414	445.86		
L45	-6 631.66	3 414	344.75	R45		-6 551.91	3 414	424.77		
L46	-6 710.78	3 414	305.96	R46		-6 566.83	3 414	417.72		
L47	-6 798.28	3 414	263.05	R47		-6 649.15	3 414	378.78		
L48	-6 873.04	3 414	182.65	R48		-6 731.46	3 414	339.84		
L49	-6 935.71	3 413	939.50	R49		-6 800.41	3 414	307.23		
L50	-6 958.15	3 413	868.99	R50		-6 842.77	3 414	327.14		
L51	-7 026.30	3 413	748.53	51		-6 873.69	3 414	242.25		
						Vel Sheet	16	Van of	22	P905/16

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 29°		Y	X
L52	-7 125.00	3 413	577.73	R52	-6 920.27	3 414 187.00
L53	-7 137.59	3 413	277.61	R53	-6 998.19	3 413 895.28
L54	-7 140.99	3 413	204.11	R54	-7 065.08	3 413 766.26
L55	-7 217.50	3 413	109.99	R55	-7 176.74	3 413 544.34
L56	-7 541.92	3 412	931.37	R56	-7 180.50	3 413 236.52
L57	-7 626.90	3 412	903.59	R57	-7 253.07	3 413 133.10
L58	-7 675.08	3 412	886.11	R58	-7 607.30	3 412 950.69
L59	-7 720.74	3 412	879.33	R59	-7 679.06	3 412 929.60
L60	-7 773.06	3 412	879.79	R60	-7 751.62	3 412 939.63
L61	-7 817.72	3 412	892.00	R61	-7 811.58	3 412 978.97
L62	-7 839.65	3 412	940.18	R62	-7 819.00	3 412 995.63
L63	-7 974.67	3 413	121.04	R63	-7 871.72	3 413 090.86
L64	-8 245.63	3 413	198.26	R64	-7 972.57	3 413 176.32
L65	-8 297.80	3 413	231.37	R65	-8 108.37	3 413 226.18
L66	-8 596.95	3 413	589.28	R66	-8 250.36	3 413 250.97
L67	-8 652.61	3 413	895.14	R67	-8 561.36	3 413 620.21
L68	-8 704.14	3 414	009.31	R68	-8 576.18	3 413 691.96
L69	-8 811.06	3 414	089.60	R69	-8 591.02	3 413 901.80
L70	-8 968.33	3 414	145.03	R70	-8 712.62	3 414 090.13
L71	-9 358.47	3 414	187.55	R71	-8 772.60	3 414 134.00
L72	-10 050.80	3 414	167.66	R72	-8 906.32	3 414 189.50
L73	-10 499.17	3 414	154.74	R73	-9 385.54	3 414 224.81
L74	-10 856.24	3 414	223.42	R74	-10 444.73	3 414 187.29
L75	-11 299.54	3 414	217.27	R75	-10 508.91	3 414 192.86
L76	-11 327.48	3 414	216.88	R76	-10 906.67	3 414 262.74
L77	-11 550.00	3 414	213.79	R77	-11 305.62	3 414 252.51
L78	-11 617.43	3 414	192.53	R78	-11 313.28	3 414 252.31
L79	-11 700.65	3 414	154.49	R79	-11 320.93	3 414 252.12
L80	-11 756.63	3 414	111.26	R80	-11 542.22	3 414 246.45
L81	-11 811.85	3 414	039.72	R81	-11 641.65	3 414 226.55
L82	-11 850.68	3 413	939.89	R82	-11 717.47	3 414 195.80
L83	-11 856.45	3 413	829.64	R83	-11 814.68	3 414 125.30
L84	-11 813.39	3 413	408.61	R84	-11 867.73	3 414 008.63
L85	-11 842.44	3 413	292.71	R85	-11 889.35	3 413 935.56
L86	-11 887.59	3 413	204.08	R86	-11 892.43	3 413 815.22
L87	-12 129.81	3 412	996.34	R87	-11 851.42	3 413 456.93
L88	-12 170.89	3 412	934.98	R88	-11 860.49	3 413 358.27
L89	-12 186.44	3 412	885.86	R89	-11 898.41	3 413 267.21
L90	-12 204.04	3 412	631.64	R90	-11 943.53	3 413 205.08
L91	-12 245.80	3 412	520.50	R91	-12 122.05	3 413 061.50
L92	-12 275.12	3 412	475.39	R92	-12 159.57	3 413 019.04
L93	-12 592.25	3 412	177.36	R93	-12 213.67	3 412 925.18
L94	-12 694.99	3 412	097.08	R94	-12 226.81	3 412 859.94
L95	-12 769.46	3 412	055.82	R95	-12 236.31	3 412 653.02
L96	-12 873.35	3 412	021.79	R96	-12 252.64	3 412 589.22
L97	-12 937.92	3 412	009.81	R97	-12 313.11	3 412 486.31
L98	-13 023.81	3 412	002.51	R98	-12 616.61	3 412 204.09
L99	-13 132.64	3 412	011.99	R99	-12 682.25	3 412 147.39
L100	-13 647.97	3 412	127.27	R100	-12 796.66	3 412 084.38
L101	-13 760.94	3 412	152.54	R101	-12 880.22	3 412 056.97
L102	-14 035.47	3 412	209.98	R102	-12 933.81	3 412 045.75
				Vel Sheet	17 Van of 22	P905/16

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 29°		Y		X	
L103	-14 156.58	3	412	194.91	R103	-12 988.45	3	412	039.83
L104	-14 334.85	3	412	130.06	R104	-13 042.70	3	412	038.35
L105	-14 423.91	3	412	122.83	R105	-13 118.78	3	412	045.92
L106	-14 779.48	3	412	188.91	R106	-13 514.49	3	412	135.61
L107	-14 880.65	3	412	195.40	R107	-13 791.33	3	412	198.35
L108	-14 946.23	3	412	182.43	R108	-13 800.50	3	412	200.29
L109	-15 017.83	3	412	152.82	R109	-13 860.29	3	412	212.95
L110	-15 081.48	3	412	107.81	R110	-14 066.10	3	412	249.99
L111	-15 133.59	3	412	049.06	R111	-14 128.73	3	412	241.99
L112	-15 175.49	3	411	969.77	R112	-14 189.48	3	412	225.33
L113	-15 457.54	3	411	189.81	R113	-14 316.88	3	412	175.45
L114	-15 589.10	3	410	982.21	R114	-14 378.45	3	412	162.55
L115	-15 672.09	3	410	906.34	R115	-14 463.22	3	412	165.22
L116	-15 794.68	3	410	827.20	R116	-14 597.46	3	412	192.34
L117	-15 977.09	3	410	770.56	R117	-14 803.53	3	412	231.25
L118	-16 125.47	3	410	755.13	R118	-14 899.32	3	412	232.45
L119	-16 214.56	3	410	767.40	R119	-14 951.54	3	412	224.59
L120	-16 334.78	3	410	799.55	R120	-15 058.09	3	412	178.01
L121	-16 999.28	3	410	977.17	R121	-15 136.75	3	412	108.75
L122	-17 093.52	3	410	989.96	R122	-15 187.99	3	412	039.87
L123	-17 172.18	3	410	991.74	R123	-15 496.13	3	411	202.27
L124	-17 259.09	3	410	973.58	R124	-15 626.89	3	410	998.00
L125	-17 332.44	3	410	944.86	R125	-15 697.83	3	410	934.93
L126	-17 417.44	3	410	889.76	R126	-15 884.96	3	410	833.32
L127	-17 451.56	3	410	860.63	R127	-15 977.03	3	410	808.77
L128	-17 842.86	3	410	527.32	R128	-16 093.39	3	410	798.36
L129	-18 033.31	3	410	365.10	R129	-16 272.86	3	410	822.12
L130	-18 150.28	3	410	279.33	R130	-17 093.92	3	411	033.10
L131	-18 344.85	3	410	244.05	R131	-17 178.48	3	411	031.79
L132	-18 591.79	3	410	285.22	R132	-17 380.09	3	410	965.77
L133	-18 702.06	3	410	346.32	R133	-17 489.94	3	410	881.00
L134	-19 319.59	3	410	731.49	R134	-17 867.52	3	410	557.62
L135	-19 499.79	3	410	787.61	R135	-18 053.30	3	410	398.49
L136	-19 618.27	3	410	818.79	R136	-18 117.34	3	410	357.16
L137	-19 862.37	3	410	870.18	R137	-18 298.19	3	410	293.00
L138	-20 876.73	3	411	221.89	R138	-18 570.87	3	410	322.19
L139	-21 624.39	3	411	495.33	R139	-18 647.48	3	410	358.99
L140	-21 880.26	3	411	587.16	R140	-19 345.79	3	410	785.54
L141	-22 096.71	3	411	602.86	R141	-19 457.40	3	410	828.77
L142	-22 470.60	3	411	555.72	R141X	-19 542.34	3	410	845.10
L143	-22 904.33	3	411	492.01	R142	-19 860.30	3	410	908.92
L144	-23 052.17	3	411	438.26	R143	-20 848.15	3	411	261.82
L145	-23 180.26	3	411	364.05	R144	-21 628.45	3	411	546.82
L146	-23 444.26	3	411	096.08	R145	-21 887.43	3	411	628.20
L147	-23 466.20	3	411	073.82	R146	-21 997.27	3	411	650.54
L148	-23 780.65	3	411	101.38	R147	-22 041.99	3	411	649.20
L149	-23 842.57	3	411	129.39	R148	-22 065.53	3	411	646.69
L150	-24 310.28	3	411	351.00	R149	-22 539.56	3	411	583.17
L151	-24 600.38	3	411	173.71	R150	-22 913.84	3	411	527.84
L152	-24 889.32	3	411	115.21	R151	-23 105.33	3	411	455.23
L153	-25 870.67	3	410	808.29	R152	-23 285.19	3	411	320.91
					Vel 18 Sheet Van 22 of P905/16				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES										
LINKERKANT/LEFT HAND SIDE						REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 29°				Y	X		
L154	-26 285.31	3 410	561.70			R153	-23 443.79	3 411	178.58	
L155	-26 453.47	3 410	520.38			154	-23 570.88	3 411	128.65	
L156	-26 977.31	3 410	512.02			R155	-23 597.30	3 411	118.27	
L157	-27 822.45	3 410	505.79			R156	-23 751.33	3 411	133.94	
L158	-27 946.09	3 410	484.95			R157	-23 868.36	3 411	198.29	
L159	-28 401.71	3 410	343.53			R158	-24 082.48	3 411	381.92	
L160	-28 635.76	3 410	336.48			R159	-24 182.85	3 411	412.82	
L161	-28 796.46	3 410	291.33			R160	-24 349.82	3 411	401.07	
L162	-28 909.62	3 410	206.79			R161	-24 404.72	3 411	372.84	
L163	-29 172.71	3 409	948.42			R162	-24 412.48	3 411	347.10	
L164	-29 375.65	3 409	861.90			R163	-24 650.44	3 411	198.02	
L165	-29 520.21	3 409	849.48			R164	-24 926.12	3 411	149.02	
L166	-30 602.25	3 409	849.64			R165	-25 836.97	3 410	873.19	
L167	-30 930.28	3 409	707.19			R166	-26 373.94	3 410	574.53	
L168	-31 366.64	3 409	287.44			R167	-26 955.75	3 410	555.01	
L169	-31 607.46	3 409	126.56			R168	-27 931.98	3 410	528.44	
L170	-31 944.52	3 409	013.38			R169	-28 038.27	3 410	494.78	
L171	-32 284.89	3 408	995.65			R170	-28 467.53	3 410	376.73	
L172	-33 126.81	3 409	015.60			R171	-28 640.21	3 410	373.39	
L173	-33 614.97	3 409	027.10			R172	-28 790.29	3 410	339.93	
L174	-34 002.90	3 409	036.24			R173	-28 948.12	3 410	227.43	
L175	-34 090.48	3 409	031.11			R174	-29 264.44	3 409	942.42	
L176	-34 762.36	3 408	891.63			R175	-29 419.48	3 409	895.71	
L177	-34 983.39	3 408	700.56			R176	-29 526.11	3 409	885.84	
L178	-35 208.75	3 407	928.95			R177	-30 606.52	3 409	885.92	
L179	-35 362.61	3 407	402.16			R178	-30 720.00	3 409	852.09	
L180	-35 464.45	3 407	034.60			R179	-30 954.03	3 409	738.47	
L181	-35 559.25	3 406	826.67			R180	-31 392.11	3 409	315.42	
L182	-35 683.00	3 406	679.24			R181	-31 647.54	3 409	159.12	
L183	-35 920.46	3 406	491.51			R182	-31 709.96	3 409	122.85	
L184	-36 557.00	3 405	570.73			R183	-31 975.08	3 409	052.79	
L185	-37 106.60	3 405	194.55			R184	-32 286.06	3 409	037.59	
L186	-37 235.31	3 405	130.85			R185	-33 101.09	3 409	055.17	
L187	-37 381.86	3 405	065.46			R186	-33 586.88	3 409	066.18	
L188	-37 658.64	3 404	997.54			R187	-34 042.43	3 409	076.51	
L189	-37 900.05	3 404	979.98			R188	-34 145.80	3 409	064.45	
L190	-38 406.59	3 405	024.21			R189	-34 796.89	3 408	916.96	
L191	-38 495.87	3 405	006.18			R190	-34 871.48	3 408	882.46	
L192	-38 571.41	3 404	964.02			R191	-34 882.56	3 408	875.28	
L193	-38 616.02	3 404	922.91			R192	-34 992.54	3 408	771.87	
L194	-38 758.99	3 404	791.14			R193	-35 021.79	3 408	721.12	
L195	-38 829.06	3 404	741.82			R194	-35 055.57	3 408	623.82	
L196	-38 912.88	3 404	714.15			R195	-35 256.33	3 407	940.25	
L197	-39 016.98	3 404	694.83			R196	-35 410.72	3 407	414.56	
L198	-39 141.83	3 404	695.26			R197	-35 503.10	3 407	059.67	
L199	-39 239.21	3 404	674.48			R198	-35 566.01	3 406	907.44	
L200	-39 315.47	3 404	639.77			R199	-35 710.64	3 406	714.08	
L201	-39 379.01	3 404	587.64			R200	-35 967.85	3 406	504.46	
L202	-39 411.35	3 404	543.44			R201	-36 523.70	3 405	667.40	
L203	-39 766.07	3 403	946.78			R202	-36 613.85	3 405	573.08	
L204	-40 415.52	3 402	853.46			R203	-37 102.57	3 405	243.60	
						Vel Sheet	19	Van of	22	P905/16

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 29°			Y	X		
L205	-40 531.57	3 402 690.08		R204	-37 246.32	3 405 167.07			
L206	-40 585.97	3 402 613.59		205	-37 413.82	3 405 098.96			
L207	-40 704.90	3 402 482.16		R206	-37 528.75	3 405 064.41			
L208	-40 887.82	3 402 280.23		R207	-37 668.35	3 405 037.18			
L209	-40 936.49	3 402 243.22		R208	-37 781.97	3 405 023.70			
L210	-40 944.45	3 402 237.20		R209	-37 922.69	3 405 020.52			
L211	-40 958.54	3 402 220.54		R210	-38 374.17	3 405 064.92			
L212	-41 187.20	3 401 950.16		R211	-38 484.89	3 405 052.70			
L213	-41 196.60	3 401 939.04		R212	-38 610.40	3 404 995.07			
L214	-41 206.00	3 401 927.92		R213	-38 658.32	3 404 947.99			
L215	-41 241.43	3 401 841.52		R214	-38 805.93	3 404 802.96			
L216	-41 252.71	3 401 747.14		R215	-38 878.66	3 404 765.79			
L217	-41 244.46	3 401 676.02		R216	-38 941.70	3 404 740.26			
L218	-41 214.80	3 401 601.55		R217	-39 019.28	3 404 732.88			
L219	-41 175.22	3 401 531.62		R218	-39 130.47	3 404 738.95			
L220	-41 095.64	3 401 419.98		R219	-39 258.56	3 404 717.73			
L221	-41 053.27	3 401 343.92		R220	-39 333.77	3 404 673.63			
L222	-41 040.62	3 401 250.06		R221	-39 410.26	3 404 622.37			
L223	-41 038.60	3 401 156.73		R222	-39 455.71	3 404 559.51			
L224	-41 186.65	3 400 440.57		R223	-39 785.03	3 403 991.09			
L225	-41 213.26	3 400 311.85		R224	-40 442.57	3 402 887.73			
L226	-41 279.57	3 400 157.29		R225	-40 638.68	3 402 616.50			
L226X	-42 037.22	3 398 924.67		R226	-40 727.89	3 402 511.96			
L227	-42 192.87	3 398 658.48		R227	-40 920.46	3 402 307.78			
L228	-42 816.24	3 397 165.74		R228	-40 961.75	3 402 263.10			
L229	-42 821.93	3 397 152.11		R229	-41 017.33	3 402 200.32			
L230	-42 827.63	3 397 138.47		R230	-41 214.45	3 401 977.65			
L231	-42 874.70	3 397 025.77		R231	-41 221.68	3 401 969.48			
L232	-42 985.49	3 396 819.58		R232	-41 228.92	3 401 961.30			
L233	-43 089.81	3 396 675.76		R233	-41 251.21	3 401 936.13			
L234	-43 218.76	3 396 532.92		R234	-41 297.27	3 401 748.60			
L235	-43 320.49	3 396 448.24		R235	-41 263.10	3 401 601.55			
L236	-43 442.34	3 396 361.37		R236	-41 113.61	3 401 387.65			
L237	-43 888.68	3 396 094.33		R237	-41 092.04	3 401 334.59			
L238	-44 047.44	3 395 915.91		R238	-41 076.39	3 401 242.40			
L239	-44 123.21	3 395 728.68		R239	-41 082.28	3 401 162.12			
L240	-44 124.58	3 395 717.15		R240	-41 221.46	3 400 466.29			
L241	-44 127.43	3 395 693.21		R241	-41 248.32	3 400 331.98			
L242	-44 130.29	3 395 669.27		R242	-41 304.75	3 400 195.07			
L243	-44 186.09	3 395 200.84		R243	-42 069.07	3 398 942.22			
L244	-44 252.62	3 395 085.11		R244	-42 225.39	3 398 677.90			
L245	-44 294.77	3 395 030.43		R245	-42 850.72	3 397 191.27			
L246	-44 346.40	3 394 990.05		R246	-42 861.12	3 397 166.54			
L247	-44 408.00	3 394 959.34		R247	-42 871.52	3 397 141.81			
L248	-44 455.97	3 394 938.94		R248	-42 912.52	3 397 044.35			
L249	-44 529.50	3 394 923.76		R249	-43 024.69	3 396 833.98			
L250	-44 740.36	3 394 913.17		R250	-43 207.94	3 396 602.16			
L251	-44 866.79	3 394 879.12		R251	-43 333.63	3 396 488.79			
L252	-44 942.74	3 394 821.83		R252	-43 473.62	3 396 387.10			
L253	-45 015.13	3 394 752.71		R253	-43 930.90	3 396 106.51			
L254	-45 173.42	3 394 408.31		R254	-44 089.56	3 395 936.56			
					Vel Sheet	20	Van of	22	P905/16

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 29°		Y		X	
L255	-45 194.20	3	394	280.19	R255	-44 128.97	3	395	817.28
L256	-45 197.24	3	393	873.61	256	-44 165.62	3	395	711.90
L257	-45 226.68	3	393	774.17	R257	-44 168.67	3	395	691.00
L258	-45 260.27	3	393	716.43	R258	-44 172.42	3	395	665.42
L259	-45 519.02	3	393	365.56	R259	-44 176.16	3	395	639.84
L260	-45 532.93	3	393	327.22	R260	-44 241.34	3	395	194.30
L261	-45 539.13	3	393	288.28	R261	-44 260.23	3	395	134.95
L262	-45 531.36	3	393	209.38	R262	-44 292.09	3	395	097.97
L263	-45 519.82	3	393	172.11	R263	-44 345.19	3	395	036.48
L264	-45 409.92	3	393	009.48	R264	-44 415.71	3	394	997.08
L265	-45 391.55	3	392	956.82	R265	-44 476.86	3	394	974.38
L266	-45 342.53	3	392	690.19	R266	-44 546.22	3	394	962.27
L267	-45 309.68	3	392	631.83	R267	-44 767.59	3	394	953.22
L268	-45 249.80	3	392	581.13	R268	-44 846.04	3	394	930.22
L269	-45 100.59	3	392	522.31	R269	-44 915.36	3	394	893.18
L270	-45 056.42	3	392	492.71	R270	-44 983.57	3	394	837.21
L271	-45 023.24	3	392	460.26	R271	-45 050.11	3	394	763.77
L272	-44 966.47	3	392	377.67	R272	-45 098.56	3	394	669.89
L273	-44 949.56	3	392	276.57	R273	-45 223.02	3	394	370.83
L274	-44 942.74	3	391	943.94	R274	-45 230.69	3	394	317.72
L275	-44 955.41	3	391	830.78	R275	-45 234.41	3	393	867.54
L276	-44 977.20	3	391	766.31	R276	-45 263.71	3	393	774.71
L277	-45 025.80	3	391	683.93	R277	-45 317.95	3	393	698.84
L278	-45 087.36	3	391	625.01	R278	-45 547.31	3	393	411.51
L279	-45 161.44	3	391	566.05	R279	-45 581.53	3	393	320.16
L280	-45 238.71	3	391	535.76	R280	-45 585.10	3	393	280.17
L281	-45 354.63	3	391	519.76	R281	-45 577.23	3	393	223.59
L282	-45 485.90	3	391	662.81	R282	-45 558.37	3	393	173.85
L283	-45 535.20	3	391	721.22	R283	-45 490.68	3	393	061.92
L284	-45 630.80	3	391	737.27	R284	-45 424.75	3	392	951.24
L285	-45 692.80	3	391	722.51	R285	-45 387.19	3	392	721.75
L286	-45 736.26	3	391	676.33	R286	-45 356.33	3	392	637.16
L287	-45 862.33	3	391	492.56	R287	-45 279.98	3	392	558.07
L288	-45 848.58	3	391	383.35	R288	-45 079.93	3	392	463.44
L289	-45 809.65	3	391	054.87	R289	-45 002.65	3	392	360.84
L290	-45 772.81	3	391	005.56	R290	-44 985.13	3	391	893.83
L291	-45 699.17	3	390	970.95	R291	-45 005.54	3	391	809.39
L292	-45 605.05	3	390	978.16	R292	-45 040.93	3	391	736.98
L293	-45 522.21	3	390	959.00	R293	-45 078.59	3	391	694.49
L294	-45 415.00	3	390	915.53	R294	-45 115.89	3	391	656.24
L295	-45 318.40	3	390	888.91	R295	-45 241.65	3	391	585.99
L296	-45 241.43	3	390	846.29	R296	-45 272.01	3	391	574.88
L297	-45 233.14	3	390	774.65	R297	-45 350.52	3	391	601.82
L298	-45 284.21	3	390	703.83	R298	-45 406.14	3	391	678.18
L299	-45 269.41	3	390	650.56	R299	-45 478.09	3	391	764.95
L300	-45 202.41	3	390	574.62	R300	-45 565.90	3	391	819.39
L301	-45 184.72	3	390	524.72	R301	-45 681.84	3	391	819.46
L302	-45 168.68	3	390	474.87	R302	-45 722.10	3	391	797.67
L303	-45 189.93	3	390	377.81	R303	-45 844.84	3	391	666.58
L304	-45 242.20	3	390	317.85	R304	-45 920.52	3	391	522.74
L305	-45 364.49	3	390	164.71	R305	-45 923.70	3	391	432.65
					Vel 21 Van 22 Sheet of P905/16				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 29°		Y		X	
L306	-45 454.21	3	390	024.02	R306	-45 840.34	3	391	017.08
L307	-45 469.29	3	389	908.38	307	-45 810.11	3	390	972.97
L308	-45 459.14	3	389	840.84	R308	-45 761.31	3	390	933.89
L309	-45 436.80	3	389	778.84	R309	-45 632.69	3	390	911.47
L310	-45 279.34	3	389	557.96	R310	-45 549.71	3	390	898.99
L311	-45 293.81	3	389	432.61	R311	-45 490.44	3	390	870.67
					R312	-45 485.08	3	390	788.43
					R313	-45 401.97	3	390	688.08
					R314	-45 352.71	3	390	643.46
					R315	-45 261.76	3	390	569.58
					R316	-45 240.78	3	390	550.35
					R317	-45 213.39	3	390	509.61
					R318	-45 209.96	3	390	452.42
					R319	-45 226.08	3	390	416.33
					R320	-45 391.91	3	390	248.34
					R321	-45 462.18	3	390	132.23
					R322	-45 526.90	3	390	013.78
					R323	-45 527.55	3	389	929.60
					R324	-45 484.65	3	389	760.01
					R325	-45 360.63	3	389	568.57
					R326	-45 353.07	3	389	534.99
					R327	-45 361.94	3	389	420.69