

DEPARTMENT OF PUBLIC WORKS

NO. 1502

29 DECEMBER 2017

AGRÉMENT SOUTH AFRICA
(Approval of innovative construction products and systems)

Notice is hereby given that Agrément South Africa has, with effect from 12 September 2017, issued an Agrément certificate, details of which appear in the schedule hereto.

SCHEDULE
Agrément Certificate 2017/545**Subject:** Polyfibre Awning Window Frames**Certificate holder:** Polyfibre (Pty) Ltd

Description: Polyfibre Awning Window frames comprise window head, jambs, sill, mullions and sash profiles as its components, with a window size 1100 mm wide x 1200 mm high, manufactured from an extruded heterogeneous blend of impure recycled plastic, reinforced with cellulosic fibres. The extruded profiles are brown in colour and profiles are sealed with Nova 14 Novaseal to enhance the appearance of the frames and to remove any plastics odour.

Ironmongery is conventional, window panes are 4 mm float glass meeting the requirements of **SANS 50572-2**. Window panes are secured in frames by means of beads glued in place or by using conventional wood frame putty meeting the requirements of **SANS 680**. Frames are handled, transported and stored on site as described below, and installed in accordance with good building practice in a similar manner as that used for standard timber window frames.

The Agrément certificate contains detailed information on the product and can be accessed at <http://www.agrement.co.za>

Copies are obtainable from: Chief Executive Officer (CEO)
Agrément South Africa, P O Box 395, **PRETORIA**, 0001