

DEPARTMENT OF TRANSPORT

NO. 257

23 MARCH 2018

**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED**


Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD R505 SECTION 6

AMENDMENT OF DECLARATION No. 784 OF 2012.

By virtue of section 40(1)(b) of the South African National Roads Agency Limited and the National Roads Act, 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 784 of 2012 by substituting paragraph M(II) of the Schedule, being the descriptive declaration of the route from its junction with National Road R52 Section 1 in Lichtenburg up to its junction with National Road R49 Section 1 in Ottoshoop, with the accompanying sheets 1 to 14 of Plan No. P925/16.

In the town of Lichtenburg the route enters the town along R505 Section 6 from the South and follows the street known as Buiten Street at the time of declaration.

(National Road R505 Section 6: Lichtenburg – Ottoshoop)

MINISTER OF TRANSPORT

DEPARTEMENT VAN VERVOER

NO. 257

23 MAART 2018

**DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSKAP MSB BEPERK**


Registrasie No: 1998/009584/30

VERKLARING WYSIGING VAN NASIONALE PAD R505 SEKSIE 6


WYSIGING VAN VERKLARING No. 784 VAN 2012.

Kragtens Artikel 40(1)(b) van die Wet op die Suid-Afrikaanse Nasionale Padagentskap Beperk en op Nasionale Paaie, Wet 1998 (Wet No. 7 van 1998), wysig ek hiermee Verklaring No. 784 van 2012 deur paragraaf M(II) van die Skedule te vervang, synde die gedeelte van die beskrywende verklaring van die pad vanaf die aansluiting met Nasionale Pad R52 Seksie 1 in Lichtenburg tot by die aansluiting met Nasionale Pad R49 Seksie 1 in Ottoshoop, met bygaande velle 1 tot 14 van Plan No. P925/16.

In die dorp van Lichtenburg kom die pad die dorp binne vanuit die Suide langs die R505 Seksie 6 en volg die straat bekend as Buitenstraat tydens datum van verklaring.


(Nasionale Pad R505 Seksie 6: Lichtenburg – Ottoshoop)
MINISTER VAN VERVOER







Die Suid Afrikaanse Nasionale Pedagogieskap MSB Bpk	Die figuur getoon		stelde padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R505 of National Route	6	Vel	van
The South African National Roads Agency SOC Ltd	The figure shown				Sheet	2
					Plan	p925/16







Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R505 of National Route	Vel Sheet 4 of 14	Plan P925/16
---	---------------------------------------	---	--	----------------------	--------------











Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R505 of National Route	Vel Sheet 8 of 14 Plan P925/16
---	---------------------------------------	--	--------------------------------------





Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk	Die figuur getoon		stelde padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R505 Seksie of National Route Section	Vel Sheet 10 of 14
The South African National Roads Agency SOC Ltd	The figure shown			Plan p925/16

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 27°		Y	X			
L1	84 930.14	2 892 929.08		R1	84 898.14	2 892 924.13			
L2	84 930.46	2 892 908.17		R2	84 898.22	2 892 914.04			
L3	84 933.96	2 892 675.30		R3	84 899.36	2 892 769.77			
L4	84 940.05	2 892 270.16		R4	84 898.58	2 892 511.02			
L5	84 945.61	2 892 260.80		R5	84 901.41	2 892 394.77			
L6	84 976.53	2 892 243.45		R6	84 904.76	2 892 257.44			
L7	84 970.56	2 892 228.71		R7	84 883.19	2 892 257.10			
L8	84 946.23	2 892 228.01		R8	84 883.41	2 892 219.35			
L9	84 940.82	2 892 219.17		R9	84 902.33	2 892 219.64			
L10	84 977.68	2 891 943.41		R10	84 940.56	2 891 929.79			
L11	85 013.62	2 891 674.52		R11	85 143.58	2 890 390.48			
L12	85 042.73	2 891 456.73		R12	85 183.14	2 890 252.45			
L13	85 071.26	2 891 243.26		R13	85 215.02	2 890 167.67			
L14	85 108.27	2 890 966.38		R14	85 512.02	2 889 540.70			
L15	85 178.51	2 890 440.85		R15	85 522.25	2 889 501.05			
L16	85 202.60	2 890 304.25		R16	85 527.04	2 889 490.59			
L17	85 246.67	2 890 187.26		R17	85 543.86	2 889 473.52			
L18	85 283.67	2 890 105.27		R18	85 646.57	2 889 257.61			
L19	85 633.41	2 889 374.26		R19	85 848.71	2 888 833.20			
L20	85 900.64	2 888 811.00		R20	85 865.53	2 888 796.61			
L21	85 963.73	2 888 679.23		R21	85 926.60	2 888 669.14			
L22	85 963.53	2 888 672.96		R22	86 006.60	2 888 501.14			
L23	86 074.95	2 888 442.60		R23	86 044.78	2 888 421.80			
L24	86 131.88	2 888 319.89		R24	86 096.14	2 888 305.18			
L25	86 134.19	2 888 314.36		R25	86 098.55	2 888 299.69			
L26	86 242.63	2 888 054.88		R26	86 150.03	2 888 182.28			
L27	86 344.09	2 887 803.86		R27	86 169.57	2 888 136.50			
L28	86 359.45	2 887 757.24		R28	86 183.99	2 888 094.40			
L29	86 433.22	2 887 535.86		R29	86 208.07	2 888 040.66			
L30	86 658.95	2 886 832.98		R30	86 295.16	2 887 800.30			
L31	86 718.16	2 886 679.61		R31	86 306.24	2 887 786.41			
L32	86 792.97	2 886 527.99		R32	86 312.98	2 887 777.82			
L33	87 079.30	2 885 962.21		R33	86 628.76	2 886 803.83			
L34	87 256.99	2 885 612.61		R34	86 696.45	2 886 635.33			
L35	87 356.18	2 885 442.13		R35	87 132.52	2 885 771.02			
L36	87 792.70	2 884 777.34		R36	87 272.72	2 885 508.77			
L37	88 007.31	2 884 447.54		R37	87 462.96	2 885 211.33			
L38	88 123.44	2 884 210.11		R38	87 465.40	2 885 212.33			
L39	88 222.40	2 883 991.94		R39	87 474.69	2 885 194.10			
L40	88 408.90	2 883 580.14		R40	87 648.38	2 884 928.05			
L41	89 044.39	2 882 182.03		R41	87 818.67	2 884 670.17			
L42	90 601.54	2 878 693.94		R42	87 952.02	2 884 466.89			
L43	90 731.15	2 878 403.67		R43	88 002.82	2 884 379.11			
L44	90 746.56	2 878 366.90		R44	88 188.18	2 883 976.37			
L45	90 760.24	2 878 329.32		R45	88 186.33	2 883 975.53			
L46	90 770.01	2 878 298.43		R46	89 010.65	2 882 165.09			
L47	90 780.39	2 878 261.07		R47	89 747.80	2 880 516.16			
L48	90 789.56	2 878 221.61		R48	90 686.77	2 878 410.21			
L49	90 797.19	2 878 181.93		R49	90 731.28	2 878 296.50			
L50	90 928.05	2 877 138.31		R50	90 751.13	2 878 221.25			
L51	90 957.81	2 876 899.65		R51	90 766.98	2 878 124.66			
					Vel	11	Van	14	P925/16
					Sheet		of		

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L52	91 051.80	2	876 138.12		R52	90 892.59	2	877 120.42	
L53	91 055.93	2	876 060.97		R53	91 015.87	2	876 117.70	
L54	91 048.44	2	875 806.23		R54	91 017.93	2	876 052.94	
L55	91 039.45	2	875 500.27		R55	91 002.20	2	875 499.91	
L56	91 026.11	2	874 977.66		R56	90 994.31	2	875 233.87	
L57	91 034.71	2	874 697.26		R57	90 989.29	2	875 066.17	
L58	91 049.13	2	874 543.29		R58	90 988.15	2	874 992.31	
L59	91 110.27	2	874 033.61		R59	90 988.16	2	874 901.61	
L60	91 154.77	2	873 705.46		R60	90 994.10	2	874 740.72	
L61	91 181.79	2	873 596.79		R61	91 011.13	2	874 542.86	
L62	91 234.65	2	873 437.85		R62	91 028.26	2	874 409.06	
L63	91 508.93	2	872 617.67		R63	91 033.00	2	874 365.94	
L64	92 143.71	2	870 594.06		R64	91 075.88	2	873 999.62	
L65	92 187.59	2	870 456.01		R65	91 091.01	2	873 880.39	
L66	92 221.91	2	870 373.41		R66	91 101.79	2	873 795.49	
L67	92 246.59	2	870 324.18		R67	91 118.93	2	873 693.60	
L68	92 285.30	2	870 261.04		R68	91 143.25	2	873 594.03	
L69	92 339.75	2	870 187.65		R69	91 200.35	2	873 420.92	
L70	92 717.90	2	869 748.03		R70	91 471.90	2	872 614.35	
L71	92 765.41	2	869 685.46		R71	92 110.15	2	870 573.69	
L72	92 796.00	2	869 640.07		R72	92 141.41	2	870 475.09	
L73	92 815.43	2	869 608.39		R73	92 177.04	2	870 378.52	
L74	92 849.96	2	869 545.35		R74	92 212.35	2	870 307.90	
L75	92 896.35	2	869 446.74		R75	92 279.77	2	870 201.82	
L76	93 870.42	2	867 250.29		R76	92 350.42	2	870 117.87	
L77	93 917.78	2	867 134.13		R77	92 639.41	2	869 784.15	
L78	93 982.77	2	866 941.43		R78	92 706.67	2	869 702.49	
L79	94 037.60	2	866 936.27		R79	92 765.46	2	869 619.47	
L80	94 034.84	2	866 899.12		R80	92 815.98	2	869 529.45	
L81	93 995.79	2	866 901.99		R81	92 860.12	2	869 436.76	
L82	94 089.06	2	866 628.24		R82	93 821.15	2	867 273.26	
L83	94 291.40	2	866 039.10		R83	93 857.59	2	867 184.55	
L84	94 347.82	2	865 875.67		R84	93 892.53	2	867 088.17	
L85	94 626.79	2	865 128.76		R85	94 035.74	2	866 669.48	
L86	94 750.60	2	864 802.82		R86	94 239.46	2	866 074.30	
L87	94 836.89	2	864 610.16		R87	94 312.58	2	865 861.68	
L88	94 950.64	2	864 390.93		R88	94 577.61	2	865 152.89	
L89	95 240.84	2	863 833.98		R89	94 715.75	2	864 788.01	
L90	95 503.22	2	863 331.32		R90	94 803.95	2	864 591.92	
L91	95 604.47	2	863 108.11		R91	94 899.05	2	864 407.90	
L92	95 644.30	2	862 920.15		R92	95 193.12	2	863 843.90	
L93	95 713.64	2	862 054.13		R93	95 466.73	2	863 319.73	
L94	95 736.13	2	861 726.38		R94	95 568.16	2	863 098.27	
L95	95 722.75	2	861 175.85		R95	95 606.52	2	862 918.12	
L96	95 684.71	2	859 839.72		R96	95 678.77	2	862 039.41	
L97	95 684.09	2	859 789.51		R97	95 695.87	2	861 802.29	
L98	95 687.03	2	859 589.23		R98	95 699.38	2	861 773.89	
L99	95 689.30	2	859 439.94		R99	95 699.56	2	861 748.07	
L100	95 706.45	2	858 741.98		R100	95 685.88	2	861 207.65	
L101	95 712.10	2	858 381.15		R101	95 647.22	2	859 850.27	
L102	95 689.73	2	857 594.41		R102	95 649.00	2	859 638.75	
					Vel	12	Van	14	P925/16
					Sheet		of		

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L103	95 686.40	2	857 482.71		R103	95 649.97	2	859 590.44	
L104	95 705.74	2	857 275.25		R104	95 667.75	2	858 744.37	
L105	95 785.61	2	857 050.90		R105	95 673.05	2	858 430.23	
L106	96 144.58	2	856 347.60		R106	95 669.16	2	858 221.53	
L107	96 190.06	2	856 267.20		R107	95 650.93	2	857 566.17	
L108	96 242.60	2	856 194.38		R108	95 652.27	2	857 460.84	
L109	96 322.53	2	856 107.08		R109	95 654.40	2	857 350.94	
L110	96 377.28	2	856 059.20		R110	95 680.66	2	857 214.34	
L111	96 671.90	2	855 819.59		R111	95 709.30	2	857 127.43	
L112	96 997.95	2	855 554.25		R112	95 746.04	2	857 051.82	
L113	97 102.82	2	855 468.78		R113	95 833.23	2	856 873.51	
L114	97 230.49	2	855 365.35		R114	95 815.58	2	856 853.44	
L115	97 428.12	2	855 204.99		R115	95 831.49	2	856 822.61	
L116	97 471.34	2	855 169.96		R116	95 855.89	2	856 834.92	
L117	97 552.64	2	855 090.69		R117	96 122.20	2	856 318.33	
L118	97 678.79	2	854 957.43		R118	96 168.18	2	856 233.40	
L119	97 830.10	2	854 799.89		R119	96 228.23	2	856 158.11	
L120	97 855.52	2	854 772.61		R120	96 293.48	2	856 086.53	
L121	98 112.01	2	854 505.46		R121	96 431.04	2	855 966.52	
L122	98 158.47	2	854 457.28		R122	96 656.92	2	855 779.73	
L123	99 345.43	2	853 193.45		R123	96 985.47	2	855 512.53	
L124	99 460.51	2	853 099.43		R124	97 091.30	2	855 426.34	
L125	99 543.24	2	853 048.75		R125	97 214.10	2	855 326.45	
L126	99 878.83	2	852 868.26		R126	97 361.31	2	855 210.27	
L127	99 961.40	2	852 826.71		R127	97 422.82	2	855 156.59	
L128	100 437.09	2	852 605.10		R128	97 434.60	2	855 146.35	
L129	100 667.50	2	852 497.57		R129	97 545.88	2	855 043.03	
L130	100 756.42	2	852 448.94		R130	97 670.76	2	854 912.67	
L131	100 800.44	2	852 421.20		R131	97 819.81	2	854 757.04	
L132	100 840.59	2	852 395.98		R132	97 844.48	2	854 731.37	
L133	100 867.74	2	852 372.49		R133	98 138.24	2	854 424.04	
L134	100 965.87	2	852 285.58		R134	99 321.98	2	853 162.41	
L135	100 991.00	2	852 262.47		R135	99 439.75	2	853 067.22	
L136	101 201.50	2	852 055.87		R136	99 539.34	2	853 007.75	
L137	101 267.95	2	851 969.74		R137	99 863.64	2	852 833.63	
L138	101 353.23	2	851 851.54		R138	100 405.14	2	852 578.72	
L139	101 478.38	2	851 711.62		R139	100 686.79	2	852 446.92	
L140	101 557.76	2	851 648.27		R140	100 820.79	2	852 366.80	
L141	102 752.34	2	850 981.94		R141	100 845.74	2	852 344.57	
L142	102 760.54	2	850 992.88		R142	100 958.29	2	852 241.77	
L143	102 790.04	2	850 973.60		R143	101 134.96	2	852 068.25	
L144	102 802.15	2	850 954.21		R144	101 172.84	2	852 029.47	
L145	102 830.15	2	850 936.42		R145	101 252.40	2	851 926.67	
L146	103 541.83	2	850 472.59		R146	101 310.17	2	851 846.05	
L147	103 568.18	2	850 454.62		R147	101 310.59	2	851 845.18	
L148	103 610.70	2	850 413.32		R148	101 342.81	2	851 806.92	
L149	103 656.16	2	850 353.38		R149	101 441.55	2	851 694.41	
L150	103 678.36	2	850 285.67		R150	101 478.60	2	851 662.24	
L151	103 685.42	2	850 246.48		R151	101 509.87	2	851 640.32	
L152	103 714.65	2	850 023.56		R152	101 590.33	2	851 582.95	
L153	103 731.72	2	849 998.46		R153	101 675.69	2	851 533.13	
					Vel	13	Van	14	P925/16
					Sheet		of		

This gazette is also available free online at www.gpwonline.co.za