

DEPARTMENT OF TRANSPORT

NO. 261

23 MARCH 2018

**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED**


Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD R504 SECTION 3

AMENDMENT OF DECLARATION No. 784 OF 2012.

By virtue of section 40(1)(b) of the South African National Roads Agency Limited and the National Roads Act, 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 784 of 2012 by substituting paragraph L(I) of the Schedule, being the descriptive declaration of the route from its junction with National Road N12 Section 15 in Wolmaransstad up to its junction with Provincial Road P104 Section 1 in Leeudoringstad, with the accompanying sheets 1 to 7 of Plan No. P920/16.

In the town of Witpoort the route enters the town along R504 Section 3 from the West and follows the street known as Joubert Street at the time of declaration.

(National Road R504 Section 3: Wolmaransstad – Leeudoringstad)

MINISTER OF TRANSPORT

DEPARTEMENT VAN VERVOER

NO. 261

23 MAART 2018

**DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSKAP MSB BEPERK**

Registrasie No: 1998/009584/30


VERKLARING WYSIGING VAN NASIONALE PAD R504 SEKSIE 3

WYSIGING VAN VERKLARING No. 784 VAN 2012.


Kragtens Artikel 40(1)(b) van die Wet op die Suid-Afrikaanse Nasionale Padagentskap Beperk en op Nasionale Paaie, Wet 1998 (Wet No. 7 van 1998), wysig ek hiermee Verklaring No. 784 van 2012 deur paragraaf L(I) van die Skedule te vervang, synde die gedeelte van die beskrywende verklaring van die pad vanaf die aansluiting met Nasionale Pad N12 Seksie 15 in Wolmaransstad tot by die aansluiting met Provinsiale Pad P104 Seksie 1 in Leeudoringstad, met bygaande velle 1 tot 7 van Plan No. P920/16.


In die dorp van Witpoort kom die pad die dorp binne vanuit die Weste langs die R504 Seksie 3 en volg die straat bekend as Joubertstraat tydens datum van verklaring.

(Nasionale Pad R504 Seksie 3: Wolmaransstad – Leeudoringstad)
MINISTER VAN VERVOER




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Raete R504 Seksie of National Route Section	Vel Sheet 1 of 7	Plan P920/16
---	---------------------------------------	---	--	---------------------	-----------------





Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	3	Val Sheet 3 of 7 Plan P920/16
---	---	-------------------------------------



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R504 of National Route	Vel Sheet 4 of 7	Plan P920/16
---	---	--	-----------------------------	-------------------------

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L1	100 134.64	3	009	974.98	R1	100 311.93	3	010	023.76
L2	100 138.24	3	010	002.87	R2	100 169.44	3	010	104.74
L3	100 199.74	3	010	026.41	R3	100 152.25	3	010	111.50
L4	100 233.07	3	010	022.57	R4	100 135.72	3	010	118.00
L5	100 146.90	3	010	070.05	R5	100 094.70	3	010	131.13
L6	100 036.62	3	010	106.28	R6	100 059.99	3	010	138.20
L7	99 638.76	3	010	114.70	R7	100 015.82	3	010	141.82
L8	99 080.56	3	010	126.51	R8	99 953.20	3	010	142.47
L9	98 842.69	3	010	130.65	R9	99 655.07	3	010	148.35
L10	98 505.04	3	010	137.08	R10	99 446.46	3	010	152.47
L11	98 359.08	3	010	138.67	R11	99 078.74	3	010	159.15
L12	98 279.78	3	010	139.50	R12	98 507.99	3	010	170.64
L13	98 220.28	3	010	133.85	R13	98 392.48	3	010	173.55
L14	97 991.67	3	010	098.52	R14	98 256.63	3	010	171.54
L15	97 692.43	3	009	995.67	R15	98 151.38	3	010	162.13
L16	93 737.07	3	008	458.13	R16	98 094.91	3	010	153.98
L17	93 493.11	3	008	363.20	R17	98 052.34	3	010	146.35
L18	92 564.72	3	008	002.68	R18	98 001.96	3	010	135.60
L19	91 794.22	3	007	702.05	R19	97 930.90	3	010	118.16
L20	90 787.09	3	007	310.30	R20	97 830.49	3	010	085.18
L21	90 497.91	3	007	193.12	R21	97 618.22	3	010	005.90
L22	90 275.25	3	007	107.06	R22	96 830.34	3	009	699.43
L23	89 787.73	3	006	917.46	R23	96 027.51	3	009	386.52
L24	89 658.97	3	006	867.24	R24	96 028.53	3	009	383.82
L25	89 559.08	3	006	834.29	R25	95 506.12	3	009	180.29
L26	89 452.16	3	006	813.02	R26	93 787.73	3	008	511.73
L27	89 338.25	3	006	805.62	R27	93 778.82	3	008	511.71
L28	89 230.61	3	006	810.32	R28	93 745.19	3	008	498.41
L29	89 120.14	3	006	833.41	R29	93 321.61	3	008	333.17
L30	89 009.18	3	006	864.73	R30	93 249.65	3	008	304.61
L31	88 934.56	3	006	899.79	R31	93 155.85	3	008	264.72
L32	88 752.09	3	006	989.92	R32	92 890.02	3	008	161.98
L33	88 716.65	3	007	002.46	R33	92 701.45	3	008	092.18
L34	88 673.62	3	007	021.44	R34	92 236.83	3	007	911.23
L35	88 438.79	3	007	136.26	R35	91 943.51	3	007	797.31
L36	88 168.25	3	007	268.01	R36	91 265.67	3	007	533.01
L37	88 115.12	3	007	294.95	R37	90 775.58	3	007	342.43
L38	87 983.44	3	007	358.24	R38	90 707.21	3	007	319.44
L39	87 627.31	3	007	532.58	R39	90 674.13	3	007	303.96
L40	87 231.44	3	007	726.17	R40	90 661.01	3	007	298.79
L41	87 222.44	3	007	708.32	R41	90 593.68	3	007	285.30
L42	87 188.45	3	007	725.04	R42	90 499.41	3	007	233.54
L43	87 197.22	3	007	743.02	R43	90 484.48	3	007	227.24
L44	87 098.55	3	007	791.15	R44	90 260.64	3	007	141.91
L45	86 679.81	3	008	012.03	R45	89 632.64	3	006	897.35
L46	86 675.02	3	008	002.16	R46	89 550.61	3	006	871.62
L47	86 632.73	3	008	019.59	R47	89 444.76	3	006	850.77
L48	86 605.99	3	008	032.04	R48	89 323.24	3	006	842.57
L49	86 468.41	3	008	097.98	R49	89 229.21	3	006	846.23
L50	86 207.02	3	008	227.20	R50	89 120.81	3	006	867.08
L51	85 495.05	3	008	575.48	R51	89 009.81	3	006	898.46
					Vel Sheet 5 Van of 7 P920/16				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°		Y	X
L52	85 007.49	3 008 814.35		R52	88 530.69	3 007 131.17
L53	84 801.93	3 008 915.14		R53	88 116.23	3 007 333.56
L54	84 498.95	3 009 056.90		R54	88 098.80	3 007 342.07
L55	84 235.56	3 009 139.80		R55	88 023.51	3 007 378.83
L56	83 676.00	3 009 304.39		R56	87 866.27	3 007 455.62
L57	83 080.72	3 009 479.60		R57	87 352.91	3 007 706.31
L58	82 684.35	3 009 596.36		R58	87 355.24	3 007 707.62
L59	82 343.22	3 009 697.47		R59	87 126.15	3 007 819.47
L60	81 984.63	3 009 802.77		R60	87 130.73	3 007 829.39
L61	81 731.92	3 009 878.32		R61	87 119.80	3 007 834.72
L62	81 638.64	3 009 907.00		R62	86 694.68	3 008 042.50
L63	81 608.82	3 009 916.18		R63	86 693.60	3 008 043.03
L64	81 496.83	3 009 958.58		R64	86 683.99	3 008 036.23
L65	81 348.87	3 010 032.35		R65	86 651.24	3 008 048.39
L66	81 340.28	3 010 037.33		R66	86 486.15	3 008 132.65
L67	81 150.08	3 010 168.17		R67	85 903.40	3 008 417.64
L68	80 891.90	3 010 345.44		R68	84 985.54	3 008 866.65
L69	80 681.66	3 010 493.63		R69	84 850.48	3 008 932.53
L70	80 492.46	3 010 626.67		R70	84 512.43	3 009 091.90
L71	79 546.77	3 011 292.47		R71	84 227.40	3 009 180.71
L72	78 664.67	3 011 913.49		R72	82 328.21	3 009 740.92
L73	78 502.04	3 012 028.36		R73	82 057.08	3 009 821.05
L74	78 493.15	3 012 033.74		R74	81 612.99	3 009 953.42
L75	77 554.10	3 012 695.17		R75	81 508.19	3 009 994.34
L76	77 392.53	3 012 808.72		R76	81 374.11	3 010 061.14
L77	77 341.06	3 012 844.47		R77	81 219.64	3 010 166.03
L78	77 289.31	3 012 877.32		R78	80 905.15	3 010 381.94
L79	77 227.05	3 012 908.97		R79	80 642.35	3 010 567.07
L80	77 157.38	3 012 938.70		R80	80 536.43	3 010 641.69
L81	77 081.40	3 012 962.49		R81	79 594.36	3 011 304.96
L82	77 008.56	3 012 979.64		R82	78 713.18	3 011 925.38
L83	76 933.23	3 012 989.78		R83	78 214.51	3 012 276.13
L84	76 845.74	3 012 993.53		R84	77 642.92	3 012 678.74
L85	75 991.40	3 012 997.60		R85	77 433.70	3 012 826.38
L86	75 688.00	3 012 999.05		R86	77 321.49	3 012 906.17
L87	75 574.54	3 012 999.59		R87	77 189.66	3 012 966.67
L88	75 521.91	3 013 004.92		R88	77 098.81	3 012 996.57
L89	75 435.57	3 013 019.98		R89	77 027.43	3 013 014.31
L90	75 372.73	3 013 038.76		R90	76 952.65	3 013 024.20
L91	75 308.53	3 013 062.64		R91	76 886.70	3 013 031.06
L92	75 294.75	3 013 069.36		R92	76 214.95	3 013 034.10
L93	75 253.83	3 013 075.19		R93	76 182.10	3 013 059.40
L94	74 690.01	3 013 404.23		R94	76 128.81	3 013 059.84
L95	74 666.91	3 013 396.02		R95	76 144.48	3 013 047.80
L96	74 641.35	3 013 412.88		R96	76 145.91	3 013 034.66
L97	74 654.45	3 013 427.99		R97	76 007.07	3 013 035.27
L98	74 201.93	3 013 684.28		R98	75 728.54	3 013 036.50
L99	74 168.64	3 013 703.55		R99	75 625.41	3 013 037.03
L100	74 123.93	3 013 728.69		R100	75 569.68	3 013 038.12
L101	73 945.48	3 013 822.83		R101	75 498.31	3 013 045.83
L102	73 822.87	3 013 844.04		R102	75 466.09	3 013 052.11
				Vel Sheet	6 Van of	7 P920/16

This gazette is also available free online at www.gpwonline.co.za