

DEPARTMENT OF TRANSPORT

NO. 263

23 MARCH 2018

**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED**


Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD R503 SECTION 1

AMENDMENT OF DECLARATION No. 784 OF 2012.

By virtue of section 40(1)(b) of the South African National Roads Agency Limited and the National Roads Act, 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 784 of 2012 by substituting paragraph K(l) of the Schedule, being the descriptive declaration of the route from its junction with National Road N12 Section 15 at Klerksdorp up to its junction with National Road N14 Section 12 at Coligny, with the accompanying sheets 1 to 22 of Plan No. P909/16.

(National Road R503 Section 1: Klerksdorp – Coligny)



MINISTER OF TRANSPORT

DEPARTEMENT VAN VERVOER

NO. 263

23 MAART 2018

**DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSKAP MSB BEPERK**


Registrasie No: 1998/009584/30


VERKLARING WYSIGING VAN NASIONALE PAD R503 SEKSIE 1

WYSIGING VAN VERKLARING No. 784 VAN 2012.


Kragtens Artikel 40(1)(b) van die Wet op die Suid-Afrikaanse Nasionale Padagentskap Beperk en op Nasionale Paaie, Wet 1998 (Wet No. 7 van 1998), wysig ek hiermee Verklaring No. 784 van 2012 deur paragraaf K(l) van die Skedule te vervang, synde die gedeelte van die beskrywende verklaring van die pad vanaf die aansluiting met Nasionale Pad N12 Seksie 15 by Klerksdorp tot by die aansluiting met Nasionale Pad N14 Seksie 12 By Coligny, met bygaande velle 1 tot 22 van Plan No. P909/16.

(Nasionale Pad R503 Seksie 1: Klerksdorp – Coligny)


MINISTER VAN VERVOER




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R503 of National Route	Vel Sheet 1 of 22 Plan P909/16
---	---------------------------------------	--	-----------------------------------





Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stelde padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R503 of National Route	Vel Sheet 2 of 22 Plan P909/16
---	---------------------------------------	---	---





Die Suid Afrikaanse Nasionale Podogentskap MSB Bpk	Die figuur getoon		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion von Nasionale Roete R503 of National Route	Vel Sheet	3 of	22
The South African National Roads Agency SOC Ltd	The figure shown			1	Plan	P909/16




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R503 of National Route	1	Vel Sheet 4 of 22
				Plan	P909/16












Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R503 of National Route Section	Vel Sheet 8 of 22 Plan P909/16
---	---------------------------------------	--	--





Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie podreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R503 of National Route
Vel Sheet 9 of 22	1	Plan P909/16







Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R503 of National Route	Vel Sheet 11 of 22 Plan P909/16
---	---------------------------------------	--	---	---------------------------------------




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R503 Sektie of National Route Section	Vel Sheet 12 of 22	Plan P909/16
---	---------------------------------------	---	---	-----------------------	--------------



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R503 of National Route	Vel Sheet 13 of 22 Plan P909/16
---	---	---------------------------------------



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R503 of National Route Section	Vel van Sheet 14 of 22	Plan P909/16
---	---------------------------------------	--	---------------------------	-----------------



PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES					
LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°	Y	X
L1	38 965.25	2 973 539.73	R1	38 779.97	2 973 494.90
L2	38 924.46	2 973 514.34	R2	38 827.21	2 973 490.92
L3	38 913.38	2 973 496.27	R3	38 845.32	2 973 479.86
L4	38 909.35	2 973 449.00	R4	38 870.45	2 973 439.68
L5	38 939.39	2 973 324.37	R5	38 889.20	2 973 361.94
L6	38 957.49	2 973 271.69	R6	38 900.97	2 973 313.15
L7	38 981.04	2 973 225.98	R7	38 920.65	2 973 255.96
L8	39 009.01	2 973 186.77	R8	38 946.84	2 973 205.10
L9	39 040.82	2 973 151.17	R9	38 977.73	2 973 161.78
L10	39 080.35	2 973 118.00	R10	39 012.88	2 973 122.38
L11	39 130.14	2 973 086.26	R11	39 056.62	2 973 085.67
L12	39 155.11	2 973 074.18	R12	39 109.97	2 973 051.69
L13	39 713.74	2 972 932.36	R13	39 141.37	2 973 036.37
L14	40 118.47	2 972 829.61	R14	40 106.68	2 972 791.32
L15	40 181.04	2 972 806.81	R15	40 165.14	2 972 770.03
L16	40 307.12	2 972 743.26	R16	40 250.94	2 972 726.77
L17	40 329.51	2 972 724.50	R17	40 363.33	2 972 643.18
L18	42 943.44	2 970 534.29	R18	41 756.36	2 971 471.59
L19	43 154.14	2 970 358.06	R19	41 766.04	2 971 463.45
L20	43 177.63	2 970 328.55	R20	42 055.95	2 971 229.26
L21	43 462.87	2 970 087.00	R21	42 726.84	2 970 661.33
L22	43 650.81	2 969 926.41	R22	42 799.71	2 970 599.40
L23	43 840.55	2 969 766.66	R23	43 108.38	2 970 337.12
L24	44 700.25	2 969 056.69	R24	43 197.60	2 970 259.50
L25	44 910.46	2 968 885.87	R25	43 399.66	2 970 088.45
L26	44 935.71	2 968 864.58	R26	43 677.85	2 969 852.08
L27	45 009.47	2 968 807.23	R27	43 815.90	2 969 737.50
L28	45 062.19	2 968 771.37	R28	43 838.21	2 969 717.93
L29	45 312.13	2 968 622.78	R29	44 024.26	2 969 564.66
L30	45 829.83	2 968 319.19	R30	44 675.55	2 969 026.53
L31	45 999.87	2 968 219.83	R31	44 877.93	2 968 859.77
L32	46 177.00	2 968 122.80	R32	44 950.77	2 968 801.45
L33	46 457.38	2 967 978.63	R33	45 020.95	2 968 750.90
L34	46 802.69	2 967 802.48	R34	45 291.78	2 968 588.41
L35	47 284.74	2 967 555.70	R35	45 636.95	2 968 385.88
L36	47 563.41	2 967 419.15	R36	45 985.63	2 968 182.04
L37	47 789.11	2 967 296.15	R37	46 102.66	2 968 116.35
L38	48 037.97	2 967 156.66	R38	46 158.37	2 968 087.28
L39	48 601.04	2 966 826.08	R39	46 644.49	2 967 838.66
L40	48 759.09	2 966 732.36	R40	47 080.24	2 967 615.81
L41	49 134.15	2 966 514.38	R41	47 262.49	2 967 522.60
L42	49 174.83	2 966 489.36	R42	47 542.29	2 967 379.50
L43	49 213.78	2 966 465.40	R43	47 760.14	2 967 266.55
L44	49 335.78	2 966 395.61	R44	48 024.54	2 967 115.95
L45	49 520.62	2 966 273.54	R45	48 340.39	2 966 931.63
L46	49 733.39	2 966 123.85	R46	48 732.02	2 966 702.54
L47	50 504.80	2 965 580.91	R47	49 056.38	2 966 513.57
L48	50 815.55	2 965 369.92	R48	49 094.30	2 966 457.56
L49	51 471.54	2 964 938.21	R49	49 117.42	2 966 448.16
L50	51 536.62	2 964 917.34	R50	49 177.58	2 966 442.94
L51	51 566.79	2 964 875.53	R51	49 314.53	2 966 361.78
			Vel Sheet	16 Van of	22 P909/16

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L52	51 992.63	2	964 595.14		R52	49 498.48	2	966 240.09	
L53	52 110.59	2	964 512.87		R53	49 940.29	2	965 928.61	
L54	52 161.18	2	964 477.57		R54	50 045.90	2	965 854.45	
L55	52 300.23	2	964 375.54		R55	50 305.00	2	965 672.59	
L56	52 707.48	2	964 076.45		R56	50 480.53	2	965 549.01	
L57	52 918.57	2	963 921.55		R57	50 678.87	2	965 412.36	
L58	53 080.55	2	963 792.11		R58	50 697.43	2	965 399.57	
L59	53 080.08	2	963 794.58		R59	51 152.49	2	965 099.56	
L60	53 208.99	2	963 682.62		R60	51 582.29	2	964 816.39	
L61	54 005.22	2	962 991.07		R61	52 013.45	2	964 532.63	
L62	54 320.51	2	962 717.31		R62	52 085.62	2	964 481.54	
L63	54 474.89	2	962 586.94		R63	52 278.67	2	964 342.16	
L64	54 634.85	2	962 473.52		R64	52 679.82	2	964 044.94	
L65	54 924.22	2	962 279.22		R65	52 771.98	2	963 979.70	
L66	55 146.98	2	962 130.46		R66	52 954.88	2	963 844.23	
L67	55 196.51	2	962 115.95		R67	53 092.21	2	963 731.20	
L68	55 218.34	2	962 118.36		R68	54 007.64	2	962 936.10	
L69	55 260.26	2	962 085.54		R69	54 334.92	2	962 652.35	
L70	55 246.16	2	962 063.59		R70	54 403.43	2	962 592.96	
L71	56 129.78	2	961 472.16		R71	54 444.24	2	962 559.68	
L72	56 311.50	2	961 348.71		R72	54 527.86	2	962 497.57	
L73	56 497.83	2	961 223.93		R73	54 578.53	2	962 462.90	
L74	56 498.17	2	961 230.27		R74	54 593.05	2	962 452.97	
L75	56 511.32	2	961 221.47		R75	55 501.04	2	961 845.05	
L76	56 538.73	2	961 203.10		R76	56 283.14	2	961 321.13	
L77	56 566.15	2	961 184.73		R77	56 513.24	2	961 168.37	
L78	56 594.69	2	961 168.06		R78	56 511.48	2	961 153.52	
L79	56 627.11	2	961 149.38		R79	56 539.01	2	961 132.06	
L80	56 666.01	2	961 133.51		R80	56 561.18	2	961 136.62	
L81	56 689.62	2	961 123.87		R81	56 621.95	2	961 096.32	
L82	56 706.11	2	961 119.62		R82	56 676.78	2	961 067.52	
L83	56 754.99	2	961 107.01		R83	56 814.52	2	961 060.29	
L84	56 793.96	2	961 102.42		R84	56 815.36	2	961 052.41	
L85	56 793.68	2	961 090.99		R85	56 825.07	2	961 051.81	
L86	56 811.34	2	961 090.16		R86	56 920.65	2	961 045.90	
L87	56 821.05	2	961 089.71		R87	56 930.22	2	961 045.31	
L88	56 916.47	2	961 085.28		R88	57 025.87	2	961 039.40	
L89	56 926.03	2	961 084.84		R89	57 121.28	2	961 033.51	
L90	57 021.58	2	961 080.40		R90	57 182.16	2	961 029.75	
L91	57 049.78	2	961 079.08		R91	57 225.90	2	961 010.47	
L92	57 062.37	2	961 078.17		R92	57 274.24	2	960 901.76	
L93	57 117.24	2	961 071.86		R93	57 291.41	2	960 742.54	
L94	57 261.65	2	961 055.24		R94	57 291.46	2	960 742.04	
L95	57 316.72	2	961 048.90		R95	57 303.95	2	960 604.95	
L96	57 337.14	2	961 046.03		R96	57 314.13	2	960 567.12	
L97	57 336.09	2	961 029.27		R97	57 361.92	2	960 411.21	
L98	57 321.41	2	961 030.71		R98	57 377.69	2	960 360.01	
L99	57 309.26	2	960 922.83		R99	57 373.65	2	960 325.66	
L100	57 316.95	2	960 843.30		R100	57 404.86	2	960 274.63	
L101	57 328.22	2	960 726.50		R101	57 410.78	2	960 306.17	
L102	57 350.07	2	960 585.23		R102	57 441.16	2	960 256.58	
					Vel 17 Van 22 of P909/16				
					Sheet of				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES					
LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°	Y	X
L103	57 380.13	2 960 482.77		R103	57 470.46 2 960 213.58
L104	57 415.67	2 960 397.02		R104	57 500.44 2 960 174.17
L105	57 442.75	2 960 324.14		R105	57 522.42 2 960 147.42
L106	57 475.55	2 960 275.12		R106	57 557.55 2 960 109.70
L107	57 500.66	2 960 238.00		R107	57 932.60 2 959 715.21
L108	57 530.60	2 960 196.96		R108	57 974.46 2 959 665.46
L109	57 604.24	2 960 114.76		R109	57 986.58 2 959 658.00
L110	57 917.55	2 959 783.87		R110	58 354.69 2 959 269.75
L111	57 941.31	2 959 758.58		R111	58 466.82 2 959 151.49
L112	57 989.78	2 959 707.06		R112	58 845.95 2 958 756.67
L113	58 214.51	2 959 482.89		R113	59 150.96 2 958 450.27
L114	58 392.70	2 959 288.39		R114	59 335.24 2 958 265.18
L115	58 900.28	2 958 756.95		R115	59 387.56 2 958 212.62
L116	59 288.87	2 958 377.60		R116	59 436.49 2 958 149.15
L117	59 356.97	2 958 307.89		R117	59 487.88 2 958 074.28
L118	59 409.22	2 958 247.73		R118	59 520.24 2 958 021.08
L119	59 458.43	2 958 184.81		R119	59 559.17 2 957 948.99
L120	59 503.10	2 958 121.64		R120	59 563.22 2 957 948.73
L121	59 527.14	2 958 084.17		R121	60 212.45 2 956 697.90
L122	59 566.45	2 958 017.46		R122	60 277.97 2 956 571.66
L123	59 604.24	2 957 946.17		R123	60 272.73 2 956 550.62
L124	60 249.94	2 956 697.26		R124	60 364.83 2 956 378.04
L125	60 431.85	2 956 343.65		R125	60 390.57 2 956 325.53
L126	60 502.58	2 956 204.73		R126	60 470.93 2 956 182.64
L127	60 659.86	2 955 894.83		R127	60 635.92 2 955 857.57
L128	60 704.68	2 955 810.65		R128	60 785.51 2 955 566.51
L129	60 888.31	2 955 453.94		R129	60 851.44 2 955 438.24
L130	60 923.19	2 955 396.99		R130	61 014.37 2 955 202.61
L131	60 969.50	2 955 330.66		R131	61 077.52 2 955 119.74
L132	61 047.72	2 955 226.42		R132	61 142.29 2 955 032.41
L133	61 115.03	2 955 136.28		R133	61 229.30 2 954 895.92
L134	61 175.06	2 955 055.27		R134	61 238.52 2 954 879.19
L135	61 226.31	2 954 979.28		R135	61 517.05 2 954 298.30
L136	61 272.41	2 954 900.54		R136	61 757.75 2 953 791.69
L137	61 397.43	2 954 643.26		R137	61 784.45 2 953 741.57
L138	61 555.47	2 954 310.63		R138	61 814.07 2 953 693.11
L139	61 661.77	2 954 087.79		R139	61 931.26 2 953 516.58
L140	61 818.13	2 953 762.57		R140	62 177.92 2 953 134.09
L141	61 967.81	2 953 528.54		R141	62 312.91 2 952 925.32
L142	61 971.79	2 953 518.03		R142	62 460.40 2 952 702.96
L143	61 972.70	2 953 516.28		R143	62 582.33 2 952 515.93
L144	62 215.70	2 953 137.37		R144	62 590.99 2 952 502.24
L145	62 489.78	2 952 710.79		R145	62 591.76 2 952 497.40
L146	62 618.88	2 952 512.28		R146	62 887.05 2 952 039.79
L147	62 622.92	2 952 505.97		R147	62 911.12 2 952 004.55
L148	62 910.69	2 952 057.53		R148	62 980.52 2 951 879.28
L149	62 942.86	2 952 008.11		R149	63 042.10 2 951 761.41
L150	63 009.91	2 951 891.34		R150	63 221.01 2 951 396.17
L151	63 070.75	2 951 774.32		R151	63 526.07 2 950 774.29
L152	63 251.63	2 951 404.83		R152	63 606.86 2 950 609.49
L153	63 569.00	2 950 758.20		R153	63 651.55 2 950 488.39
			Vel 18 Sheet	Van 22 of	P909/16

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L154	63 634.92	2	950 623.55		R154	63 688.33	2	950 335.95	
L155	63 681.78	2	950 496.64		R155	63 670.10	2	950 334.44	
L156	63 719.52	2	950 338.80		R156	63 666.12	2	950 311.04	
L157	63 731.77	2	950 351.33		R157	63 690.23	2	950 308.83	
L158	63 733.45	2	950 326.11		R158	63 905.94	2	949 367.33	
L159	63 733.64	2	950 323.34		R159	63 911.87	2	949 343.43	
L160	63 727.21	2	950 288.55		R160	63 912.28	2	949 341.87	
L161	63 819.05	2	949 890.98		R161	63 916.20	2	949 327.30	
L162	63 860.01	2	949 712.02		R162	63 924.86	2	949 301.80	
L163	63 921.14	2	949 450.43		R163	63 937.60	2	949 274.48	
L164	63 923.18	2	949 442.67		R164	63 954.80	2	949 242.69	
L165	63 937.68	2	949 387.50		R165	63 972.11	2	949 210.72	
L166	63 956.21	2	949 321.59		R166	63 973.12	2	949 208.87	
L167	63 963.76	2	949 306.00		R167	63 998.35	2	949 173.76	
L168	63 985.07	2	949 261.95		R168	64 015.38	2	949 153.53	
L169	63 985.65	2	949 261.06		R169	64 064.76	2	949 103.01	
L170	64 022.25	2	949 203.95		R170	64 123.72	2	949 058.84	
L171	64 041.48	2	949 179.78		R171	64 240.39	2	948 989.03	
L172	64 057.70	2	949 161.33		R172	64 476.36	2	948 849.47	
L173	64 060.08	2	949 159.07		R173	64 782.26	2	948 668.02	
L174	64 091.75	2	949 128.99		R174	65 527.73	2	948 226.48	
L175	64 140.54	2	949 092.46		R175	65 651.01	2	948 150.01	
L176	64 395.98	2	948 940.53		R176	65 722.83	2	948 092.25	
L177	64 397.81	2	948 939.45		R177	65 775.64	2	948 039.48	
L178	64 798.96	2	948 702.09		R178	65 830.61	2	947 972.13	
L179	65 131.43	2	948 504.99		R179	65 868.98	2	947 915.60	
L180	65 129.77	2	948 502.15		R180	65 916.00	2	947 827.00	
L181	65 339.13	2	948 379.78		R181	65 942.04	2	947 762.80	
L182	65 340.05	2	948 381.62		R182	65 962.98	2	947 694.23	
L183	65 453.15	2	948 314.51		R183	65 977.59	2	947 625.65	
L184	65 583.89	2	948 307.99		R184	65 985.95	2	947 560.00	
L185	65 585.43	2	948 283.15		R185	65 989.29	2	947 500.43	
L186	65 561.22	2	948 246.87		R186	65 975.74	2	947 109.23	
L187	65 704.27	2	948 157.45		R187	65 959.98	2	946 738.69	
L188	65 718.54	2	948 144.56		R188	65 928.74	2	945 929.99	
L189	65 803.08	2	948 064.97		R189	65 934.79	2	945 805.39	
L190	65 860.82	2	947 994.86		R190	65 932.47	2	945 789.90	
L191	65 900.75	2	947 935.74		R191	65 950.04	2	945 774.73	
L192	65 951.50	2	947 839.94		R192	65 998.58	2	945 586.78	
L193	65 977.82	2	947 774.10		R193	66 085.75	2	945 406.12	
L194	66 000.57	2	947 699.17		R194	66 121.87	2	945 331.82	
L195	66 014.39	2	947 633.52		R195	66 335.29	2	944 893.10	
L196	66 023.07	2	947 565.34		R196	66 917.71	2	943 685.59	
L197	66 026.68	2	947 508.79		R197	67 114.05	2	943 280.80	
L198	66 022.28	2	947 367.31		R198	67 090.19	2	943 270.37	
L199	66 017.41	2	947 242.86		R199	67 110.20	2	943 251.13	
L200	66 001.19	2	946 828.31		R200	67 125.92	2	943 256.15	
L201	65 965.95	2	945 942.80		R201	67 272.32	2	942 958.94	
L202	65 977.51	2	945 797.02		R202	67 309.22	2	942 903.38	
L203	66 031.99	2	945 600.36		R203	67 341.22	2	942 864.30	
L204	66 128.03	2	945 397.78		R204	67 454.73	2	942 744.20	
					Vel 19 Van 22 Sheet of P909/16				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES											
LINKERKANT/LEFT HAND SIDE						REGTERKANT/RIGHT HAND SIDE					
	Y		X	WG 27°			Y		X		
L205	66	231.19	2	945	188.99	R205	67	702.41	2	942	485.64
L206	66	263.89	2	945	120.61	R206	67	824.36	2	942	357.00
L207	66	370.50	2	944	893.35	R207	67	888.59	2	942	289.90
L208	66	963.85	2	943	670.42	R208	67	908.62	2	942	278.07
L209	67	149.57	2	943	293.76	R209	67	994.15	2	942	188.49
L210	67	281.93	2	943	021.12	R210	68	356.06	2	941	809.44
L211	67	309.79	2	942	969.63	R211	69	095.22	2	941	036.26
L212	67	340.77	2	942	924.28	R212	69	580.35	2	940	528.32
L213	67	371.17	2	942	887.16	R213	69	685.51	2	940	418.94
L214	67	717.75	2	942	523.67	R214	69	791.97	2	940	307.50
L215	67	868.86	2	942	365.21	R215	69	811.97	2	940	286.60
L216	67	890.27	2	942	384.59	R216	70	018.43	2	940	071.32
L217	67	900.16	2	942	361.04	R217	70	182.91	2	939	899.59
L218	67	885.81	2	942	347.54	R218	70	347.07	2	939	728.88
L219	67	898.59	2	942	334.21	R219	70	477.83	2	939	585.35
L220	68	019.61	2	942	207.26	R220	70	616.22	2	939	369.45
L221	68	075.36	2	942	148.90	R221	71	174.92	2	938	498.33
L222	69	125.80	2	941	049.49	R222	71	287.17	2	938	311.91
L223	69	610.94	2	940	541.81	R223	71	331.89	2	938	241.47
L224	70	048.42	2	940	084.01	R224	71	324.94	2	938	232.47
L225	70	195.65	2	939	930.83	R225	71	386.81	2	938	144.44
L226	70	502.29	2	939	605.07	R226	71	450.72	2	938	053.54
L227	71	315.19	2	938	337.99	R227	71	496.92	2	937	984.18
L228	71	573.62	2	937	933.37	R228	71	549.54	2	937	901.81
L229	71	589.41	2	937	944.86	R229	71	594.12	2	937	811.03
L230	71	605.96	2	937	912.52	R230	71	614.58	2	937	748.04
L231	71	591.04	2	937	900.18	R231	71	636.51	2	937	565.02
L232	71	627.15	2	937	819.12	R232	71	637.15	2	937	548.30
L233	71	649.18	2	937	742.94	R233	71	617.61	2	937	455.03
L234	71	666.78	2	937	604.82	R234	71	509.39	2	937	059.50
L235	71	664.74	2	937	564.35	R235	71	428.19	2	936	765.32
L236	71	660.51	2	937	485.67	R236	71	427.18	2	936	761.67
L237	71	599.98	2	937	267.57	R237	71	409.17	2	936	695.53
L238	71	542.46	2	937	060.27	R238	71	385.99	2	936	562.19
L239	71	474.90	2	936	814.26	R239	71	236.26	2	935	687.01
L240	71	452.47	2	936	733.71	R240	71	229.70	2	935	530.92
L241	71	416.18	2	936	544.54	R241	71	239.23	2	935	361.52
L242	71	415.48	2	936	540.52	R242	71	247.40	2	935	159.10
L243	71	296.79	2	935	856.91	R243	71	311.68	2	934	240.63
L244	71	260.84	2	935	631.47	R244	71	345.89	2	933	742.09
L245	71	256.93	2	935	531.06	R245	71	357.33	2	933	569.60
L246	71	286.57	2	935	080.50	R246	71	361.96	2	933	499.94
L247	71	343.56	2	934	244.29	R247	71	405.12	2	932	857.49
L248	71	377.80	2	933	747.37	R248	71	434.72	2	932	404.89
L249	71	391.64	2	933	589.58	R249	71	449.96	2	932	169.21
L250	71	396.62	2	933	509.73	R250	71	443.52	2	932	056.02
L251	71	478.00	2	932	308.20	R251	71	417.55	2	931	885.34
L252	71	479.26	2	932	241.85	R252	71	397.83	2	931	764.98
L253	71	481.97	2	932	099.41	R253	71	321.92	2	931	252.51
L254	71	475.76	2	932	035.93	R254	71	281.14	2	930	987.38
L255	71	455.92	2	931	906.28	R255	71	256.22	2	930	839.11
						Vel 20 Van 22 Sheet of P909/16					

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L256	71 312.58	2	930 981.83		R256	71 221.55	2	930 603.36	
L257	71 304.47	2	930 871.09		R257	71 208.40	2	930 583.48	
L258	71 261.36	2	930 579.08		R258	71 196.65	2	930 521.29	
L259	71 262.69	2	930 573.17		R259	71 207.20	2	930 497.78	
L260	71 266.76	2	930 555.06		R260	71 106.09	2	929 825.08	
L261	71 262.53	2	930 530.40		R261	71 041.52	2	929 402.09	
L262	71 242.34	2	930 515.18		R262	71 028.33	2	929 316.40	
L263	71 237.94	2	930 486.22		R263	71 005.63	2	929 217.10	
L264	71 171.42	2	930 042.54		R264	70 973.79	2	929 110.48	
L265	71 102.27	2	929 586.74		R265	70 891.58	2	928 874.51	
L266	71 065.58	2	929 343.90		R266	70 741.46	2	928 441.58	
L267	71 049.79	2	929 259.54		R267	70 602.61	2	928 042.62	
L268	71 031.63	2	929 182.47		R268	70 580.14	2	927 985.06	
L269	70 999.15	2	929 089.52		R269	70 458.34	2	927 626.89	
L270	70 900.85	2	928 806.35		R270	70 348.62	2	927 307.09	
L271	70 848.91	2	928 657.54		R271	70 210.73	2	926 909.14	
L272	70 766.53	2	928 420.55		R272	70 186.91	2	926 791.54	
L273	70 604.35	2	927 951.27		R273	70 147.54	2	926 592.66	
L274	70 300.23	2	927 070.99		R274	70 145.14	2	926 443.81	
L275	70 239.11	2	926 894.15		R275	70 143.90	2	926 333.65	
L276	70 179.54	2	926 589.40		R276	70 177.81	2	926 104.84	
L277	70 176.82	2	926 450.13		R277	70 198.27	2	926 017.94	
L278	70 175.42	2	926 339.10		R278	70 176.14	2	926 013.53	
L279	70 204.65	2	926 116.36		R279	70 181.92	2	926 000.30	
L280	70 326.87	2	925 679.27		R280	70 202.46	2	926 004.27	
L281	70 338.41	2	925 630.15		R281	70 295.32	2	925 671.04	
L282	70 344.40	2	925 594.22		R282	70 347.89	2	925 480.77	
L283	70 373.58	2	925 482.51		R283	70 468.69	2	925 042.91	
L284	70 428.05	2	925 297.46		R284	70 532.35	2	924 800.49	
L285	70 435.74	2	925 293.78		R285	70 782.15	2	923 892.98	
L286	70 500.54	2	925 050.90		R286	70 844.30	2	923 674.21	
L287	70 564.54	2	924 819.08		R287	70 943.66	2	923 310.25	
L288	70 876.23	2	923 688.41		R288	71 464.68	2	921 383.28	
L289	70 977.03	2	923 312.35		R289	71 466.55	2	921 376.45	
L290	71 101.31	2	922 846.95		R290	71 495.28	2	921 271.77	
L291	71 375.78	2	921 832.72		R291	71 575.99	2	920 974.02	
L292	71 466.44	2	921 497.37		R292	71 636.29	2	920 750.55	
L293	71 492.47	2	921 459.84		R293	71 647.05	2	920 625.98	
L294	71 497.30	2	921 452.87		R294	71 635.83	2	920 519.19	
L295	71 489.56	2	921 410.64		R295	71 610.96	2	920 433.65	
L296	71 524.27	2	921 283.58		R296	71 458.24	2	919 975.09	
L297	71 608.46	2	920 973.78		R297	71 256.29	2	919 364.50	
L298	71 662.06	2	920 772.26		R298	71 165.41	2	919 090.28	
L299	71 675.46	2	920 624.43		R299	71 123.40	2	918 998.45	
L300	71 663.84	2	920 497.88		R300	70 863.60	2	918 430.75	
L301	71 291.86	2	919 372.67		R301	70 850.04	2	918 401.06	
L302	71 220.13	2	919 155.23		R302	70 842.48	2	918 378.00	
L303	71 131.11	2	918 940.18		R303	70 598.34	2	917 851.30	
L304	70 875.92	2	918 381.70		R304	70 326.00	2	917 256.99	
L305	70 753.17	2	918 113.89		R305	70 151.60	2	916 875.30	
L306	70 640.64	2	917 869.37		R306	70 059.55	2	916 668.71	
					Vel 21 Van 22 P909/16 Sheet of				

This gazette is also available free online at www.gpwonline.co.za